

"QUS NUMBER","QUESTION","OPTION A","OPTION B","OPTION C","OPTION D","MARK","CORRECT ANSWER","QUESTION TYPE"

1,"What occurs if a user session completely fails a table-level Access Control rule check in ServiceNow?","The user is denied access to all fields in the table, even if they would pass a specific field ACL rule","The system automatically routes the query request to the parent table's wildcard rule instead","A background Display Business Rule is forced to store field parameters as strings","The application repository flags the runtime activity as an unauthorized script include violation",1,"A","MCQ"

2,"Which structural baseline role must be assigned (or elevated) to a developer to permit the creation or editing of Access Control lists inside ServiceNow

Studio?","security_admin","admin","view_changer","flow_designer",1,"A","MCQ"

3,"What design behavior characterizes the baseline security methodology implemented across the Now Platform?","Deny access by default","Grant read access to all privately scoped tables unless explicit rules exist","Automatically elevate standard user roles to match application administration specs","Execute out-of-scope script actions in non-blocking background threads",1,"A","MCQ"

4,"When are the four foundational Access Control rules (create, read, write, delete) natively generated by the platform?","Automatically when creating tables inside an application","Only when a developer explicitly activates the Scoped Application Restricted Caller Access plugin","As soon as a system administrator navigates to System Security > Debugging > Debug Security Rules","As soon as a table is defined as extensible and inherits fields from a parent structure",1,"A","MCQ"

5,"What mechanism is used to determine cross-scope script execution privileges if the Caller Access configuration on the Application Access tab is set to -None-?","It acts strictly on the value specified within the 'Accessible from' field","It routes the operational context to the Restricted Caller Access table with a status of Allowed","It generates an immediate runtime error message block on the target instance","It relies on the wildcard rule checkpoint mapping of the parent record object",1,"A","MCQ"

6,"Under what specific condition are the table configuration checkboxes 'Allow access to this table via web services' and 'Allow configuration' selectable?","Only if the 'Accessible from' field value is set to All application scopes","When a developer explicitly disables the client globals block system property","Only after the application file has been bundled into a Complete Update Set snapshot","When the table configuration has auto-numbering prefixes enabled with zero user roles",1,"A","MCQ"

7,"What operational behavior occurs if an out-of-scope server-side script attempts to execute an unauthorized database interaction denied by Application Access configurations?","The unauthorized script logic is skipped, and ServiceNow continues to run normally without causing runtime errors","The system immediately halts the entire application thread and logs a strict security constraint crash dump","The script automatically invokes a rollback routine that sets the table state back to legacy global defaults","A red error message background block is generated at the top of the browser window",1,"A","MCQ"

8,"What types of application assets can be protected against cross-scope modification by turning on the 'Allow configuration' checkbox option?","Dictionary Entries, UI Actions, and Client Scripts on the table","Background Scheduled Jobs, Script Actions, and Flow Designer

playbooks", "Local GitLab stashes, Update Sets, and application repository packages", "Wildcard rule checks and elevated security_admin profile choices", 1, "A", "MCQ"

9, "Which specific target plugin must be active within an environment to activate restricted caller access properties for applications?", "Scoped Application Restricted Caller Access plugin (com.glide.scope.access.restricted_caller)", "Flow Designer Support for Service Catalog architecture (com.glideapp.servicecatalog.flow_designer)", "Global Table Dictionary Override synchronization engine framework", "Automated Test Framework layout simulator engine package", 1, "A", "MCQ"

10, "What design behavior characterizes the application of a 'Protected' protection policy on an application artifact?", "The artifact script logic becomes completely hidden and is not viewable", "The script logic remains fully viewable but cannot be edited by out-of-scope targets", "The resource logic applies natively to all views and automatically copies to extended tables", "The system forces the background JavaScript standard compilation mode to adopt ES5 standards", 1, "A", "MCQ"

11, "If a developer needs to locate all Access Control records currently evaluated for a specific table's grid layout, what pathway context menu selection is recommended?", "Select Configure > Form Builder from within an active form viewport layout", "Select Configure > Security Rules on a list view", "Enter the <table_name>.config syntax string parameter into the Filter Navigator box", "Right-click an individual text string label and click on 'Configure Styles'", 1, "B", "MCQ"

12, "Which security access scope blueprint applies natively to a table's entire row of records, serving as a prerequisite layer before field-level checks are processed?", "table.*", "table.None", "table.field", "explicit.parent", 1, "B", "MCQ"

13, "What target rule pathway defines the access parameters assigned to every single field on a record where no explicit field-specific ACL has been established?", "table.None", "table.*", "table.field", "global.wildcard", 1, "B", "MCQ"

14, "During the sequential evaluation of an Access Control check on a specific column variable (e.g., incident.number), which verification step is processed first?", "The field-level check (table.field and wildcard rules)", "The table-level check (table.none rules)", "The evaluation of script logic utilizing the ECMAScript 2021 modern keywords", "The checking of condition strings populated inside the Security Attribute layer", 1, "B", "MCQ"

15, "What is the precise chronological validation sequence of the four check components that comprise an individual Access Control rule record?", "Script -> Condition builder -> Security attribute -> Requires role", "Role -> Security attribute -> Condition builder -> Script", "Condition builder -> Requires role -> Script -> Security attribute", "Security attribute -> Script -> Requires role -> Condition builder", 1, "B", "MCQ"

16, "Which check result matrix combination will cause an Access Control rule to grant complete access permission to a requested resource?", "Access is granted if at least one of the four checks evaluates to true", "All four independent checks must evaluate to true", "The script check must populate the 'answer' variable string while ignoring empty text criteria definitions", "The role check must pass a GlideRecord background table query parameter successfully", 1, "B", "MCQ"

17, "Why are custom backend GlideRecord queries explicitly discouraged inside Access Control scripting configurations?", "They force the platform script assistance context menus to gray out", "They can adversely impact performance", "They automatically clear out values stored

inside the user's g_scratchpad canvas","They prevent update sets from rendering as 'retrievable' packages",1,"B","MCQ"

18,"Which useful baseline system framework method can be run inside an Access Control script to check whether a record object is brand

new?","current.canRead()","current.isNewRecord()","gs.hasRole()","gs.getUserID()",1,"B","MCQ"

19,"When the security debugging feature is active on an interactive list view or form layout canvas, what visual element identifies a field bound to an ACL rule?","A blue background highlights the section dropdown choice layout values","A small bug icon appears beside each field with an ACL rule","A red accent strip encapsulates the top navigation bar header","A badge displaying a unique numeric integer value pops up",1,"B","MCQ"

20,"What data collection option is captured and tracked within a manually approved cross-scope application request using the Caller Restriction configuration?","Access requests are recorded inside the My Company Applications tab","Access requests are tracked in the Restricted Caller Access table with a status of Requested","The system generates an immediate server-side validation script exception error trace","A Complete Update Set snapshot captures the layout metadata variables automatically",1,"B","MCQ"

21,"If a non-admin end-user tries to view record elements for a table where they possess appropriate application menu permissions but fail record-level ACL rule checks, what is the platform's behavior?","The application automatically grants temporary admin visibility privileges to bypass the check block","The form layout switcher dropdown menu selection forces the template layout to display only the default view","The list view canvas removes rows or fails to render, displaying a security constraints warning text block","A background flow logic branch initiates a non-blocking script include query runner sequence",1,"C","MCQ"

22,"How can an administrator configuration grant access to a specific sub-module shortcut to a group of users who lack permission to view the parent application menu folder?","Enable the 'Allow configuration' metadata checkbox inside ServiceNow Studio","Set the JavaScript engine mode configuration selector value to Compatibility Mode","Select the 'Override application menu roles' checkbox option on the Module record","Deploy an ATF test layout script package that forces an elevated security_admin rule token",1,"C","MCQ"

23,"When evaluating a list of Access Control parameters matching a requested field object, what structural framework logic controls the evaluation pathway order?","The script block engine processes logic parameters from the highest specified integer value down to zero","The system moves strictly through client scripts prior to checking server-side inclusions","Record ACL rules process through table rules first (most specific to general), followed by field rules","The central corporate update repository checks for unique version string badges automatically",1,"C","MCQ"

24,"What specific operational behavior characterizes the 'Caller Tracking' option when selected under the table Caller Access configurations?","Cross-scope calls are rejected by default unless the client globals block system property is set to false","Cross-scope calls require manual validation tracking by an admin holding the security_admin permission tier","Cross-scope calls to the resource are automatically approved and logged in the Restricted Caller Access table as Allowed","The system generates an immediate server-side script exception that halts list editor updates",1,"C","MCQ"

25, "Under what system scenario are protection policies completely bypassed or not applied to application code files?", "When custom applications are hosted, shared, or downloaded directly from the public app store", "When software assets are pulled directly across environments via the central application repository", "When applications are published and migrated to an instance using an update set", "Anytime a script include uses the baseline current.isNewRecord() syntax structure method check", 1, "C", "MCQ"

26, "To which application file artifact metadata categories can a protection policy be explicitly applied by a developer?", "Relational column structures and data table guidelines", "Standard form choice layout fields and background scheduled tasks", "UI Actions and Script Includes", "Client script includes and g_scratchpad canvas property strings", 1, "C", "MCQ"

27, "What is the structural outcome of choosing the 'Read-only' protection policy option on a custom Script Include artifact?", "The source code logic is hidden inside the target instance and is not viewable", "The application record prevents out-of-scope tables from asking for database read capabilities", "The script logic is fully viewable but cannot be edited on instances where the app is installed", "The platform context menu assistance shortcuts block the use of the Ctrl-Spacebar keystroke command", 1, "C", "MCQ"

28, "From an execution safety perspective, why is controlling resource visibility via server-side GlideSystem checks preferred over client-side scripting adjustments?", "Client-side rules are restricted from checking active role definitions across desktop viewports", "Server-side alternatives process faster and are far superior from performance and security perspectives", "Client-side adjustments cannot isolate variables using immediately-invoked function expression wrappers", "Server-side scripts natively support cross-browser color matching modifications automatically", 1, "C", "MCQ"

29, "What is an operational characteristic of the server-side gs.getUserID() method within the ServiceNow API framework?", "It returns a lowercase alphanumeric string version of the user record display name text properties", "It dynamically evaluates whether an out-of-scope script action can execute a database query loop", "It retrieves the specific unique internal sys_id string matching the currently logged-in user session", "It checks whether the user session profile possesses full administrative permissions to publish update sets", 1, "C", "MCQ"

30, "While application access restrictions apply to all cross-scope server scripts, under what scenario does this runtime security layer not apply?", "When an application file is downloaded directly from a certified third-party vendor on the Store", "When the target resource belongs to a baseline task base schema table configuration", "When scripts are executed within the same application scope", "When the system property setting for blocking client globals is explicitly set to false", 1, "C", "MCQ"

31, "If an individual row-level access checkpoint rule evaluates to true for a user, but an explicit field-level ACL rule evaluates to false for a specific column, what occurs?", "The user receives a blue background info banner at the top of the form layout grid", "The column data is cleanly substituted by the unique internal record key string values", "The application standard engine mode overrides the failure using modern keyword let exceptions", "The user cannot access the field described by the field ACL rule", 1, "D", "MCQ"

32, "What occurs if a wildcard field Access Control rule (*.*) is executed for a record create operation where no explicit create ACL exists?", "The platform automatically blocks out-of-scope scripts from executing web service queries", "The layout switcher menu grays out all custom

form layout views for the user session", "The system utilizes the default criteria checks specified inside the modern ES12 script editors", "It reuses the exact same role and condition permissions configured for the write operation", 1, "D", "MCQ"

33, "Which specific platform asset represents a 'maint-only' configuration property that must share an identical string code across an organization's instance stack to deploy apps via repository?", "glide.update_set.auto_preview", "glide.script.block.client.globals", "glide.source_control.default_branch_name", "glide.appcreator.company.code", 1, "D", "MCQ"

34, "What form layout behavior determines whether the platform form layout system displays a specific name identifier string text right next to the main application form title header?", "Only when a user session profile lacks the view_changer role permission tier", "Only if the form builder workspace canvas has tabbed section displays turned off", "When the user session is interacting with a custom application file inside ServiceNow Studio", "When viewing any custom or specialized layout view other than the standard Default View", 1, "D", "MCQ"

35, "Which application design best practice is dictated by documentation regarding database script architectures for modern scoped development?", "Client-side script inclusions should be heavily extended to handle relational data calculations", "Use JavaScript alert dialog blocks inside 'onLoad' operations to maximize cross-browser speeds", "Combine multiple linear updates into a single snapshot xml package before testing", "Control resource access using server-side GlideSystem methods rather than client-side script blocks", 1, "D", "MCQ"

36, "When designing an advanced custom script execution sequence for a View Rule, what baseline object framework technique can be used if you encounter a highly complicated scenario?", "A non-blocking client-side GlideAjax script include class lookup function", "An immediately-invoked function expression envelope that checks for instance codes", "A data policy entry builder that enforces mandatory cell editor rules", "A server-side JavaScript switch/case block", 1, "D", "MCQ"

37, "If an application developer opens an existing out-of-scope artifact for editing inside ServiceNow Studio, what visual notification indicator warns them of a scope mismatch?", "A small bug icon appears right next to the column lookup rules configuration section", "The top navigation bar header turns entirely into a red background alert message", "A clear message warning banner pops up indicating a scope issue, complete with a link to switch scopes", "The script assistance text editors completely lock down and gray out code text blocks", 1, "D", "MCQ"

38, "What default access capability is natively established across the platform whenever application access is expanded to 'All application scopes'?", "Write permissions", "Create capabilities", "Delete options", "Read access only", 1, "D", "MCQ"

39, "For which deployment strategy are protection policies completely irrelevant and non-applied to underlying code blocks?", "Installing an update patch from the public ServiceNow Store certified catalog", "Transferring certified components across instances using the application repository pipeline", "Copying localized message variables into an automated test framework matrix layout", "Publishing and migrating an application package via a classic Update Set", 1, "D", "MCQ"

40, "If a developer uses a Display Business Rule to bridge data points over to interactive client browser scripts, what constraints must guide this architecture?", "The rule must return values matching the ES5 'use strict' declaration rules", "The payload variables must be passed as native GlideRecord database rows", "The tracking mechanism relies on client-side JavaScript"

confirmation dialog boxes", "All property values must be passed as strings using the g_scratchpad object, which is unsupported on mobile", 1, "D", "MCQ"

41, "Which specific interface elements or resource assets can be explicitly controlled and restricted using roles across the Now Platform? (MSQ)", "Application menus", "Modules", "Records and Fields", "Dictionary entry script help tool tips", 1, "A,B,C", "MSQ"

42, "What techniques can an end-user implement to attempt to directly load or view an application's record rows database list layout? (MSQ)", "Access the record list pathway directly through the System Definition > Tables module if they possess visibility privileges", "Typing the designated <table_name>.list parameter string right into the Type filter text entry space of the navigator navigator box", "Launching an ATF simulation loop from within the ServiceNow Studio resources area", "Click on the Type Indicator icon inside the Form Builder canvas top navigation bar", 1, "A,B", "MSQ"

43, "Which verification check steps are independently evaluated in a specific hierarchical order to validate access permissions for an Access Control rule? (MSQ)", "Requires role parameters list", "Condition builder filters evaluation", "Advanced view Script evaluations", "Client-callable GlideForm layout properties", 1, "A,B,C", "MSQ"