

Step Step


```
PS D:\Kuliah\Semester 5\Source-Code-Smt-5\WebPro\TP14\TP14> php artisan make:migration add_role_to_users_table --table=users
[INFO] Migration [D:\Kuliah\Semester 5\Source-Code-Smt-5\WebPro\TP14\TP14\database\migrations\2025_12_13_212402_add_role_to_users_table.php] created successfully.
PS D:\Kuliah\Semester 5\Source-Code-Smt-5\WebPro\TP14\TP14> php artisan make:migration create_products_table
[INFO] Migration [D:\Kuliah\Semester 5\Source-Code-Smt-5\WebPro\TP14\TP14\database\migrations\2025_12_13_212409_create_products_table.php] created successfully.

• PS D:\Kuliah\Semester 5\Source-Code-Smt-5\WebPro\TP14\TP14> php artisan make:model Product
[INFO] Model [D:\Kuliah\Semester 5\Source-Code-Smt-5\WebPro\TP14\TP14\app\Models\Product.php] created successfully.

• PS D:\Kuliah\Semester 5\Source-Code-Smt-5\WebPro\TP14\TP14> php artisan make:controller AuthController
[INFO] Controller [D:\Kuliah\Semester 5\Source-Code-Smt-5\WebPro\TP14\TP14\app\Http\Controllers\AuthController.php] created successfully.

• PS D:\Kuliah\Semester 5\Source-Code-Smt-5\WebPro\TP14\TP14> php artisan make:controller ProductController
[INFO] Controller [D:\Kuliah\Semester 5\Source-Code-Smt-5\WebPro\TP14\TP14\app\Http\Controllers\ProductController.php] created successfully.
```

Hasil



The screenshot shows a web registration form with a green header bar containing the word "Register". The form is white and contains several input fields and a dropdown menu. The fields are labeled "Nama", "Email", "Password", "Confirm Password", and "Role". The "Nama" field contains the text "Ihab". The "Email" field contains the text "a@gmail.com". The "Password" and "Confirm Password" fields contain six dots, indicating masked text. The "Role" dropdown menu is set to "User Biasa" with a downward arrow. Below the form fields is a green button labeled "Register". At the bottom of the form, there is a link that says "Sudah punya akun? [Login](#)".

Toko WebPro

Halo, **Ihab** (User) [Logout](#)

Registrasi berhasil!

Daftar Produk

Tambah Produk

No	Nama Produk	Harga
----	-------------	-------

Toko WebPro

Halo, **Ihab** (User) [Logout](#)

Tambah Produk

Nama Produk
5GS-ihab

Harga
123123

[Simpan](#) [Batal](#)

Toko WebPro

Halo, **Ihab** (User) [Logout](#)

Produk berhasil ditambahkan

Daftar Produk

Tambah Produk

No	Nama Produk	Harga
1	5GS-ihab	Rp 123.123

Register

Nama

Email

Password

Confirm Password

Role

Administrator ▾

Register

Sudah punya akun? [Login](#)

Toko WebPro

Halo, **Habb** (Admin)

Logout

Registrasi berhasil!

Daftar Produk

Tambah Produk

No	Nama Produk	Harga	Aksi (Admin Only)
1	5GS-ihab	Rp 123.123	EditHapus

Edit Produk

Nama Produk

NASIHUY

Harga

123123



Update

Batal

Produk berhasil diupdate

Daftar Produk[Tambah Produk](#)

No	Nama Produk	Harga	Aksi (Admin Only)	
1	NASIHUY	Rp 123.123	Edit	Hapus



Kode

Routes

```
<?php

use Illuminate\Support\Facades\Route;
use App\Http\Controllers\AuthController;
use App\Http\Controllers\ProductController;

// Guest Routes
Route::middleware('guest')->group(function () {
    Route::get('/', [AuthController::class, 'showLogin'])->name('login'); //
    Halaman awal login
    Route::get('/login', [AuthController::class, 'showLogin']);
    Route::post('/login', [AuthController::class, 'login']);
    Route::get('/register', [AuthController::class,
'showRegister'])->name('register');
    Route::post('/register', [AuthController::class, 'register']);
});
```

```
});

// Authenticated Routes
Route::middleware('auth')->group(function () {
    Route::post('/logout', [AuthController::class, 'logout'])->name('logout');

    // Product Routes
    Route::resource('products', ProductController::class);
});
```

Model User

```
<?php

namespace App\Models;

// use Illuminate\Contracts\Auth\MustVerifyEmail;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Foundation\Auth\User as Authenticatable;
use Illuminate\Notifications\Notifiable;

class User extends Authenticatable
{
    /** @use HasFactory<Database\Factories\UserFactory> */
    use HasFactory, Notifiable;

    /**
     * The attributes that are mass assignable.
     *
     * @var list<string>
     */
    protected $fillable = [
        'name',
        'email',
        'password',
        'role', // Penting untuk mass assignment
    ];

    /**
     * The attributes that should be hidden for serialization.
     *
     * @var list<string>
     */
    protected $hidden = [
        'password',
        'remember_token',
    ];
```

```
/**
 * Get the attributes that should be cast.
 *
 * @return array<string, string>
 */
protected function casts(): array
{
    return [
        'email_verified_at' => 'datetime',
        'password' => 'hashed',
    ];
}
```

Model Product

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class Product extends Model
{
    protected $fillable = ['name', 'price'];
}
```

AuthController

```
<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;
use Illuminate\Support\Facades\Hash;
use App\Models\User;

class AuthController extends Controller
{
    public function showLogin() {
        return view('auth.login');
    }

    public function login(Request $request) {
        $credentials = $request->validate([
            'email' => 'required|email',
        ]);
    }
}
```

```
        'password' => 'required'
    });

    if (Auth::attempt($credentials)) {
        $request->session()->regenerate();
        return redirect()->intended('/products');
    }

    return back()->with('error', 'Email atau password salah!');
}

public function showRegister() {
    return view('auth.register');
}

public function register(Request $request) {
    $validated = $request->validate([
        'name' => 'required|string|max:255',
        'email' => 'required|email|unique:users',
        'password' => 'required|min:6|confirmed',
        'role' => 'required|in:admin,user' // User memilih role saat
register
    ]);

    $user = User::create([
        'name' => $validated['name'],
        'email' => $validated['email'],
        'password' => Hash::make($validated['password']),
        'role' => $validated['role']
    ]);

    Auth::login($user);
    return redirect('/products')->with('success', 'Registrasi berhasil!');
}

public function logout(Request $request) {
    Auth::logout();
    $request->session()->invalidate();
    $request->session()->regenerateToken();
    return redirect('/login');
}
}
```

ProductController

```
<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;
```



```
use App\Models\Product;
use Illuminate\Support\Facades\Auth;

class ProductController extends Controller
{
    public function index() {
        $products = Product::all();
        return view('products.index', compact('products'));
    }

    public function create() {
        return view('products.create');
    }

    public function store(Request $request) {
        $request->validate(['name' => 'required', 'price' =>
'required|numeric']);
        Product::create($request->all());
        return redirect()->route('products.index')->with('success', 'Produk
berhasil ditambahkan');
    }

    public function edit(Product $product) {
        if (Auth::user()->role !== 'admin') {
            return redirect()->route('products.index')->with('error', 'Akses
ditolak!');
        }
        return view('products.edit', compact('product'));
    }

    public function update(Request $request, Product $product) {
        if (Auth::user()->role !== 'admin') {
            abort(403);
        }
        $request->validate(['name' => 'required', 'price' =>
'required|numeric']);
        $product->update($request->all());
        return redirect()->route('products.index')->with('success', 'Produk
berhasil diupdate');
    }

    public function destroy(Product $product) {
        if (Auth::user()->role !== 'admin') {
            abort(403);
        }
        $product->delete();
        return redirect()->route('products.index')->with('success', 'Produk
dihapus');
```

```
}  
}
```

User Table

```
<?php  
  
use Illuminate\Database\Migrations\Migration;  
use Illuminate\Database\Schema\Blueprint;  
use Illuminate\Support\Facades\Schema;  
  
return new class extends Migration  
{  
    /**  
     * Run the migrations.  
     */  
    public function up()  
    {  
        Schema::table('users', function (Blueprint $table) {  
            // Default role adalah 'user'  
            $table->enum('role', ['admin',  
'user'])->default('user')->after('email');  
        });  
    }  
  
    /**  
     * Reverse the migrations.  
     */  
    public function down(): void  
    {  
        Schema::table('users', function (Blueprint $table) {  
            //  
        });  
    }  
};
```

Product Table

```
<?php  
  
use Illuminate\Database\Migrations\Migration;  
use Illuminate\Database\Schema\Blueprint;  
use Illuminate\Support\Facades\Schema;  
  
return new class extends Migration  
{  
    /**  
     * Run the migrations.  
     */  
    public function up(): void
```

```
{
    Schema::create('products', function (Blueprint $table) {
        $table->id();
        $table->string('name');
        $table->integer('price');
        $table->timestamps();
    });
}

/**
 * Reverse the migrations.
 */
public function down(): void
{
    Schema::dropIfExists('products');
}
};
```

Layout

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>TP Modul 14</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
</head>
<body class="bg-light">

    @auth
    <nav class="navbar navbar-expand-lg navbar-dark bg-primary mb-4">
        <div class="container">
            <a class="navbar-brand" href="#">Toko WebPro</a>
            <div class="d-flex text-white align-items-center gap-3">
                <span>Halo, <strong>{{ Auth::user()->name }}</strong>
                ({{ ucfirst(Auth::user()->role) }})</span>
                <form action="{{ route('logout') }}" method="POST">
                    @csrf
                    <button class="btn btn-sm btn-danger"
type="submit">Logout</button>
                </form>
            </div>
        </div>
    </nav>
    @endauth
```

```

<div class="container mt-4">
  @if(session('success'))
    <div class="alert alert-success">{{ session('success') }}</div>
  @endif
  @if(session('error'))
    <div class="alert alert-danger">{{ session('error') }}</div>
  @endif

  @yield('content')
</div>

</body>
</html>

```

Login

```

@extends('layout')

@section('content')
<div class="row justify-content-center mt-5">
  <div class="col-md-4">
    <div class="card shadow-sm">
      <div class="card-header bg-primary text-white text-center">Login</div>
      <div class="card-body">
        <form action="{{ url('/login') }}" method="POST">
          @csrf
          <div class="mb-3">
            <label>Email</label>
            <input type="email" name="email" class="form-control"
required>
          </div>
          <div class="mb-3">
            <label>Password</label>
            <input type="password" name="password" class="form-
control" required>
          </div>
          <button class="btn btn-primary w-100">Login</button>
        </form>
        <div class="text-center mt-3">
          <small>Belum punya akun? <a
href="{{ route('register') }}">Register</a></small>
        </div>
      </div>
    </div>
  </div>
</div>
@endsection

```

Register

```
@extends('layout')

@section('content')
<div class="row justify-content-center mt-5">
  <div class="col-md-4">
    <div class="card shadow-sm">
      <div class="card-header bg-success text-white text-
center">Register</div>
      <div class="card-body">
        <form action="{{ url('/register') }}" method="POST">
          @csrf
          <div class="mb-2">
            <label>Nama</label>
            <input type="text" name="name" class="form-control"
required>

            </div>
            <div class="mb-2">
            <label>Email</label>
            <input type="email" name="email" class="form-control"
required>

            </div>
            <div class="mb-2">
            <label>Password</label>
            <input type="password" name="password" class="form-
control" required>

            </div>
            <div class="mb-2">
            <label>Confirm Password</label>
            <input type="password" name="password_confirmation"
class="form-control" required>

            </div>
            <div class="mb-3">
            <label>Role</label>
            <select name="role" class="form-select">
              <option value="user">User Biasa</option>
              <option value="admin">Administrator</option>
            </select>
            </div>
            <button class="btn btn-success w-100">Register</button>
          </form>
          <div class="text-center mt-3">
            <small>Sudah punya akun? <a
href="{{ route('login') }}">Login</a></small>

          </div>
        </div>
      </div>
    </div>
  </div>
</div>
```

```
@endsection
```

Create

```
@extends('layout')
```

```
@section('content')
```

```
<div class="card col-md-6 mx-auto">
```

```
  <div class="card-header fw-bold">Tambah Produk</div>
```

```
  <div class="card-body">
```

```
    <form action="{{ route('products.store') }}" method="POST">
```

```
      @csrf
```

```
      <div class="mb-3">
```

```
        <label>Nama Produk</label>
```

```
        <input type="text" name="name" class="form-control" required>
```

```
      </div>
```

```
      <div class="mb-3">
```

```
        <label>Harga</label>
```

```
        <input type="number" name="price" class="form-control"
```

```
required>
```

```
      </div>
```

```
      <button class="btn btn-primary">Simpan</button>
```

```
      <a href="{{ route('products.index') }}" class="btn btn-  
secondary">Batal</a>
```

```
    </form>
```

```
  </div>
```

```
</div>
```

```
@endsection
```

Edit

```
@extends('layout')
```

```
@section('content')
```

```
<div class="card col-md-6 mx-auto">
```

```
  <div class="card-header fw-bold">Edit Produk</div>
```

```
  <div class="card-body">
```

```
    <form action="{{ route('products.update', $product->id) }}"  
method="POST">
```

```
      @csrf
```

```
      @method('PUT') <div class="mb-3">
```

```
        <label>Nama Produk</label>
```

```
        <input type="text" name="name" class="form-control"  
value="{{ old('name', $product->name) }}" required>
```

```
      </div>
```

```
      <div class="mb-3">
```

```
        <label>Harga</label>
```

```
        <input type="number" name="price" class="form-control"  
value="{{ old('price', $product->price) }}" required>
```

```
      </div>
```

```

        <button class="btn btn-primary">Update</button>
        <a href="{{ route('products.index') }}" class="btn btn-
secondary">Batal</a>
    </form>
</div>
</div>
@endsection

```

Index

```

@extends('layout')

@section('content')
<div class="card shadow-sm">
    <div class="card-header d-flex justify-content-between align-items-
center">
        <h5 class="mb-0">Daftar Produk</h5>
        <a href="{{ route('products.create') }}" class="btn btn-sm btn-
primary">Tambah Produk</a>
    </div>
    <div class="card-body">
        <table class="table table-bordered table-striped">
            <thead>
                <tr>
                    <th>No</th>
                    <th>Nama Produk</th>
                    <th>Harga</th>
                    @if(Auth::user()->role == 'admin')
                    <th>Aksi (Admin Only)</th>
                    @endif
                </tr>
            </thead>
            <tbody>
                @foreach($products as $key => $p)
                    <tr>
                        <td>{{ $key + 1 }}</td>
                        <td>{{ $p->name }}</td>
                        <td>Rp {{ number_format($p->price, 0, ',', '.') }}</td>

                        @if(Auth::user()->role == 'admin')
                        <td>
                            <a href="{{ route('products.edit', $p->id) }}"
class="btn btn-sm btn-warning">Edit</a>
                            <form action="{{ route('products.destroy', $p->id) }}"
method="POST" class="d-inline" onsubmit="return confirm('Yakin hapus?')">
                                @csrf
                                @method('DELETE')
                                <button class="btn btn-sm btn-
danger">Hapus</button>

```

```
        </form>
      </td>
    @endif
  </tr>
@endforeach
</tbody>
</table>
</div>
</div>
@endsection
```