



## Main.java




```
10  */
11  public class No1 {
12
13      public static void main(String[] args) {
14          Dokter dt1 = new Dokter();
15          Dokter dt2 = new Dokter();
16          Dokter dt3 = new Dokter();
17          dt1.Dokter("Grisha", "Mata");
18          dt2.Dokter("Daye", "Gigi");
19          dt3.Dokter("Zeke", "Telinga");
20
21          Pasien ps1 = new Pasien();
22          Pasien ps2 = new Pasien();
23          Pasien ps3 = new Pasien();
24
25          ps1.Pasien("Historia", 20);
26          ps2.Pasien("Sasha", 37);
27          ps3.Pasien("Petra", 55);
28          Pemesanan [] pm = new Pemesanan[5];
29          pm[0] = new Pemesanan(ps1, dt1, "Selasa");
30          pm[1] = new Pemesanan(ps1, dt2, "Kamis");
31          pm[2] = new Pemesanan(ps2, dt2, "Selasa");
32          pm[3] = new Pemesanan(ps2, dt3, "Jumat");
33          pm[4] = new Pemesanan(ps3, dt1, "Senin");
34
35          for (int i = 0; i < pm.length; i++) {
36              System.out.println("Urutan ke-" + (i+1));
37              System.out.println("Nama Dokter : " + pm[i].getDokter().getNama());
38              System.out.println("Spesialis : " + pm[i].getDokter().getSpesialis());
39              System.out.println("Nama Pasien : " + pm[i].getPasien().getNama() + " (" + pm[i].getPasien().getUmur() + ")");
40              System.out.println("Hari : " + pm[i].getHari());
41              System.out.println();
42          }
43      }
```

## Dokter.java




```
1  /*
2  * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-d
3  * Click nbfs://nbhost/SystemFileSystem/Templates/Classes/Class.java
4  */
5  package Lain;
6
7  /**
8   *
9   * @author ihabh
10  */
11  public class Dokter {
12      private String nama;
13      private String spesialis;
14      public void Dokter(String nama, String spesialis) {
15          this.nama = nama;
16          this.spesialis = spesialis;
17      }
18      public void setNama(String nama) {
19          this.nama = nama;
20      }
21      public void setSpesialis(String spesialis) {
22          this.spesialis = spesialis;
23      }
24      public String getNama() {
25          return nama;
26      }
27      public String getSpesialis() {
28          return spesialis;
29      }
30  }
31
```

Pasien.java



```
1  /*
2   * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to view the code
3   * Click nbfs://nbhost/SystemFileSystem/Templates/Classes/Class.java to edit the template
4   */
5   package Lain;
6
7   /**
8    *
9    * @author ihabh
10   */
11  public class Pasien {
12      private String nama;
13      private int umur;
14      public void Pasien(String nama, int umur) {
15          this.nama = nama;
16          this.umur = umur;
17      }
18      public void setName(String nama) {
19          this.nama = nama;
20      }
21      public void setUmur(int umur) {
22          this.umur = umur;
23      }
24      public String getName() {
25          return nama;
26      }
27      public int getUmur() {
28          return umur;
29      }
30  }
31
```

Pemesanan.java



```
7  /**
8   *
9   * @author ihabh
10  */
11  public class Pemesanan {
12      private Pasien pasien;
13      private Dokter dokter;
14      private String hari;
15      public Pemesanan(Pasien pasien, Dokter dokter, String hari) {
16          this.pasien = pasien;
17          this.dokter = dokter;
18          this.hari = hari;
19      }
20      public void setDokter(Dokter dokter) {
21          this.dokter = dokter;
22      }
23      public void setPasien(Pasien pasien) {
24          this.pasien = pasien;
25      }
26      public void setHari(String hari) {
27          this.hari = hari;
28      }
29      public Dokter getDokter() {
30          return dokter;
31      }
32      public Pasien getPasien() {
33          return pasien;
34      }
35      public String getHari() {
36          return hari;
37      }
38  }
39
```

Output



The image shows a screenshot of an IDE's terminal window. The title bar of the terminal is labeled "Run (No1) x" and "Source-Code-Smt-5 - D:\Kuliah\Seme". The terminal output displays the results of a build process, showing five sequential steps (Urutan ke-1 to Urutan ke-5). Each step lists the doctor's name, specialization, patient's name, and the day. The final output is "BUILD SUCCESS" in green text, preceded by a dashed line.

```
--- exec:3.1.0:exec (default-cli) @ No
Urutan ke-1
Nama Dokter : Grisha
Spesialis   : Mata
Nama Pasien : Historia (20)
Hari        : Selasa

Urutan ke-2
Nama Dokter : Daye
Spesialis   : Gigi
Nama Pasien : Historia (20)
Hari        : Kamis

Urutan ke-3
Nama Dokter : Daye
Spesialis   : Gigi
Nama Pasien : Sasha (37)
Hari        : Selasa

Urutan ke-4
Nama Dokter : Zeke
Spesialis   : Telinga
Nama Pasien : Sasha (37)
Hari        : Jumat

Urutan ke-5
Nama Dokter : Grisha
Spesialis   : Mata
Nama Pasien : Petra (55)
Hari        : Senin

-----
BUILD SUCCESS
```