


Hasil



localhost:8080/WebApplication1/product/add.jsp

RESPONSI SISMUL PBO HUMIC UJIAN TIP agnislur/repo-baru Home - OneDrive 3 TUBES

Tambah Barang Restore Up

Nama

Nasihuy

Jumlah


10

Harga

20000

Simpan


Kembali



Daftar Barang

[Restore Up](#)

Back					Add Barang
ID	Nama	Jumlah	Harga	Aksi	
1	Laptop	10	7500000.0	Edit	
2	Mouse	50	150000.0	Edit	
3	Keyboard	20	250000.0	Edit	
4	Nasihuy	10	20000.0	Edit	




Edit Barang

[Restore Up](#)

Nama

Jumlah

Harga

[Update](#)[Kembali](#)


Daftar Barang

[Restore Up](#)


Back					Add Barang
ID	Nama	Jumlah	Harga	Aksi	
1	Laptop	12	7500000.0	Edit	
2	Mouse	50	150000.0	Edit	
3	Keyboard	20	250000.0	Edit	
4	Nasihuy	10	20000.0	Edit	

Kode


JDBC



```
4  */
5  package db;
6
7  import java.sql.*;
8
9  /**
10   *
11   * @author ihabh
12   */
13  public class JDBC {
14      private Connection con;
15      private Statement stmt;
16      private boolean isConnected;
17      private String message;
18
19      public JDBC() {
20          isConnected = false;
21          message = "";
22      }
23      /**
24       * @return the con
25       */
26      public Connection getCon() {
27          return con;
28      }
29
30      /**
31       * @param con the con to set
32       */
33      public void setCon(Connection con) {
34          this.con = con;
35      }
36
37      /**
38       * @return the stmt
39       */
40      public Statement getStmt() {
41          return stmt;
42      }
43  }
```



```
46  */
47  public void setStmt(Statement stmt) {
48      this.stmt = stmt;
49  }
50
51  /**
52   * @return the isConnected
53   */
54  public boolean isConnected() {
55      return isConnected;
56  }
57
58  /**
59   * @param isConnected the isConnected to set
60   */
61  public void setIsConnected(boolean isConnected) {
62      this.isConnected = isConnected;
63  }
64
65  /**
66   * @return the message
67   */
68  public String getMessage() {
69      return message;
70  }
71
72  /**
73   * @param message the message to set
74   */
75  public void setMessage(String message) {
76      this.message = message;
77  }
78
79  public void connect() {
80      String dbname = "db_barang";
81      String username = "root";
82      String password = "";
83
84      try {
```



```
82      String password = "";
83
84      try {
85          Class.forName("com.mysql.jdbc.Driver");
86          con = DriverManager.getConnection("jdbc:mysql://localhost:3306/"
87              + dbname, username, password);
88          stmt = con.createStatement();
89          isConnected = true;
90          message = "DB connected: " + dbname;
91      } catch (Exception e) {
92          isConnected = false;
93          message = e.getMessage();
94      }
95  }
96
97  private void disconnect() {
98      try {
99          stmt.close();
100          con.close();
101      } catch (Exception e) {
102          message = e.getMessage();
103      }
104  }
105
106  public void runQuery(String query) {
107      try {
108          connect();
109          int result = stmt.executeUpdate(query);
110          message = "info: " + result + " rows affected";
111      } catch (Exception e) {
112          message = e.getMessage();
113      } finally {
114          disconnect();
115      }
116  }
117
118  public ResultSet getData(String query) {
119      ResultSet rs = null;
120      try {
121          connect();
122          rs = stmt.executeQuery(query);
```


```
117
118     public ResultSet getData(String query) {
119         ResultSet rs = null;
120         try {
121             connect();
122             rs = stmt.executeQuery(query);
123         } catch (Exception e) {
124             message = e.getMessage();
125         }
126         return rs;
127     }
128     public void closeData() {
129         disconnect();
130     }
131 }
```

Index.jsp

```
JDBC.java [-/A] x index.jsp [-/A] x view.jsp [-/A] x edit.jsp [-/A] x add.jsp [-/A] x
Source History
2 Document : index
3 Created on : 6 Dec 2025, 02.50.33
4 Author : ihabh
5 --%>
6
7 <@page contentType="text/html" pageEncoding="UTF-8"%>
8 <!DOCTYPE html>
9 <html>
10 <head>
11 <title>Index</title>
12 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
13 </head>
14 <body class="bg-light">
15 <div class="container py-5 text-center">
16 <h2>Menu Barang</h2>
17 <p>Silakan kelola data barang.</p>
18
19 <a href="product/view.jsp" class="btn btn-primary">Lihat Daftar Barang</a>
20 </div>
21 </body>
22 </html>
23
```

View.jsp

```
JDBC.java [-/A] x index.jsp [-/A] x view.jsp [-/A] x edit.jsp [-/A] x add.jsp [-/A] x
Source History
4 | Author : ihabh
5 | -->
6 |
7 | <%@page import="db.JDBC, java.sql.ResultSet"%>
8 | <%@page contentType="text/html" pageEncoding="UTF-8"%>
9 |
10 | <%
11 |     JDBC db = new JDBC();
12 | %>
13 |
14 | <!DOCTYPE html>
15 | <html>
16 | <head>
17 |     <title>View Barang</title>
18 |     <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
19 | </head>
20 | <body>
21 | <div class="container py-4">
22 |     <h2 class="text-center mb-4">Daftar Barang</h2>
23 |
24 |     <div class="d-flex justify-content-between mb-3">
25 |         <a href="index.jsp" class="btn btn-secondary">Back</a>
26 |         <a href="add.jsp" class="btn btn-success">Add Barang</a>
27 |     </div>
28 |
29 |     <table class="table table-bordered table-striped">
30 |         <thead class="table-dark">
31 |             <tr>
32 |                 <th>ID</th>
33 |                 <th>Nama</th>
34 |                 <th>Jumlah</th>
35 |                 <th>Harga</th>
36 |                 <th>Aksi</th>
37 |             </tr>
38 |         </thead>
39 |         <tbody>
40 |             <%
41 |                 ResultSet rs = db.getData("SELECT * FROM barang");
42 |
43 |                 if (rs != null) {
44 |                     while (rs.next()) {
```

```
34         <th>Jumlah</th>
35         <th>Harga</th>
36         <th>Aksi</th>
37     </tr>
38 </thead>
39 <tbody>
40 <%
41     ResultSet rs = db.getData("SELECT * FROM barang");
42
43     if (rs != null) {
44         while (rs.next()) {
45             %>
46             <tr>
47                 <td><%= rs.getInt("id") %></td>
48                 <td><%= rs.getString("nama") %></td>
49                 <td><%= rs.getInt("jumlah") %></td>
50                 <td><%= rs.getDouble("harga") %></td>
51                 <td>
52                     <!-- tombol edit sesuai kriteria -->
53                     <a class="btn btn-warning btn-sm"
54                        href="edit.jsp?id=<%= rs.getInt("id") %>">Edit</a>
55                 </td>
56             </tr>
57             <%
58                 }
59                 db.closeData();
60             } else {
61                 out.print(db.getMessage());
62             }
63             %>
64         </tbody>
65     </table>
66 </div>
67 </body>
68 </html>
69
```


Edit.jsp



```
7 <%@page import="db.JDBC, java.sql.ResultSet"%>
8 <%@page contentType="text/html" pageEncoding="UTF-8"%>
9
10 <%
11     JDBC db = new JDBC();
12
13     String id = request.getParameter("id");
14     if (id == null) {
15         response.sendRedirect("view.jsp");
16         return;
17     }
18
19     String nama = request.getParameter("nama");
20     String jumlah = request.getParameter("jumlah");
21     String harga = request.getParameter("harga");
22
23     if (nama != null && jumlah != null && harga != null) {
24         String q = "UPDATE barang SET "
25             + "nama='" + nama + "', "
26             + "jumlah=" + jumlah + ", "
27             + "harga=" + harga
28             + " WHERE id=" + id;
29
30         db.runQuery(q);
31
32         response.sendRedirect("view.jsp");
33         return;
34     }
35
36     ResultSet rs = db.getData("SELECT * FROM barang WHERE id=" + id);
37
38     if (rs == null || !rs.next()) {
39         db.closeData();
40         response.sendRedirect("view.jsp");
41         return;
42     }
43 %>
44
45 <!DOCTYPE html>
46 <html>
47 <head>
```

```
JDBC.java [-/A] x index.jsp [-/A] x view.jsp [-/A] x edit.jsp [-/A] x add.jsp [-/A] x
Source History
43 <%>
44
45 <!DOCTYPE html>
46 <html>
47 <head>
48 <title>Edit Barang</title>
49 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
50 </head>
51 <body>
52 <div class="container py-4" style="max-width:600px;">
53 <h2 class="text-center mb-4">Edit Barang</h2>
54
55 <form method="post">
56 <input type="hidden" name="id" value="<%= id %>">
57
58 <div class="mb-3">
59 <label class="form-label">Nama</label>
60 <input type="text" name="nama" class="form-control"
61 value="<%= rs.getString("nama") %>" required>
62 </div>
63 <div class="mb-3">
64 <label class="form-label">Jumlah</label>
65 <input type="number" name="jumlah" class="form-control"
66 value="<%= rs.getInt("jumlah") %>" required>
67 </div>
68 <div class="mb-3">
69 <label class="form-label">Harga</label>
70 <input type="number" step="0.01" name="harga" class="form-control"
71 value="<%= rs.getDouble("harga") %>" required>
72 </div>
73
74 <button class="btn btn-warning w-100" type="submit">Update</button>
75 </form>
76
77 <a href="view.jsp" class="btn btn-secondary mt-3 w-100">Kembali</a>
78 </div>
79 </body>
80 </html>
81
82 <%
83 db.closeData();
```

Add.jsp



```
7 <%@page import="db.JDBC"%>
8 <%@page contentType="text/html" pageEncoding="UTF-8"%>
9
10 <%
11     JDBC db = new JDBC();
12     String nama = request.getParameter("nama");
13     String jumlah = request.getParameter("jumlah");
14     String harga = request.getParameter("harga");
15
16     // cukup cek parameternya saja
17     if (nama != null && jumlah != null && harga != null) {
18         String q = "INSERT INTO barang(nama, jumlah, harga) VALUES "
19             + "(" + nama + ", " + jumlah + ", " + harga + ")";
20         db.runQuery(q);
21
22         // langsung balik ke view
23         response.sendRedirect("view.jsp");
24         return;
25     }
26 >%>
27
28 <!DOCTYPE html>
29 <html>
30 <head>
31     <title>Add Barang</title>
32     <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
33 </head>
34 <body>
35     <div class="container py-4" style="max-width:600px;">
36         <h2 class="text-center mb-4">Tambah Barang</h2>
37
38         <form method="post">
39             <div class="mb-3">
40                 <label class="form-label">Nama</label>
41                 <input type="text" name="nama" class="form-control" required>
42             </div>
43             <div class="mb-3">
44                 <label class="form-label">Jumlah</label>
45                 <input type="number" name="jumlah" class="form-control" required>
46             </div>
47             <div class="mb-3">
```

```
JDBC.java [-/A] x index.jsp [-/A] x view.jsp [-/A] x edit.jsp [-/A] x add.jsp [-/A] x
Source History
22 // langsung balik ke view
23 response.sendRedirect("view.jsp");
24 return;
25 }
26 %>
27
28 <!DOCTYPE html>
29 <html>
30 <head>
31 <title>Add Barang</title>
32 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
33 </head>
34 <body>
35 <div class="container py-4" style="max-width:600px;">
36 <h2 class="text-center mb-4">Tambah Barang</h2>
37
38 <form method="post">
39 <div class="mb-3">
40 <label class="form-label">Nama</label>
41 <input type="text" name="nama" class="form-control" required>
42 </div>
43 <div class="mb-3">
44 <label class="form-label">Jumlah</label>
45 <input type="number" name="jumlah" class="form-control" required>
46 </div>
47 <div class="mb-3">
48 <label class="form-label">Harga</label>
49 <input type="number" step="0.01" name="harga" class="form-control" required>
50 </div>
51
52 <button class="btn btn-success w-100" type="submit">Simpan</button>
53 </form>
54
55 <a href="view.jsp" class="btn btn-secondary mt-3 w-100">Kembali</a>
56 </div>
57 </body>
58 </html>
```