


Hasil



To Do List Gwehj

Selamat Datang, admin


Add New Task

Task Name

Description

Mpruy

No task available



To Do List Gwehj

Selamat Datang, admin

Task Added Successfully

Add New Task

Task Name

Mencuci Baju

Description

Baju dicuci ehehe

Add Task


Nasihuy

Mpruy

Pending

Edit

Delete



Edit Task

Task Name

Nasihuy

Description


Abdul Bradpitt

Status

Completed

Cancel

Edit Task



To Do List Gwehj

Selamat Datang, admin

Task Edited Successfully

Add New Task

Task Name

Mencuci Baju

Description

Baju dicuci ehehe

Add Task

Nasihuy

Abdul Bradpitt

Completed

Edit

Delete

To Do List Gwehj

Selamat Datang, admin

Task Added Successfully

Add New Task

Task Name

Mencuci Baju

Description

Baju dicuci ehehe

Add Task

Nasihuy

Abdul Bradpitt

Completed

Edit

Delete


Ihab Hasanain Akmal

Baju Di jemur hehe

Pending

Edit

Delete



To Do List Gwehj

Selamat Datang, admin

Task Deleted Successfully

Add New Task

Task Name

Description

Add Task

Nasihuy

Abdul Bradpitt

Completed

Edit

Delete

Kode

Database

```
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('tasks', function (Blueprint $table) {
            $table->id();
            $table->string('name');
            $table->text('description');
        });
    }
}
```

```
        $table->enum('status', ['pending', 'completed'])->default('pending');
        $table->timestamps();
    });
}

/**
 * Reverse the migrations.
 */
public function down(): void
{
    Schema::dropIfExists('tasks');
}
};
```

Models

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Task extends Model
{
    use HasFactory;

    protected $fillable = [
        'name',
        'description',
        'status'
    ];
}
```

Controller

```
<?php

namespace App\Http\Controllers;

use App\Models\Task;
use Illuminate\Http\Request;

class TaskController extends Controller
{
    public function index()
    {
        $tasks = Task::all();
        return view('index', compact('tasks'));
    }
}
```

```
}

public function store(Request $request)
{
    $request->validate([
        'name' => 'required|string|max:255',
        'description' => 'required|string',
    ]);

    Task::create([
        'name' => $request->name,
        'description' => $request->description,
        'status' => 'pending'
    ]);

    return redirect()->route('tasks.index')->with('success', 'Task Added Successfully');
}

public function edit($id)
{
    $task = Task::findOrFail($id);
    return view('edit', compact('task'));
}

public function update(Request $request, $id)
{
    $request->validate([
        'name' => 'required|string|max:255',
        'description' => 'required|string',
        'status' => 'required|in:pending,completed',
    ]);

    $task = Task::findOrFail($id);
    $task->update($request->all());

    return redirect()->route('tasks.index')->with('success', 'Task Edited Successfully');
}

public function destroy($id)
{
    $task = Task::findOrFail($id);
    $task->delete();

    return redirect()->route('tasks.index')->with('success', 'Task Deleted Successfully');
}
```

```
}
```

Routes

```
<?php

use Illuminate\Support\Facades\Route;
use App\Http\Controllers\TaskController;

Route::get('/', [TaskController::class, 'index'])->name('tasks.index');

Route::post('/tasks', [TaskController::class, 'store'])->name('tasks.store');

Route::get('/tasks/{id}/edit', [TaskController::class,
'edit'])->name('tasks.edit');

Route::put('/tasks/{id}', [TaskController::class,
'update'])->name('tasks.update');

Route::delete('/tasks/{id}', [TaskController::class,
'destroy'])->name('tasks.destroy');
```

Index

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>To Do List</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
</head>
<body>
    <div class="container mt-5">
        <div class="text-center mb-4">
            <h2>To Do List Gwehj</h2> <p>Selamat Datang, admin</p>
        </div>

        @if(session('success'))
            <div class="alert alert-success">
                {{ session('success') }}
            </div>
        @endif

        <div class="card mb-4">
            <div class="card-header fw-bold">Add New Task</div>
            <div class="card-body">
                <form action="{{ route('tasks.store') }}" method="POST">
                    @csrf
```

```

        <div class="mb-3">
            <label for="name" class="form-label">Task Name</label>
            <input type="text" class="form-control" name="name"
placeholder="Mencuci Baju" required>
        </div>
        <div class="mb-3">
            <label for="description" class="form-
label">Description</label>
            <textarea class="form-control" name="description"
rows="3" placeholder="Baju dicuci ehehe" required></textarea>
        </div>
        <button type="submit" class="btn btn-primary">Add
Task</button>
    </form>
</div>
</div>

<div class="list-group">
    @forelse($tasks as $task)
        <div class="list-group-item d-flex justify-content-between
align-items-center mb-2 border rounded">
            <div>
                <h5 class="mb-1 fw-bold">{{ $task->name }}</h5>
                <p class="mb-1 text-
muted">{{ $task->description }}</p>
            </div>
            <div class="d-flex align-items-center gap-2">
                <span class="badge bg-warning text-
dark">{{ ucfirst($task->status) }}</span>

                <a href="{{ route('tasks.edit', $task->id) }}"
class="btn btn-warning btn-sm text-white">Edit</a>

                <form action="{{ route('tasks.destroy', $task->id) }}"
method="POST" onsubmit="return confirm('Yakin hapus task ini?');">
                    @csrf
                    @method('DELETE')
                    <button type="submit" class="btn btn-danger btn-
sm">Delete</button>
                </form>
            </div>
        </div>
    @empty
        <div class="alert alert-info text-center">No task
available</div>
    @endforelse
</div>
</div>

```

```

    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
</body>
</html>

```

Edit

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Edit Task</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
</head>
<body>
    <div class="container mt-5">
        <div class="card">
            <div class="card-header fw-bold">Edit Task</div> <div class="card-
body">
                <form action="{{ route('tasks.update', $task->id) }}"
method="POST">
                    @csrf
                    @method('PUT') <div class="mb-3">
                        <label for="name" class="form-label">Task Name</label>
                        <input type="text" class="form-control" name="name"
value="{{ $task->name }}" required>
                    </div>

                    <div class="mb-3">
                        <label for="description" class="form-
label">Description</label>
                        <textarea class="form-control" name="description"
rows="3" required>{{ $task->description }}</textarea>
                    </div>

                    <div class="mb-3">
                        <label for="status" class="form-label">Status</label>
                        <select class="form-select" name="status">
                            <option value="pending" {{ $task->status ==
'pending' ? 'selected' : '' }}>Pending</option>
                            <option value="completed" {{ $task->status ==
'completed' ? 'selected' : '' }}>Completed</option>
                        </select>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```
        <div class="d-flex gap-2">
            <a href="{{ route('tasks.index') }}" class="btn btn-
secondary">Cancel</a>
            <button type="submit" class="btn btn-primary">Edit
Task</button>
        </div>
    </form>
</div>
</div>
</div>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
</body>
</html>
```