


Hasil




PT. Ihab

Daftar Karyawan

[Tambah Pegawai](#)

ID	Nama	Posisi	Gaji
No data available.			



Form Tambah Pegawai

Nama

Ihab Hasanain Akmal

Posisi


CEO

Gaji

12000000

[Simpan](#)

[Kembali ke Daftar Pegawai](#)



PT. Ihab

Daftar Karyawan

[Tambah Pegawai](#)

ID	Nama	Posisi	Gaji
1	Ihab Hasanain Akmal	CEO	12000000

Routes

```
<?php  
use App\Http\Controllers\PegawaiController;  
use Illuminate\Support\Facades\Route;
```

```
Route::get('/', [PegawaiController::class, 'index'])->name('pegawai.index');

Route::get('/create', [PegawaiController::class,
'create'])->name('pegawai.create');

Route::post('/', [PegawaiController::class, 'store'])->name('pegawai.store');
```

Index

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Daftar Pegawai</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
</head>
<body class="container">
    <div class="row justify-content-center mt-5">
        <div class="col-md-8">
            <nav class="navbar navbar-dark bg-dark">
                <div class="container-fluid">
                    <span class="navbar-brand mb-0 h1">PT. Ihab</span>
                </div>
            </nav>
            <h4 class="mt-3">Daftar Karyawan</h4>

            <a href="{{ route('pegawai.create') }}" class="btn btn-primary mb-3">Tambah Pegawai</a>

            <table class="table table-bordered table-striped">
                <thead>
                    <tr>
                        <th>ID</th>
                        <th>Nama</th>
                        <th>Posisi</th>
                        <th>Gaji</th>
                    </tr>
                </thead>
                <tbody>
                    @forelse ($data_pegawai as $pegawai)
                        <tr>
                            <td>{{ $pegawai->id }}</td>
                            <td>{{ $pegawai->nama }}</td>
                            <td>{{ $pegawai->posisi }}</td>
```

```

        <td>{{ $pegawai->gaji }}</td>
    </tr>
    @empty
    <tr>
        <td colspan="4" class="text-center">No data
available.</td>
    </tr>
    @endforelse
</tbody>
</table>
</div>
</div>
</body>
</html>

```

Form

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Form Tambah Pegawai</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
</head>
<body class="container">
    <div class="row justify-content-center mt-5">
        <div class="col-md-6">
            <h4>Form Tambah Pegawai</h4>
            <form class="border p-4" method="POST"
action="{{ route('pegawai.store') }}">
                @csrf
                <div class="mb-3">
                    <label for="nama" class="form-label">Nama</label>
                    <input type="text" name="nama" id="nama" class="form-
control" value="">
                </div>
                <div class="mb-3">
                    <label for="posisi" class="form-label">Posisi</label>
                    <input type="text" name="posisi" id="posisi" class="form-
control" value="">
                </div>
                <div class="mb-3">
                    <label for="gaji" class="form-label">Gaji</label>
                    <input type="number" name="gaji" id="gaji" class="form-
control" value="">
                </div>
            </form>
        </div>
    </div>

```

```
        </div>
        <div class="text-center">
            <button type="submit" class="btn btn-
success">Simpan</button>
        </div>
    </form>
    <a href="{{ route('pegawai.index') }}" class="btn btn-secondary
mt-3">Kembali ke Daftar Pegawai</a>
    </div>
</div>
</body>
</html>
```

Controller

```
<?php

namespace App\Http\Controllers;

use App\Models\Pegawai;
use Illuminate\Http\Request;

class PegawaiController extends Controller
{
    public function index()
    {
        $data_pegawai = Pegawai::all();
        return view('pegawai.index', compact('data_pegawai'));
    }

    public function store(Request $request)
    {
        Pegawai::create([
            'nama' => $request->nama,
            'posisi' => $request->posisi,
            'gaji' => $request->gaji,
        ]);

        return redirect()->route('pegawai.index')->with('success', 'Data
Pegawai berhasil ditambahkan!');
    }

    public function create()
    {
        return view('pegawai.form');
    }
}
```

Models

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Pegawai extends Model
{
    use HasFactory;

    protected $table = 'pegawais';
    protected $primaryKey = 'id';
    protected $fillable = [
        'nama',
        'posisi',
        'gaji'
    ];
}
```

Database

```
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('pegawais', function (Blueprint $table) {
            $table->id();
            $table->string('nama');
            $table->string('posisi');
            $table->integer('gaji');
            $table->timestamps();
        });
    }

    /**
     * Reverse the migrations.
     */
}
```

```
    */  
    public function down(): void  
    {  
        Schema::dropIfExists('pegawais');  
    }  
};
```