

KSP Datathon 2026 — Challenge 1

Intelligent Conversational AI & Crime Analytics Platform

VIDEO DEMO SCRIPT

3-Minute Submission Reference

Total runtime	3 minutes (180 seconds)
Demo stories	4 stories across 3 personas
Personas covered	Investigating Officer (IO) · Supervisor (SP) · Crime Analyst
Stories demoed	Story 1 (Antecedents) · Story 4 (Network) · Story 10 (Review Pack) · Story 2 (MO Match)
Stories built, not demoed	All remaining 19 stories — shown in write-up and feature list
Recording mode	Pre-recorded screen capture with narration overlay (recommended)
Demo data	Synthetic — Karnataka districts, real station names, realistic BNS sections
Document version	v1.0

1. How to Use This Document

This script is a production reference — it defines exactly what is said, what appears on screen, and what the system returns for each beat of the 3-minute video. Every element is deliberate: query wording, system response content, narrator line, and the architectural callout that follows.

Three column types appear throughout:

NARRATOR	Words spoken aloud in the video. Italicised in the script. Written to be read naturally — not as corporate slides.
ON-SCREEN QUERY	The exact text typed (or spoken) into the platform chat interface. Should match your demo data seeds precisely.
SYSTEM RESPONSE	What the platform returns. Summarised here — actual UI rendering will show more detail. Confirms what the viewer should see.
ARCHITECTURE SHOWCASE	The components this beat demonstrates. Not spoken aloud — used as an internal checklist.
PRODUCTION NOTE	Filming/recording guidance specific to this beat. Flags latency risks and camera cut suggestions.

Two rules to follow when recording:

- Never show a loading spinner for more than 1 second on camera. Either pre-cache responses or cut away during generation with a narration overlay.
- The demo must work with the exact query strings written in this script — seed your synthetic data to guarantee the right responses before recording.

2. Time Budget at a Glance

SEGMENT	CONTENT
0:00 – 0:20	Opening hook + problem framing (narration only)
0:20 – 0:30	Platform establishing shot — one UI overview
0:30 – 1:10	BEAT 1 — Story 1: IO Antecedents (multi-turn) — 40 seconds
1:10 – 1:35	BEAT 2 — Story 4: IO Network Sketch — 25 seconds
1:35 – 2:00	BEAT 3 — Story 10: Supervisor Review Pack — 25 seconds
2:00 – 2:25	BEAT 4 — Story 2: Analyst MO Match — 25 seconds
2:25 – 2:45	Trust & governance callout — 20 seconds
2:45 – 3:00	Closing — team, Phase 2 roadmap — 15 seconds

Note: Each beat is tight. Narration must be delivered at a measured pace — approximately 2.5 words per second. Write final narration in a teleprompter app and do a timed read-through before recording.

3. Full Script — Beat by Beat

OPENING | 0:00 – 0:30 | No system visible yet

NARRATOR

"Karnataka State Police manages crime records from over 1,100 police stations across the state."

"Every FIR, every case diary, every accused person's history — it's all in the database."

"But when an officer needs an answer — before a remand hearing, at a crime scene, in a review meeting — getting that answer still takes hours."

[Cut to: Platform UI — chat interface loads. Role indicator shows: Inspector Kavitha Nair | Indiranagar PS | Bengaluru Urban]

"We built an intelligent conversational platform that changes that."

PRODUCTION NOTE *Open the recording with a 3-second black card showing the title. The opening narration plays over a static shot of the problem — consider a split-screen: a crowded police station on one side, an empty static dashboard on the other. The UI appears only at the 20-second cut.*

BEAT 1 | 0:30 – 1:10 | Story 1 — IO: Instant Antecedents (multi-turn) | 40 seconds

SCENE CONTEXT

Inspector Kavitha Nair, Indiranagar PS, Bengaluru Urban. A suspect — Rajan Gowda — has been brought in on suspicion of chain snatching. She has 20 minutes before the remand hearing. She needs his full history across Karnataka.

QUERY 1 OF 3 — Antecedents lookup

NARRATOR

"She types the suspect's name — the way she heard it."

ON-SCREEN QUERY

Rajan Gowda antecedents — any cases in Karnataka?

SYSTEM RESPONSE

Found 3 records matching 'Rajan Gowda' across 2 stations after name-variant matching:

- Rajan Gowda M | KA-BLR-047-2021-0183 | Chain snatching (BNS 309) | Indiranagar PS | Arrested, bail granted
- Rajan Govda | KA-MYS-012-2022-0441 | Robbery (BNS 309) | Mysuru North PS | Chargesheet filed, pending trial
- Rajan Kumar Gowda | KA-BLR-031-2023-0067 | Theft — two-wheeler (BNS 303) | Jayanagar PS | Investigation ongoing

Matched across spelling variants: 'Rajan Gowda M', 'Rajan Govda', 'Rajan Kumar Gowda' — entity resolution confidence: 0.91 [Sources: FIR KA-BLR-047-2021-0183, KA-MYS-012-2022-0441, KA-BLR-031-2023-0067]

QUERY 2 OF 3 — Follow-up without re-stating context

NARRATOR

"She follows up — no need to repeat the name. The system holds context."

ON-SCREEN QUERY

Show me only the violent offences from those results

SYSTEM RESPONSE

Filtered to 2 records with violent offence classifications (BNS 309 — Robbery):

- KA-BLR-047-2021-0183 | Chain snatching at traffic signal, Indiranagar | Victim: female, minor injury | Bail granted 14 days post-arrest
- KA-MYS-012-2022-0441 | Robbery with threat, K R Nagar | Victim: male, no injury | Chargesheet filed — next hearing: Sessions Court Mysuru

QUERY 3 OF 3 — One more follow-up

ON-SCREEN QUERY

Is he history-sheeted anywhere?

SYSTEM RESPONSE

Yes — History Sheet MYS-HS-0312, opened 2022-08-14 at Mysuru North PS. Category: Rowdy. Risk level: High. 3 registered cases, 0 convictions, 1 absconding instance. [Source: history_sheets, KA-MYS-012-2022-0441]

ARCHITECTURE SHOWCASE C1 (chat + multi-turn session context) · C6 (text-to-SQL) · C8 (entity resolution — name variant matching) · C5 (domain semantic layer — BNS section understanding) · C14 (source citations on every result)

PRODUCTION NOTE The three-query sequence must flow as one continuous screen recording — no cuts between queries. Total elapsed time on screen: ~25 seconds of actual typing + response. Pre-seed entity resolution so all three name variants resolve to the same person_id before recording.

BEAT 2 | 1:10 – 1:35 | Story 4 — IO: Criminal Network Sketch | 25 seconds

SCENE CONTEXT

Same session, same suspect. Inspector Kavitha wants to know who he is connected to. This is the transition from 'lookup' to 'network' — the moment the system proves it is more than a search engine.

NARRATOR

"One more question reveals the network behind him."

ON-SCREEN QUERY

Show me everyone connected to him — co-accused, associates, shared addresses

SYSTEM RESPONSE — Graph renders on screen

Network graph appears with Rajan Gowda (canonical) as the central node. The following connections populate:

- Suresh Naik — Co-accused (KA-BLR-047-2021-0183) | Absconding
- Mahesh Gowda — Co-accused (KA-MYS-012-2022-0441) | Custody
- Shared phone: +91-98XXXXXXX — appears in FIRs at both Indiranagar PS and Mysuru North PS
- Gang: Mysuru Highway Gang — Rajan flagged as active member (joined approx. 2020)

Every edge is labelled with its source FIR ID. Click any node to see that person's full record.

NARRATOR

"Every connection is cited to a source FIR. Nothing is inferred without evidence."

ARCHITECTURE SHOWCASE C9 (graph engine — node/edge store and traversal) · C8 (entity resolution — unified node per person) · C14 (source citations on every edge) · C1 (seamless context carry-over from Beat 1)

PRODUCTION NOTE This beat is visual — let the graph render on screen for a full 8 seconds with NO narration. The silence is intentional. Then the narrator delivers the citation line. Use vis.js or Cytoscape.js with a force-directed layout. Ensure the graph is not a hairball — with the seeded data (8 nodes max for this suspect), it should be legible at 1080p.

BEAT 3 | 1:35 – 2:00 | Story 10 — Supervisor: Monthly Review Pack | 25 seconds

SCENE CONTEXT

Persona switch. Role indicator changes to: SP Meena Kulkarni | Mysuru District. It is the first Monday of the month. She has a crime review meeting in two hours. What used to take her analyst two days to compile is now a single query.

NARRATOR

"SP Meena's monthly crime review meeting is in two hours. This used to mean a two-day data assembly exercise for her analyst."

ON-SCREEN QUERY

What changed in Mysuru district this month compared to last month — and what is driving the change?

SYSTEM RESPONSE

Mysuru District — June vs May comparison:

▲ Chain snatching: 18 cases (June) vs 11 cases (May) — +64% [ANOMALY]

▼ Vehicle theft: 9 cases (June) vs 14 cases (May) — -36%

— House-breaking: 7 cases (June) vs 8 cases (May) — stable

Chain snatching anomaly driver: 11 of 18 cases cluster in Saraswathipuram and Vijayanagar areas, morning hours (07:00–09:30). 3 cases share accused phone number +91-97XXXXXXX. [Sources: FIR KA-MYS-018-2024-0311 through 0328]

NARRATOR

"Every number is cited — she can drill to the individual FIR with one click. Not just a figure she has to trust."

[Show: SP clicks the chain snatching anomaly number — underlying FIR list expands inline. Single click, no page reload.]

ARCHITECTURE SHOWCASE C6 (SQL aggregation over FIR date/category fields) · C10a (temporal trend — month-over-month delta) · C12 (anomaly callout and cluster identification) · C14 (FIR-level citations behind every aggregate)

PRODUCTION NOTE Show the persona switch explicitly — the role indicator changing from 'Inspector Kavitha' to 'SP Meena' is a 2-second screen moment that demonstrates RBAC without a word of narration. The drill-down click must be live, not a mock — pre-load the FIR list so the expand is instant.

BEAT 4 | 2:00 – 2:25 | Story 2 — Analyst: MO Match | 25 seconds

SCENE CONTEXT

Persona switch. Role indicator changes to: Analyst Prakash Rao | DCRB Bengaluru Urban. A new chain-snatching FIR has just come in. Prakash wants to know if this MO has appeared before — and how those cases were cracked. This is the institutional memory story.

NARRATOR

"A new case. Same method. Four different stations. No one connected them — until now."

ON-SCREEN QUERY

Find similar past cases: accused on two-wheeler approaches female victim at traffic signal, snatches gold chain, flees towards main road.

How were the solved ones cracked?

SYSTEM RESPONSE

Found 6 cases matching this modus operandi across 4 stations (similarity score > 0.85):

✓ KA-BLR-047-2021-0183 | Indiranagar PS | CONVICTED | Cracked by: CCTV at Domlur signal + co-accused informant tip

✓ KA-BLR-022-2022-0091 | Yelahanka PS | CONVICTED | Cracked by: Victim identified pawnshop — chain recovered, seller arrested

✗ KA-MYS-012-2022-0441 | Mysuru North PS | TRIAL PENDING | Accused identified via shared phone number across 2 FIRs

✗ KA-BLR-031-2023-0067 | Jayanagar PS | INVESTIGATION ONGOING

✗ KA-HBL-008-2023-0214 | Hubli Town PS | CLOSED FALSE | Victim unable to identify accused

✗ KA-DWD-004-2024-0038 | Dharwad PS | CLOSED FALSE | No CCTV available at scene

Common thread in solved cases: jewellery recovery via pawnshop network OR suspect identified via CCTV within 48 hours of FIR.

[Sources: chargesheets, case_diary_entries, court_disposals across 6 FIRs]

NARRATOR

"The force's collective memory — every solved case, every failed lead — made searchable. In seconds."

ARCHITECTURE SHOWCASE C7 (semantic search / RAG — MO description as query vector) · C12 (case intelligence — outcome retrieval and 'what broke it open' extraction from case diaries) · C5 (domain language — understanding 'two-wheeler', 'traffic signal', 'gold chain' as MO vocabulary)

PRODUCTION NOTE The query spans 3 lines — show the full text so the viewer understands this is a descriptive, natural-language query, not a keyword search. The response must be pre-seeded with exactly these 6 FIRs and their outcomes. The 'common thread' insight at the bottom is the money moment — ensure it is visible without scrolling.

TRUST & GOVERNANCE CALLOUT | 2:25 – 2:45 | 20 seconds

SCENE CONTEXT

No new query is entered. Camera lingers on the existing UI to show three things simultaneously. Narration carries this beat.

NARRATOR

"Every answer is cited — traceable to the exact FIR or case diary entry it came from."

"Every query is logged — user, timestamp, and every record accessed."

"And every user sees only what their role permits — enforced at the data layer, not just the interface."

[On screen: show three UI elements in a quick 3-panel flash: (1) Citation panel expanded showing FIR source links, (2) Audit log showing the last 5 queries with officer name and timestamp, (3) Role indicator clearly visible in the top-right corner of the UI]

ARCHITECTURE SHOWCASE C14 (citation / provenance layer) · C15 (RBAC policy engine) · C16 (audit & monitoring — immutable query log)

PRODUCTION NOTE Design the three UI panels to be distinguishable in a 6-second flash. Do not animate them — a static 3-panel split works better at video compression. This beat answers the 'explainable AI and role-based access' requirements (Modules 9 & 10) without a single word of technical explanation.

CLOSING | 2:45 – 3:00 | 15 seconds

NARRATOR

"23 user stories. 17 architecture components. One platform — built for the officer, the analyst, and the decision-maker."

[Cut to: single slide — team name, platform name, and a Phase 2 roadmap strip showing: Geospatial hotspot maps · Crime forecasting · Financial link analysis]

NARRATOR

"Built for KSP. Built on real workflows. Built to be trusted."

PRODUCTION NOTE *The closing slide should be clean — team name, platform name, and the three-item Phase 2 list. No bullet-point architecture slides, no tech stack lists. End on the Phase 2 roadmap visual — it signals to the jury that this is a designed product, not a one-day hack.*

4. Clean Narrator Script — Full Read-Through

Read this version for timing checks. At 2.5 words/second, this script lands at approximately 175 seconds (2 min 55 sec) — leaving 5 seconds of buffer.

[0:00 — Black card, title]

0:03	Karnataka State Police manages crime records from over 1,100 police stations across the state.
0:09	Every FIR, every case diary, every accused person's history — it's all in the database.
0:16	But when an officer needs an answer — before a remand hearing, at a crime scene, in a review meeting — getting that answer still takes hours.
0:26	We built an intelligent conversational platform that changes that.
0:30	Inspector Kavitha needs a suspect's full history — now, before the remand hearing. She types the name as she heard it.
0:48	Three records. Three different stations. Three name spellings. One person — identified by entity resolution.
0:54	She follows up. The system holds the context — she doesn't repeat the name.
1:02	History-sheeted. High risk. She has what she needs for the hearing.
1:08	One more question reveals the network behind him.
1:24	Every connection is cited to a source FIR. Nothing is inferred without evidence.
1:32	SP Meena's monthly crime review meeting is in two hours. This used to mean a two-day data assembly exercise for her analyst.
1:47	Chain snatching up sixty-four percent. She clicks the number — the underlying FIRs expand, inline. Every figure is traceable.
1:58	A new case. Same method. Four different stations. No one connected them — until now.
2:14	Two convictions. Both cracked the same way — jewellery recovery, or CCTV within forty-eight hours. The system found the pattern across six years of records.
2:23	The force's collective memory — every solved case, every failed lead — made searchable. In seconds.
2:28	Every answer is cited — traceable to the exact FIR or case diary entry it came from.
2:33	Every query is logged — user, timestamp, and every record accessed.
2:38	And every user sees only what their role permits — enforced at the data layer, not just the interface.
2:45	23 user stories. 17 architecture components. One platform — built for the officer, the analyst, and the decision-maker.
2:55	Built for KSP. Built on real workflows. Built to be trusted.

5. Stories Built but Not Demoed — Reference

These 19 stories are fully built in the prototype but not shown in the 3-minute video. They should appear in the written submission, feature list, and any live Q&A after the video.

STORY	HOW TO REFERENCE IT
Story 3 — Case brief on demand	Written submission: 'ask for a handover brief on any FIR and receive an auto-generated summary with timeline and evidence list'
Story 5 — Deadline guard	Feature list: 'proactive BNSS deadline reminders for IOs with overdue chargesheet dates'

STORY	HOW TO REFERENCE IT
Story 6 — Cited PDF export	Shown briefly in trust callout: the PDF export button is visible in the UI. Mention in write-up.
Story 7 — Self-serve ad hoc queries	Written submission: demonstrated implicitly by Beat 3 (SP query) — same capability, different persona
Story 8 — Cluster surfacing	Written submission: 'the MO match (Beat 4) is the manual version; cluster surfacing runs this automatically across the full dataset on a schedule'
Story 12 — Repeat-offender watchlist	Q&A talking point: 'rule-based, contestable scoring — every score shows the case history behind it'
Story 13 — Socio-economic overlay	Written submission: 'district-level crime data joinable with census indicators for policymaker briefings'
Story 14 — Role-scoped answers	Shown in trust callout: role indicator visible in the UI. Explain in write-up that data-layer filtering, not prompt filtering, enforces this.
Story 15 — Full audit trail	Shown in trust callout: audit log panel visible. Write-up should include a screenshot of the log table.
Story 16 — Vehicle/property check	Feature list: 'voice query for stolen vehicle lookup — field-ready'
Story 17 — Watchlist subscription	Feature list: 'subscribe to alerts when a matching person is arrested or a matching MO is registered'
Story 18 — Complainant address history	Written submission: 'repeat victim and address history — escalation risk visible at first response'
Story 19 — Chargesheet prep brief	Written submission: 'consolidated chargesheet brief with BNS sections and IPC equivalents for mixed pre/post-2024 cases'
Story 20 — Unit performance comparison	Written submission: 'station-level detection rate and pendency comparison — same query engine as SP review pack'
Story 21 — Bandobast planning pack	Written submission: 'historical incident pattern for any event-location pair — feeds deployment planning'
Story 23 — Query-to-recurring-report	Feature list: 'any query can be saved as a scheduled monthly report'
Story 24 — External dataset join	Written submission: 'analyst can load approved census or infrastructure datasets and query alongside crime data'
Story 25 — Data-quality triage	Written submission: 'standing data-quality dashboard — ensures every published figure has a stated confidence level'
Story 26 — Audit anomaly detection	Feature list: 'rule-based flagging of bulk lookups, off-hours access, and unlinked private-citizen searches'

6. Pre-Recording Checklist

Complete every item before recording begins. A missed seed or a slow response ruins a beat that cannot be re-recorded cleanly mid-session.

Data Seeds — Must Be Present

- Person: 'Rajan Gowda' with 3 name variants (Rajan Gowda M, Rajan Govda, Rajan Kumar Gowda) linked to one canonical person_id via entity resolution
- 3 FIRs attached to this person: KA-BLR-047-2021-0183 (Indiranagar), KA-MYS-012-2022-0441 (Mysuru North), KA-BLR-031-2023-0067 (Jayanagar)
- History sheet MYS-HS-0312 linked to the canonical person_id — category: Rowdy, risk: High
- Co-accused: Suresh Naik (absconding) and Mahesh Gowda (custody) linked via known_associates
- Shared phone number appearing in both Bengaluru and Mysuru FIRs
- Gang record: 'Mysuru Highway Gang' with Rajan as active member
- Mysuru district crime data for May and June — chain snatching 11→18, vehicle theft 14→9, house-breaking 8→7

- 6 MO-matched chain-snatching FIRs across 4 stations with correct outcomes seeded in court_disposals

System Performance — Must Be Verified

- All 3 Beat 1 queries respond in under 2 seconds (or are cached for demo mode)
- Graph in Beat 2 renders in under 3 seconds with max 8 nodes
- Beat 3 drill-down click expands FIR list without page reload
- Beat 4 semantic search returns ranked results in correct order
- UI role indicator changes cleanly between all 3 personas

Recording Setup

- Screen resolution: 1920x1080 minimum
- Browser zoom: 90% (fits more content without scrolling)
- Font size in chat interface: readable at 1080p compressed to 720p
- Narration recorded separately from screen — mix in post
- No browser notifications, no OS popups — use Do Not Disturb mode
- Record at least 3 full run-throughs — use the cleanest take

7. Exact Query Strings — Copy for Demo Mode

These are the verbatim query strings to paste into the demo interface. If using cached/deterministic responses, key the cache on these exact strings.

BEAT / QUERY	EXACT STRING TO TYPE
Beat 1 — Query 1	Rajan Gowda antecedents — any cases in Karnataka?
Beat 1 — Query 2	Show me only the violent offences from those results
Beat 1 — Query 3	Is he history-sheeted anywhere?
Beat 2	Show me everyone connected to him — co-accused, associates, shared addresses
Beat 3	What changed in Mysuru district this month compared to last month — and what is driving the change?
Beat 4	Find similar past cases: accused on two-wheeler approaches female victim at traffic signal, snatches gold chain, flees towards main road. How were the solved ones cracked?

— End of demo script —