CLINICAL TRIAL PROTOCOL TP-SYN-001 (fictional, generated for software tests)

TABLE OF CONTENTS

1.1 Synopsis 2
1.2 Schedule of Activities 3

1.1 Synopsis

A fictional 36-week randomized study used to test schedule-of-activities extraction. Study drug is given at the site at visits 2 to 5 and at home at week 30.

1.2 Schedule of Activities

eriod	Screening	Baseline				Home	EOT	Follow-up
sit	1	2	3	4	5		6	7
eek	-4 to -1	0	4	12	24	30	36	40
formed consent	X							
clusion/exclusion criteria a	X	X						
edical history	X							
ndomization		X						
ysical examination	X	X			X		X	
tal signs	X	X	X	X	X		X	X
2-lead ECG b	X	X		X			X	
ematology and chemistry	X	X	X	X	X		X	
udy drug administration		X	X	X	X	X		

a Footnote: eligibility is re-confirmed at baseline. b Footnote: ECG read centrally.

eriod	Screening	Baseline				Home	EOT	Follow-up
sit	1	2	3	4	5		6	7
eek	-4 to -1	0	4	12	24	30	36	40
Xsample		X	X	X			X	
nti-drug antibodies		X		X			X	
uality of life questionnaire		X		X			X	
hest X-ray	X							
moking status	X	X					X	
dverse events		X	X	X	X		X	X

a Footnote: eligibility is re-confirmed at baseline. b Footnote: ECG read centrally.

2 Introduction

Fictional background text. Fictional background text.