Лекция 8


Python + CUDA:


- Anaconda Accelerate (https://developer.nvidia.com/how-to-cuda-python).
- PyCUDA (https://wiki.tiker.net/WelcomePage).


http://nbviewer.jupyter.org/gist/harrism/f5707335f40af9463c43

```
def create_fractal(min_x, max_x, min_y, max_y, image, iters):
 height = image.shape[0]
                                           #размерности двумерного массива
 width = image.shape[1]
 pixel\_size\_x = (max\_x - min\_x) / width
                                                  #задание размеров пикселя
 pixel_size_y = (max_y - min_y) / height
 for x in range(width):
  real = min_x + x * pixel_size_x
  for y in range(height):
   imag = min_y + y * pixel_size_y
   color = mandel(real, imag, iters)
                                                 #задание цвета пикселя
   image[y, x] = color
image = np.zeros((1024, 1536), dtype = np.uint8) #инициализация массива
start = timer()
create_fractal(-2.0, 1.0, -1.0, 1.0, image, 20)
dt = timer() - start
print ("Mandelbrot created in %f s" % dt)
imshow(image)
show()
```

Mandelbrot created in **7.139684** s







Mandelbrot created in **0.381171** s

```
from timeit import default timer as timer
from numba import cuda
from numba import *
@cuda.jit(restype=uint32, argtypes=[f8, f8, uint32], device=True)
def mandel(x, y, max iters):
@cuda.jit(argtypes=[f8, f8, f8, f8, uint8[:,:], uint32])
def create_fractal(min_x, max_x, min_y, max_y, image, iters):
 height = image.shape[0]
 width = image.shape[1]
 pixel_size_x = (max_x - min_x) / width
 pixel_size_y = (max_y - min_y) / height
 startX, startY = cuda.grid(2)
 gridX = cuda.gridDim.x * cuda.blockDim.x;
 gridY = cuda.gridDim.y * cuda.blockDim.y;
 for x in range(startX, width, gridX):
  real = min_x + x * pixel_size_x
  for y in range(startY, height, gridY):
   imag = min_y + y * pixel_size_y
   image[y, x] = mandel(real, imag, iters)
```

```
image = np.zeros((1024, 1536), dtype = np.uint8)


blockdim = (32, 8)
griddim = (32,16)


d_image = cuda.to_device(image)
create_fractal[griddim, blockdim](-2.0, 1.0, -1.0, 1.0, d_image, 20)
d_image.to_host()
```


Mandelbrot created in **0.004335** s

Технология	Время выполнения <i>с</i>	Ускорение
Python интерпретатор	7.139684	1
Numba jit	0.381171	18.7
CUDA	0.004335	1647.0

Шлирен метод







```
import numpy as np
from pylab import imshow, show
from timeit import default_timer as timer
from numba import autojit
@autojit
def density(x, y):
  d=(np.cos(np.sqrt(x**2+y**2))*np.sqrt(0.1+x**2+y**2))+20
  return d
@autojit
def create_image(X,Y,min_x, max_x, min_y, max_y, image):
 height = image.shape[0]
 width = image.shape[1]
 pixel_size_x = (\max_{x} x - \min_{x}) / \text{width}
 pixel_size_y = (max_y - min_y) / height
 for x in range(width):
  X[x] = min_x + x * pixel_size_x
  for y in range(height):
   Y[y] = min y + y * pixel size y
   color = density(X[x], Y[y])
   image[y, x] = color
```

```
image = np.zeros((1536, 1536), dtype = np.float)
X = np.zeros(1536, dtype = np.float)
Y = np.zeros(1536, dtype = np.float)
start = timer()
create_image(X, Y, -20.0, 20.0, -20.0, 20.0, image)
dt = timer() - start
grad_d=np.gradient(image,X,Y)
grad_d_mod=np.sqrt(grad_d[0]**2+grad_d[1]**2)
imshow(image, 'gray')
show()
imshow(grad_d_mod,'gray')
show()
imshow(0.8*np.exp(-5.0*grad_d_mod/np.max(grad_d_mod)),'gray')
show()
```