ОТЧЁТ
к лабораторной работе №1
на тему:
«Система контроля версий Git»

Выполнила: студентка группы 353504
Шавейко Ксения Викторовна

Проверила: Жвакина Анна Васильевна

Минск 2025

Оглавление

Вариант 26

Цель работы

Познакомиться с возможностями и получить практические навыки работы с системой контроля версий Git.

Ход работы

1)   Подготовьте рабочее окружение в соответствии с типом вашей операционной системы.

```
C:\Users\shaveika>git config --global user.name "Ksenia654"
```

```
C:\Users\shaveika>git config --global user.email "ksushashaveyko@gmail.com"

C:\Users\shaveika>git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files/Git/mingw64/etc/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=main
user.name=Ksenia654
user.email=ksushashaveyko@gmail.com
```

2)   Создайте структуру папок и выполните индивидуальное задание (использовать командную строку) и поместите в репозиторий Git на своем локальном компьютере.

```
C:\Users\shaveika>mkdir 353504_SHAVEIKO_26

C:\Users\shaveika>cd 353504_SHAVEIKO_26

C:\Users\shaveika\353504_SHAVEIKO_26>mkdir IGI

C:\Users\shaveika\353504_SHAVEIKO_26>mkdir STRWEB

C:\Users\shaveika\353504_SHAVEIKO_26>cd IGI

C:\Users\shaveika\353504_SHAVEIKO_26\IGI>mkdir LR1

C:\Users\shaveika\353504_SHAVEIKO_26\IGI>mkdir LR2

C:\Users\shaveika\353504_SHAVEIKO_26\IGI>mkdir LR3

C:\Users\shaveika\353504_SHAVEIKO_26\IGI>mkdir LR4

C:\Users\shaveika\353504_SHAVEIKO_26\IGI>mkdir LR5
```

```
Microsoft Windows [Version 10.0.19045.5371]
(c) Microsoft Corporation. All rights reserved.

C:\Users\shaveika>cd 353504_SHAVEIKO_26

C:\Users\shaveika\353504_SHAVEIKO_26>git init
Initialized empty Git repository in C:/Users/shaveika/353504_SHAVEIKO_26/.git/

C:\Users\shaveika\353504_SHAVEIKO_26>cd STRWEB

C:\Users\shaveika\353504_SHAVEIKO_26\STRWEB>mkdir LR1

C:\Users\shaveika\353504_SHAVEIKO_26\STRWEB>mkdir LR2 LR3 LR4

C:\Users\shaveika\353504_SHAVEIKO_26\STRWEB>cd ..

C:\Users\shaveika\353504_SHAVEIKO_26>cd IGI

C:\Users\shaveika\353504_SHAVEIKO_26\IGI>cd LR1

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>mkdir bar

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>cd bar

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\bar>mkdir 425

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\bar>mkdir bin

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\bar>cd bin
```

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\bar\bin>mkdir 577

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\bar\bin>mkdir head

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\bar\bin>cd head

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\bar\bin\head>mkdir 755

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\bar\bin\head>cd ..

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\bar\bin>echo "444" > readme.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\bar\bin>cd ..

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\bar>cd ..

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>mkdir foo

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>cd foo

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\foo>mkdir 233

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\foo>echo "707" > test.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\foo>mkdir baz

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\foo>cd baz

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\foo\baz>mkdir 007
```

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\foo\baz>mkdir example

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\foo\baz>cd example

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\foo\baz\example>mkdir 222

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\foo\baz\example>
```

3) Создайте репозиторий внутри папки LR1 с помощью клонирования проекта с сайта github.com.

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git clone https://github.com/smartiqaorg/geometric_lib
Cloning into 'geometric_lib'...
remote: Enumerating objects: 35, done.
remote: Total 35 (delta 0), reused 0 (delta 0), pack-reused 35 (from 1)
Receiving objects: 100% (35/35), 4.60 KiB | 261.00 KiB/s, done.
Resolving deltas: 100% (6/6), done.
```

4) Сделайте индексацию нескольких файлов в вашем Git-репозитории (git add …).

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>cd geometric_lib

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>echo > file1.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>echo > file2.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>echo > file3.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>echo > file4.txt
```

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git add ./*.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   file1.txt
        new file:   file2.txt
        new file:   file3.txt
        new file:   file4.txt
```

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git commit -m "4 empty .txt files"
[main 72dbc67] 4 empty .txt files
 4 files changed, 4 insertions(+)
 create mode 100644 file1.txt
 create mode 100644 file2.txt
 create mode 100644 file3.txt
 create mode 100644 file4.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
```

5) Внесите изменения в файлы.

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>echo Kseniya > file1.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>echo Shaveiko > file2.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   file1.txt
        modified:   file2.txt

no changes added to commit (use "git add" and/or "git commit -a")
```

6) Выполните коммиты к проиндексированным файлам.

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git add *

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git commit -m "2 files modified"
[main 1006286] 2 files modified
 2 files changed, 2 insertions(+), 2 deletions(-)

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git status
On branch main
Your branch is ahead of 'origin/main' by 2 commits.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
```

7) Добавьте и удалите файлы (один и группу файлов с определенным расширением).

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>del  *.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git status
On branch main
Your branch is ahead of 'origin/main' by 2 commits.
  (use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:    file1.txt
        deleted:    file2.txt
        deleted:    file3.txt
        deleted:    file4.txt

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git add *

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git commit -m "All .txt files deleted"
[main accde0c] All .txt files deleted
 4 files changed, 4 deletions(-)
 delete mode 100644 file1.txt
 delete mode 100644 file2.txt
 delete mode 100644 file3.txt
 delete mode 100644 file4.txt
```

8) Переименуйте файлы.

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>echo > file.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git add *

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git commit -m "One new .txt file added"
[main 70dc965] One new .txt file added
 1 file changed, 1 insertion(+)
 create mode 100644 file.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git status
On branch main
Your branch is ahead of 'origin/main' by 4 commits.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
```

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>ren file.txt new_name.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git add *

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git status
On branch main
Your branch is ahead of 'origin/main' by 4 commits.
  (use "git push" to publish your local commits)

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        renamed:    file.txt -> new_name.txt


C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git commit -m "File was renamed"
[main b825441] File was renamed
 1 file changed, 0 insertions(+), 0 deletions(-)
 rename file.txt => new_name.txt (100%)

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git status
On branch main
Your branch is ahead of 'origin/main' by 5 commits.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
```

9) Создайте для IGI и STRWEB, а также для каждой ЛР, вложенной в них, отдельные ветки, переместите папки и файлы на соответствующие ветки (чтобы это реализовать, мне пришлось заполнить конечные для всех папок подпапки файлами .gitkeep , чтобы папки сохранялись при коммите).

```
C:\Users\shaveika\353504_SHAVEIKO_26>git add *

C:\Users\shaveika\353504_SHAVEIKO_26>git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:    .gitkeep
        new file:    IGI/.gitkeep
        new file:    IGI/LR1/.gitkeep
        new file:    IGI/LR1/bar/.gitkeep
        new file:    IGI/LR1/bar/425/.gitkeep
        new file:    IGI/LR1/bar/bin/577/.gitkeep
        new file:    IGI/LR1/bar/bin/head/.gitkeep
        new file:    IGI/LR1/bar/bin/head/755/.gitkeep
        new file:    IGI/LR1/bar/bin/readme.txt
        new file:    IGI/LR1/foo/233/.gitkeep
        new file:    IGI/LR1/foo/baz/.gitkeep
        new file:    IGI/LR1/foo/baz/007/.gitkeep
        new file:    IGI/LR1/foo/baz/example/.gitkeep
        new file:    IGI/LR1/foo/baz/example/222/.gitkeep
        new file:    IGI/LR1/foo/test.txt
        new file:    IGI/LR1/geometric_lib
        new file:    IGI/LR2/.gitkeep
        new file:    IGI/LR3/.gitkeep
        new file:    IGI/LR4/.gitkeep
        new file:    IGI/LR5/.gitkeep
        new file:    STRWEB/.gitkeep
        new file:    STRWEB/LR1/.gitkeep
        new file:    STRWEB/LR2/.gitkeep
        new file:    STRWEB/LR3/.gitkeep
        new file:    STRWEB/LR4/.gitkeep
```

```
C:\Users\shaveika\353504_SHAVEIKO_26>git branch IGI

C:\Users\shaveika\353504_SHAVEIKO_26>git branch IGI_LR1

C:\Users\shaveika\353504_SHAVEIKO_26>git branch IGI_LR2

C:\Users\shaveika\353504_SHAVEIKO_26>git branch IGI_LR3

C:\Users\shaveika\353504_SHAVEIKO_26>git branch IGI_LR4

C:\Users\shaveika\353504_SHAVEIKO_26>git branch IGI_LR5

C:\Users\shaveika\353504_SHAVEIKO_26>git branch STRWEB

C:\Users\shaveika\353504_SHAVEIKO_26>git branch STRWEB_LR1

C:\Users\shaveika\353504_SHAVEIKO_26>git branch STRWEB_LR2

C:\Users\shaveika\353504_SHAVEIKO_26>git branch STRWEB_LR3

C:\Users\shaveika\353504_SHAVEIKO_26>git branch STRWEB_LR4
C:\Users\shaveika\353504_SHAVEIKO_26>git checkout IGI
Switched to branch 'IGI'
C:\Users\shaveika\353504_SHAVEIKO_26>rmdir /s STRWEB
STRWEB, Are you sure (Y/N)? Y
```

```
C:\Users\shaveika\353504_SHAVEIKO_26>git add *

C:\Users\shaveika\353504_SHAVEIKO_26>git status
On branch IGI
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        deleted:    STRWEB/.gitkeep
        deleted:    STRWEB/LR1/.gitkeep
        deleted:    STRWEB/LR2/.gitkeep
        deleted:    STRWEB/LR3/.gitkeep
        deleted:    STRWEB/LR4/.gitkeep


C:\Users\shaveika\353504_SHAVEIKO_26>git commit -m "IGI struct"
[IGI a01e53c] IGI struct
 5 files changed, 5 deletions(-)
 delete mode 100644 STRWEB/.gitkeep
 delete mode 100644 STRWEB/LR1/.gitkeep
 delete mode 100644 STRWEB/LR2/.gitkeep
 delete mode 100644 STRWEB/LR3/.gitkeep
 delete mode 100644 STRWEB/LR4/.gitkeep

C:\Users\shaveika\353504_SHAVEIKO_26>git status
On branch IGI
nothing to commit, working tree clean
```

```
C:\Users\shaveika\353504_SHAVEIKO_26>git checkout IGI_LR1
Already on 'IGI_LR1'
```

```
C:\Users\shaveika\353504_SHAVEIKO_26>rmdir /s IGI\LR2
IGI\LR2, Are you sure (Y/N)? Y

C:\Users\shaveika\353504_SHAVEIKO_26>rmdir /s IGI\LR3
IGI\LR3, Are you sure (Y/N)? Y

C:\Users\shaveika\353504_SHAVEIKO_26>rmdir /s IGI\LR4
IGI\LR4, Are you sure (Y/N)? Y

C:\Users\shaveika\353504_SHAVEIKO_26>rmdir /s IGI\LR5
IGI\LR5, Are you sure (Y/N)? Y
```

```
C:\Users\shaveika\353504_SHAVEIKO_26>rmdir /s IGI
IGI, Are you sure (Y/N)? Y

C:\Users\shaveika\353504_SHAVEIKO_26>rmdir /s STRWEB
STRWEB, Are you sure (Y/N)? Y
```

```
C:\Users\shaveika\353504_SHAVEIKO_26>git checkout main -- IGI/LR1

C:\Users\shaveika\353504_SHAVEIKO_26>git add *

C:\Users\shaveika\353504_SHAVEIKO_26>git status
On branch IGI_LR1
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        deleted:    IGI/.gitkeep
        deleted:    IGI/LR2/.gitkeep
        deleted:    IGI/LR3/.gitkeep
        deleted:    IGI/LR4/.gitkeep
        deleted:    IGI/LR5/.gitkeep
        deleted:    STRWEB/.gitkeep
        deleted:    STRWEB/LR1/.gitkeep
        deleted:    STRWEB/LR2/.gitkeep
        deleted:    STRWEB/LR3/.gitkeep
        deleted:    STRWEB/LR4/.gitkeep

C:\Users\shaveika\353504_SHAVEIKO_26>git commit -m "IGI_LR1 struct"
[IGI_LR1 be82172] IGI_LR1 struct
 10 files changed, 10 deletions(-)
 delete mode 100644 IGI/.gitkeep
 delete mode 100644 IGI/LR2/.gitkeep
 delete mode 100644 IGI/LR3/.gitkeep
 delete mode 100644 IGI/LR4/.gitkeep
 delete mode 100644 IGI/LR5/.gitkeep
 delete mode 100644 STRWEB/.gitkeep
 delete mode 100644 STRWEB/LR1/.gitkeep
 delete mode 100644 STRWEB/LR2/.gitkeep
 delete mode 100644 STRWEB/LR3/.gitkeep
 delete mode 100644 STRWEB/LR4/.gitkeep
```

Остальные ветки и перенос на них необходимых файлов осуществлялись аналогичным образом.

10)   Выведите историю коммитов: полностью и с ограничением вывода – отобрать только последние, до и после указанной даты, по автору файлов, коммитов (флаги n, since, after, until, before, author, committer, grep).

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git log
commit 0d5e46ac6640cd43dd040d6710b5afe7a9de4053 (HEAD -> main)
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:47:58 2025 +0300

    file was renamed

commit 6805e5b8cb497204c731adbe17aa9a16d0dea2df
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:46:57 2025 +0300

    All .txt files was deleted and one .txt file was created

commit 536f87c09402f7b38363dc6815bbcbe7a6659bf2
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:45:31 2025 +0300

    2 .txt files modified

commit f79988c01f09b0f0e857b4f1ef0808c7d0123e92
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:42:30 2025 +0300

    4 empty .txt files

commit d078c8d9ee6155f3cb0e577d28d337b791de28e2 (origin/main, origin/HEAD)
Author: smartiqa <info@smartiqa.ru>
Date:   Thu Mar 4 14:55:29 2021 +0300

    L-03: Docs added
```

```
C:\Users\shaveika\353504_SHAVEIKO_26>git log
commit da6631765fd4414936265a59e5c1b821886f73e7 (HEAD -> main)
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Wed Feb 19 17:34:49 2025 +0300

    add .gitkeep in all empty folders
```

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git log -n 2
commit 0d5e46ac6640cd43dd040d6710b5afe7a9de4053 (HEAD -> main)
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:47:58 2025 +0300

    file was renamed

commit 6805e5b8cb497204c731adbe17aa9a16d0dea2df
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:46:57 2025 +0300

    All .txt files was deleted and one .txt file was created
```

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git log --author="Ksenia654"
commit 0d5e46ac6640cd43dd040d6710b5afe7a9de4053 (HEAD -> main)
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:47:58 2025 +0300

    file was renamed

commit 6805e5b8cb497204c731adbe17aa9a16d0dea2df
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:46:57 2025 +0300

    All .txt files was deleted and one .txt file was created

commit 536f87c09402f7b38363dc6815bbcbe7a6659bf2
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:45:31 2025 +0300

    2 .txt files modified

commit f79988c01f09b0f0e857b4f1ef0808c7d0123e92
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:42:30 2025 +0300

    4 empty .txt files
```

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git log --since="2025-02-23 17:45:31" --until="2025-02-23 17:47:58"
commit 0d5e46ac6640cd43dd040d6710b5afe7a9de4053 (HEAD -> main)
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:47:58 2025 +0300

    file was renamed

commit 6805e5b8cb497204c731adbe17aa9a16d0dea2df
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:46:57 2025 +0300

    All .txt files was deleted and one .txt file was created

commit 536f87c09402f7b38363dc6815bbcbe7a6659bf2
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:45:31 2025 +0300

    2 .txt files modified
```

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git log --before="2025-02-24" --grep="files"
commit 6805e5b8cb497204c731adbe17aa9a16d0dea2df
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:46:57 2025 +0300

    All .txt files was deleted and one .txt file was created

commit 536f87c09402f7b38363dc6815bbcbe7a6659bf2
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:45:31 2025 +0300

    2 .txt files modified

commit f79988c01f09b0f0e857b4f1ef0808c7d0123e92
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:42:30 2025 +0300

    4 empty .txt files
```

11) Исследуйте флаги для git log: p , stat ,shortstat, name-only, name-status, relative-date, pretty, graph.

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git log -p
commit 0d5e46ac6640cd43dd040d6710b5afe7a9de4053 (HEAD -> main)
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:47:58 2025 +0300

    file was renamed

diff --git a/file.txt b/new_name.txt
similarity index 100%
rename from file.txt
rename to new_name.txt

commit 6805e5b8cb497204c731adbe17aa9a16d0dea2df
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:46:57 2025 +0300

    All .txt files was deleted and one .txt file was created

diff --git a/fil1.txt b/fil1.txt
deleted file mode 100644
index 4986d2b..0000000
--- a/fil1.txt
+++ /dev/null
@@ -1 +0,0 @@
-Shaveiko
diff --git a/file1.txt b/file.txt
similarity index 100%
rename from file1.txt
rename to file.txt
diff --git a/file2.txt b/file2.txt
:...skipping...
```

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git log --stat
commit 0d5e46ac6640cd43dd040d6710b5afe7a9de4053 (HEAD -> main)
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:47:58 2025 +0300

    file was renamed

 file.txt => new_name.txt | 0
 1 file changed, 0 insertions(+), 0 deletions(-)

commit 6805e5b8cb497204c731adbe17aa9a16d0dea2df
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:46:57 2025 +0300

    All .txt files was deleted and one .txt file was created

 fil1.txt                | 1 -
 file1.txt => file.txt   | 0
 file2.txt               | 1 -
 file3.txt               | 1 -
 4 files changed, 3 deletions(-)

commit 536f87c09402f7b38363dc6815bbcbe7a6659bf2
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:45:31 2025 +0300

    2 .txt files modified

 fil1.txt  | 1 +
 file3.txt | 2 +-
 2 files changed, 2 insertions(+), 1 deletion(-)
```

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git log --shortstat
commit 0d5e46ac6640cd43dd040d6710b5afe7a9de4053 (HEAD -> main)
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:    Sun Feb 23 17:47:58 2025 +0300

    file was renamed

 1 file changed, 0 insertions(+), 0 deletions(-)

commit 6805e5b8cb497204c731adbe17aa9a16d0dea2df
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:    Sun Feb 23 17:46:57 2025 +0300

    All .txt files was deleted and one .txt file was created

 4 files changed, 3 deletions(-)

commit 536f87c09402f7b38363dc6815bbcbe7a6659bf2
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:    Sun Feb 23 17:45:31 2025 +0300

    2 .txt files modified

 2 files changed, 2 insertions(+), 1 deletion(-)

commit f79988c01f09b0f0e857b4f1ef0808c7d0123e92
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:    Sun Feb 23 17:42:30 2025 +0300

    4 empty .txt files

 3 files changed, 3 insertions(+)

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git log --name-only
commit 0d5e46ac6640cd43dd040d6710b5afe7a9de4053 (HEAD -> main)
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:    Sun Feb 23 17:47:58 2025 +0300

    file was renamed

new_name.txt

commit 6805e5b8cb497204c731adbe17aa9a16d0dea2df
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:    Sun Feb 23 17:46:57 2025 +0300

    All .txt files was deleted and one .txt file was created

fil1.txt
file.txt
file2.txt
file3.txt

commit 536f87c09402f7b38363dc6815bbcbe7a6659bf2
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:    Sun Feb 23 17:45:31 2025 +0300

    2 .txt files modified

fil1.txt
file3.txt

commit f79988c01f09b0f0e857b4f1ef0808c7d0123e92
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:    Sun Feb 23 17:42:30 2025 +0300

    4 empty .txt files

file1.txt
file2.txt
file3.txt
```

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git log --name-status
commit 0d5e46ac6640cd43dd040d6710b5afe7a9de4053 (HEAD -> main)
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:    Sun Feb 23 17:47:58 2025 +0300

    file was renamed

R100    file.txt        new_name.txt

commit 6805e5b8cb497204c731adbe17aa9a16d0dea2df
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:    Sun Feb 23 17:46:57 2025 +0300

    All .txt files was deleted and one .txt file was created

D       fil1.txt
R100    file1.txt       file.txt
D       file2.txt
D       file3.txt

commit 536f87c09402f7b38363dc6815bbcbe7a6659bf2
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:    Sun Feb 23 17:45:31 2025 +0300

    2 .txt files modified

A       fil1.txt
M       file3.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git log --relative-date
commit 0d5e46ac6640cd43dd040d6710b5afe7a9de4053 (HEAD -> main)
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:    34 minutes ago

    file was renamed

commit 6805e5b8cb497204c731adbe17aa9a16d0dea2df
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:    35 minutes ago

    All .txt files was deleted and one .txt file was created

commit 536f87c09402f7b38363dc6815bbcbe7a6659bf2
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:    36 minutes ago

    2 .txt files modified

commit f79988c01f09b0f0e857b4f1ef0808c7d0123e92
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:    39 minutes ago

    4 empty .txt files

commit d078c8d9ee6155f3cb0e577d28d337b791de28e2 (origin/main, origin/HEAD)
Author: smartiqa <info@smartiqa.ru>
Date:    4 years ago

    L-03: Docs added

commit 8ba9aeb3cea847b63a91ac378a2a6db758682460
Author: smartiqa <info@smartiqa.ru>
Date:    4 years ago

    L-03: Circle and square added
```

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git log --pretty
commit 0d5e46ac6640cd43dd040d6710b5afe7a9de4053 (HEAD -> main)
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:47:58 2025 +0300

    file was renamed

commit 6805e5b8cb497204c731adbe17aa9a16d0dea2df
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:46:57 2025 +0300

    All .txt files was deleted and one .txt file was created

commit 536f87c09402f7b38363dc6815bbcbe7a6659bf2
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:45:31 2025 +0300

    2 .txt files modified

commit f79988c01f09b0f0e857b4f1ef0808c7d0123e92
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 17:42:30 2025 +0300

    4 empty .txt files

commit d078c8d9ee6155f3cb0e577d28d337b791de28e2 (origin/main, origin/HEAD)
Author: smartiqa <info@smartiqa.ru>
Date:   Thu Mar 4 14:55:29 2021 +0300

    L-03: Docs added

commit 8ba9aeb3cea847b63a91ac378a2a6db758682460
Author: smartiqa <info@smartiqa.ru>
Date:   Thu Mar 4 14:54:08 2021 +0300

    L-03: Circle and square added

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git log --graph
* commit 0d5e46ac6640cd43dd040d6710b5afe7a9de4053 (HEAD -> main)
| Author: Ksenia654 <ksushashaveyko@gmail.com>
| Date:   Sun Feb 23 17:47:58 2025 +0300
|
|     file was renamed
|
* commit 6805e5b8cb497204c731adbe17aa9a16d0dea2df
| Author: Ksenia654 <ksushashaveyko@gmail.com>
| Date:   Sun Feb 23 17:46:57 2025 +0300
|
|     All .txt files was deleted and one .txt file was created
|
* commit 536f87c09402f7b38363dc6815bbcbe7a6659bf2
| Author: Ksenia654 <ksushashaveyko@gmail.com>
| Date:   Sun Feb 23 17:45:31 2025 +0300
|
|     2 .txt files modified
|
* commit f79988c01f09b0f0e857b4f1ef0808c7d0123e92
| Author: Ksenia654 <ksushashaveyko@gmail.com>
| Date:   Sun Feb 23 17:42:30 2025 +0300
|
|     4 empty .txt files
```

12)   Найдите разницу в изменениях для каждого коммита.

```
C:\Users\shaveiko\353504_SHAVEIKO_26\IGI\LR1\geometric_lib>git diff f79988c01f0900f0e857b4f1ef0888c7d0123e92 6805e5b8cb497284c731adbe17aa9a16d0dea2df
diff --git a/file1.txt b/file.txt
similarity index 100%
rename from file1.txt
rename to file.txt
diff --git a/file2.txt b/file2.txt
deleted file mode 100644
index 4d6a3b4..0000000
--- a/file2.txt
+++ /dev/null
@@ -1 +0,0 @@
-ECHO is on.
diff --git a/file3.txt b/file3.txt
deleted file mode 100644
index 4d6a3b4..0000000
--- a/file3.txt
+++ /dev/null
@@ -1 +0,0 @@
-ECHO is on.
```

13)   Создайте   новый   файл test.txt   и   вставьте   в   него   строчку 'номер варианта'. Затем сделайте коммит и отмените его.


```
E:\IGI\253502_HVESKO_22\IGI\LR1\geometric_lib>echo 22 > test.txt

E:\IGI\253502_HVESKO_22\IGI\LR1\geometric_lib>git add test.txt

E:\IGI\253502_HVESKO_22\IGI\LR1\geometric_lib>git commit -m "test"
[main 10ed7fb] test
 1 file changed, 1 insertion(+)
 create mode 100644 test.txt

E:\IGI\253502_HVESKO_22\IGI\LR1\geometric_lib>git revert HEAD
[main 383eacb] revert commit
 1 file changed, 1 deletion(-)
 delete mode 100644 test.txt

E:\IGI\253502_HVESKO_22\IGI\LR1\geometric_lib>git log
commit 383eacbf3d511926bd60ec45ead7e1d9e29fb094 (HEAD -> main)
Author: Hvesko_Gennady_253502 <pprom5573@gmail.com>
Date:   Thu Feb 15 16:50:15 2024 +0300

    revert commit

    This reverts commit 10ed7fbad73e725a63515050a5922692769522e4.
```

14) Создайте новый файл test.txt и вставьте в него строчку 'номер вариан-та'. затем сделайте коммит и отмените его

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>echo "Номер варианта:26" > test.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git add test.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git commit -m "test.txt created"
[main 2f33cbf] test.txt created
 1 file changed, 1 insertion(+)
 create mode 100644 IGI/LR1/test.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git log
commit 2f33cbfa777924541a858f1e8a96a37a52baa8ba (HEAD -> main)
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 20:06:22 2025 +0300

    test.txt created

commit e6172fa988c22cd6f6b43d31b59f6a3919eebf1c
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 19:55:07 2025 +0300

    structure of branch
```

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git reset --soft HEAD~1

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git log
commit e6172fa988c22cd6f6b43d31b59f6a3919eebf1c (HEAD -> main)
Author: Ksenia654 <ksushashaveyko@gmail.com>
Date:   Sun Feb 23 19:55:07 2025 +0300

    structure of branch
```

15)Проиндексируйте файл в вашем Git-репозитории, затем отмените его индексацию.

```
C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26\IGI\LR1>git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   test.txt

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26\IGI\LR1>git restore --staged test.txt

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26\IGI\LR1>git status
On branch main
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        test.txt

nothing added to commit but untracked files present (use "git add" to track)
```

16) Внесите изменения в файл в вашем Git-репозитории и затем верните его в исходное состояние.

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git add test.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   test.txt


C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>echo "Номер варианта: 26" > test.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   test.txt

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   test.txt


C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git checkout -- test.txt

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   test.txt
```

17)Создайте удаленный репозиторий (на github.com).

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git remote add origin git@github.com:Ksenia654/IGI_SHAVEIKO_26.git

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git remote -v
origin  git@github.com:Ksenia654/IGI_SHAVEIKO_26.git (fetch)
origin  git@github.com:Ksenia654/IGI_SHAVEIKO_26.git (push)
```

18)Просмотрите информацию о нем, внесите изменения и опять просмотрите (remote, fetch).

```
C:\Users\shaveika\353504_SHAVEIKO_26>git push -u origin main
Enumerating objects: 27, done.
Counting objects: 100% (27/27), done.
Delta compression using up to 12 threads
Compressing objects: 100% (21/21), done.
Writing objects: 100% (26/26), 2.32 KiB | 158.00 KiB/s, done.
Total 26 (delta 5), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (5/5), done.
To github.com:Ksenia654/IGI_SHAVEIKO_26.git
   dd83878..1a6ed83  main -> main
branch 'main' set up to track 'origin/main'.

C:\Users\shaveika\353504_SHAVEIKO_26>git remote -v
origin  git@github.com:Ksenia654/IGI_SHAVEIKO_26.git (fetch)
origin  git@github.com:Ksenia654/IGI_SHAVEIKO_26.git (push)

C:\Users\shaveika\353504_SHAVEIKO_26>git remote show origin
* remote origin
  Fetch URL: git@github.com:Ksenia654/IGI_SHAVEIKO_26.git
  Push  URL: git@github.com:Ksenia654/IGI_SHAVEIKO_26.git
  HEAD branch: main
  Remote branch:
    main tracked
  Local branch configured for 'git pull':
    main merges with remote main
  Local ref configured for 'git push':
    main pushes to main (up to date)
```

19)Измените несколько файлов в вашем проекте и перенесите их в удаленный репозиторий.

```
C:\Users\shaveika\353504_SHAVEIKO_26>git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   IGI/LR1/test.txt


C:\Users\shaveika\353504_SHAVEIKO_26>git commit -m "Modifications with test.txt"
[main a6be090] Modifications with test.txt
 1 file changed, 1 insertion(+)
 create mode 100644 IGI/LR1/test.txt

C:\Users\shaveika\353504_SHAVEIKO_26>git status
On branch main
nothing to commit, working tree clean

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git push origin main
Everything up-to-date
```

20)Переименуйте свой удаленный репозиторий.

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git remote set-url origin https://github.com/Ksenia654/IGI_STRWEB_SHAVEIKO.git

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git fetch origin
```

21)Получите данные из удаленного репозитория.

```
C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git fetch origin

C:\Users\shaveika\353504_SHAVEIKO_26\IGI\LR1>git pull origin main
From https://github.com/Ksenia654/IGI_STRWEB_SHAVEIKO
 * branch            main       -> FETCH_HEAD
Already up to date.
```

22)Просмотреть историю изменений.

```
C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26\IGI>git log --all --remotes --oneline --graph
* 72b2bc9 (origin/IGI_LR3, IGI_LR3) Structure corrected
* 72b2bc9 (origin/IGI_LR3, IGI_LR3) Structure corrected
* 72b2bc9 (origin/IGI_LR3, IGI_LR3) Structure corrected
*   2d92b6c Upd
|\
* | 8ba99ca IGI_LR3 branch created
| | * 5b1a869 (origin/IGI, IGI) Update
| |/
|/|
| |  *   0da09d1 (origin/IGI_LR1, IGI_LR1) UPdate
| | |\
| | |/
| |/|
| * | 9c8efb3 (HEAD -> main, origin/main) Task 5c
| * | dbc45c6 Update
| | * 45ed233 IGI_LR1 branch created
| |/
|/|
| | * 348fde5 (origin/STRWEB_LR4, STRWEB_LR4) STRWEB_LR4 branch created
| | | * 1a2b1ac (origin/STRWEB_LR3, STRWEB_LR3) STRWEB_LR3 branch created
| | |/
| | | * 4a3efd9 (origin/STRWEB_LR2, STRWEB_LR2) STRWEB_LR2 branch created
| | |/
| | | * cdb6e99 (origin/STRWEB_LR1, STRWEB_LR1) STRWEB_LR1 branch created
| | |/
| | * 59c2fc1 (origin/STRWEB, STRWEB) STRWEB branch created
| |/
| | * 064b631 (origin/IGI_LR5, IGI_LR5) IGI_LR5 branch created
| |/
|/|
| | * acd71a4 (origin/IGI_LR4, IGI_LR4) IGI_LR4 branch created
| |/
|/|
```

```
|/|
| | * a8487b2 (origin/IGI_LR2, IGI_LR2) IGI_LR2 branch created
| |/
|/|
* | 25aacfd IGI branch created
|/
* 1e3b667 Rename file (task 4e)
* 9c56d2d deleted all files with .txt(task4d
* fcb2059 add 3 emty txt files for task 4d
* 78eaf67 files modified (task 4c)
* 2f9bdcc Add .gitkeep
```

23) Создайте дополнительную ветку 1 в удаленном репозитории, перенесите в нее два файла из другой ветки, удалите один из файлов.

```
C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git checkout -b 1
Switched to a new branch '1'

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>cd IGI

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26\IGI>cd LR1

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26\IGI\LR1>cd ..

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26\IGI>cd ..

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git rm -rf IGI
rm 'IGI/.gitkeep'
rm 'IGI/LR1/.gitkeep'
rm 'IGI/LR1/bar/.gitkeep'
rm 'IGI/LR1/bar/425/.gitkeep'
rm 'IGI/LR1/bar/bin/577/.gitkeep'
```

```
C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git rm -rf STRWEB
rm 'STRWEB/.gitkeep'
rm 'STRWEB/LR1/.gitkeep'
rm 'STRWEB/LR2/.gitkeep'
rm 'STRWEB/LR3/.gitkeep'
rm 'STRWEB/LR4/.gitkeep'

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git add *

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git status
On branch 1
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        deleted:    IGI/.gitkeep
        deleted:    IGI/LR1/.gitkeep
        deleted:    IGI/LR1/bar/.gitkeep
        deleted:    IGI/LR1/bar/425/.gitkeep
        deleted:    IGI/LR1/bar/bin/577/.gitkeep
        deleted:    IGI/LR1/bar/bin/head/.gitkeep
        deleted:    IGI/LR1/bar/bin/head/755/.gitkeep
```

```
C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git commit -m "Empty branch 1"
[1 08eeac3] Empty branch 1
 28 files changed, 54 deletions(-)
 delete mode 100644 IGI/.gitkeep
 delete mode 100644 IGI/LR1/.gitkeep
 delete mode 100644 IGI/LR1/bar/.gitkeep
 delete mode 100644 IGI/LR1/bar/425/.gitkeep
 delete mode 100644 IGI/LR1/bar/bin/577/.gitkeep
 delete mode 100644 IGI/LR1/bar/bin/head/.gitkeep
 delete mode 100644 IGI/LR1/bar/bin/head/755/.gitkeep
 delete mode 100644 IGI/LR1/bar/bin/readme.txt
 delete mode 100644 IGI/LR1/foo/233/.gitkeep
```

```
C:\Users\shaveika\Бруир 2 курс\353504_SHAVEIKO_26>git push origin 1
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 12 threads
Compressing objects: 100% (1/1), done.
Writing objects: 100% (2/2), 241 bytes | 241.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for '1' on GitHub by visiting:
remote:        https://github.com/Ksenia654/IGI_STRWEB/pull/new/1
remote:
To https://github.com/Ksenia654/IGI_STRWEB.git
 * [new branch]      1 -> 1
```

```
C:\Users\shaveika\Бруир 2 курс\353504_SHAVEIKO_26>git checkout main -- IGI\LR1\test.txt

C:\Users\shaveika\Бруир 2 курс\353504_SHAVEIKO_26>git checkout main -- IGI\LR1\geometric_lib\new_name.txt

C:\Users\shaveika\Бруир 2 курс\353504_SHAVEIKO_26>git ls-files
.gitkeep
IGI/LR1/geometric_lib/new_name.txt
IGI/LR1/test.txt

C:\Users\shaveika\Бруир 2 курс\353504_SHAVEIKO_26>git add *

C:\Users\shaveika\Бруир 2 курс\353504_SHAVEIKO_26>git status
On branch 1
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        deleted:    .gitkeep
        new file:   new_name.txt
        new file:   test.txt
```

```
C:\Users\shaveika\Бруир 2 курс\353504_SHAVEIKO_26>git commit -m "Add 2 files to branch 1"
[1 1ea1d60] Add 2 files to branch 1
 3 files changed, 2 insertions(+), 1 deletion(-)
 delete mode 100644 .gitkeep
 create mode 100644 new_name.txt
 create mode 100644 test.txt

C:\Users\shaveika\Бруир 2 курс\353504_SHAVEIKO_26>del test.txt

C:\Users\shaveika\Бруир 2 курс\353504_SHAVEIKO_26>git add *

C:\Users\shaveika\Бруир 2 курс\353504_SHAVEIKO_26>git commit -m "Delet one file from branch 1"
[1 1d83cca] Delet one file from branch 1
 1 file changed, 1 deletion(-)
 delete mode 100644 test.txt

C:\Users\shaveika\Бруир 2 курс\353504_SHAVEIKO_26>git push origin 1
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (6/6), 562 bytes | 281.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Ksenia654/IGI_STRWEB.git
   08eeac3..1d83cca  1 -> 1
```

24) создайте дополнительную ветку 2 в удаленном репозитории, перенесите в нее два файла из вашего проекта, слить изменения в основную ветку, удалить дополнительную ветку 2.

```
C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git checkout -b 2
Switched to a new branch '2'

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git status
On branch 2
nothing to commit, working tree clean

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git push origin 2
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for '2' on GitHub by visiting:
remote:      https://github.com/Ksenia654/IGI_STRWEB/pull/new/2
remote:
To https://github.com/Ksenia654/IGI_STRWEB.git
 * [new branch]      2 -> 2

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git add *
```

```
C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git commit -m "Add two files to brancg 2"
[2 279b878] Add two files to brancg 2
 2 files changed, 2 insertions(+), 2 deletions(-)

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git push origin 2
Enumerating objects: 13, done.
Counting objects: 100% (13/13), done.
Delta compression using up to 12 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (7/7), 598 bytes | 199.00 KiB/s, done.
Total 7 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), completed with 3 local objects.
To https://github.com/Ksenia654/IGI_STRWEB.git
   9c8efb3..279b878  2 -> 2

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
```

```
C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git merge 2
Updating 9c8efb3..279b878
Fast-forward
 IGI/LR1/geometric_lib/new_name.txt | 2 +-
 IGI/LR1/test.txt                   | 2 +-
 2 files changed, 2 insertions(+), 2 deletions(-)

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git add *

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git commit -m "Merge branches"
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git push origin --delete 2
To https://github.com/Ksenia654/IGI_STRWEB.git
 - [deleted]         2
```

```
C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git push origin --delete 2
To https://github.com/Ksenia654/IGI_STRWEB.git
 - [deleted]          2

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git branch
  1
  2
  IGI
  IGI_LR1
  IGI_LR2
  IGI_LR3
  IGI_LR4
  IGI_LR5
  STRWEB
  STRWEB_LR1
  STRWEB_LR2
  STRWEB_LR3
  STRWEB_LR4
* main

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git branch -d 2
Deleted branch 2 (was 279b878).

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git branch
  1
  IGI
  IGI_LR1
  IGI_LR2
  IGI_LR3
  IGI_LR4
  IGI_LR5
  STRWEB
  STRWEB_LR1
  STRWEB_LR2
  STRWEB_LR3
  STRWEB_LR4
* main
```

```
C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git fetch origin

C:\Users\shaveika\Бгуир 2 курс\353504_SHAVEIKO_26>git push origin --all
Enumerating objects: 13, done.
Counting objects: 100% (13/13), done.
Delta compression using up to 12 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (7/7), 598 bytes | 299.00 KiB/s, done.
Total 7 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), completed with 3 local objects.
To https://github.com/Ksenia654/IGI_STRWEB.git
   9c8efb3..279b878  main -> main
```

Вывод

В ходе выполнения данной лабораторной работы мы познакомились с возможностями системы контроля версий Git, изучили основные команды по работе с ней, получили практические навыки, работая с локальными и удаленными репозиториями.