### User registration with valid login and password

Severity **Priority Behavior** Type ☆ Critical Positive Smoke ↑ High

Layer Is Flaky Milestone **Automation** Not set Manual

Status Is Muted

No

Actual No

#### Module

Registration

#### **Pre-conditions**

The user is not registered

#### **Attachments**



Step	1
Action	Go to https://demoshopping.ru
Input data	
Expected result	The main page is opened
Step	2
Action	Click the button "Регистрация/Войти"
Input data	
Expected result	The registration window is opened
Step	3
Action	Input login according to the test data
Input data	Login: 3-15 characters, including numbers, Latin letters and the symbol _
Expected result	The line with login contains data
Step	4

Action	Input password according to the test data
Input data	Password: from 8 characters, including at least one Latin letter and one number
Expected result	The line with password contains data
Step	5
Action	Click the button "Зарегистрироваться"
Input data	
Expected result	The user is registered

### User registration with invalid login and password (insufficient number of characters)

Severity **Priority Behavior Type** Critical ↑ High Negative Smoke Layer Is Flaky Milestone **Automation** Not set Manual **Status** Is Muted Actual No Module Registration **Pre-conditions** The user is not registered Steps to reproduce Step 1 Go to https://demoshopping.ru Action Input data Expected The main page is opened Step 2 Action Click the button "Регистрация/Войти" Input data Expected The registration window is opened result 3 Step Action Input login according to the test data

Login: 0-2 characters, including numbers, Latin letters and the symbol \_

Step

 $\underset{\cdot \cdot \cdot}{\mathsf{Expected}}_{\mathsf{The\ line\ with\ login\ contains\ data}}$ 

Input

data

result

Action	Input password according to the test data
Input data	Password: 0-7 characters, including at least one Latin letter and one number
Expecte result	td The line with password contains data
Step	5
Action	Click the button "Зарегистрироваться"
Input data	
Expecte result	dError message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру"

### User registration without input of login/password

Severity **Priority Behavior** Type Major ↑ High Negative Smoke Layer Is Flaky Milestone **Automation** Not set Manual No Status Is Muted Actual No

#### Module

Registration

#### **Pre-conditions**

The user is not registered

Step	1
Action	Go to <a href="https://demoshopping.ru">https://demoshopping.ru</a>
Input data	
Expected result	The main page is opened
Step	2
Action	Click the button "Регистрация/Войти"
Input data	
Expected result	The registration window is opened
Step	3
Action	Leave an empty line in login
Input data	
Expected result	The line with login is empty
Step	4
Action	Leave an empty line in password
Input data	
input data	

Step	5
Action	Click the button "Зарегистрироваться"
Input data	
Expected result	Request to input login and password
	Perucrpaus    Ingote   Ingote

### User registration with input of Cyrillic letters

Severity **Priority Behavior** Type Major ↑ High Negative Smoke Milestone Layer Is Flaky **Automation** Not set Manual No Status Is Muted Actual No

#### Module

Registration

#### **Pre-conditions**

The user is not registered

Step	1
Action	Go to https://demoshopping.ru
Input data	
Expected result	The main page is opened
Step	2
Action	Click the button "Регистрация/Войти
Input data	
Expected result	The registration window is opened
Step	3
Action	Input login according to the test data
Input data	Login: 3-15 characters, including Cyrillic letters
Expected result	The line with login contains data
Step	4
Action	Input password according to the test data
Input data	Password: from 8 characters, including at least one Latin letter and one number

Expected result	The line with password contains data
Step	5
Action	Click the button "Зарегистрироваться"
Input data	
Expected result	Error message:"Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и сим волы: _"

### User registration with input of special characters

Severity **Priority Behavior** Type Negative Smoke Major ↑ High Milestone Layer Is Flaky **Automation** Not set Manual No Status Is Muted Actual No

#### Module

Registration

#### **Pre-conditions**

The user is not registered

Step	1
Action	Go to https://demoshopping.ru
Input data	
Expected result	The main page is opened
Step	2
Action	Click the button "Регистрация/Войти"
Input data	
Expected result	The registration window is opened
Step	3
Action	Input login according to the test data
Input data	Login: 3-15 characters, including only special characters, except: _
Expected result	The line with login contains data
Step	4
Action	Input password according to the test data
Input data	Password: from 8 characters, including at least one Latin letter and one number

Expected result	The line with password contains data
Step	5
Action	Click the button "Зарегистрироваться"
Input data	
Expected result	Error message:"Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и сим волы: _"

### **Successful authorization**

Severity **Priority Behavior** Type Critical ↑ High Positive Smoke Layer Is Flaky Milestone **Automation** Not set No Manual Status Is Muted Actual No

#### Module

Authorization

#### **Pre-conditions**

The user is registered

Step	1
Action	Go to https://demoshopping.ru
Input data	
Expected result	The main page is opened
-	
Step	2
Action	Click the button "Регистрация/Войти"
Input data	
Expected result	The registration window is opened
Step	3
Step Action	Input login according to the test data
Action	Input login according to the test data
Action Input data	Input login according to the test data  Login: test_1
Action Input data	Input login according to the test data  Login: test_1
Action Input data Expected result	Input login according to the test data  Login: test_1  The line with login contains data
Action Input data Expected result Step	Input login according to the test data  Login: test_1  The line with login contains data
Action Input data Expected result Step Action	Input login according to the test data  Login: test_1  The line with login contains data  4  Input password according to the test data

Step	5
Action	Click "Login" button
Input data	
Expected result	The user is logged in

# The "Login" button replaces with the "Logout" button upon successful authorization

SeverityPriorityBehaviorType^ Major↑ HighPositiveSmoke

LayerIs FlakyMilestoneAutomationNot setNo-Manual

Status Is Muted

Actual No

#### Module

Authorization

#### **Pre-conditions**

The user is registered

#### Steps to reproduce

Expected result

Step	1
Action	Go to https://demoshopping.ru
Input data	
Expected result	The main page is opened
Step	2
Action	Click the button "Регистрация/Войти"
Input data	
Expected result	The registration window is opened
Step	3
Action	Input login according to the test data
Input data	Login: test_1
Expected result	The line with login contains data
Step	4
Action	Input password according to the test data
Input data	Password: t1234567

The line with password contains data

Step	5
Action	Click "Login" button"
Input data	
Expected result	The user is logged in. The "Login" button is replaced with the "Logout" button

### Redirection to the main page after login

Severity **Priority Behavior** Type Major ↑ High Positive Smoke Layer Is Flaky Milestone **Automation** Not set Manual No Status Is Muted Actual No

#### Module

Authorization

#### **Pre-conditions**

The user is registered

Step	1
Action	Go to https://demoshopping.ru
Input data	
Expected result	The main page is opened
Step	2
Action	Click the button "Регистрация/Войти"
Input data	
Expected result	The registration window is opened
Step	3
Action	Input login according to the test data
Input data	Login: test_1
Expected result	The line with login contains data
Step	4
Action	Input password according to the test data
Input data	Password: t1234567
Expected result	The line with password contains data

Step	5
Action	Click "Login" button
Input data	
Expected result	The user is logged in. The user is redirected to the main page.

### Logout of the system

No

Severity **Priority Behavior** Type ♠ Critical ↑ High Positive Smoke Layer Is Flaky Milestone **Automation** Not set No Manual Status Is Muted

#### Module

Actual

Authorization

#### **Pre-conditions**

The user is registered

Step	1
Action	Go to https://demoshopping.ru
Input data	
Expected result	The main page is opened
Step	2
Action	Click the button "Регистрация/Войти"
Input data	
Expected result	The registration window is opened
Step	3
Action	Input login according to the test data
land to	
Input data	Login: test_1
Expected result	Login: test_1  The line with login contains data
Expected result	The line with login contains data
Expected result Step	The line with login contains data

Step	5
Action	Click "Login" button"
Input data	
Expected result	The user is logged in. The "Login" button is replaced with the "Logout" button
_	
Step	6
Action	Click "Logout" button
Input data	
Expected result	The user logs out of the system

### Authorization with non-existing account

No

Severity **Priority Behavior** Type Major ↑ High Negative Smoke Milestone Layer Is Flaky **Automation** Not set Manual No Status Is Muted

#### Module

Actual

Authorization

#### **Pre-conditions**

The user is NOT registered

Step	1
Action	Go to <a href="https://demoshopping.ru">https://demoshopping.ru</a>
Input data	
Expected result	The main page is opened
Step	2
Action	Click the button "Регистрация/Войти"
Input data	
Expected result	The registration window is opened
Step	3
Action	Input login according to the test data
Input data	Login: 3-15 characters, including numbers, Latin letters and the symbol: _
Expected result	The line with login contains data
Step	4
Action	Input password according to the test data
Input data	Password: from 8 characters, including at least one Latin letter and one number
	•
Action	Input password according to the test data

Step	5
Action	Click "Login" button"
Input data	
Expected result	Error message

No

### **Product list. Pagination**

Severity **Priority Behavior** Type ☆ Critical ↑ High Positive Smoke Is Flaky Layer Milestone **Automation** Not set No Manual Status Is Muted

#### Module

Actual

Product list

#### **Pre-conditions**

The user is logged in

Step	1
Action	Go to https://demoshopping.ru
Input data	
Expected result	The main page is opened
Step	2
Action	Use pagination to navigate through the pages: click on the last page
Input data	
Expected result	The last page is displayed
Step	3
Action	Use pagination to navigate through the pages: click on the first page
Input data	
Expected result	The first page is displayed

### Sorting the product list by name/price

No

Severity **Priority Behavior** Type Major ↑ High Positive Smoke Milestone Layer Is Flaky **Automation** Not set No Manual Status Is Muted

#### Module

Actual

Sorting

#### **Pre-conditions**

The user is logged in

Step	1
Action	Go to https://demoshopping.ru
Input data	
Expected result	The main page is opened
Step	2
Action	Click the dropdown "Сортировка" to sort products by name from Z to A
Input data	
Expected result	The product list updates according to the chosen sort order
Step	3
Action	Click the dropdown "Сортировка" to sort products by name from A to Z
Input data	
Expected result	The product list is updated according to the chosen sort order
Step	4
Action	Click the dropdown "Сортировка" to sort products by price from low to high
Input data	
Expected result	The product list is updated according to the chosen sort order

Step	5
Action	Click the dropdown "Сортировка" to sort products by price from high to low
Input data	
Expected result	The product list is updated according to the chosen sort order

No

### Filtering the list of products by min/max price

Severity **Priority Behavior** Type Major ↑ High Positive Smoke Layer Is Flaky Milestone **Automation** Not set No Manual Status Is Muted

#### Module

Actual

Filtering

#### **Pre-conditions**

The user is logged in

Step	1
Action	Go to https://demoshopping.ru
Input data	
Expected result	The main page is opened
Step	2
Action	Input numbers in the lines "min/max price"
Input data	min < max
Expected result	The lines contain information about the min/max price
Step	3
Action	Click the button "Применить фильтры"
Input data	
Expected result	The product list is updated according to the chosen filter

### Filtering the list of products by min/max price using letters

Severity **Priority Behavior** Type Major ↑ High Negative Smoke Milestone Layer Is Flaky **Automation** Not set Manual No Status Is Muted Actual No

Module

Filtering

#### **Pre-conditions**

The user is logged in

Step	1
Action	Go to https://demoshopping.ru
Input data	
Expected result	The main page is opened
Step	2
Action	Input numbers in the lines "min/max price"
Input data	min < max
Expected result	The lines contain information about the min/max price
Step	3
Action	Click the button "Применить фильтры"
Input data	
Expected result	The product list is updated according to the chosen filter
Step	4
Action	Input letters instead of numbers in the lines "min/max price"
Input data	
Expected result	The lines contain information about the min/max price

Step	5
Action	Click the button "Применить фильтры"
Input data	
Expected result	The product list is not updated according to the chosen filter

### Filtering the list of products by category

No

Severity **Priority Behavior** Type Major ↑ High Positive Smoke Milestone Automation Layer Is Flaky Not set No Manual **Status** Is Muted

Module

Actual

Filtering

#### **Pre-conditions**

The user is logged in

Step	1
Action	Go to https://demoshopping.ru
Input data	
Expected result	The main page is opened
Step	2
Action	Click the dropdown "Все категории"
Input data	
Expected result	All categories are loaded
Step	3
Action	Choose a category
Input data	laptops/phones/watches
Expected result	The category is chosen
Step	4
Action	Click the button "Применить фильтры"
Input data	

### Filtering the list of products by free shipping option

Severity **Priority Behavior** Type Major Positive Smoke ↑ High Layer Is Flaky Milestone **Automation** Not set Manual No Status Is Muted Actual No

Module

Filtering

#### **Pre-conditions**

The user is logged in

Expected result

### Steps to reproduce

Step	1
Action	Go to https://demoshopping.ru
Input data	
Expected result	The main page is opened
Step	2
Action	Click the checkbox "Бесплатная доставка"
Input data	
Expected result	The checkbox is marked with a tick
	Моне, ценка ©  Макес ценка ©  Все категории ©  Все произведителя (С  Бесплатная доставка  Применить филирая  Сбоских филирая
Step	3
Action	Click the button "Применить фильтры"
Input data	

The product list is updated according to the chosen filter

### The button "Сбросить фильтры"

Severity **Priority Behavior** Type Major ↑ High Positive Smoke Layer Is Flaky Milestone **Automation** Not set No Manual Status Is Muted Actual No

#### **Pre-conditions**

The user is logged in

Step 1 Action Go to https://demoshopping.ru  Input data  Expected result The main page is opened  Step 2 Action Click the dropdown "Все производители"  Input data	
Input data  Expected result The main page is opened  Step 2  Action Click the dropdown "Все производители"	
Expected result The main page is opened  Step 2  Action Click the dropdown "Все производители"	
Step 2 Action Click the dropdown "Все производители"	
Action Click the dropdown "Все производители"	
Input data	
input data	
Expected result All manufacturers are loaded	
Step 3	
Action Choose a manufacturer	
Input data	
Expected result	
Step 4	
Action Click the button "Применить фильтры"	
Input data	
Expected result	
Step 5	
Action Click the button "Сбросить фильтры"	

Expected result

All filters are reset

### Adding a product to the cart when the user is logged in

Severity **Priority Behavior** Type ☆ Critical ↑ High Positive Smoke Layer Is Flaky Milestone **Automation** Not set Manual No Status Is Muted Actual No

#### Module

Adding a product to the cart

#### **Pre-conditions**

The user is logged in

Step	1
Action	Go to https://demoshopping.ru
Input data	
Expected result	The main page is opened
Step	2
Action	Click the button "Добавить в корзину"
	спск спе виссоп добавить в корзину
Input data	
Expected result	The product is added to the cart

No

### Changing the quantity of the products when adding to the cart

Severity **Priority Behavior** Type ☆ Critical Positive Smoke ↑ High Layer Is Flaky Milestone **Automation** Not set Manual No Status Is Muted

#### Module

Actual

Adding a product to the cart

#### **Pre-conditions**

The user is logged in

Step	1	
Action	Go to https://demoshopping.ru	
Input data		
Expected result	The main page is opened	
Step	2	
Action	Click on the arrows to change the quantity of products (more than 1)	
Input data		
Expected result	This quantity of products is added to the cart	
	Сортировка: (от 4 до 2 в)	

## Adding a product to the cart when the user is not logged in

Severity **Priority Behavior** Type ☆ Critical ↑ High Negative Smoke Milestone Layer Is Flaky **Automation** Not set Manual No Status Is Muted Actual No

#### Module

Adding a product to the cart

#### **Pre-conditions**

The user is not logged in

Step	1
Action	Go to https://demoshopping.ru
Input data	
Expected result	The main page is opened
Step	2
Action	Click the button "Добавить в корзину"
Input data	
Expected result	Login request:"Пожалуйста, войдите в систему, чтобы добавить товар в корзину"