

**A PROJECT REPORT**  
**ON**  
**“Web Development On Web”**

**BY**  
**MILIND H GOKHALE**  
**AMIT S GOSAVI**  
**AARTI S MAVLINGKAR**  
**MANASI A SAHASRABUDHE**

**DEPARTMENT OF COMPUTER Science**  
**P.E.S MODERN COLLEGE OF ENGINEERING**  
**PUNE- 411005**

**\* [2008 – 2009] \***

# **ACKNOWLEDGEMENT**

We would like to express our heartfelt gratitude to **Mentor Name** for giving us the opportunity to work under their guidance and help us gain immensely enriching professional experience. Our sincere thanks to Project In charge and our internal project guide, **Ms. D. V. Gore** for giving us valuable inputs and ideas right from the selection of topic for project till its successful completion.

We thank **Prof. Mrs. S. A. It. (HOD computer department)** for her ongoing support and encouragement in every aspect. Last but not the least, entire staff of Department of Computer Science for guiding our thoughts and vision.

The successful completion of our project would not have been possible without the dedicated support from all our mentors, family and friends.

# **CONTENT**

- 1. INTRODUCTION TO HTML**
- 2. CODE**
- 3. PICTURE OF CODE**
- 4. PICTURE OF WEBPAGE**
- 5. REFERENCE**

# INTRODUCTION TO HTML

---

## What is HTML?

HTML is a language for describing web pages.

- HTML stands for **Hyper Text Markup Language**
- HTML is not a programming language, it is a **markup language**
- A markup language is a set of **markup tags**
- HTML uses **markup tags** to describe web pages

## HTML Tags

HTML markup tags are usually called HTML tags

- HTML tags are keywords surrounded by **angle brackets** like <html>
- HTML tags normally **come in pairs** like <b> and </b>
- The first tag in a pair is the **start tag**, the second tag is the **end tag**
- Start and end tags are also called **opening tags** and **closing tags**

## HTML Documents = Web Pages

- HTML documents **describe web pages**
- HTML documents **contain HTML tags** and plain text
- HTML documents are also **called web pages**

The purpose of a web browser (like Internet Explorer or Firefox) is to read HTML documents and display them as web pages. The browser does not display the HTML tags, but uses the tags to interpret the content of the page:

```
<html>
<body>

<h1>My First Heading</h1>
<p>My first paragraph.</p>

</body>
</html>
```

## HTML Headings

HTML headings are defined with the <h1> to <h6> tags.

### Example

`<h1>This is a heading</h1>`

`<h2>This is a heading</h2>`

`<h3>This is a heading</h3>`

### HTML Paragraphs

HTML paragraphs are defined with the `<p>` tag.

### Example

`<p>This is a paragraph.</p>`

`<p>This is another paragraph.</p>`

### HTML Links

HTML links are defined with the `<a>` tag.

### Example

`<a href="http://www.w3schools.com">This is a link</a>`

### HTML Images

HTML images are defined with the `<img>` tag.

### Example

``

### HTML Elements

An HTML element is everything from the start tag to the end tag:

Start tag *	Element content	End tag *
<code>&lt;p&gt;</code>	This is a paragraph	<code>&lt;/p&gt;</code>
<code>&lt;a href="default.htm" &gt;</code>	This is a link	<code>&lt;/a&gt;</code>
<code>&lt;br /&gt;</code>		

\* The start tag is often called the **opening tag**. The end tag is often called the **closing tag**.

---

## HTML Element Syntax

- An HTML element starts with a **start tag / opening tag**
- An HTML element ends with an **end tag / closing tag**
- The **element content** is everything between the start and the end tag
- Some HTML elements have **empty content**
- Empty elements are **closed in the start tag**
- Most HTML elements can have **attributes**

## Nested HTML Elements

Most HTML elements can be nested (can contain other HTML elements).

HTML documents consist of nested HTML elements.

---

## HTML Document Example

```
<html>
```

```
<body>
```

```
<p>This is my first paragraph.</p>
```

```
</body>
```

```
</html>
```

The example above contains 3 HTML elements.

---

## HTML Example Explained

### The **<p>** element:

```
<p>This is my first paragraph.</p>
```

The **<p>** element defines a paragraph in the HTML document.

The element has a start tag **<p>** and an end tag **</p>**.

The element content is: This is my first paragraph.

### The **<body>** element:

```
<body>
<p>This is my first paragraph.</p>
</body>
```

The `<body>` element defines the body of the HTML document.  
The element has a start tag `<body>` and an end tag `</body>`.  
The element content is another HTML element (a `p` element).

### The `<html>` element:

```
<html>

<body>
<p>This is my first paragraph.</p>
</body>

</html>
```

The `<html>` element defines the whole HTML document.  
The element has a start tag `<html>` and an end tag `</html>`.  
The element content is another HTML element (the `body` element).

---

## Empty HTML Elements

HTML elements with no content are called empty elements. Empty elements can be closed in the start tag.

`<br>` is an empty element without a closing tag (the `<br>` tag defines a line break).

In XHTML, XML, and future versions of HTML, all elements must be closed.

Adding a slash to the start tag, like `<br />`, is the proper way of closing empty elements, accepted by HTML, XHTML and XML.

Even if `<br>` works in all browsers, writing `<br />` instead is more future proof.

## HTML Attributes

- HTML elements can have **attributes**
- Attributes provide **additional information** about an element
- Attributes are always specified in **the start tag**

- Attributes come in name/value pairs like: **name="value"**

---

## Attribute Example

HTML links are defined with the <a> tag. The link address is specified in the href attribute:

### Example

```
<a href="http://www.w3schools.com">This is a link</a>
```

## HTML Headings

Headings are defined with the <h1> to <h6> tags.

<h1> defines the largest heading. <h6> defines the smallest heading.

### Example

```
<h1>This is a heading</h1>
```

```
<h2>This is a heading</h2>
```

```
<h3>This is a heading</h3>
```

## HTML Paragraphs

Paragraphs are defined with the <p> tag.

### Example

```
<p>This is a paragraph</p>
```

```
<p>This is another paragraph</p>
```

## HTML Line Breaks

Use the <br /> tag if you want a line break (a new line) without starting a new paragraph:



## Example

<p>This is<br />a para<br />graph with line breaks</p>

## HTML Text Formatting Tags

Tag	Description
<a href="#"><u>&lt;b&gt;</u></a>	Defines bold text
<a href="#"><u>&lt;big&gt;</u></a>	Defines big text
<a href="#"><u>&lt;em&gt;</u></a>	Defines emphasized text
<a href="#"><u>&lt;i&gt;</u></a>	Defines italic text
<a href="#"><u>&lt;small&gt;</u></a>	Defines small text
<a href="#"><u>&lt;strong&gt;</u></a>	Defines strong text
<a href="#"><u>&lt;sub&gt;</u></a>	Defines subscripted text
<a href="#"><u>&lt;sup&gt;</u></a>	Defines superscripted text
<a href="#"><u>&lt;ins&gt;</u></a>	Defines inserted text
<a href="#"><u>&lt;del&gt;</u></a>	Defines deleted text

## HTML "Computer Output" Tags

Tag	Description
<a href="#"><u>&lt;code&gt;</u></a>	Defines computer code text
<a href="#"><u>&lt;kbd&gt;</u></a>	Defines keyboard text
<a href="#"><u>&lt;samp&gt;</u></a>	Defines sample computer code
<a href="#"><u>&lt;tt&gt;</u></a>	Defines teletype text
<a href="#"><u>&lt;var&gt;</u></a>	Defines a variable
<a href="#"><u>&lt;pre&gt;</u></a>	Defines preformatted text

Tags	Description
<center>	Defines centered content
<font> and <basefont>	Defines HTML fonts
<s> and <strike>	Defines strikethrough text
<u>	Defines underlined text
Attributes	Description
align	Defines the alignment of text
bgcolor	Defines the background color
color	Defines the text color

## HTML Style Example - Background Color

The background-color property defines the background color for an element:

### Example

```
<html>

<body style="background-color:yellow">
<h2 style="background-color:red">This is a heading</h2>
<p style="background-color:green">This is a paragraph.</p>
</body>

</html>
```

## HTML Hyperlinks (Links)

A hyperlink (or link) is a word, group of words, or image that you can click on to jump to a new document or a new section within the current document.

When you move the cursor over a link in a Web page, the arrow will turn into a little hand.

Links are specified in HTML using the <a> tag.

The <a> tag can be used in two ways:

1. To create a link to another document, by using the href attribute

2. To create a bookmark inside a document, by using the name attribute

---

## HTML Link Syntax

The HTML code for a link is simple. It looks like this:

```
<a href="url">Link text</a>
```

The href attribute specifies the destination of a link.

## HTML Tables

Tables are defined with the <table> tag.

A table is divided into rows (with the <tr> tag), and each row is divided into data cells (with the <td> tag). td stands for "table data," and holds the content of a data cell. A <td> tag can contain text, links, images, lists, forms, other tables, etc.

### Table Example

```
<table border="1">
<tr>
<td>row 1, cell 1</td>
<td>row 1, cell 2</td>
</tr>
<tr>
<td>row 2, cell 1</td>
<td>row 2, cell 2</td>
</tr>
</table>
```

How the HTML code above looks in a browser:

row 1, cell 1	row 1, cell 2
row 2, cell 1	row 2, cell 2

## HTML Table Headers

Header information in a table are defined with the <th> tag.

The text in a th element will be bold and centered.

```
<table border="1">
<tr>
<th>Header 1</th>
<th>Header 2</th>
</tr>
<tr>
<td>row 1, cell 1</td>
<td>row 1, cell 2</td>
</tr>
<tr>
<td>row 2, cell 1</td>
<td>row 2, cell 2</td>
</tr>
</table>
```

How the HTML code above looks in a browser:

Header 1	Header 2
row 1, cell 1	row 1, cell 2
row 2, cell 1	row 2, cell 2

## HTML Table Tags

Tag	Description
<a href="#"><u>&lt;table&gt;</u></a>	Defines a table
<a href="#"><u>&lt;th&gt;</u></a>	Defines a table header
<a href="#"><u>&lt;tr&gt;</u></a>	Defines a table row
<a href="#"><u>&lt;td&gt;</u></a>	Defines a table cell
<a href="#"><u>&lt;caption&gt;</u></a>	Defines a table caption
<a href="#"><u>&lt;colgroup&gt;</u></a>	Defines a group of columns in a table, for formatting

<a href="#"><u>&lt;col /&gt;</u></a>	Defines attribute values for one or more columns in a table
--------------------------------------	---

## HTML Lists

### HTML Unordered Lists

An unordered list starts with the `<ul>` tag. Each list item starts with the `<li>` tag.

The list items are marked with bullets (typically small black circles).

```
<ul>
<li>Coffee</li>
<li>Milk</li>
</ul>
```

How the HTML code above looks in a browser:

- Coffee
- Milk

---

### HTML Ordered Lists

An ordered list starts with the `<ol>` tag. Each list item starts with the `<li>` tag.

The list items are marked with numbers.

```
<ol>
<li>Coffee</li>
<li>Milk</li>
</ol>
```

How the HTML code above looks in a browser:

1. Coffee
2. Milk

### HTML List Tags

Tag	Description
<a href="#"><u>&lt;ol&gt;</u></a>	Defines an ordered list

<a href="#"><u>&lt;ul&gt;</u></a>	Defines an unordered list
<a href="#"><u>&lt;li&gt;</u></a>	Defines a list item
<a href="#"><u>&lt;dl&gt;</u></a>	Defines a definition list
<a href="#"><u>&lt;dt&gt;</u></a>	Defines an item in a definition list
<a href="#"><u>&lt;dd&gt;</u></a>	Defines a description of an item in a definition list

## HTML Forms

HTML forms are used to pass data to a server.

A form can contain input elements like text fields, checkboxes, radio-buttons, submit buttons and more. A form can also contain select lists, textarea, fieldset, legend, and label elements.

The <form> tag is used to create an HTML form:

```
<form>
.
input elements
.
</form>
```

---

## HTML Forms - The Input Element

The most important form element is the input element.

The input element is used to select user information.

An input element can vary in many ways, depending on the type attribute. An input element can be of type text field, checkbox, password, radio button, submit button, and more.

The most used input types are described below.

---

## Text Fields

<input type="text" /> defines a one-line input field that a user can enter text into:

```
<form>
First name: <input type="text" name="firstname" /><br />
Last name: <input type="text" name="lastname" />
</form>
```

How the HTML code above looks in a browser:

First name:

Last name:

**Note:** The form itself is not visible. Also note that the default width of a text field is 20 characters.

---

## Password Field

`<input type="password" />` defines a password field:

```
<form>
Password: <input type="password" name="pwd" />
</form>
```

How the HTML code above looks in a browser:

Password:

---

## Radio Buttons

`<input type="radio" />` defines a radio button. Radio buttons let a user select **ONLY ONE** one of a limited number of choices:

```
<form>
<input type="radio" name="sex" value="male" /> Male<br />
<input type="radio" name="sex" value="female" /> Female
</form>
```

How the HTML code above looks in a browser:

- ☒ Male
  - ☐ Female
- 

## Checkboxes

`<input type="checkbox" />` defines a checkbox. Checkboxes let a user select ONE or MORE options of a limited number of choices.

```
<form>
<input type="checkbox" name="vehicle" value="Bike" /> I have a bike<br />
<input type="checkbox" name="vehicle" value="Car" /> I have a car
</form>
```

How the HTML code above looks in a browser:

- ☐ I have a bike
  - ☐ I have a car
- 

## Submit Button

`<input type="submit" />` defines a submit button.

A submit button is used to send form data to a server. The data is sent to the page specified in the form's action attribute. The file defined in the action attribute usually does something with the received input:

```
<form name="input" action="html_form_action.asp" method="get">
Username: <input type="text" name="user" />
<input type="submit" value="Submit" />
</form>
```

How the HTML code above looks in a browser:

Username:  Submit



## HTML Frames

With frames, you can display more than one HTML document in the same browser window. Each HTML document is called a frame, and each frame is independent of the others.

The disadvantages of using frames are:

- The web developer must keep track of more HTML documents
- It is difficult to print the entire page

---

### The HTML frameset Element

The frameset element holds two or more frame elements. Each frame element holds a separate document.

The frameset element states only HOW MANY columns or rows there will be in the frameset.

---

### The HTML frame Element

The <frame> tag defines one particular window (frame) within a frameset.

In the example below we have a frameset with two columns.

The first column is set to 25% of the width of the browser window. The second column is set to 75% of the width of the browser window. The document "frame\_a.htm" is put into the first column, and the document "frame\_b.htm" is put into the second column:

```
<frameset cols="25%,75%">
  <frame src="frame_a.htm" />
  <frame src="frame_b.htm" />
</frameset>
```

**Note:** The frameset column size can also be set in pixels (cols="200,500"), and one of the columns can be set to use the remaining space, with an asterisk (cols="25%,\*").

---

## How to Use Styles

When a browser reads a style sheet, it will format the document according to it.

There are three ways of inserting a style sheet:

- External style sheet
- Internal style sheet
- Inline styles

---

## External Style Sheet

An external style sheet is ideal when the style is applied to many pages. With an external style sheet, you can change the look of an entire Web site by changing one file. Each page must link to the style sheet using the <link> tag. The <link> tag goes inside the <head> section:

```
<head>
<link rel="stylesheet" type="text/css" href="mystyle.css" />
</head>
```

---

## Internal Style Sheet

An internal style sheet can be used if one single document has a unique style. Internal styles are defined in the <head> section of an HTML page, by using the <style> tag, like this:

```
<head>
<style type="text/css">
body {background-color:yellow}
p {color:blue}
</style>
</head>
```

---

## Inline Styles

An inline style can be used if a unique style is to be applied to one single occurrence of an element.

To use inline styles, use the style attribute in the relevant tag. The style attribute can contain any CSS property. The example below shows how to change the text color and the left margin of a paragraph:

```
<p style="color:blue;margin-left:20px">This is a paragraph.</p>
```

To learn more about style sheets, visit our [CSS tutorial](#).


---

## HTML Style Tags


Tag	Description
<a href="#">&lt;style&gt;</a>	Defines style information for a document
<a href="#">&lt;link /&gt;</a>	Defines the relationship between a document and an external resource

# Project Images


Index Page (index.php)



## About Us Page (about.php)







## Popular Courses



### WEB TECHNOLOGY

Rerum Delectus

Sed interdum interdum accumsan. Aenean nec purus ac orci finibus facilisis. In sit amet placerat nisl, in auctor sapien. Donec ultricies faucibus ante in mattis eorum rerum delectus in auctor sapien.

Apply Now



### ACADEMIC ENGLISH

Rerum Delectus

Sed interdum interdum accumsan. Aenean nec purus ac orci finibus facilisis. In sit amet placerat nisl, in auctor sapien. Donec ultricies faucibus ante in mattis eorum rerum hic a sapiente delectus.

Apply Now



### HR MANAGEMENT

Rerum Delectus

Sed interdum interdum accumsan. Aenean nec purus ac orci finibus facilisis. In sit amet placerat nisl, in auctor sapien. Donec ultricies faucibus ante rerum hic a sapiente delectus in auctor sapien.

Apply Now




### PROCESS ENGINEERING

Rerum Delectus

Sed interdum interdum accumsan. Aenean nec purus ac orci finibus facilisis. In sit amet placerat nisl, in auctor sapien. Donec ultricies faucibus ante in mattis eorum rerum hic a sapiente delectus.


Apply Now



Join Us Page (join.php)

New Delhi, India

📍 Login



Manchester

University

Home


About Us

Courses

Join Us

Gallery

Contact Us



Home || Join Us

# Admission Form

Your Name

Birth Date

Gender

Your E-mail

Phone Number

Select Course

Select Course Time

**Your Address**

Address

Line

City

Zip Code

Submit

**Location:**  
12345, Location,  
New Delhi, India


**Mail Us:**  
Phone : +91 987 654 3210  
Email : [mail@mail.com](mailto:mail@mail.com)

**Opening Hours:**  
Working days : 8am-10pm  
Sunday (closed)

[Home](#)   [About Us](#)   [Courses](#)   [Join Us](#)   [Contact Us](#)


***MANCHESTER UNIVERSITY WELCOMES YOU***

© 2018 Manchester University. All rights reserved

[f](#) [t](#) [r](#) [w](#) 


New Delhi, India

Login



Manchester University

[Home](#) [About Us](#) [Courses](#) [Join Us](#) [Gallery](#) [Contact Us](#)



[Home](#) || [Gallery](#)

## Our Gallery



**Location:**  
12345, Location,  
New Delhi, India

**Mail Us:**  
Phone : +91 987 654 3210  
Email : [mail@mail.com](mailto:mail@mail.com)

**Opening Hours:**  
Working days : 8am-10pm  
Sunday (closed)


[Home](#) [About Us](#) [Courses](#) [Join Us](#) [Contact Us](#)

MANCHESTER UNIVERSITY WELCOMES YOU

© 2018 Manchester University. All rights reserved

[f](#) [t](#) [r](#) [v](#)






## Contact Us

### Contact Our Manchester University

Aliquam erat volutpat. Duis vulputate tempus laoreet. Aliquam erat volutpat. Duis vulputate tempus laoreet. Aliquam erat volutpat. Duis vulputate tempus laoreet.



### Contact Details

📍 12345, New Delhi, India

✉️ mail@mail.com

☎️ +91 987 654 3210

### Get In Touch

Name

Email

Phone Number

Message

Submit

### Location:

12345, Location,  
New Delhi, India


### Mail Us:

Phone : +91 987 654 3210  
Email : mail@mail.com

### Opening Hours:

Working days : 8am-10pm  
Sunday (closed)

## Login Page (login.php)



## Login Form

User Name


Password


☐ Remember me ?

[Forgot password?](#)

Login

To Register New Account -- [Click Here](#)





## Register Form

User Name


E-mail

Password


Confirm Password

☐ I Accept Terms & Conditions


Register



## Login mechanism



## phpmyadmin Database



# Codes

## 1. index.php

```
<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Manchester | Home :: w3layouts</title>
    <!-- meta-tags -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Soft Responsive web template, Bootstrap Web Templates, Flat
Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />
    <script>
        addEventListener("load", function () {
            setTimeout(hideURLbar, 0);
        }, false);

        function hideURLbar() {
            window.scrollTo(0, 1);
        }
    </script>
    <!-- //meta-tags -->
    <link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
    <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
    <!-- font-awesome -->
    <link href="css/font-awesome.css" rel="stylesheet">
    <!-- fonts -->
    <link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,500,500i,600,600i,70
0,700i,800,800i,900,900i"
rel="stylesheet">
    <link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i"
rel="stylesheet">
</head>

<body>
    <!-- header -->
    <div class="header-top">
        <div class="container">
            <div class="bottom_header_left">
                <p>
                    <span class="fa fa-map-marker" aria-hidden="true"></span>New
Delhi, India
                </p>
            </div>
            <div class="bottom_header_right">
                <div class="header-top-right">
                    <div class="dropdown">
                        <?php
```



```

if ( empty($_COOKIE["logged_in"]) or (
$_COOKIE["logged_in"]=="0" ) ){
    echo '<a href="login.php"><span class="fa fa-sign-out" aria-
hidden="true"></span>Login</a>';
} else{
    echo '<a class="nav-link js-scroll-trigger" href=""><span
class="fa fa-user" aria-hidden="true" style="padding-right:7px;"></span>' . $_COOKIE["user_name"] . '</a>';
    echo '<div class="dropdown-content">';
    echo '<a href="signout_action.php" style="color:#000;">Sign
out</a>';

    echo '</div>';
    }
    ?>

</div>
</div>
<div class="clearfix"> </div>
</div>
<div class="clearfix"> </div>
</div>
</div>
<div class="header">
    <div class="content white">
        <nav class="navbar navbar-default">
            <div class="container">
                <div class="navbar-header">
                    <button type="button" class="navbar-toggle" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                        <span class="sr-only">Toggle navigation</span>
                        <span class="icon-bar"></span>
                        <span class="icon-bar"></span>
                        <span class="icon-bar"></span>
                    </button>
                    <a class="navbar-brand" href="index.php">
                        <h1>
                            <span class="fa fa-university" aria-
hidden="true"></span>Manchester
                            <label>University</label>
                        </h1>
                    </a>
                </div>
                <!--/.navbar-header-->
                <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                    <nav class="link-effect-2" id="link-effect-2">
                        <ul class="nav navbar-nav">
                            <li class="active">
                                <a href="index.php" class="effect-
3">Home</a>
                                </li>
                                <li>
                                    <a href="about.php" class="effect-
3">About Us</a>
                                </li>
                                <li>

```

```

3">Courses</a>
3">Join Us</a>
3">Gallery</a>
3">Contact Us</a>
</li>
</li>
<a href="courses.php" class="effect-
<a href="join.php" class="effect-
<a href="Gallery.php" class="effect-
<a href="contact.php" class="effect-
</li>
</li>
</ul>
</nav>
</div>
<!--/.navbar-collapse-->
<!--/.navbar-->
</div>
</nav>
</div>
<!-- banner -->
<div id="myCarousel" class="carousel slide" data-ride="carousel">
<!-- Indicators -->
<ol class="carousel-indicators">
<li data-target="#myCarousel" data-slide-to="0" class="active"></li>
<li data-target="#myCarousel" data-slide-to="1" class=""></li>
<li data-target="#myCarousel" data-slide-to="2" class=""></li>
<li data-target="#myCarousel" data-slide-to="3" class=""></li>
</ol>
<div class="carousel-inner" role="listbox">
<div class="item active">
<div class="container">
<div class="carousel-caption">
<h6>Welcome To Manchester University</h6>
<h3>Leading
<span>University</span>
</h3>
<p>Create an all-encompassing website for your school with
ease.</p>
</div>
</div>
</div>
<div class="item item2">
<div class="container">
<div class="carousel-caption">
<h6>Welcome To Manchester University</h6>
<h3>Most Popular
<span>Education</span>
</h3>
<p>Create an all-encompassing website for your school with
ease.</p>

```

```

        </div>
    </div>
</div>
<div class="item item3">
    <div class="container">
        <div class="carousel-caption">
            <h6>Welcome To Manchester University</h6>
            <h3>We Can
                <span>Teach</span> You</h3>
            <p>Create an all-encompassing website for your school with
ease.</p>
        </div>
    </div>
</div>
<div class="item item4">
    <div class="container">
        <div class="carousel-caption">
            <h6>Welcome To Manchester University</h6>
            <h3>Most Popular
                <span>Education</span>
            </h3>
            <p>Create an all-encompassing website for your school with
ease.</p>
        </div>
    </div>
</div>
</div>
<a class="left carousel-control" href="#myCarousel" role="button" data-slide="prev">
    <span class="fa fa-chevron-left" aria-hidden="true"></span>
    <span class="sr-only">Previous</span>
</a>
<a class="right carousel-control" href="#myCarousel" role="button" data-slide="next">
    <span class="fa fa-chevron-right" aria-hidden="true"></span>
    <span class="sr-only">Next</span>
</a>
<!-- The Modal -->
</div>
<!--//banner -->
<!-- about -->
<div class="banner-bottom-w3l" id="about">
    <div class="container">
        <div class="tittle-div">
            <h3 class="tittle">
                <span>W</span>elcome
            </h3>
            <div class="tittle-style">

        </div>
    </div>
    <div class="welcome-sub-wthree">
        <div class="col-md-6 banner_bottom_left">
            <h4>About
                <span>Manchester University</span>
            </h4>

```



```

                <p>Lorem Ipsum convallis diam consequat magna vulputate
malesuada. Cras a ornare elit, Nulla viverra pharetra sem eget.</p>
                <p>Pellentesque convallis diam consequat magna vulputate
malesuada. Cras a ornare elit. Nulla viverra pharetra sem, eget
                pulvinar neque pharetra ac.Lorem Ipsum convallis diam
consequat magna vulputate malesuada. Cras a ornare elit. Nulla
                viverra pharetra sem.</p>
            </div>
            <!-- Stats-->
            <div class="col-md-6 stats-info-agile">
                <div class="col-xs-6 stats-grid stat-border">
                    <div class='numscroller numscroller-big-bottom' data-
sln0='1' data-min='0' data-max='768' data-delay='.5' data-increment="1">768</div>
                    <p>Faculties</p>
                </div>
                <div class="col-xs-6 stats-grid">
                    <div class='numscroller numscroller-big-bottom' data-
sln0='1' data-min='0' data-max='678' data-delay='.5' data-increment="1">678</div>
                    <p>Approved Courses</p>
                </div>
                <div class="clearfix"></div>
                <div class="child-stat">
                    <div class="col-xs-6 stats-grid stat-border border-st2">
                        <div class='numscroller numscroller-big-bottom'
data-sln0='1' data-min='0' data-max='800' data-delay='.5' data-increment="1">800</div>
                        <p>Certified Teachers</p>
                    </div>
                    <div class="col-xs-6 stats-grid">
                        <div class='numscroller numscroller-big-bottom'
data-sln0='1' data-min='0' data-max='485' data-delay='.5' data-increment="1">485</div>
                        <p>Happy Students</p>
                    </div>
                    <div class="clearfix"></div>
                </div>
            </div>
            <!-- //Stats -->
            <div class="clearfix"> </div>
        </div>
    </div>
    <!-- //about -->

    <!-- news -->
    <div class="news" id="news">
        <div class="container">
            <div class="title-div">
                <h3 class="tittle">
                    <span>O</span>ur
                    <span>E</span>vents
                </h3>
                <div class="tittle-style">

            </div>
        </div>
    </div>
    <div class="yaallahaa-news-grids-agile">

```

```

<div class="yaallahaa-news-grid">
  <div class="col-md-6 yaallahaa-news-left">
    <div class="col-xs-6 news-left-img">
      <div class="news-left-text color-event1">
        <h5>20 Dec</h5>
      </div>
    </div>
    <div class="col-xs-6 news-grid-info-bottom-w3ls">
      <div class="news-left-top-text text-color1">
        <a href="#" data-toggle="modal" data-
target="#myModal">Integer viverra eleifend neque</a>
      </div>
      <div class="date-grid">
        <div class="admin">
          <a href="#">
            <span class="fa fa-clock-o"
aria-hidden="true"></span> 7:00 pm - 9:00 pm</a>
          </div>
          <div class="time">
            <p>
              <span class="fa fa-map-
marker" aria-hidden="true"></span> New Delhi, India</p>
            </div>
          <div class="clearfix"> </div>
        </div>
        <div class="news-grid-info-bottom-w3ls-text">
          <p>Aliquam erat volutpat. Duis vulputate
tempus laoreet.</p>
        </div>
      </div>
    <div class="clearfix"> </div>
  </div>
  <div class="col-md-6 yaallahaa-news-left">
    <div class="col-xs-6 news-left-img news-left-img1">
      <div class="news-left-text color-event2">
        <h5>27 Dec</h5>
      </div>
    </div>
    <div class="col-xs-6 news-grid-info-bottom-w3ls">
      <div class="news-left-top-text text-color2">
        <a href="#" data-toggle="modal" data-
target="#myModal">Integer viverra eleifend neque</a>
      </div>
      <div class="date-grid">
        <div class="admin">
          <a href="#">
            <span class="fa fa-clock-o"
aria-hidden="true"></span> 6:00 am - 8:00 am</a>
          </div>
          <div class="time">
            <p>
              <span class="fa fa-map-
marker" aria-hidden="true"></span> New Delhi, India</p>
            </div>
          <div class="clearfix"> </div>
        </div>
      </div>
    </div>
  </div>

```

```
</div>
<div class="news-grid-info-bottom-w3ls-text">
  <p>Aliquam erat volutpat. Duis vulputate
tempus laoreet.</p>
</div>
</div>
<div class="clearfix"> </div>
</div>
<div class="clearfix"> </div>
</div>
<div class="yaallahaa-news-grid">
  <div class="col-md-6 yaallahaa-news-left">
    <div class="col-xs-6 news-left-img news-left-img2">
      <div class="news-left-text color-event3">
        <h5>28 Dec</h5>
      </div>
    </div>
    <div class="col-xs-6 news-grid-info-bottom-w3ls">
      <div class="news-left-top-text text-color3">
        <a href="#" data-toggle="modal" data-
target="#myModal">Integer viverra eleifend neque</a>
      </div>
      <div class="date-grid">
        <div class="admin">
          <a href="#">
            <span class="fa fa-clock-o"
aria-hidden="true"></span> 10:00 am - 1:00 pm</a>
          </div>
          <div class="time">
            <p>
              <span class="fa fa-map-
marker" aria-hidden="true"></span> New Delhi, India</p>
            </div>
          <div class="clearfix"> </div>
        </div>
      <div class="news-grid-info-bottom-w3ls-text">
        <p>Aliquam erat volutpat. Duis vulputate
tempus laoreet.</p>
      </div>
    </div>
  </div>
  <div class="clearfix"> </div>
</div>
<div class="col-md-6 yaallahaa-news-left">
  <div class="col-xs-6 news-left-img news-left-img3">
    <div class="news-left-text color-event4">
      <h5>30 Dec</h5>
    </div>
  </div>
  <div class="col-xs-6 news-grid-info-bottom-w3ls">
    <div class="news-left-top-text text-color4">
      <a href="#" data-toggle="modal" data-
target="#myModal">Integer viverra eleifend neque</a>
    </div>
    <div class="date-grid">
      <div class="admin">
```

```

<a href="#">
    <span class="fa fa-clock-o"
aria-hidden="true"></span> 7:00 pm - 9:00 pm</a>
    </div>
<div class="time">
    <p>
        <span class="fa fa-map-
marker" aria-hidden="true"></span> New Delhi, India.</p>
    </div>
<div class="clearfix"> </div>
</div>
<div class="news-grid-info-bottom-w3ls-text">
    <p>Aliquam erat volutpat. Duis vulputate
tempus laoreet.</p>
    </div>
</div>
<div class="clearfix"> </div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>
<!-- modal -->
<div class="modal about-modal fade" id="myModal" tabindex="-1" role="dialog">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
                    <span aria-hidden="true">&times;</span>
                </button>
                <h4 class="modal-title">Best
                    <span>Study</span>
                </h4>
            </div>
            <div class="modal-body">
                <div class="model-img-info">
                    
                    <p>Duis venenatis, turpis eu bibendum porttitor, sapien
quam ultricies tellus, ac rhoncus risus odio eget nunc. Pellentesque
                    ac fermentum diam. Integer eu facilisis nunc, a
iaculis felis. Pellentesque pellentesque tempor enim, in dapibus turpis
                    porttitor quis. Suspendisse ultrices hendrerit massa.
Nam id metus id tellus ultrices ullamcorper. Cras tempor massa
                    luctus, varius lacus sit amet, blandit lorem. Duis
auctor in tortor sed tristique. Proin sed finibus sem</p>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- //modal -->
<!-- //news -->

```

```

<!-- footer -->
<div class="mkl_footer">
    <div class="sub-footer">
        <div class="container">
            <div class="mkls_footer_grid">
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Location:</h4>
                    <p>12345, Location,
                        <br> New Delhi, India</p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Mail Us:</h4>
                    <p>
                        <span>Phone : </span>+91 987 654 3210</p>
                    <p>
                        <span>Email : </span>
                        <a
href="mailto:mail@mail.com">mail@mail.com</a>
                    </p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Opening Hours:</h4>
                    <p>Working days : 8am-10pm</p>
                    <p>Sunday
                        <span>(closed)</span>
                    </p>
                </div>
            <div class="clearfix"> </div>
        </div>
        <div class="botttom-nav-allah">
            <ul>
                <li>
                    <a href="index.php">Home</a>
                </li>
                <li>
                    <a href="about.php">About Us</a>
                </li>
                <li>
                    <a href="courses.php">Courses</a>
                </li>
                <li>
                    <a href="join.php">Join Us</a>
                </li>
                <li>
                    <a href="contact.php">Contact Us</a>
                </li>
            </ul>
        </div>
        <!-- footer-button-info -->
        <div class="footer-middle-thanks">
            <h2>Manchester University Welcomes You</h2>
        </div>
        <!-- footer-button-info -->
    </div>
</div>

```

by

-->

```
<div class="footer-copy-right">
  <div class="container">
    <div class="allah-copy">
      <p>© 2018 Manchester University. All rights reserved <!-- | Design
by
-->
      <a href="http://kshitijtomar.github.io">Kshitij Tomar</a>
      </p>
    </div>
    <div class="footercopy-social">
      <ul>
        <li>
          <a href="#">
            <span class="fa fa-facebook"></span>
          </a>
        </li>
        <li>
          <a href="#">
            <span class="fa fa-twitter"></span>
          </a>
        </li>
        <li>
          <a href="#">
            <span class="fa fa-rss"></span>
          </a>
        </li>
        <li>
          <a href="#">
            <span class="fa fa-vk"></span>
          </a>
        </li>
      </ul>
    </div>
    <div class="clearfix"></div>
  </div>
</div>
<!--/footer -->

<!-- js files -->
<!-- js -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- bootstrap -->
<script src="js/bootstrap.js"></script>
<!-- stats numscroller-js-file -->
<script src="js/numscroller-1.0.js"></script>
<!-- //stats numscroller-js-file -->

<!-- Flexslider-js for-testimonials -->
<script>
  $(window).load(function () {
    $("#flexiselDemo1").flexisel({
      visibleItems: 1,
      animationSpeed: 1000,
      autoPlay: true,
      autoPlaySpeed: 3000,
```

```

        pauseOnHover: true,
        enableResponsiveBreakpoints: true,
        responsiveBreakpoints: {
            portrait: {
                changePoint: 480,
                visibleItems: 1
            },
            landscape: {
                changePoint: 640,
                visibleItems: 1
            },
            tablet: {
                changePoint: 768,
                visibleItems: 1
            }
        }
    });

});

</script>
<script src="js/jquery.flexisel.js"></script>
<!-- //Flexslider-js for-testimonials -->
<!-- smooth scrolling -->
<script src="js/SmoothScroll.min.js"></script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<!-- here stars scrolling icon -->
<script>
    $(document).ready(function () {
        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UItoTop({
            easingType: 'easeOutQuart'
        });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- smooth scrolling -->
<!-- //js-files -->

</body>

</html>

```

## 2. about.php

```
<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Manchester | About Us </title>
    <!-- meta-tags -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Soft Responsive web template, Bootstrap Web Templates, Flat
Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />
    <script>
        addEventListener("load", function () {
            setTimeout(hideURLbar, 0);
        }, false);

        function hideURLbar() {
            window.scrollTo(0, 1);
        }
    </script>
    <!-- //meta-tags -->
    <link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
    <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
    <!-- font-awesome -->
    <link href="css/font-awesome.css" rel="stylesheet">
    <!-- fonts -->
    <link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,500,500i,600,600i,70
0,700i,800,800i,900,900i"
rel="stylesheet">
    <link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i"
rel="stylesheet">
</head>

<body>
    <!-- header -->
    <div class="header-top">
        <div class="container">
            <div class="bottom_header_left">
                <p>
                    <span class="fa fa-map-marker" aria-hidden="true"></span>New
Delhi, India
                </p>
            </div>
            <div class="bottom_header_right">
                <div class="header-top-right">
                    <div class="dropdown">
                        <?php
                        if ( empty($_COOKIE["logged_in"]) or (
$_COOKIE["logged_in"]=="0") ){
```



```

hidden="true"></span>Login</a>;

        } else{
        echo '<a class="nav-link js-scroll-trigger" href=""><span
class="fa fa-user" aria-hidden="true" style="padding-right:7px;"></span>' . $_COOKIE["user_name"] . '</a>';
        echo '<div class="dropdown-content">';
        echo '<a href="signout_action.php" style="color:#000;">Sign
out</a>';

        // echo '<a href="#" style="color:#000;">Link 2</a>';
        // echo '<a href="#" style="color:#000;">Link 3</a>';
        echo '</div>';
        }
        ?>

    </div>
    </div>
    <div class="clearfix"> </div>
</div>
<div class="clearfix"> </div>
</div>
<div class="header">
    <div class="content white">
        <nav class="navbar navbar-default">
            <div class="container">
                <div class="navbar-header">
                    <button type="button" class="navbar-toggle" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                        <span class="sr-only">Toggle navigation</span>
                        <span class="icon-bar"></span>
                        <span class="icon-bar"></span>
                        <span class="icon-bar"></span>
                    </button>
                    <a class="navbar-brand" href="index.php">
                        <h1>
                            <span class="fa fa-university" aria-
hidden="true"></span>Manchester
                            <label>University</label>
                        </h1>
                    </a>
                </div>
                <!--/.navbar-header-->
                <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                    <nav class="link-effect-2" id="link-effect-2">
                        <ul class="nav navbar-nav">
                            <li>
                                <a href="index.php" class="effect-
3">Home</a>
                                </li>
                                <li class="active">
                                    <a href="about.php" class="effect-
3">About Us</a>
                                </li>
                                <li>

```

```

3">Courses</a>
</li>
<li>
<a href="join.php" class="effect-
3">Join Us</a>
</li>
<li>
<a href="gallery.php" class="effect-
3">Gallery</a>
</li>
<li>
<a href="contact.php" class="effect-
3">Contact Us</a>
</li>
</ul>
</nav>
</div>
<!--/.navbar-collapse-->
<!--/.navbar-->
</div>
</nav>
</div>
<!-- banner -->
<div class="inner_page_agile">
</div>
<!--//banner -->
<!-- short -->
<div class="services-breadcrumb">
<div class="inner_breadcrumb">
<ul class="short_ls">
<li>
<a href="index.php">Home</a>
<span>| </span>
</li>
<li>About Us</li>
</ul>
</div>
</div>
<!-- //short-->
<!-- about -->
<div class="about-sec" id="about">
<div class="container">
<div class="tittle-div">
<h3 class="tittle">
<span>A</span>bout
<span>U</span>s
</h3>
<div class="tittle-style">
</div>
</div>
<div class="about-sub">

```

```

        <div class="col-md-6 about_bottom_left">
            <h4>Welcome to
                <span>Manchester University</span>
            </h4>
            <p>Lorem Ipsum convallis diam consequat magna vulputate
malesuada. Cras a ornare elit, Nulla viverra pharetra sem eget.</p>
            <p>Pellentesque convallis diam consequat magna vulputate
malesuada. Cras a ornare elit. Nulla viverra pharetra sem, eget
                pulvinar neque pharetra ac.Lorem Ipsum convallis diam
consequat magna vulputate malesuada. Cras a ornare elit. Nulla
                viverra pharetra sem.</p>
            <a class="button-style" href="join.php">Join Now</a>
        </div>
        <!-- Stats-->
        <div class="col-md-6 about2-info">
            
        </div>
        <!-- //Stats -->
        <div class="clearfix"> </div>
    </div>
</div>
<!-- //about -->
<!-- Achievements -->
<div class="aitsresumethree">
    <div class="container">
        <div class="title-div">
            <h3 class="tittle">
                <span>O</span>ur
                <span>A</span>chievements
            </h3>
            <div class="tittle-style">

        </div>
        </div>
        <div class="load_more">
            <ul id="myList">
                <li class="aitsaitsresumewthreeli-1">
                    <div class="l_g">
                        <div class="l_g_r g_r">
                            <div class="work">
                                <div class="work-info">
                                    <div class="col-xs-6 work-
grid work-left">
                                        <h4>2000-
2017</h4>
                                    </div>
                                    <div class="col-xs-6 work-
grid work-right">
                                        <h5>Ranked Top
1st</h5>
                                        <p>Sed ut
perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem
aperiam,

```

[illegible]

```

        <span>O</span>ur
        <span>F</span>aculties
    </h3>
    <div class="tittle-style">

    </div>
</div>
<div class="team-row-agileinfo">
    <div class="col-md-3 col-sm-6 col-xs-6 team-grids">
        <div class="thumbnail team-agileits">
            
            <div class="effectd-caption">
                <h4>Vaura Tegsner</h4>
                <p>Principal</p>
                <div class="social-lsicon">
                    <a href="#" class="social-button twitter">
                        <span class="fa fa-twitter"></span>
                    </a>
                    <a href="#" class="social-button facebook">
                        <span class="fa fa-
facebook"></span>

                    </a>
                    <a href="#" class="social-button google">
                        <span class="fa fa-google-
plus"></span>

                    </a>
                </div>
            </div>
        </div>
    </div>
    <div class="col-md-3 col-sm-6 col-xs-6 team-grids">
        <div class="thumbnail team-agileits">
            
            <div class="effectd-caption">
                <h4>Jark Kohnson</h4>
                <p>Senior Teacher</p>
                <div class="social-lsicon">
                    <a href="#" class="social-button twitter">
                        <span class="fa fa-twitter"></span>
                    </a>
                    <a href="#" class="social-button facebook">
                        <span class="fa fa-
facebook"></span>

                    </a>
                    <a href="#" class="social-button google">
                        <span class="fa fa-google-
plus"></span>

                    </a>
                </div>
            </div>
        </div>
    </div>
    <div class="col-md-3 col-sm-6 col-xs-6 team-grids">
        <div class="thumbnail team-agileits">
            

```

```

        <div class="effectd-caption">
            <h4>Chunk Erson</h4>
            <p>Vice Principal</p>
            <div class="social-Isicon">
                <a href="#" class="social-button twitter">
                    <span class="fa fa-twitter"></span>
                </a>
                <a href="#" class="social-button facebook">
                    <span class="fa fa-
facebook"></span>
                </a>
                <a href="#" class="social-button google">
                    <span class="fa fa-google-
plus"></span>
                </a>
            </div>
        </div>
    </div>
</div>
<div class="col-md-3 col-sm-6 col-xs-6 team-grids">
    <div class="thumbnail team-agileits">
        
        <div class="effectd-caption">
            <h4>Goes Mehak</h4>
            <p>Teacher Science</p>
            <div class="social-Isicon">
                <a href="#" class="social-button twitter">
                    <span class="fa fa-twitter"></span>
                </a>
                <a href="#" class="social-button facebook">
                    <span class="fa fa-
facebook"></span>
                </a>
                <a href="#" class="social-button google">
                    <span class="fa fa-google-
plus"></span>
                </a>
            </div>
        </div>
    </div>
</div>
<div class="clearfix"></div>
</div>
</div>
<!-- //about-team -->

<!-- footer -->
<div class="mkl_footer">
    <div class="sub-footer">
        <div class="container">
            <div class="mkls_footer_grid">
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Location:</h4>
                    <p>12345, Location,

```

```

                <br> New Delhi, India</p>
            </div>
            <div class="col-xs-4 mkls_footer_grid_left">
                <h4>Mail Us:</h4>
                <p>
                    <span>Phone : </span>+91 987 654 3210</p>
                <p>
                    <span>Email : </span>
                    <a
href="mailto:mail@mail.com">mail@mail.com</a>
                </p>
            </div>
            <div class="col-xs-4 mkls_footer_grid_left">
                <h4>Opening Hours:</h4>
                <p>Working days : 8am-10pm</p>
                <p>Sunday
                    <span>(closed)</span>
                </p>
            </div>
            <div class="clearfix"></div>
        </div>
        <div class="botttom-nav-allah">
            <ul>
                <li>
                    <a href="index.php">Home</a>
                </li>
                <li>
                    <a href="about.php">About Us</a>
                </li>
                <li>
                    <a href="courses.php">Courses</a>
                </li>
                <li>
                    <a href="join.php">Join Us</a>
                </li>
                <li>
                    <a href="contact.php">Contact Us</a>
                </li>
            </ul>
        </div>
        <!-- footer-button-info -->
        <div class="footer-middle-thanks">
            <h2>Manchester University Welcomes You</h2>
        </div>
        <!-- footer-button-info -->
    </div>
</div>
<div class="footer-copy-right">
    <div class="container">
        <div class="allah-copy">
            <p>© 2018 Manchester University. All rights reserved <!--| Design
by
            <a href="http://kshitijtomar.github.io">Kshitij Tomar</a> -->
        </p>
        </div>
    </div>

```

```

        <div class="footercopy-social">
            <ul>
                <li>
                    <a href="#">
                        <span class="fa fa-facebook"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-twitter"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-rss"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-vk"></span>
                    </a>
                </li>
            </ul>
        </div>
        <div class="clearfix"></div>
    </div>
</div>
<!--/footer -->

<!-- js files -->
<!-- js -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- bootstrap -->
<script src="js/bootstrap.js"></script>
<!-- stats numscroller-js-file -->
<script src="js/numscroller-1.0.js"></script>
<!-- //stats numscroller-js-file -->
<!-- smooth scrolling -->
<script src="js/SmoothScroll.min.js"></script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<!-- here stars scrolling icon -->
<script>
    $(document).ready(function () {
        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UItoTop({

```



```

        easingType: 'easeOutQuart'
    });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- smooth scrolling -->
<!-- //js-files -->

</body>

</html>

```

### 3. courses.php

```

<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Manchester | Courses</title>
    <!-- meta-tags -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Soft Responsive web template, Bootstrap Web Templates, Flat
Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />
    <script>
        addEventListener("load", function () {
            setTimeout(hideURLbar, 0);
        }, false);

        function hideURLbar() {
            window.scrollTo(0, 1);
        }
    </script>
    <!-- //meta-tags -->
    <link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
    <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
    <!-- font-awesome -->
    <link href="css/font-awesome.css" rel="stylesheet">
    <!-- fonts -->
    <link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,500,500i,600,600i,70
0,700i,800,800i,900,900i"
        rel="stylesheet">
    <link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i"
        rel="stylesheet">
</head>

<body>
    <!-- header -->
    <div class="header-top">
        <div class="container">

```

```

        <div class="bottom_header_left">
            <p>
                <span class="fa fa-map-marker" aria-hidden="true"></span>New
Delhi, India
            </p>
        </div>
        <div class="bottom_header_right">
            <div class="header-top-right">
                <div class="dropdown">
                    <?php
                        if ( empty($_COOKIE["logged_in"]) or (
$_COOKIE["logged_in"]=="0") ){
                            echo '<a href="login.php"><span class="fa fa-sign-out" aria-
hidden="true"></span>Login</a>';
                        } else{
                            echo '<a class="nav-link js-scroll-trigger" href=""><span
class="fa fa-user" aria-hidden="true" style="padding-right:7px;"></span> . $_COOKIE["user_name"] .</a>';
                            echo '<div class="dropdown-content">';
                            echo '<a href="signout_action.php" style="color:#000;">Sign
out</a>';

                            // echo '<a href="#" style="color:#000;">Link 2</a>';
                            // echo '<a href="#" style="color:#000;">Link 3</a>';
                            echo '</div>';
                        }
                    <?>
                </div>
            </div>
            <div class="clearfix"> </div>
        </div>
        <div class="clearfix"> </div>
    </div>
    <div class="header">
        <div class="content white">
            <nav class="navbar navbar-default">
                <div class="container">
                    <div class="navbar-header">
                        <button type="button" class="navbar-toggle" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                            <span class="sr-only">Toggle navigation</span>
                            <span class="icon-bar"></span>
                            <span class="icon-bar"></span>
                            <span class="icon-bar"></span>
                        </button>
                        <a class="navbar-brand" href="index.php">
                            <h1>
                                <span class="fa fa-university" aria-
hidden="true"></span>Manchester
                                <label>University</label>
                            </h1>
                        </a>
                    </div>
                </div>
            <!--/.navbar-header-->
            <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">

```

```

3">Home</a>
3">About Us</a>
3">Courses</a>
3">Join Us</a>
3">Gallery</a>
3">Contact Us</a>

<nav class="link-effect-2" id="link-effect-2">
  <ul class="nav navbar-nav">
    <li>
      <a href="index.php" class="effect-
    </li>
    <li>
      <a href="about.php" class="effect-
    </li>
    <li class="active">
      <a href="courses.php" class="effect-
    </li>
    <li>
      <a href="join.php" class="effect-
    </li>
    <li -->
    <li>
      <a href="gallery.php" class="effect-
    </li>
    <li>
      <a href="contact.php" class="effect-
    </li>
  </ul>
</nav>
</div>
<!--/.navbar-collapse-->
<!--/.navbar-->
</div>
</nav>
</div>
<!-- banner -->
<div class="inner_page_agile">
</div>
<!--//banner -->
<!-- short-->
<div class="services-breadcrumb">
  <div class="inner_breadcrumb">
    <ul class="short_ls">
      <li>
        <a href="index.php">Home</a>
        <span>| </span>
      </li>
      <li>Courses</li>
    </ul>
  </div>
</div>
<!-- //short-->
<!-- blog -->

```

```

<div class="blog-course">
  <div class="container">
    <div class="title-div">
      <h3 class="tittle">
        <span>P</span>opular
        <span>C</span>ourses
      </h3>
      <div class="tittle-style">

    </div>
  </div>
  <div class="blog-info">
    <div class="col-xs-4 blog-grid-img">
      
    </div>
    <div class="col-xs-8 blog-grid-text">
      <h4>Web Technology</h4>
      <h6>Rerum Delectus</h6>
      <p>Sed interdum interdum accumsan. Aenean nec purus ac orci
finibus facilisis. In sit amet placerat nisl, in auctor sapien.
Donec ultricies faucibus ante in mattis earum rerum delectus
in auctor sapien. </p>
      <a class="button-style" href="join.php">Apply Now</a>
    </div>
    <div class="clearfix"> </div>
  </div>
  <div class="blog-agileinfo blog-info-mdl">
    <div class="col-xs-8 blog-grid-text">
      <h4>Academic English</h4>
      <h6>Rerum Delectus</h6>
      <p>Sed interdum interdum accumsan. Aenean nec purus ac orci
finibus facilisis. In sit amet placerat nisl, in auctor sapien.
Donec ultricies faucibus ante in mattis earum rerum hic a
sapiente delectus. </p>
      <a class="button-style" href="join.php">Apply Now</a>
    </div>
    <div class="col-xs-4 blog-grid-img blog-img-rght">
      
    </div>
    <div class="clearfix"> </div>
  </div>
  <div class="blog-info">
    <div class="col-xs-4 blog-grid-img">
      
    </div>
    <div class="col-xs-8 blog-grid-text">
      <h4>HR Management</h4>
      <h6>Rerum Delectus</h6>
      <p>Sed interdum interdum accumsan. Aenean nec purus ac orci
finibus facilisis. In sit amet placerat nisl, in auctor sapien.
Donec ultricies faucibus ante rerum hic a sapiente delectus in
auctor sapien. </p>
      <a class="button-style" href="join.php">Apply Now</a>
    </div>
    <div class="clearfix"> </div>
  </div>

```

```

        </div>
        <div class="blog-agileinfo blog-info-mdl">
            <div class="col-xs-8 blog-grid-text">
                <h4>Process Engineering</h4>
                <h6>Rerum Delectus</h6>
                <p>Sed interdum interdum accumsan. Aenean nec purus ac orci
finibus facilisis. In sit amet placerat nisl, in auctor sapien.
                Donec ultricies faucibus ante in mattis earum rerum hic a
sapiente delectus. </p>
                <a class="button-style" href="join.php">Apply Now</a>
            </div>
            <div class="col-xs-4 blog-grid-img blog-img-right">
                
            </div>
            <div class="clearfix"></div>
        </div>
    </div>
</div>
<!-- //blog -->

<!-- footer -->
<div class="mkl_footer">
    <div class="sub-footer">
        <div class="container">
            <div class="mkls_footer_grid">
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Location:</h4>
                    <p>12345, Location,
                        <br> New Delhi, India</p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Mail Us:</h4>
                    <p>
                        <span>Phone : </span>+91 987 654 3210</p>
                    <p>
                        <span>Email : </span>
                        <a
href="mailto:mail@mail.com">mail@mail.com</a>
                    </p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Opening Hours:</h4>
                    <p>Working days : 8am-10pm</p>
                    <p>Sunday
                        <span>(closed)</span>
                    </p>
                </div>
            <div class="clearfix"></div>
        </div>
        <div class="botttom-nav-allah">
            <ul>
                <li>
                    <a href="index.php">Home</a>
                </li>
                <li>

```

```

                <a href="about.php">About Us</a>
            </li>
            <li>
                <a href="courses.php">Courses</a>
            </li>
            <li>
                <a href="join.php">Join Us</a>
            </li>
            <li>
                <a href="contact.php">Contact Us</a>
            </li>
        </ul>
    </div>
    <!-- footer-button-info -->
    <div class="footer-middle-thanks">
        <h2>Manchester University Welcomes You</h2>
    </div>
    <!-- footer-button-info -->
</div>
</div>
<div class="footer-copy-right">
    <div class="container">
        <div class="allah-copy">
            <p>© 2018 Manchester University. All rights reserved
            </p>
        </div>
        <div class="footercopy-social">
            <ul>
                <li>
                    <a href="#">
                        <span class="fa fa-facebook"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-twitter"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-rss"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-vk"></span>
                    </a>
                </li>
            </ul>
        </div>
    </div>
    <div class="clearfix"></div>
</div>
</div>
</div>
<!--/footer -->

```

```

<!-- js files -->
<!-- js -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- bootstrap -->
<script src="js/bootstrap.js"></script>
<!-- stats numscroller-js-file -->
<script src="js/numscroller-1.0.js"></script>
<!-- //stats numscroller-js-file -->
<!-- smooth scrolling -->
<script src="js/SmoothScroll.min.js"></script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<!-- here stars scrolling icon -->
<script>
    $(document).ready(function () {
        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UItoTop({
            easingType: 'easeOutQuart'
        });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- smooth scrolling -->
<!-- //js-files -->

</body>

</html>

```

#### 4. join.php

```

<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Manchester | Courses</title>
    <!-- meta-tags -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Soft Responsive web template, Bootstrap Web Templates, Flat
Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />

```

```

<script>
    addEventListener("load", function () {
        setTimeout(hideURLbar, 0);
    }, false);

    function hideURLbar() {
        window.scrollTo(0, 1);
    }
</script>
<!-- //meta-tags -->
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- font-awesome -->
<link href="css/font-awesome.css" rel="stylesheet">
<!-- fonts -->
<link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,500,500i,600,600i,70
0,700i,800,800i,900,900i"
rel="stylesheet">
<link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i"
rel="stylesheet">
</head>

<body>
    <!-- header -->
    <div class="header-top">
        <div class="container">
            <div class="bottom_header_left">
                <p>
                    <span class="fa fa-map-marker" aria-hidden="true"></span>New
Delhi, India
                </p>
            </div>
            <div class="bottom_header_right">
                <div class="header-top-right">
                    <div class="dropdown">
                        <?php
                            if ( empty($_COOKIE["logged_in"]) or (
$_COOKIE["logged_in"]=="0") ){
                                echo '<a href="login.php"><span class="fa fa-sign-out" aria-
hidden="true"></span>Login</a>';
                            } else{
                                echo '<a class="nav-link js-scroll-trigger" href=""><span
class="fa fa-user" aria-hidden="true" style="padding-right:7px;"></span> . $_COOKIE["user_name"] .</a>';
                                echo '<div class="dropdown-content">';
                                echo '<a href="signout_action.php" style="color:#000;">Sign
out</a>';

                                // echo '<a href="#" style="color:#000;">Link 2</a>';
                                // echo '<a href="#" style="color:#000;">Link 3</a>';
                                echo '</div>';
                            }
                        ?>
                    </div>
                </div>
            </div>
        </div>
    </div>

```



```

        <div class="clearfix"> </div>
    </div>
    <div class="clearfix"> </div>
</div>
<div class="header">
    <div class="content white">
        <nav class="navbar navbar-default">
            <div class="container">
                <div class="navbar-header">
                    <button type="button" class="navbar-toggle" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                        <span class="sr-only">Toggle navigation</span>
                        <span class="icon-bar"></span>
                        <span class="icon-bar"></span>
                        <span class="icon-bar"></span>
                    </button>
                    <a class="navbar-brand" href="index.php">
                        <h1>
                            <span class="fa fa-university" aria-
hidden="true"></span>Manchester
                                <label>University</label>
                            </h1>
                        </a>
                    </div>
                    <!--/.navbar-header-->
                    <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                        <nav class="link-effect-2" id="link-effect-2">
                            <ul class="nav navbar-nav">
                                <li>
                                    <a href="index.php" class="effect-
3">Home</a>
                                </li>
                                <li>
                                    <a href="about.php" class="effect-
3">About Us</a>
                                </li>
                                <li class="active">
                                    <a href="courses.php" class="effect-
3">Courses</a>
                                </li>
                                <li>
                                    <a href="join.php" class="effect-
3">Join Us</a>
                                </li>
                                <li -->
                                    <a href="gallery.php" class="effect-
3">Gallery</a>
                                </li>
                                <li>
                                    <a href="contact.php" class="effect-
3">Contact Us</a>
                                </li>
                            </ul>
                        </nav>
                    </div>
                </div>
            </div>
        </nav>
    </div>
</div>

```

```

        </ul>
    </nav>
</div>
<!--/.navbar-collapse-->
<!--/.navbar-->
</div>
</nav>
</div>
</div>
<!-- banner -->
<div class="inner_page_agile">

</div>
<!--//banner -->
<!-- short-->
<div class="services-breadcrumb">
    <div class="inner_breadcrumb">
        <ul class="short_ls">
            <li>
                <a href="index.php">Home</a>
                <span>| </span>
            </li>
            <li>Courses</li>
        </ul>
    </div>
</div>
<!-- //short-->
<!-- blog -->
<div class="blog-cource">
    <div class="container">
        <div class="title-div">
            <h3 class="tittle">
                <span>P</span>opular
                <span>C</span>ourses
            </h3>
            <div class="tittle-style">

        </div>
    </div>
    <div class="blog-info">
        <div class="col-xs-4 blog-grid-img">
            
        </div>
        <div class="col-xs-8 blog-grid-text">
            <h4>Web Technology</h4>
            <h6>Rerum Delectus</h6>
            <p>Sed interdum interdum accumsan. Aenean nec purus ac orci
finibus facilisis. In sit amet placerat nisl, in auctor sapien.
Donec ultricies faucibus ante in mattis earum rerum delectus
in auctor sapien. </p>
                <a class="button-style" href="join.php">Apply Now</a>
            </div>
            <div class="clearfix"> </div>
        </div>
    <div class="blog-agileinfo blog-info-mdl">

```

```

        <div class="col-xs-8 blog-grid-text">
            <h4>Academic English</h4>
            <h6>Rerum Delectus</h6>
            <p>Sed interdum interdum accumsan. Aenean nec purus ac orci
finibus facilisis. In sit amet placerat nisl, in auctor sapien.
                Donec ultricies faucibus ante in mattis earum rerum hic a
sapiente delectus. </p>
                <a class="button-style" href="join.php">Apply Now</a>
            </div>
            <div class="col-xs-4 blog-grid-img blog-img-right">
                
            </div>
            <div class="clearfix"> </div>
        </div>
        <div class="blog-info">
            <div class="col-xs-4 blog-grid-img">
                
            </div>
            <div class="col-xs-8 blog-grid-text">
                <h4>HR Management</h4>
                <h6>Rerum Delectus</h6>
                <p>Sed interdum interdum accumsan. Aenean nec purus ac orci
finibus facilisis. In sit amet placerat nisl, in auctor sapien.
                Donec ultricies faucibus ante rerum hic a sapiente delectus in
auctor sapien. </p>
                <a class="button-style" href="join.php">Apply Now</a>
            </div>
            <div class="clearfix"> </div>
        </div>
        <div class="blog-agileinfo blog-info-mdl">
            <div class="col-xs-8 blog-grid-text">
                <h4>Process Engineering</h4>
                <h6>Rerum Delectus</h6>
                <p>Sed interdum interdum accumsan. Aenean nec purus ac orci
finibus facilisis. In sit amet placerat nisl, in auctor sapien.
                Donec ultricies faucibus ante in mattis earum rerum hic a
sapiente delectus. </p>
                <a class="button-style" href="join.php">Apply Now</a>
            </div>
            <div class="col-xs-4 blog-grid-img blog-img-right">
                
            </div>
            <div class="clearfix"> </div>
        </div>
    </div>
</div>
<!-- //blog -->

<!-- footer -->
<div class="mkl_footer">
    <div class="sub-footer">
        <div class="container">
            <div class="mkls_footer_grid">
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Location:</h4>

```

```

                <p>12345, Location,
                    <br> New Delhi, India</p>
            </div>
            <div class="col-xs-4 mkls_footer_grid_left">
                <h4>Mail Us:</h4>
                <p>
                    <span>Phone : </span>+91 987 654 3210</p>
                <p>
                    <span>Email : </span>
                    <a
href="mailto:mail@mail.com">mail@mail.com</a>
                </p>
            </div>
            <div class="col-xs-4 mkls_footer_grid_left">
                <h4>Opening Hours:</h4>
                <p>Working days : 8am-10pm</p>
                <p>Sunday
                    <span>(closed)</span>
                </p>
            </div>
            <div class="clearfix"></div>
        </div>
        <div class="botttom-nav-allah">
            <ul>
                <li>
                    <a href="index.php">Home</a>
                </li>
                <li>
                    <a href="about.php">About Us</a>
                </li>
                <li>
                    <a href="courses.php">Courses</a>
                </li>
                <li>
                    <a href="join.php">Join Us</a>
                </li>
                <li>
                    <a href="contact.php">Contact Us</a>
                </li>
            </ul>
        </div>
        <!-- footer-button-info -->
        <div class="footer-middle-thanks">
            <h2>Manchester University Welcomes You</h2>
        </div>
        <!-- footer-button-info -->
    </div>
</div>
<div class="footer-copy-right">
    <div class="container">
        <div class="allah-copy">
            <p>© 2018 Manchester University. All rights reserved
            </p>
        </div>
    </div>
    <div class="footercopy-social">

```

```

        <ul>
            <li>
                <a href="#">
                    <span class="fa fa-facebook"></span>
                </a>
            </li>
            <li>
                <a href="#">
                    <span class="fa fa-twitter"></span>
                </a>
            </li>
            <li>
                <a href="#">
                    <span class="fa fa-rss"></span>
                </a>
            </li>
            <li>
                <a href="#">
                    <span class="fa fa-vk"></span>
                </a>
            </li>
        </ul>
    </div>
    <div class="clearfix"></div>
</div>
</div>
<!--/footer -->

<!-- js files -->
<!-- js -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- bootstrap -->
<script src="js/bootstrap.js"></script>
<!-- stats numscroller-js-file -->
<script src="js/numscroller-1.0.js"></script>
<!-- //stats numscroller-js-file -->
<!-- smooth scrolling -->
<script src="js/SmoothScroll.min.js"></script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<!-- here stars scrolling icon -->
<script>
    $(document).ready(function () {
        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UItoTop({
            easingType: 'easeOutQuart'

```

```

        });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- smooth scrolling -->
<!-- //js-files -->

</body>

</html>

```

## 5. admission\_action.php

```

<?php
$to = "authority@college.com";
$subject = "Admission_student_" . $_POST["Your_name"];
$msg = "New admission application <br><br>";
$msg = $msg . "Your name = " . $_POST["Your_name"] . "<br>";
$msg = $msg . "Birth date = " . $_POST["bday"] . "<br>";
$msg = $msg . "Your email = " . $_POST["Email"] . "<br>";
$msg = $msg . "Your phone = " . $_POST["Phone"] . "<br>";
$msg = $msg . "Your address = " . $_POST["address"] . "<br>";
$msg = $msg . "Your Line = " . $_POST["Line"] . "<br>";
$msg = $msg . "Your City = " . $_POST["City"] . "<br>";
$msg = $msg . "Your Zip Code = " . $_POST["Zip_Code"] . "<br>";
$headers = "From: college_website_project@college_website.com" . "\r\n" .
"CC: othermail@mail.com";

mail($to,$subject,$msg,$headers);
?>

```

## 6. gallery.php

```

<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Manchester | Gallery </title>
    <!-- meta-tags -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Soft Responsive web template, Bootstrap Web Templates, Flat
Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />
    <script>
        addEventListener("load", function () {
            setTimeout(hideURLbar, 0);
        }, false);

        function hideURLbar() {
            window.scrollTo(0, 1);

```

```

    }
</script>
<!-- //meta-tags -->
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- font-awesome -->
<link href="css/font-awesome.css" rel="stylesheet">
<!-- fonts -->
<link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,500,500i,600,600i,70
0,700i,800,800i,900,900i"
rel="stylesheet">
<link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i"
rel="stylesheet">
</head>

<body>
    <!-- header -->
    <div class="header-top">
        <div class="container">
            <div class="bottom_header_left">
                <p>
                    <span class="fa fa-map-marker" aria-hidden="true"></span>New
Delhi, India
                </p>
            </div>
            <div class="bottom_header_right">
                <div class="header-top-right">
                    <div class="dropdown">
                        <?php
                            if ( empty($_COOKIE["logged_in"]) or (
$_COOKIE["logged_in"]=="0") ){
                                echo '<a href="login.php"><span class="fa fa-sign-out" aria-
hidden="true"></span>Login</a>';
                            } else{
                                echo '<a class="nav-link js-scroll-trigger" href=""><span
class="fa fa-user" aria-hidden="true" style="padding-right:7px;"></span> . $_COOKIE["user_name"] .</a>';
                                echo '<div class="dropdown-content">';
                                echo '<a href="signout_action.php" style="color:#000;">Sign
out</a>';

                                // echo '<a href="#" style="color:#000;">Link 2</a>';
                                // echo '<a href="#" style="color:#000;">Link 3</a>';
                                echo '</div>';
                            }
                        ?>
                    </div>
                </div>
            <div class="clearfix"> </div>
        </div>
    <div class="clearfix"> </div>
    </div>
</div>
<div class="header">
    <div class="content white">

```

```

<nav class="navbar navbar-default">
  <div class="container">
    <div class="navbar-header">
      <button type="button" class="navbar-toggle" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a class="navbar-brand" href="index.php">
        <h1>
          <span class="fa fa-university" aria-
hidden="true"></span>Manchester
          <label>University</label>
        </h1>
      </a>
    </div>
    <!--/.navbar-header-->
    <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
      <nav class="link-effect-2" id="link-effect-2">
        <ul class="nav navbar-nav">
          <li>
            <a href="index.php" class="effect-
3">Home</a>
          </li>
          <li>
            <a href="about.php" class="effect-
3">About Us</a>
          </li>
          <li>
            <a href="courses.php" class="effect-
3">Courses</a>
          </li>
          <li>
            <a href="join.php" class="effect-
3">Join Us</a>
          </li>
          <li class="active">
            <a href="gallery.php" class="effect-
3">Gallery</a>
          </li>
          <li>
            <a href="contact.html" class="effect-
3">Contact Us</a>
          </li>
        </ul>
      </nav>
    </div>
    <!--/.navbar-collapse-->
    <!--/.navbar-->
  </div>
</nav>
</div>

```



```

</div>
<!-- banner -->
<div class="inner_page_agile">

</div>
<!--//banner -->
<!-- short-->
<div class="services-breadcrumb">
    <div class="inner_breadcrumb">
        <ul class="short_ls">
            <li>
                <a href="index.php">Home</a>
                <span>| </span>
            </li>
            <li>Gallery</li>
        </ul>
    </div>
</div>
<!-- //short-->
<!-- Gallery -->
<div class="gallery">
    <div class="container">
        <div class="title-div">
            <h3 class="tittle">
                <span>O</span>ur <span>G</span>allery
            </h3>
            <div class="tittle-style">

        </div>
    </div>
    <div class="agileinfo-gallery-row">
        <div class="col-xs-4 w3gallery-grids">
            <a href="images/g7.jpg" class="imghvr-hinge-right figure">
                
                <div class="agile-figcaption">
                    <h4>Library</h4>
                </div>
            </a>
        </div>
        <div class="col-xs-4 w3gallery-grids">
            <a href="images/g9.jpg" class="imghvr-hinge-right figure">
                
                <div class="agile-figcaption">
                    <h4>Volleyball</h4>
                </div>
            </a>
        </div>
        <div class="col-xs-4 w3gallery-grids">
            <a href="images/g3.jpg" class="imghvr-hinge-right figure">
                
                <div class="agile-figcaption">
                    <h4>Computer Lab</h4>
                </div>
            </a>
        </div>
    </div>

```

```

<div class="col-xs-4 w3gallery-grids">
  <a href="images/g4.jpg" class="imghvr-hinge-right figure">
    
    <div class="agile-figcaption">
      <h4>Meditation</h4>
    </div>
  </a>
</div>
<div class="col-xs-4 w3gallery-grids">
  <a href="images/g1.jpg" class="imghvr-hinge-right figure">
    
    <div class="agile-figcaption">
      <h4>Science</h4>
    </div>
  </a>
</div>
<div class="col-xs-4 w3gallery-grids">
  <a href="images/g6.jpg" class="imghvr-hinge-right figure">
    
    <div class="agile-figcaption">
      <h4>Group Discussion</h4>
    </div>
  </a>
</div>
<div class="col-xs-4 w3gallery-grids">
  <a href="images/g2.jpg" class="imghvr-hinge-right figure">
    
    <div class="agile-figcaption">
      <h4>Chemical Lab</h4>
    </div>
  </a>
</div>
<div class="col-xs-4 w3gallery-grids">
  <a href="images/g5.jpg" class="imghvr-hinge-right figure">
    
    <div class="agile-figcaption">
      <h4>Sports</h4>
    </div>
  </a>
</div>
<div class="col-xs-4 w3gallery-grids">
  <a href="images/g8.jpg" class="imghvr-hinge-right figure">
    
    <div class="agile-figcaption">
      <h4>Seminar</h4>
    </div>
  </a>
</div>
<div class="clearfix"></div>
</div>
</div>
<!-- //Gallery -->

```

```

<!-- footer -->
<div class="mkl_footer">
    <div class="sub-footer">
        <div class="container">
            <div class="mkls_footer_grid">
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Location:</h4>
                    <p>12345, Location,
                        <br> New Delhi, India</p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Mail Us:</h4>
                    <p>
                        <span>Phone : </span>+91 987 654 3210</p>
                    <p>
                        <span>Email : </span>
                        <a
href="mailto:mail@mail.com">mail@mail.com</a>
                    </p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Opening Hours:</h4>
                    <p>Working days : 8am-10pm</p>
                    <p>Sunday
                        <span>(closed)</span>
                    </p>
                </div>
                <div class="clearfix"></div>
            </div>
            <div class="botttom-nav-allah">
                <ul>
                    <li>
                        <a href="index.php">Home</a>
                    </li>
                    <li>
                        <a href="about.php">About Us</a>
                    </li>
                    <li>
                        <a href="courses.php">Courses</a>
                    </li>
                    <li>
                        <a href="join.php">Join Us</a>
                    </li>
                    <li>
                        <a href="contact.html">Contact Us</a>
                    </li>
                </ul>
            </div>
            <!-- footer-button-info -->
            <div class="footer-middle-thanks">
                <h2>Manchester University Welcomes You</h2>
            </div>
            <!-- footer-button-info -->
        </div>
    </div>
</div>

```

```

<div class="footer-copy-right">
  <div class="container">
    <div class="allah-copy">
      <p>© 2018 Manchester University. All rights reserved
      </p>
    </div>
    <div class="footercopy-social">
      <ul>
        <li>
          <a href="#">
            <span class="fa fa-facebook"></span>
          </a>
        </li>
        <li>
          <a href="#">
            <span class="fa fa-twitter"></span>
          </a>
        </li>
        <li>
          <a href="#">
            <span class="fa fa-rss"></span>
          </a>
        </li>
        <li>
          <a href="#">
            <span class="fa fa-vk"></span>
          </a>
        </li>
      </ul>
    </div>
    <div class="clearfix"></div>
  </div>
</div>
<!--/footer -->

<!-- js files -->
<!-- js -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- bootstrap -->
<script src="js/bootstrap.js"></script>
<!-- simple-lightbox -->
<script type="text/javascript" src="js/simple-lightbox.js"></script>
<script>
  $(function () {
    var gallery = $(' .agileinfo-gallery-row a').simpleLightbox({
      navText: ['&lsaquo;', '&rsaquo;']
    });
  });
</script>
<link href='css/simplelightbox.min.css' rel='stylesheet' type='text/css'>
<!-- Light-box css -->
<!-- smooth scrolling -->
<script src="js/SmoothScroll.min.js"></script>
<script src="js/move-top.js"></script>

```

```

<script src="js/easing.js"></script>
<!-- here stars scrolling icon -->
<script>
    $(document).ready(function () {
        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UItoTop({
            easingType: 'easeOutQuart'
        });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- smooth scrolling -->
<!-- //js-files -->

</body>

</html>

```

## 7. contactus.php

```

<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Manchester | Contact Us </title>
    <!-- meta-tags -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Soft Responsive web template, Bootstrap Web Templates, Flat
Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />
    <script>
        addEventListener("load", function () {
            setTimeout(hideURLbar, 0);
        }, false);

        function hideURLbar() {
            window.scrollTo(0, 1);
        }
    </script>
    <!-- //meta-tags -->
    <link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
    <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
    <!-- font-awesome -->

```

```

<link href="css/font-awesome.css" rel="stylesheet">
<!-- fonts -->
<link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,500,500i,600,600i,70
0,700i,800,800i,900,900i"
rel="stylesheet">
<link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i"
rel="stylesheet">
</head>

<body>
<!-- header -->
<div class="header-top">
    <div class="container">
        <div class="bottom_header_left">
            <p>
                <span class="fa fa-map-marker" aria-hidden="true"></span>New
Delhi, India
            </p>
        </div>
        <div class="bottom_header_right">
            <div class="header-top-right">
                <div class="dropdown">
                    <?php
                        if ( empty($_COOKIE["logged_in"]) or (
$_COOKIE["logged_in"]=="0") ){
                            echo '<a href="login.php"><span class="fa fa-sign-out" aria-
hidden="true"></span>Login</a>';
                        } else{
                            echo '<a class="nav-link js-scroll-trigger" href=""><span
class="fa fa-user" aria-hidden="true" style="padding-right:7px;"></span> . $_COOKIE["user_name"] .</a>';
                            echo '<div class="dropdown-content">';
                            echo '<a href="signout_action.php" style="color:#000;">Sign
out</a>';

                            // echo '<a href="#" style="color:#000;">Link 2</a>';
                            // echo '<a href="#" style="color:#000;">Link 3</a>';
                            echo '</div>';
                        }
                    ?>
                </div>
            </div>
        <div class="clearfix"> </div>
    </div>
    <div class="clearfix"> </div>
</div>
<div class="header">
    <div class="content white">
        <nav class="navbar navbar-default">
            <div class="container">
                <div class="navbar-header">
                    <button type="button" class="navbar-toggle" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                        <span class="sr-only">Toggle navigation</span>

```

```

                                <span class="icon-bar"></span>
                                <span class="icon-bar"></span>
                                <span class="icon-bar"></span>
                            </button>
                            <a class="navbar-brand" href="index.php">
                                <h1>
                                    <span class="fa fa-university" aria-
hidden="true"></span>Manchester
                                    <label>University</label>
                                </h1>
                            </a>
                        </div>
                    <!--/.navbar-header-->
                    <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                        <nav class="link-effect-2" id="link-effect-2">
                            <ul class="nav navbar-nav">
                                <li>
                                    <a href="index.php" class="effect-
3">Home</a>
                                </li>
                                <li>
                                    <a href="about.php" class="effect-
3">About Us</a>
                                </li>
                                <li>
                                    <a href="courses.php" class="effect-
3">Courses</a>
                                </li>
                                <li>
                                    <a href="join.php" class="effect-
3">Join Us</a>
                                </li>
                                <li>
                                    <a href="gallery.php" class="effect-
3">Gallery</a>
                                </li>
                                <li class="active">
                                    <a href="contact.php" class="effect-
3">Contact Us</a>
                                </li>
                            </ul>
                        </nav>
                    </div>
                <!--/.navbar-collapse-->
            <!--/.navbar-->
        </div>
    </nav>
</div>
<!-- banner -->
<div class="inner_page_agile">
    </div>
<!--//banner -->

```

```

<!-- short-->
<div class="services-breadcrumb">
    <div class="inner_breadcrumb">
        <ul class="short_ls">
            <li>
                <a href="index.php">Home</a>
                <span>| |</span>
            </li>
            <li>Contact Us</li>
        </ul>
    </div>
</div>
<!-- //short-->
<!-- contact -->
<div class="contact">
    <div class="container">
        <div class="title-div">
            <h3 class="tittle">
                <span>C</span>ontact
                <span>U</span>s
            </h3>
            <div class="tittle-style">

        </div>
    </div>
    <div class="contact-row">
        <div class="col-md-6 contact-text1">
            <h4>Contact Our
                <span>Manchester University</span>
            </h4>
            <p>Aliquam erat volutpat. Duis vulputate tempus laoreet. Aliquam
erat volutpat. Duis vulputate tempus laoreet. Aliquam erat
volutpat. Duis vulputate tempus laoreet.
            </p>
        </div>
        <div class="col-md-6 contact-w3lsright">
            <<iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d224345.97161708496!2d77.06889666
984354!3d28.52751980744446!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x390cfd5b347eb62
d%3A0x52c2b7494e204dce!2sNew+Delhi%2C+Delhi!5e0!3m2!1sen!2sin!4v1517133681425"
allowfullscreen></iframe>
            </div>
        <div class="clearfix"></div>
    </div>
</div>
<div class="contact-lsleft">
    <div class="container">
        <div class="address-grid">
            <h4>Contact Details</h4>
            <ul class="w3_address">
                <li>
                    <span class="fa fa-globe" aria-hidden="true"></span>12345,
New Delhi, India
                </li>

```



```

        <li>
            <span class="fa fa-envelope-o" aria-hidden="true"></span>
            <a href="mailto:mail@mail.com">mail@mail.com</a>
        </li>
        <li>
            <span class="fa fa-phone" aria-hidden="true"></span>+91
987 654 3210
        </li>
    </ul>
</div>
<div class="contact-grid agileits">
    <h4>Get In Touch</h4>
    <form action="#" method="post">
        <div class="">
            <input type="text" name="Name" placeholder="Name"
required="">
        </div>
        <div class="">
            <input type="email" name="Email" placeholder="Email"
required="">
        </div>
        <div class="">
            <input type="text" name="Phone Number"
placeholder="Phone Number" required="">
        </div>
        <div class="">
            <textarea name="Message" placeholder="Message..."
required=""></textarea>
        </div>
        <input type="submit" value="Submit">
    </form>
</div>
</div>
</div>
<!-- //contact -->

<!-- footer -->
<div class="mkl_footer">
<div class="sub-footer">
    <div class="container">
        <div class="mkls_footer_grid">
            <div class="col-xs-4 mkls_footer_grid_left">
                <h4>Location:</h4>
                <p>12345, Location,
                    <br> New Delhi, India</p>
            </div>
            <div class="col-xs-4 mkls_footer_grid_left">
                <h4>Mail Us:</h4>
                <p>
                    <span>Phone : </span>+91 987 654 3210</p>
                <p>
                    <span>Email : </span>
                    <a
href="mailto:mail@mail.com">mail@mail.com</a>

```



```

                <li>
                    <a href="#">
                        <span class="fa fa-rss"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-vk"></span>
                    </a>
                </li>
            </ul>
        </div>
        <div class="clearfix"></div>
    </div>
</div>
<!--/footer -->

<!-- js files -->
<!-- js -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- bootstrap -->
<script src="js/bootstrap.js"></script>
<!-- smooth scrolling -->
<script src="js/SmoothScroll.min.js"></script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<!-- here stars scrolling icon -->
<script>
    $(document).ready(function () {
        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UItToTop({
            easingType: 'easeOutQuart'
        });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- smooth scrolling -->
<!-- //js-files -->

</body>
</html>

```

## 8. login.php

```
<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Manchester | Login </title>
    <!-- meta-tags -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Soft Responsive web template, Bootstrap Web Templates, Flat
Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />
    <script>
        addEventListener("load", function () {
            setTimeout(hideURLbar, 0);
        }, false);

        function hideURLbar() {
            window.scrollTo(0, 1);
        }
    </script>
    <!-- //meta-tags -->
    <link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
    <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
    <!-- font-awesome -->
    <link href="css/font-awesome.css" rel="stylesheet">
    <!-- fonts -->
    <link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,500,500i,600,600i,70
0,700i,800,800i,900,900i"
rel="stylesheet">
    <link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i"
rel="stylesheet">
</head>

<body>
    <!-- header -->
    <div class="header-top">
        <div class="container">
            <div class="bottom_header_left">
                <p>
                    <span class="fa fa-map-marker" aria-hidden="true"></span>New
Delhi, India
                </p>
            </div>
            <div class="bottom_header_right">
                <div class="header-top-right">
                    <div class="dropdown">
                        <?php
                        if ( empty($_COOKIE["logged_in"]) or (
$_COOKIE["logged_in"]=="0") ){
```

```

hidden="true"></span>Login</a>';
                                } else{
                                echo '<a class="nav-link js-scroll-trigger" href=""><span
class="fa fa-user" aria-hidden="true" style="padding-right:7px;"></span>' . $_COOKIE["user_name"] . '</a>';
                                echo '<div class="dropdown-content">';
                                echo '<a href="signin_action.php" style="color:#000;">Sign
out</a>';

                                // echo '<a href="#" style="color:#000;">Link 2</a>';
                                // echo '<a href="#" style="color:#000;">Link 3</a>';
                                echo '</div>';
                                }
                                ?>

                                </div>
                                </div>
                                <div class="clearfix"> </div>
                                </div>
                                <div class="clearfix"> </div>
                                </div>
                                <div class="header">
                                <div class="content white">
                                <nav class="navbar navbar-default">
                                <div class="container">
                                <div class="navbar-header">
                                <button type="button" class="navbar-toggle" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                                <span class="sr-only">Toggle navigation</span>
                                <span class="icon-bar"></span>
                                <span class="icon-bar"></span>
                                <span class="icon-bar"></span>
                                </button>
                                <a class="navbar-brand" href="index.php">
                                <h1>
                                <span class="fa fa-university" aria-
hidden="true"></span>Manchester
                                <label>University</label>
                                </h1>
                                </a>
                                </div>
                                <!--/.navbar-header-->
                                <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                                <nav class="link-effect-2" id="link-effect-2">
                                <ul class="nav navbar-nav">
                                <li>
                                <a href="index.php" class="effect-
3">Home</a>
                                </li>
                                <li>
                                <a href="about.php" class="effect-
3">About Us</a>
                                </li>
                                <li>

```

```

3">Courses</a>
3">Join Us</a>
3">Gallery</a>
3">Contact Us</a>

<a href="courses.php" class="effect-
</li>
<li>
<a href="join.php" class="effect-
</li>
<li>
<a href="Gallery.php" class="effect-
</li>
<li>
<a href="contact.php" class="effect-
</li>
</ul>
</nav>
</div>
<!--/.navbar-collapse-->
<!--/.navbar-->
</div>
</nav>
</div>
<!-- banner -->
<div class="inner_page_agile">
</div>
<!--//banner -->
<!-- short-->
<div class="services-breadcrumb">
<div class="inner_breadcrumb">
<ul class="short_ls">
<li>
<a href="index.php">Home</a>
<span>| </span>
</li>
<li>Login</li>
</ul>
</div>
</div>
<!-- //short-->
<div class="register-form-main">
<div class="container">
<div class="title-div">
<h3 class="tittle">
<span>L</span>ogin
<span>F</span>orm
</h3>
<div class="tittle-style">
</div>
</div>
<div class="login-form">
<form action="login_action.php" method="post">

```

```

<div class="">
    <p>User Name </p>
    <input type="text" class="name" name="username"
required="" />
</div>
<div class="">
    <p>Password</p>
    <input type="password" class="password" name="password"
required="" />
</div>
<input type="submit" value="Login">
<div class="register-forming">
    <p>To Register New Account --
        <a href="register.php">Click Here</a>
    </p>
</div>
</form>
</div>
</div>
</div>
<!-- footer -->
<div class="mkl_footer">
<div class="sub-footer">
    <div class="container">
        <div class="mkls_footer_grid">
            <div class="col-xs-4 mkls_footer_grid_left">
                <h4>Location:</h4>
                <p>12345, Location,
                    <br> New Delhi, India</p>
            </div>
            <div class="col-xs-4 mkls_footer_grid_left">
                <h4>Mail Us:</h4>
                <p>
                    <span>Phone : </span>+91 987 654 3210</p>
                <p>
                    <span>Email : </span>
                    <a
href="mailto:mail@mail.com">mail@mail.com</a>
                </p>
            </div>
            <div class="col-xs-4 mkls_footer_grid_left">
                <h4>Opening Hours:</h4>
                <p>Working days : 8am-10pm</p>
                <p>Sunday
                    <span>(closed)</span>
                </p>
            </div>
        <div class="clearfix"></div>
    </div>
<div class="botttom-nav-allah">
    <ul>
        <li>
            <a href="index.php">Home</a>

```

```

        </li>
        <li>
            <a href="about.php">About Us</a>
        </li>
        <li>
            <a href="courses.php">Courses</a>
        </li>
        <li>
            <a href="join.php">Join Us</a>
        </li>
        <li>
            <a href="contact.php">Contact Us</a>
        </li>
    </ul>
</div>
<!-- footer-button-info -->
<div class="footer-middle-thanks">
    <h2>Manchester University Welcomes You</h2>
</div>
<!-- footer-button-info -->
</div>
</div>
<div class="footer-copy-right">
    <div class="container">
        <div class="allah-copy">
            <p>© 2018 Manchester University. All rights reserved
            </p>
        </div>
        <div class="footercopy-social">
            <ul>
                <li>
                    <a href="#">
                        <span class="fa fa-facebook"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-twitter"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-rss"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-vk"></span>
                    </a>
                </li>
            </ul>
        </div>
    </div>
</div>
<div class="clearfix"></div>
</div>
</div>

```



```

</div>
<!--/footer -->

<!-- js files -->
<!-- js -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- bootstrap -->
<script src="js/bootstrap.js"></script>
<!-- smooth scrolling -->
<script src="js/SmoothScroll.min.js"></script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<!-- here stars scrolling icon -->
<script>
    $(document).ready(function () {
        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UItoTop({
            easingType: 'easeOutQuart'
        });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- smooth scrolling -->
<!-- //js-files -->

</body>

</html>

```

## 9. loginaction.php

```

<html>
<body>
<div id="result"></div>
<?php
//connect to db
$conn = mysqli_connect("localhost","root","","college_website_db");
//get POST data
$username = $_POST["username"];
$password = $_POST["password"];
//Set variables
$logged_in = false;

//get data from db to check for already existing usernames and passwords
$query = "SELECT uname, psw FROM users ORDER BY id;";

```

```

$result = mysqli_query($conn,$query);
while($data = mysqli_fetch_assoc($result)){
    $name = $data['uname'];
    $pass = $data['psw'];
    if ($uname == $name) {
        {
            if ($psw == $pass) {
                echo "Login Successful";
                $logged_in = true;
                //set COOKIES
                setcookie("user_name", $uname, time() + (86400 * 30), "/"); // 86400 = 1 day
                setcookie("logged_in", "1", time() + (86400 * 30), "/"); // 86400 = 1 day
                header('Location: index.php');
                break;
            }
        }
    }
}

if($logged_in == false){
    echo 'User not registered.<br><a href="login.php">Go back and press the Register Button at the
bottom.</a>';
    setcookie("user_not_registered", "1", time() + (86400 * 30), "/"); // 86400 = 1 day
    header('Location: register.php');
}
$conn->close();
?>

</body>
</html>

```

## 10.register.php

```

<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Manchester | Register </title>
    <!-- meta-tags -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Soft Responsive web template, Bootstrap Web Templates, Flat
Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />
    <script>
        addEventListener("load", function () {
            setTimeout(hideURLbar, 0);
        }, false);

        function hideURLbar() {
            window.scrollTo(0, 1);
        }
    </script>

```

```

<!-- //meta-tags -->
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- font-awesome -->
<link href="css/font-awesome.css" rel="stylesheet">
<!-- fonts -->
<link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,500,500i,600,600i,70
0,700i,800,800i,900,900i"
rel="stylesheet">
<link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i"
rel="stylesheet">

</head>

<body>
  <!-- header -->
  <div class="header-top">
    <div class="container">
      <div class="bottom_header_left">
        <p>
          <span class="fa fa-map-marker" aria-hidden="true"></span>New
Delhi, India
        </p>
      </div>
      <div class="bottom_header_right">
        <div class="header-top-right">
          <div class="dropdown">
            <?php
              if ( empty($_COOKIE["logged_in"]) or (
$_COOKIE["logged_in"]=="0") ){
                echo '<a href="login.php"><span class="fa fa-sign-out" aria-
hidden="true"></span>Login</a>';
              } else{
                echo '<a class="nav-link js-scroll-trigger" href=""><span
class="fa fa-user" aria-hidden="true" style="padding-right:7px;"></span> . $_COOKIE["user_name"] .</a>';
                echo '<div class="dropdown-content">';
                echo '<a href="signout_action.php" style="color:#000;">Sign
out</a>';

                // echo '<a href="#" style="color:#000;">Link 2</a>';
                // echo '<a href="#" style="color:#000;">Link 3</a>';
                echo '</div>';
              }
            ?>
          </div>
        </div>
      <div class="clearfix"> </div>
    </div>
  <div class="clearfix"> </div>
</div>
<div class="header">
  <div class="content white">
    <nav class="navbar navbar-default">

```

```

        <div class="container">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
                <a class="navbar-brand" href="index.php">
                    <h1>
                        <span class="fa fa-university" aria-
hidden="true"></span>Manchester
                    </h1>
                    <label>University</label>
                </a>
            </div>
            <!--/.navbar-header-->
            <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                <nav class="link-effect-2" id="link-effect-2">
                    <ul class="nav navbar-nav">
                        <li>
                            <a href="index.php" class="effect-
3">Home</a>
                        </li>
                        <li>
                            <a href="about.php" class="effect-
3">About Us</a>
                        </li>
                        <li>
                            <a href="courses.php" class="effect-
3">Courses</a>
                        </li>
                        <li>
                            <a href="join.php" class="effect-
3">Join Us</a>
                        </li>
                        <li>
                            <a href="Gallery.php" class="effect-
3">Gallery</a>
                        </li>
                        <li>
                            <a href="contact.php" class="effect-
3">Contact Us</a>
                        </li>
                    </ul>
                </nav>
            </div>
            <!--/.navbar-collapse-->
            <!--/.navbar-->
        </div>
    </nav>
</div>
</div>
</div>

```

```

<!-- banner -->
<div class="inner_page_agile">

</div>
<!--//banner -->
<!-- short-->
<div class="services-breadcrumb">
    <div class="inner_breadcrumb">
        <ul class="short_ls">
            <li>
                <a href="index.php">Home</a>
                <span>| </span>
            </li>
            <li>Register</li>
        </ul>
    </div>
</div>
<!-- //short-->
<div class="register-form-main">
    <div class="container">
        <div class="title-div">
            <h3 class="tittle">
                <span>R</span>egister
                <span>F</span>orm
            </h3>
            <div class="tittle-style">

        </div>
    </div>
    <div class="login-form">
        <form action="register_action.php" method="post">
            <div class="">
                <p>User Name </p>
                <input type="text" class="name" name="username"
required="" />
            </div>
            <div class="">
                <p>E-mail</p>
                <input type="email" class="password" name="email"
required="" />
            </div>
            <div class="">
                <p>Password</p>
                <input type="password" class="password" name="password"
id="password1" required="" />
            </div>
            <div class="">
                <p>Confirm Password</p>
                <input type="password" class="password"
name="password2" id="password2" required="" />
            </div>
            <label class="anim">
                <input type="checkbox" class="checkbox">
                <span>I Accept Terms & Conditions</span>
            </label>
        </form>
    </div>
</div>

```

```

                <input type="submit" value="Register">
            </form>
        </div>
    </div>
</div>

<!-- footer -->
<div class="mkl_footer">
    <div class="sub-footer">
        <div class="container">
            <div class="mkls_footer_grid">
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Location:</h4>
                    <p>12345, Location,
                        <br> New Delhi, India</p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Mail Us:</h4>
                    <p>
                        <span>Phone : </span>+91 987 654 3210</p>
                    <p>
                        <span>Email : </span>
                        <a
href="mailto:mail@mail.com">mail@mail.com</a>
                    </p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Opening Hours:</h4>
                    <p>Working days : 8am-10pm</p>
                    <p>Sunday
                        <span>(closed)</span>
                    </p>
                </div>
            <div class="clearfix"> </div>
        </div>
        <div class="botttom-nav-allah">
            <ul>
                <li>
                    <a href="index.php">Home</a>
                </li>
                <li>
                    <a href="about.php">About Us</a>
                </li>
                <li>
                    <a href="courses.php">Courses</a>
                </li>
                <li>
                    <a href="join.php">Join Us</a>
                </li>
                <li>
                    <a href="contact.php">Contact Us</a>
                </li>
            </ul>
        </div>
    </div>

```

```

        <!-- footer-button-info -->
        <div class="footer-middle-thanks">
            <h2>Manchester University Welcomes You</h2>
        </div>
        <!-- footer-button-info -->
    </div>
</div>
<div class="footer-copy-right">
    <div class="container">
        <div class="allah-copy">
            <p>© 2018 Manchester University. All rights reserved
            </p>
        </div>
        <div class="footercopy-social">
            <ul>
                <li>
                    <a href="#">
                        <span class="fa fa-facebook"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-twitter"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-rss"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-vk"></span>
                    </a>
                </li>
            </ul>
        </div>
        <div class="clearfix"></div>
    </div>
</div>
<!--/footer -->

<!-- js files -->
<!-- js -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- bootstrap -->
<script src="js/bootstrap.js"></script>
<!-- smooth scrolling -->
<script src="js/SmoothScroll.min.js"></script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<!-- here stars scrolling icon -->
<script>
    $(document).ready(function () {

```

```

        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UItoTop({
            easingType: 'easeOutQuart'
        });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- smooth scrolling -->
<!-- password-script -->
<script>
    window.onload = function () {
        document.getElementById("password1").onchange = validatePassword;
        document.getElementById("password2").onchange = validatePassword;
    }

    function validatePassword() {
        var pass2 = document.getElementById("password2").value;
        var pass1 = document.getElementById("password1").value;
        if (pass1 != pass2)
            document.getElementById("password2").setCustomValidity("Passwords
Don't Match");
        else
            document.getElementById("password2").setCustomValidity("");
        //empty string means no validation error
    }
</script>
<!-- //password-script -->
<!-- //js-files -->

</body>

</html>

```

## 11.register\_action.php

```

<?php

$conn = mysqli_connect("localhost","root","","college_website_db");

$username = $_POST["username"];
$password = $_POST["password"];
$email = $_POST["email"];
$user_exists = false;

$query = "SELECT uname, psw, email FROM users ORDER BY id;";
$result = mysqli_query($conn,$query);

```



```

while($data = mysqli_fetch_assoc($result)){
    $name = $data['uname'];
    $pass = $data['psw'];

    if ($uname == $name) {
        {
            if ($psw == $pass) {
                echo "User already exists. Redirecting to login page....";
                $user_exists = true;
                // sleep(5);
                header('Location: Login.php');
                break;
            }
        }
    }
}

if ($user_exists == false) {
    $mysql_qry = "INSERT INTO `users` (`id`, `uname`, `psw`, `email`) VALUES (NULL, '$uname', '$psw', '$email');";

    // $mysqli_result = mysqli_query($conn, $mysql_qry);
    if ($conn->query($mysql_qry) === TRUE) {
        setcookie("user_name", $uname, time() + (86400 * 30), "/"); // 86400 = 1 day
        setcookie("logged_in", "1", time() + (86400 * 30), "/"); // 86400 = 1 day
        header('Location: index.php');
    }
    else{
        echo "Error : " . $mysql_qry . "<br>" . $conn->error;
    }
}
$conn->close();
?>

```

## 12.signout\_action.php

```

<?php
setcookie("user_name", "null", time() + (86400 * 30), "/"); // 86400 = 1 day
setcookie("logged_in", "0", time() + (86400 * 30), "/"); // 86400 = 1 day
header('Location: index.php');
?>

```