




# Project Images

Index Page (index.php)



## About Us Page (about.php)





## Popular Courses



### WEB TECHNOLOGY

Rerum Delectus

Sed interdum interdum accumsan. Aenean nec purus ac orci finibus facilisis. In sit amet placerat nisl, in auctor sapien. Donec ultricies faucibus ante in mattis eorum rerum delectus in auctor sapien.

Apply Now



### ACADEMIC ENGLISH

Rerum Delectus

Sed interdum interdum accumsan. Aenean nec purus ac orci finibus facilisis. In sit amet placerat nisl, in auctor sapien. Donec ultricies faucibus ante in mattis eorum rerum hic a sapiente delectus.

Apply Now



### HR MANAGEMENT

Rerum Delectus

Sed interdum interdum accumsan. Aenean nec purus ac orci finibus facilisis. In sit amet placerat nisl, in auctor sapien. Donec ultricies faucibus ante rerum hic a sapiente delectus in auctor sapien.

Apply Now




### PROCESS ENGINEERING

Rerum Delectus

Sed interdum interdum accumsan. Aenean nec purus ac orci finibus facilisis. In sit amet placerat nisl, in auctor sapien. Donec ultricies faucibus ante in mattis eorum rerum hic a sapiente delectus.

Apply Now





Join Us Page (join.php)

New Delhi, India

Manchester

University

Home

About Us

Courses

Join Us

Gallery

Contact Us

Home

||

Join Us

# Admission Form

Your Name

Birth Date

Gender

Your E-mail

Phone Number

Select Course

Select Course Time

**Your Address**

Address

Line

City

Zip Code

Submit

Location:

12345, Location,  
New Delhi, India

Mail Us:

Phone : +91 987 654 3210  
Email : [mail@mail.com](mailto:mail@mail.com)

Opening Hours:

Working days : 8am-10pm  
Sunday (closed)

Home

About Us


Courses

Join Us




Contact Us

MANCHESTER UNIVERSITY WELCOMES YOU


© 2018 Manchester University. All rights reserved



## Our Gallery








## Contact Us

### Contact Our Manchester University

Aliquam erat volutpat. Duis vulputate tempus laoreet. Aliquam erat volutpat. Duis vulputate tempus laoreet. Aliquam erat volutpat. Duis vulputate tempus laoreet.



#### Contact Details

📍 12345, New Delhi, India  
✉️ mail@mail.com  
☎️ +91 987 654 3210

#### Get In Touch

Name

Email

Phone Number

Message

Submit

#### Location:

12345, Location,  
New Delhi, India


#### Mail Us:

Phone : +91 987 654 3210  
Email : mail@mail.com

#### Opening Hours:

Working days : 8am-10pm  
Sunday (closed)

## Login Page (login.php)



## Login Form

User Name


Password


☐ Remember me ?

[Forgot password?](#)

Login

To Register New Account -- [Click Here](#)





## Register Form

User Name


E-mail

Password

Confirm Password


☐ I Accept Terms & Conditions

Register






## Login mechanism



## phpmyadmin Database



# Codes

## 1. index.php

```
<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Manchester | Home :: w3layouts</title>
    <!-- meta-tags -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Soft Responsive web template, Bootstrap Web Templates, Flat
Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />
    <script>
        addEventListener("load", function () {
            setTimeout(hideURLbar, 0);
        }, false);

        function hideURLbar() {
            window.scrollTo(0, 1);
        }
    </script>
    <!-- //meta-tags -->
    <link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
    <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
    <!-- font-awesome -->
    <link href="css/font-awesome.css" rel="stylesheet">
    <!-- fonts -->
    <link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,500,500i,600,600i,70
0,700i,800,800i,900,900i"
rel="stylesheet">
    <link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i"
rel="stylesheet">
</head>

<body>
    <!-- header -->
    <div class="header-top">
        <div class="container">
            <div class="bottom_header_left">
                <p>
                    <span class="fa fa-map-marker" aria-hidden="true"></span>New
Delhi, India
                </p>
            </div>
            <div class="bottom_header_right">
                <div class="header-top-right">
                    <div class="dropdown">
                        <?php
```

```

$_COOKIE["logged_in"]=="0" ){
    if ( empty($_COOKIE["logged_in"]) or (
        echo '<a href="login.php"><span class="fa fa-sign-out" aria-
hidden="true"></span>Login</a>';
    } else{
        echo '<a class="nav-link js-scroll-trigger" href=""><span
class="fa fa-user" aria-hidden="true" style="padding-right:7px;"></span>' . $_COOKIE["user_name"] .'</a>';
        echo '<div class="dropdown-content">';
        echo '<a href="signout_action.php" style="color:#000;">Sign
out</a>';

        echo '</div>';
        }
        ?>
    </div>
    </div>
    <div class="clearfix"> </div>
</div>
<div class="clearfix"> </div>
</div>
<div class="header">
    <div class="content white">
        <nav class="navbar navbar-default">
            <div class="container">
                <div class="navbar-header">
                    <button type="button" class="navbar-toggle" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                        <span class="sr-only">Toggle navigation</span>
                        <span class="icon-bar"></span>
                        <span class="icon-bar"></span>
                        <span class="icon-bar"></span>
                    </button>
                    <a class="navbar-brand" href="index.php">
                        <h1>
                            <span class="fa fa-university" aria-
hidden="true"></span>Manchester
                            <label>University</label>
                        </h1>
                    </a>
                </div>
                <!--/.navbar-header-->
                <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                    <nav class="link-effect-2" id="link-effect-2">
                        <ul class="nav navbar-nav">
                            <li class="active">
                                <a href="index.php" class="effect-
3">Home</a>
                                </li>
                                <li>
                                    <a href="about.php" class="effect-
3">About Us</a>
                                </li>
                                <li>

```



```

3">Courses</a>
</li>
<li>
<a href="join.php" class="effect-
3">Join Us</a>
</li>
<li>
<a href="Gallery.php" class="effect-
3">Gallery</a>
</li>
<li>
<a href="contact.php" class="effect-
3">Contact Us</a>
</li>
</ul>
</nav>
</div>
<!--/.navbar-collapse-->
<!--/.navbar-->
</div>
</nav>
</div>
</div>
<!-- banner -->
<div id="myCarousel" class="carousel slide" data-ride="carousel">
<!-- Indicators -->
<ol class="carousel-indicators">
<li data-target="#myCarousel" data-slide-to="0" class="active"></li>
<li data-target="#myCarousel" data-slide-to="1" class=""></li>
<li data-target="#myCarousel" data-slide-to="2" class=""></li>
<li data-target="#myCarousel" data-slide-to="3" class=""></li>
</ol>
<div class="carousel-inner" role="listbox">
<div class="item active">
<div class="container">
<div class="carousel-caption">
<h6>Welcome To Manchester University</h6>
<h3>Leading
<span>University</span>
</h3>
<p>Create an all-encompassing website for your school with
ease.</p>
</div>
</div>
</div>
<div class="item item2">
<div class="container">
<div class="carousel-caption">
<h6>Welcome To Manchester University</h6>
<h3>Most Popular
<span>Education</span>
</h3>
<p>Create an all-encompassing website for your school with
ease.</p>

```

```

        </div>
    </div>
</div>
<div class="item item3">
    <div class="container">
        <div class="carousel-caption">
            <h6>Welcome To Manchester University</h6>
            <h3>We Can
                <span>Teach</span> You</h3>
            <p>Create an all-encompassing website for your school with
ease.</p>
        </div>
    </div>
</div>
<div class="item item4">
    <div class="container">
        <div class="carousel-caption">
            <h6>Welcome To Manchester University</h6>
            <h3>Most Popular
                <span>Education</span>
            </h3>
            <p>Create an all-encompassing website for your school with
ease.</p>
        </div>
    </div>
</div>
<a class="left carousel-control" href="#myCarousel" role="button" data-slide="prev">
    <span class="fa fa-chevron-left" aria-hidden="true"></span>
    <span class="sr-only">Previous</span>
</a>
<a class="right carousel-control" href="#myCarousel" role="button" data-slide="next">
    <span class="fa fa-chevron-right" aria-hidden="true"></span>
    <span class="sr-only">Next</span>
</a>
<!-- The Modal -->
</div>
<!--//banner -->
<!-- about -->
<div class="banner-bottom-w3l" id="about">
    <div class="container">
        <div class="title-div">
            <h3 class="tittle">
                <span>W</span>elcome
            </h3>
            <div class="tittle-style">

        </div>
    </div>
    <div class="welcome-sub-wthree">
        <div class="col-md-6 banner_bottom_left">
            <h4>About
                <span>Manchester University</span>
            </h4>

```

```

                <p>Lorem Ipsum convallis diam consequat magna vulputate
malesuada. Cras a ornare elit, Nulla viverra pharetra sem eget.</p>
                <p>Pellentesque convallis diam consequat magna vulputate
malesuada. Cras a ornare elit. Nulla viverra pharetra sem, eget
                pulvinar neque pharetra ac.Lorem Ipsum convallis diam
consequat magna vulputate malesuada. Cras a ornare elit. Nulla
                viverra pharetra sem.</p>
            </div>
            <!-- Stats-->
            <div class="col-md-6 stats-info-agile">
                <div class="col-xs-6 stats-grid stat-border">
                    <div class='numscroller numscroller-big-bottom' data-
sln0='1' data-min='0' data-max='768' data-delay='.5' data-increment="1">768</div>
                    <p>Faculties</p>
                </div>
                <div class="col-xs-6 stats-grid">
                    <div class='numscroller numscroller-big-bottom' data-
sln0='1' data-min='0' data-max='678' data-delay='.5' data-increment="1">678</div>
                    <p>Approved Courses</p>
                </div>
                <div class="clearfix"></div>
                <div class="child-stat">
                    <div class="col-xs-6 stats-grid stat-border border-st2">
                        <div class='numscroller numscroller-big-bottom'
data-sln0='1' data-min='0' data-max='800' data-delay='.5' data-increment="1">800</div>
                        <p>Certified Teachers</p>
                    </div>
                    <div class="col-xs-6 stats-grid">
                        <div class='numscroller numscroller-big-bottom'
data-sln0='1' data-min='0' data-max='485' data-delay='.5' data-increment="1">485</div>
                        <p>Happy Students</p>
                    </div>
                    <div class="clearfix"></div>
                </div>
            </div>
            <!-- //Stats -->
            <div class="clearfix"> </div>
        </div>
    </div>
</div>
<!-- //about -->

<!-- news -->
<div class="news" id="news">
    <div class="container">
        <div class="title-div">
            <h3 class="tittle">
                <span>O</span>ur
                <span>E</span>vents
            </h3>
            <div class="tittle-style">

            </div>
        </div>
    </div>
</div>
<div class="yaallahaa-news-grids-agile">

```



```

<div class="yaallahaa-news-grid">
  <div class="col-md-6 yaallahaa-news-left">
    <div class="col-xs-6 news-left-img">
      <div class="news-left-text color-event1">
        <h5>20 Dec</h5>
      </div>
    </div>
    <div class="col-xs-6 news-grid-info-bottom-w3ls">
      <div class="news-left-top-text text-color1">
        <a href="#" data-toggle="modal" data-
target="#myModal">Integer viverra eleifend neque</a>
      </div>
      <div class="date-grid">
        <div class="admin">
          <a href="#">
            <span class="fa fa-clock-o"
aria-hidden="true"></span> 7:00 pm - 9:00 pm</a>
          </div>
          <div class="time">
            <p>
              <span class="fa fa-map-
marker" aria-hidden="true"></span> New Delhi, India</p>
            </div>
          <div class="clearfix"> </div>
        </div>
        <div class="news-grid-info-bottom-w3ls-text">
          <p>Aliquam erat volutpat. Duis vulputate
tempus laoreet.</p>
        </div>
      </div>
      <div class="clearfix"> </div>
    </div>
    <div class="col-md-6 yaallahaa-news-left">
      <div class="col-xs-6 news-left-img news-left-img1">
        <div class="news-left-text color-event2">
          <h5>27 Dec</h5>
        </div>
      </div>
      <div class="col-xs-6 news-grid-info-bottom-w3ls">
        <div class="news-left-top-text text-color2">
          <a href="#" data-toggle="modal" data-
target="#myModal">Integer viverra eleifend neque</a>
        </div>
        <div class="date-grid">
          <div class="admin">
            <a href="#">
              <span class="fa fa-clock-o"
aria-hidden="true"></span> 6:00 am - 8:00 am</a>
            </div>
            <div class="time">
              <p>
                <span class="fa fa-map-
marker" aria-hidden="true"></span> New Delhi, India</p>
              </div>
            <div class="clearfix"> </div>
          </div>
        </div>
      </div>
    </div>
  </div>

```

```
</div>
<div class="news-grid-info-bottom-w3ls-text">
    <p>Aliquam erat volutpat. Duis vulputate
tempus laoreet.</p>
</div>
</div>
<div class="clearfix"></div>
</div>
<div class="clearfix"></div>
</div>
<div class="yaallahaa-news-grid">
    <div class="col-md-6 yaallahaa-news-left">
        <div class="col-xs-6 news-left-img news-left-img2">
            <div class="news-left-text color-event3">
                <h5>28 Dec</h5>
            </div>
        </div>
        <div class="col-xs-6 news-grid-info-bottom-w3ls">
            <div class="news-left-top-text text-color3">
                <a href="#" data-toggle="modal" data-
target="#myModal">Integer viverra eleifend neque</a>
            </div>
            <div class="date-grid">
                <div class="admin">
                    <a href="#">
                        <span class="fa fa-clock-o"
aria-hidden="true"></span> 10:00 am - 1:00 pm</a>
                </div>
                <div class="time">
                    <p>
                        <span class="fa fa-map-
marker" aria-hidden="true"></span> New Delhi, India</p>
                </div>
            </div>
        </div>
    </div>
    <div class="clearfix"></div>
</div>
<div class="news-grid-info-bottom-w3ls-text">
    <p>Aliquam erat volutpat. Duis vulputate
tempus laoreet.</p>
</div>
</div>
<div class="clearfix"></div>
</div>
<div class="col-md-6 yaallahaa-news-left">
    <div class="col-xs-6 news-left-img news-left-img3">
        <div class="news-left-text color-event4">
            <h5>30 Dec</h5>
        </div>
    </div>
    <div class="col-xs-6 news-grid-info-bottom-w3ls">
        <div class="news-left-top-text text-color4">
            <a href="#" data-toggle="modal" data-
target="#myModal">Integer viverra eleifend neque</a>
        </div>
        <div class="date-grid">
            <div class="admin">
```

```

<a href="#">
    <span class="fa fa-clock-o"
aria-hidden="true"></span> 7:00 pm - 9:00 pm</a>
    </div>
    <div class="time">
        <p>
            <span class="fa fa-map-
marker" aria-hidden="true"></span> New Delhi, India.</p>
        </div>
        <div class="clearfix"> </div>
    </div>
    <div class="news-grid-info-bottom-w3ls-text">
        <p>Aliquam erat volutpat. Duis vulputate
tempus laoreet.</p>
    </div>
</div>
<div class="clearfix"> </div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>
<!-- modal -->
<div class="modal about-modal fade" id="myModal" tabindex="-1" role="dialog">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
                    <span aria-hidden="true">&times;</span>
                </button>
                <h4 class="modal-title">Best
                    <span>Study</span>
                </h4>
            </div>
            <div class="modal-body">
                <div class="model-img-info">
                    
                    <p>Duis venenatis, turpis eu bibendum porttitor, sapien
quam ultricies tellus, ac rhoncus risus odio eget nunc. Pellentesque
                    ac fermentum diam. Integer eu facilisis nunc, a
iaculis felis. Pellentesque pellentesque tempor enim, in dapibus turpis
                    porttitor quis. Suspendisse ultrices hendrerit massa.
Nam id metus id tellus ultrices ullamcorper. Cras tempor massa
                    luctus, varius lacus sit amet, blandit lorem. Duis
auctor in tortor sed tristique. Proin sed finibus sem</p>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- //modal -->
<!-- //news -->

```



```

<!-- footer -->
<div class="mkl_footer">
    <div class="sub-footer">
        <div class="container">
            <div class="mkls_footer_grid">
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Location:</h4>
                    <p>12345, Location,
                        <br> New Delhi, India</p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Mail Us:</h4>
                    <p>
                        <span>Phone : </span>+91 987 654 3210</p>
                    <p>
                        <span>Email : </span>
                        <a
href="mailto:mail@mail.com">mail@mail.com</a>
                    </p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Opening Hours:</h4>
                    <p>Working days : 8am-10pm</p>
                    <p>Sunday
                        <span>(closed)</span>
                    </p>
                </div>
            <div class="clearfix"> </div>
        </div>
        <div class="botttom-nav-allah">
            <ul>
                <li>
                    <a href="index.php">Home</a>
                </li>
                <li>
                    <a href="about.php">About Us</a>
                </li>
                <li>
                    <a href="courses.php">Courses</a>
                </li>
                <li>
                    <a href="join.php">Join Us</a>
                </li>
                <li>
                    <a href="contact.php">Contact Us</a>
                </li>
            </ul>
        </div>
        <!-- footer-button-info -->
        <div class="footer-middle-thanks">
            <h2>Manchester University Welcomes You</h2>
        </div>
        <!-- footer-button-info -->
    </div>
</div>

```

by

-->

```
<div class="footer-copy-right">
  <div class="container">
    <div class="allah-copy">
      <p>© 2018 Manchester University. All rights reserved <!-- | Design
by
-->
      <a href="http://kshitijtomar.github.io">Kshitij Tomar</a>
      </p>
    </div>
    <div class="footercopy-social">
      <ul>
        <li>
          <a href="#">
            <span class="fa fa-facebook"></span>
          </a>
        </li>
        <li>
          <a href="#">
            <span class="fa fa-twitter"></span>
          </a>
        </li>
        <li>
          <a href="#">
            <span class="fa fa-rss"></span>
          </a>
        </li>
        <li>
          <a href="#">
            <span class="fa fa-vk"></span>
          </a>
        </li>
      </ul>
    </div>
    <div class="clearfix"></div>
  </div>
</div>
<!--/footer -->

<!-- js files -->
<!-- js -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- bootstrap -->
<script src="js/bootstrap.js"></script>
<!-- stats numscroller-js-file -->
<script src="js/numscroller-1.0.js"></script>
<!-- //stats numscroller-js-file -->

<!-- Flexslider-js for-testimonials -->
<script>
  $(window).load(function () {
    $("#flexiselDemo1").flexisel({
      visibleItems: 1,
      animationSpeed: 1000,
      autoPlay: true,
      autoPlaySpeed: 3000,
```

```

        pauseOnHover: true,
        enableResponsiveBreakpoints: true,
        responsiveBreakpoints: {
            portrait: {
                changePoint: 480,
                visibleItems: 1
            },
            landscape: {
                changePoint: 640,
                visibleItems: 1
            },
            tablet: {
                changePoint: 768,
                visibleItems: 1
            }
        }
    });

});

</script>
<script src="js/jquery.flexisel.js"></script>
<!-- //Flexslider-js for-testimonials -->
<!-- smooth scrolling -->
<script src="js/SmoothScroll.min.js"></script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<!-- here stars scrolling icon -->
<script>
    $(document).ready(function () {
        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UtoTop({
            easingType: 'easeOutQuart'
        });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- smooth scrolling -->
<!-- //js-files -->

</body>

</html>

```

## 2. about.php

```
<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Manchester | About Us </title>
    <!-- meta-tags -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Soft Responsive web template, Bootstrap Web Templates, Flat
Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />
    <script>
        addEventListener("load", function () {
            setTimeout(hideURLbar, 0);
        }, false);

        function hideURLbar() {
            window.scrollTo(0, 1);
        }
    </script>
    <!-- //meta-tags -->
    <link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
    <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
    <!-- font-awesome -->
    <link href="css/font-awesome.css" rel="stylesheet">
    <!-- fonts -->
    <link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,500,500i,600,600i,70
0,700i,800,800i,900,900i"
rel="stylesheet">
    <link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i"
rel="stylesheet">
</head>

<body>
    <!-- header -->
    <div class="header-top">
        <div class="container">
            <div class="bottom_header_left">
                <p>
                    <span class="fa fa-map-marker" aria-hidden="true"></span>New
Delhi, India
                </p>
            </div>
            <div class="bottom_header_right">
                <div class="header-top-right">
                    <div class="dropdown">
                        <?php
                            if ( empty($_COOKIE["logged_in"]) or (
$_COOKIE["logged_in"]=="0") ){
```

```

hidden="true"></span>Login</a>';

class="fa fa-user" aria-hidden="true" style="padding-right:7px;"></span>' . $_COOKIE["user_name"] . '</a>';
echo '<div class="dropdown-content">';
echo '<a href="signin_action.php" style="color:#000;">Sign

out</a>';

// echo '<a href="#" style="color:#000;">Link 2</a>';
// echo '<a href="#" style="color:#000;">Link 3</a>';
echo '</div>';
}
?>

</div>
</div>
<div class="clearfix"> </div>
</div>
<div class="clearfix"> </div>
</div>
<div class="header">
<div class="content white">
<nav class="navbar navbar-default">
<div class="container">
<div class="navbar-header">
<button type="button" class="navbar-toggle" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<a class="navbar-brand" href="index.php">
<h1>
<span class="fa fa-university" aria-
hidden="true"></span>Manchester
<label>University</label>
</h1>
</a>
</div>
<!--/.navbar-header-->
<div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
<nav class="link-effect-2" id="link-effect-2">
<ul class="nav navbar-nav">
<li>
<a href="index.php" class="effect-
3">Home</a>
</li>
<li class="active">
<a href="about.php" class="effect-
3">About Us</a>
</li>
<li>

```

```

3">Courses</a>
</li>
<li>
3">Join Us</a>
</li>
<li>
3">Gallery</a>
</li>
<li>
3">Contact Us</a>
</li>
</ul>
</nav>
</div>
<!--/.navbar-collapse-->
<!--/.navbar-->
</div>
</nav>
</div>
<!-- banner -->
<div class="inner_page_agile">
</div>
<!--//banner -->
<!-- short -->
<div class="services-breadcrumb">
<div class="inner_breadcrumb">
<ul class="short_ls">
<li>
<a href="index.php">Home</a>
<span>| </span>
</li>
<li>About Us</li>
</ul>
</div>
</div>
<!-- //short-->
<!-- about -->
<div class="about-sec" id="about">
<div class="container">
<div class="title-div">
<h3 class="tittle">
<span>A</span>bout
<span>U</span>s
</h3>
<div class="tittle-style">
</div>
</div>
<div class="about-sub">

```



```

        <div class="col-md-6 about_bottom_left">
            <h4>Welcome to
                <span>Manchester University</span>
            </h4>
            <p>Lorem Ipsum convallis diam consequat magna vulputate
malesuada. Cras a ornare elit, Nulla viverra pharetra sem eget.</p>
            <p>Pellentesque convallis diam consequat magna vulputate
malesuada. Cras a ornare elit. Nulla viverra pharetra sem, eget
                pulvinar neque pharetra ac.Lorem Ipsum convallis diam
consequat magna vulputate malesuada. Cras a ornare elit. Nulla
                viverra pharetra sem.</p>
            <a class="button-style" href="join.php">Join Now</a>
        </div>
        <!-- Stats-->
        <div class="col-md-6 about2-info">
            
        </div>
        <!-- //Stats -->
        <div class="clearfix"> </div>
    </div>
</div>
<!-- //about -->
<!-- Achievements -->
<div class="aitsresumethree">
    <div class="container">
        <div class="title-div">
            <h3 class="tittle">
                <span>O</span>ur
                <span>A</span>chievements
            </h3>
            <div class="tittle-style">

        </div>
        </div>
        <div class="load_more">
            <ul id="myList">
                <li class="aitsaitsresumewthreeli-1">
                    <div class="l_g">
                        <div class="l_g_r g_r">
                            <div class="work">
                                <div class="work-info">
                                    <div class="col-xs-6 work-
grid work-left">
                                        <h4>2000-
2017</h4>
                                    </div>
                                <div class="col-xs-6 work-
grid work-right">
                                    <h5>Ranked Top
1st</h5>
                                    <p>Sed ut
perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem
aperiam,

```

```

    quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo </p>
    </div>
    <div class="clearfix"> </div>
  </div>
  <div class="work-info">
    <div class="col-xs-6 work-
grid work-right work-right2">
      <h4>2011 -
2012</h4>
    </div>
    <div class="col-xs-6 work-
grid work-left work-left2">
      <h5>Queen's
Anniversary Prize</h5>
      <p>Sed ut
perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem
aperiam,
      </p>
      quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo </p>
      </div>
      <div class="clearfix"> </div>
    </div>
    <div class="work-info">
      <div class="col-xs-6 work-
grid work-left">
        <h4>2004 -
2017</h4>
      </div>
      <div class="col-xs-6 work-
grid work-right">
        <h5
class="comp">Excellent University Guide</h5>
        <p>Sed ut
perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem
aperiam,
        </p>
        quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo </p>
        </div>
        <div class="clearfix"> </div>
      </div>
    </div>
  </div>
  <div class="team">
    <div class="container">
      <div class="title-div">
        <h3 class="tittle">

```

```

        <span>O</span>ur
        <span>F</span>aculties
    </h3>
    <div class="tittle-style">

    </div>
</div>
<div class="team-row-agileinfo">
    <div class="col-md-3 col-sm-6 col-xs-6 team-grids">
        <div class="thumbnail team-agileits">
            
            <div class="effectd-caption">
                <h4>Vaura Tegsner</h4>
                <p>Principal</p>
                <div class="social-lsicon">
                    <a href="#" class="social-button twitter">
                        <span class="fa fa-twitter"></span>
                    </a>
                    <a href="#" class="social-button facebook">
                        <span class="fa fa-
facebook"></span>

                    </a>
                    <a href="#" class="social-button google">
                        <span class="fa fa-google-
plus"></span>

                    </a>
                </div>
            </div>
        </div>
    </div>
    <div class="col-md-3 col-sm-6 col-xs-6 team-grids">
        <div class="thumbnail team-agileits">
            
            <div class="effectd-caption">
                <h4>Jark Kohnson</h4>
                <p>Senior Teacher</p>
                <div class="social-lsicon">
                    <a href="#" class="social-button twitter">
                        <span class="fa fa-twitter"></span>
                    </a>
                    <a href="#" class="social-button facebook">
                        <span class="fa fa-
facebook"></span>

                    </a>
                    <a href="#" class="social-button google">
                        <span class="fa fa-google-
plus"></span>

                    </a>
                </div>
            </div>
        </div>
    </div>
    <div class="col-md-3 col-sm-6 col-xs-6 team-grids">
        <div class="thumbnail team-agileits">
            

```

```

        <div class="effectd-caption">
            <h4>Chunk Erson</h4>
            <p>Vice Principal</p>
            <div class="social-Isicon">
                <a href="#" class="social-button twitter">
                    <span class="fa fa-twitter"></span>
                </a>
                <a href="#" class="social-button facebook">
                    <span class="fa fa-
facebook"></span>
                </a>
                <a href="#" class="social-button google">
                    <span class="fa fa-google-
plus"></span>
                </a>
            </div>
        </div>
    </div>
</div>
<div class="col-md-3 col-sm-6 col-xs-6 team-grids">
    <div class="thumbnail team-agileits">
        
        <div class="effectd-caption">
            <h4>Goes Mehak</h4>
            <p>Teacher Science</p>
            <div class="social-Isicon">
                <a href="#" class="social-button twitter">
                    <span class="fa fa-twitter"></span>
                </a>
                <a href="#" class="social-button facebook">
                    <span class="fa fa-
facebook"></span>
                </a>
                <a href="#" class="social-button google">
                    <span class="fa fa-google-
plus"></span>
                </a>
            </div>
        </div>
    </div>
</div>
<div class="clearfix"></div>
</div>
</div>
<!-- //about-team -->

<!-- footer -->
<div class="mkl_footer">
    <div class="sub-footer">
        <div class="container">
            <div class="mkls_footer_grid">
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Location:</h4>
                    <p>12345, Location,

```

```

                <br> New Delhi, India</p>
            </div>
            <div class="col-xs-4 mkls_footer_grid_left">
                <h4>Mail Us:</h4>
                <p>
                    <span>Phone : </span>+91 987 654 3210</p>
                <p>
                    <span>Email : </span>
                    <a
href="mailto:mail@mail.com">mail@mail.com</a>
                </p>
            </div>
            <div class="col-xs-4 mkls_footer_grid_left">
                <h4>Opening Hours:</h4>
                <p>Working days : 8am-10pm</p>
                <p>Sunday
                    <span>(closed)</span>
                </p>
            </div>
            <div class="clearfix"></div>
        </div>
        <div class="botttom-nav-allah">
            <ul>
                <li>
                    <a href="index.php">Home</a>
                </li>
                <li>
                    <a href="about.php">About Us</a>
                </li>
                <li>
                    <a href="courses.php">Courses</a>
                </li>
                <li>
                    <a href="join.php">Join Us</a>
                </li>
                <li>
                    <a href="contact.php">Contact Us</a>
                </li>
            </ul>
        </div>
        <!-- footer-button-info -->
        <div class="footer-middle-thanks">
            <h2>Manchester University Welcomes You</h2>
        </div>
        <!-- footer-button-info -->
    </div>
</div>
<div class="footer-copy-right">
    <div class="container">
        <div class="allah-copy">
            <p>© 2018 Manchester University. All rights reserved <!--| Design
by
            <a href="http://kshitijtomar.github.io">Kshitij Tomar</a> -->
        </p>
        </div>
    </div>

```

```

        <div class="footercopy-social">
            <ul>
                <li>
                    <a href="#">
                        <span class="fa fa-facebook"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-twitter"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-rss"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-vk"></span>
                    </a>
                </li>
            </ul>
        </div>
        <div class="clearfix"></div>
    </div>
</div>
<!--/footer -->

<!-- js files -->
<!-- js -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- bootstrap -->
<script src="js/bootstrap.js"></script>
<!-- stats numscroller-js-file -->
<script src="js/numscroller-1.0.js"></script>
<!-- //stats numscroller-js-file -->
<!-- smooth scrolling -->
<script src="js/SmoothScroll.min.js"></script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<!-- here stars scrolling icon -->
<script>
    $(document).ready(function () {
        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UItoTop({

```



```

        easingType: 'easeOutQuart'
    });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- smooth scrolling -->
<!-- //js-files -->

</body>

</html>

```

### 3. courses.php

```

<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Manchester | Courses</title>
    <!-- meta-tags -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Soft Responsive web template, Bootstrap Web Templates, Flat
Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />
    <script>
        addEventListener("load", function () {
            setTimeout(hideURLbar, 0);
        }, false);

        function hideURLbar() {
            window.scrollTo(0, 1);
        }
    </script>
    <!-- //meta-tags -->
    <link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
    <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
    <!-- font-awesome -->
    <link href="css/font-awesome.css" rel="stylesheet">
    <!-- fonts -->
    <link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,500,500i,600,600i,70
0,700i,800,800i,900,900i"
        rel="stylesheet">
    <link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i"
        rel="stylesheet">
</head>

<body>
    <!-- header -->
    <div class="header-top">
        <div class="container">

```

```

        <div class="bottom_header_left">
            <p>
                <span class="fa fa-map-marker" aria-hidden="true"></span>New
Delhi, India
            </p>
        </div>
        <div class="bottom_header_right">
            <div class="header-top-right">
                <div class="dropdown">
                    <?php
                        if ( empty($_COOKIE["logged_in"]) or (
$_COOKIE["logged_in"]=="0" ) ){
                            echo '<a href="login.php"><span class="fa fa-sign-out" aria-
hidden="true"></span>Login</a>';
                        } else{
                            echo '<a class="nav-link js-scroll-trigger" href=""><span
class="fa fa-user" aria-hidden="true" style="padding-right:7px;"></span> . $_COOKIE["user_name"] .</a>';
                            echo '<div class="dropdown-content">';
                            echo '<a href="signout_action.php" style="color:#000;">Sign
out</a>';

                            // echo '<a href="#" style="color:#000;">Link 2</a>';
                            // echo '<a href="#" style="color:#000;">Link 3</a>';
                            echo '</div>';
                        }
                    <?>
                </div>
            </div>
            <div class="clearfix"> </div>
        </div>
        <div class="clearfix"> </div>
    </div>
    <div class="header">
        <div class="content white">
            <nav class="navbar navbar-default">
                <div class="container">
                    <div class="navbar-header">
                        <button type="button" class="navbar-toggle" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                            <span class="sr-only">Toggle navigation</span>
                            <span class="icon-bar"></span>
                            <span class="icon-bar"></span>
                            <span class="icon-bar"></span>
                        </button>
                        <a class="navbar-brand" href="index.php">
                            <h1>
                                <span class="fa fa-university" aria-
hidden="true"></span>Manchester
                                <label>University</label>
                            </h1>
                        </a>
                    </div>
                </div>
            <!--/.navbar-header-->
            <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">

```

```

<nav class="link-effect-2" id="link-effect-2">
  <ul class="nav navbar-nav">
    <li>
      <a href="index.php" class="effect-
3">Home</a>
    </li>
    <li>
      <a href="about.php" class="effect-
3">About Us</a>
    </li>
    <li class="active">
      <a href="courses.php" class="effect-
3">Courses</a>
    </li>
    <li>
      <a href="join.php" class="effect-
3">Join Us</a>
    </li>
    <li> -->
    <li>
      <a href="gallery.php" class="effect-
3">Gallery</a>
    </li>
    <li>
      <a href="contact.php" class="effect-
3">Contact Us</a>
    </li>
  </ul>
</nav>
</div>
<!--/.navbar-collapse-->
<!--/.navbar-->
</div>
</nav>
</div>
<!-- banner -->
<div class="inner_page_agile">
  </div>
<!--//banner -->
<!-- short-->
<div class="services-breadcrumb">
  <div class="inner_breadcrumb">
    <ul class="short_ls">
      <li>
        <a href="index.php">Home</a>
        <span>| </span>
      </li>
      <li>Courses</li>
    </ul>
  </div>
</div>
<!-- //short-->
<!-- blog -->

```

```

<div class="blog-course">
  <div class="container">
    <div class="title-div">
      <h3 class="tittle">
        <span>P</span>opular
        <span>C</span>ourses
      </h3>
      <div class="tittle-style">

    </div>
  </div>
  <div class="blog-info">
    <div class="col-xs-4 blog-grid-img">
      
    </div>
    <div class="col-xs-8 blog-grid-text">
      <h4>Web Technology</h4>
      <h6>Rerum Delectus</h6>
      <p>Sed interdum interdum accumsan. Aenean nec purus ac orci
finibus facilisis. In sit amet placerat nisl, in auctor sapien.
        Donec ultricies faucibus ante in mattis earum rerum delectus
in auctor sapien. </p>
      <a class="button-style" href="join.php">Apply Now</a>
    </div>
    <div class="clearfix"></div>
  </div>
  <div class="blog-agileinfo blog-info-mdl">
    <div class="col-xs-8 blog-grid-text">
      <h4>Academic English</h4>
      <h6>Rerum Delectus</h6>
      <p>Sed interdum interdum accumsan. Aenean nec purus ac orci
finibus facilisis. In sit amet placerat nisl, in auctor sapien.
        Donec ultricies faucibus ante in mattis earum rerum hic a
sapiente delectus. </p>
      <a class="button-style" href="join.php">Apply Now</a>
    </div>
    <div class="col-xs-4 blog-grid-img blog-img-rght">
      
    </div>
    <div class="clearfix"></div>
  </div>
  <div class="blog-info">
    <div class="col-xs-4 blog-grid-img">
      
    </div>
    <div class="col-xs-8 blog-grid-text">
      <h4>HR Management</h4>
      <h6>Rerum Delectus</h6>
      <p>Sed interdum interdum accumsan. Aenean nec purus ac orci
finibus facilisis. In sit amet placerat nisl, in auctor sapien.
        Donec ultricies faucibus ante rerum hic a sapiente delectus in
auctor sapien. </p>
      <a class="button-style" href="join.php">Apply Now</a>
    </div>
    <div class="clearfix"></div>
  </div>

```

```

        </div>
        <div class="blog-agileinfo blog-info-mdl">
            <div class="col-xs-8 blog-grid-text">
                <h4>Process Engineering</h4>
                <h6>Rerum Delectus</h6>
                <p>Sed interdum interdum accumsan. Aenean nec purus ac orci
finibus facilisis. In sit amet placerat nisl, in auctor sapien.
                Donec ultricies faucibus ante in mattis earum rerum hic a
sapiente delectus. </p>
                <a class="button-style" href="join.php">Apply Now</a>
            </div>
            <div class="col-xs-4 blog-grid-img blog-img-right">
                
            </div>
            <div class="clearfix"></div>
        </div>
    </div>
</div>
<!-- //blog -->

<!-- footer -->
<div class="mkl_footer">
    <div class="sub-footer">
        <div class="container">
            <div class="mkls_footer_grid">
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Location:</h4>
                    <p>12345, Location,
                        <br> New Delhi, India</p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Mail Us:</h4>
                    <p>
                        <span>Phone : </span>+91 987 654 3210</p>
                    <p>
                        <span>Email : </span>
                        <a
href="mailto:mail@mail.com">mail@mail.com</a>
                    </p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Opening Hours:</h4>
                    <p>Working days : 8am-10pm</p>
                    <p>Sunday
                        <span>(closed)</span>
                    </p>
                </div>
            </div>
            <div class="clearfix"></div>
        </div>
        <div class="bottom-nav-allah">
            <ul>
                <li>
                    <a href="index.php">Home</a>
                </li>
                <li>

```

```

                <a href="about.php">About Us</a>
            </li>
            <li>
                <a href="courses.php">Courses</a>
            </li>
            <li>
                <a href="join.php">Join Us</a>
            </li>
            <li>
                <a href="contact.php">Contact Us</a>
            </li>
        </ul>
    </div>
    <!-- footer-button-info -->
    <div class="footer-middle-thanks">
        <h2>Manchester University Welcomes You</h2>
    </div>
    <!-- footer-button-info -->
</div>
</div>
<div class="footer-copy-right">
    <div class="container">
        <div class="allah-copy">
            <p>© 2018 Manchester University. All rights reserved
            </p>
        </div>
        <div class="footercopy-social">
            <ul>
                <li>
                    <a href="#">
                        <span class="fa fa-facebook"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-twitter"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-rss"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-vk"></span>
                    </a>
                </li>
            </ul>
        </div>
    </div>
    <div class="clearfix"></div>
</div>
</div>
</div>
<!--/footer -->

```



```

<!-- js files -->
<!-- js -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- bootstrap -->
<script src="js/bootstrap.js"></script>
<!-- stats numscroller-js-file -->
<script src="js/numscroller-1.0.js"></script>
<!-- //stats numscroller-js-file -->
<!-- smooth scrolling -->
<script src="js/SmoothScroll.min.js"></script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<!-- here stars scrolling icon -->
<script>
    $(document).ready(function () {
        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UItoTop({
            easingType: 'easeOutQuart'
        });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- smooth scrolling -->
<!-- //js-files -->

</body>

</html>

```

#### 4. join.php

```

<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Manchester | Courses</title>
    <!-- meta-tags -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Soft Responsive web template, Bootstrap Web Templates, Flat
Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />

```

```

<script>
    addEventListener("load", function () {
        setTimeout(hideURLbar, 0);
    }, false);

    function hideURLbar() {
        window.scrollTo(0, 1);
    }
</script>
<!-- //meta-tags -->
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- font-awesome -->
<link href="css/font-awesome.css" rel="stylesheet">
<!-- fonts -->
<link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,500,500i,600,600i,70
0,700i,800,800i,900,900i"
rel="stylesheet">
<link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i"
rel="stylesheet">
</head>

<body>
    <!-- header -->
    <div class="header-top">
        <div class="container">
            <div class="bottom_header_left">
                <p>
                    <span class="fa fa-map-marker" aria-hidden="true"></span>New
Delhi, India
                </p>
            </div>
            <div class="bottom_header_right">
                <div class="header-top-right">
                    <div class="dropdown">
                        <?php
                            if ( empty($_COOKIE["logged_in"]) or (
$_COOKIE["logged_in"]=="0") ){
                                echo '<a href="login.php"><span class="fa fa-sign-out" aria-
hidden="true"></span>Login</a>';
                            } else{
                                echo '<a class="nav-link js-scroll-trigger" href=""><span
class="fa fa-user" aria-hidden="true" style="padding-right:7px;"></span> . $_COOKIE["user_name"] .</a>';
                                echo '<div class="dropdown-content">';
                                echo '<a href="signout_action.php" style="color:#000;">Sign
out</a>';

                                // echo '<a href="#" style="color:#000;">Link 2</a>';
                                // echo '<a href="#" style="color:#000;">Link 3</a>';
                                echo '</div>';
                            }
                        ?>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="clearfix"> </div>
    </div>
    <div class="clearfix"> </div>
</div>
<div class="header">
    <div class="content white">
        <nav class="navbar navbar-default">
            <div class="container">
                <div class="navbar-header">
                    <button type="button" class="navbar-toggle" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                        <span class="sr-only">Toggle navigation</span>
                        <span class="icon-bar"></span>
                        <span class="icon-bar"></span>
                        <span class="icon-bar"></span>
                    </button>
                    <a class="navbar-brand" href="index.php">
                        <h1>
                            <span class="fa fa-university" aria-
hidden="true"></span>Manchester
                                <label>University</label>
                            </h1>
                        </a>
                    </div>
                    <!--/.navbar-header-->
                    <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                        <nav class="link-effect-2" id="link-effect-2">
                            <ul class="nav navbar-nav">
                                <li>
                                    <a href="index.php" class="effect-
3">Home</a>
                                </li>
                                <li>
                                    <a href="about.php" class="effect-
3">About Us</a>
                                </li>
                                <li class="active">
                                    <a href="courses.php" class="effect-
3">Courses</a>
                                </li>
                                <li>
                                    <a href="join.php" class="effect-
3">Join Us</a>
                                </li>
                                <li -->
                                    <a href="gallery.php" class="effect-
3">Gallery</a>
                                </li>
                                <li>
                                    <a href="contact.php" class="effect-
3">Contact Us</a>
                                </li>
                            </ul>
                        </nav>
                    </div>
                </div>
            </div>
        </nav>
    </div>
</div>

```

```

        </ul>
    </nav>
</div>
<!--/.navbar-collapse-->
<!--/.navbar-->
</div>
</nav>
</div>
</div>
<!-- banner -->
<div class="inner_page_agile">

</div>
<!--//banner -->
<!-- short-->
<div class="services-breadcrumb">
    <div class="inner_breadcrumb">
        <ul class="short_ls">
            <li>
                <a href="index.php">Home</a>
                <span>| </span>
            </li>
            <li>Courses</li>
        </ul>
    </div>
</div>
<!-- //short-->
<!-- blog -->
<div class="blog-cource">
    <div class="container">
        <div class="title-div">
            <h3 class="tittle">
                <span>P</span>opular
                <span>C</span>ourses
            </h3>
            <div class="tittle-style">

        </div>
    </div>
    <div class="blog-info">
        <div class="col-xs-4 blog-grid-img">
            
        </div>
        <div class="col-xs-8 blog-grid-text">
            <h4>Web Technology</h4>
            <h6>Rerum Delectus</h6>
            <p>Sed interdum interdum accumsan. Aenean nec purus ac orci
finibus facilisis. In sit amet placerat nisl, in auctor sapien.
Donec ultricies faucibus ante in mattis earum rerum delectus
in auctor sapien. </p>
                <a class="button-style" href="join.php">Apply Now</a>
            </div>
            <div class="clearfix"> </div>
        </div>
    <div class="blog-agileinfo blog-info-mdl">

```

```

        <div class="col-xs-8 blog-grid-text">
            <h4>Academic English</h4>
            <h6>Rerum Delectus</h6>
            <p>Sed interdum interdum accumsan. Aenean nec purus ac orci
finibus facilisis. In sit amet placerat nisl, in auctor sapien.
                Donec ultricies faucibus ante in mattis earum rerum hic a
sapiente delectus. </p>
                <a class="button-style" href="join.php">Apply Now</a>
            </div>
            <div class="col-xs-4 blog-grid-img blog-img-right">
                
            </div>
            <div class="clearfix"> </div>
        </div>
        <div class="blog-info">
            <div class="col-xs-4 blog-grid-img">
                
            </div>
            <div class="col-xs-8 blog-grid-text">
                <h4>HR Management</h4>
                <h6>Rerum Delectus</h6>
                <p>Sed interdum interdum accumsan. Aenean nec purus ac orci
finibus facilisis. In sit amet placerat nisl, in auctor sapien.
                    Donec ultricies faucibus ante rerum hic a sapiente delectus in
auctor sapien. </p>
                    <a class="button-style" href="join.php">Apply Now</a>
                </div>
            <div class="clearfix"> </div>
        </div>
        <div class="blog-agileinfo blog-info-mdl">
            <div class="col-xs-8 blog-grid-text">
                <h4>Process Engineering</h4>
                <h6>Rerum Delectus</h6>
                <p>Sed interdum interdum accumsan. Aenean nec purus ac orci
finibus facilisis. In sit amet placerat nisl, in auctor sapien.
                    Donec ultricies faucibus ante in mattis earum rerum hic a
sapiente delectus. </p>
                    <a class="button-style" href="join.php">Apply Now</a>
                </div>
            <div class="col-xs-4 blog-grid-img blog-img-right">
                
            </div>
            <div class="clearfix"> </div>
        </div>
    </div>
</div>
<!-- //blog -->

<!-- footer -->
<div class="mkl_footer">
    <div class="sub-footer">
        <div class="container">
            <div class="mkls_footer_grid">
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Location:</h4>

```

```

                <p>12345, Location,
                    <br> New Delhi, India</p>
            </div>
            <div class="col-xs-4 mkls_footer_grid_left">
                <h4>Mail Us:</h4>
                <p>
                    <span>Phone : </span>+91 987 654 3210</p>
                <p>
                    <span>Email : </span>
                    <a
href="mailto:mail@mail.com">mail@mail.com</a>
                </p>
            </div>
            <div class="col-xs-4 mkls_footer_grid_left">
                <h4>Opening Hours:</h4>
                <p>Working days : 8am-10pm</p>
                <p>Sunday
                    <span>(closed)</span>
                </p>
            </div>
            <div class="clearfix"></div>
        </div>
        <div class="botttom-nav-allah">
            <ul>
                <li>
                    <a href="index.php">Home</a>
                </li>
                <li>
                    <a href="about.php">About Us</a>
                </li>
                <li>
                    <a href="courses.php">Courses</a>
                </li>
                <li>
                    <a href="join.php">Join Us</a>
                </li>
                <li>
                    <a href="contact.php">Contact Us</a>
                </li>
            </ul>
        </div>
        <!-- footer-button-info -->
        <div class="footer-middle-thanks">
            <h2>Manchester University Welcomes You</h2>
        </div>
        <!-- footer-button-info -->
    </div>
</div>
<div class="footer-copy-right">
    <div class="container">
        <div class="allah-copy">
            <p>© 2018 Manchester University. All rights reserved
            </p>
        </div>
    </div>
    <div class="footercopy-social">

```



```

        <ul>
            <li>
                <a href="#">
                    <span class="fa fa-facebook"></span>
                </a>
            </li>
            <li>
                <a href="#">
                    <span class="fa fa-twitter"></span>
                </a>
            </li>
            <li>
                <a href="#">
                    <span class="fa fa-rss"></span>
                </a>
            </li>
            <li>
                <a href="#">
                    <span class="fa fa-vk"></span>
                </a>
            </li>
        </ul>
    </div>
<div class="clearfix"></div>
</div>
</div>
<!--/footer -->

<!-- js files -->
<!-- js -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- bootstrap -->
<script src="js/bootstrap.js"></script>
<!-- stats numscroller-js-file -->
<script src="js/numscroller-1.0.js"></script>
<!-- //stats numscroller-js-file -->
<!-- smooth scrolling -->
<script src="js/SmoothScroll.min.js"></script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<!-- here stars scrolling icon -->
<script>
    $(document).ready(function () {
        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UtoTop({
            easingType: 'easeOutQuart'

```

```

        });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- smooth scrolling -->
<!-- //js-files -->

</body>

</html>

```

## 5. admission\_action.php

```

<?php
$to = "authority@college.com";
$subject = "Admission_student_" . $_POST["Your_name"];
$msg = "New admission application <br><br>";
$msg = $msg . "Your name = " . $_POST["Your_name"] . "<br>";
$msg = $msg . "Birth date = " . $_POST["bday"] . "<br>";
$msg = $msg . "Your email = " . $_POST["Email"] . "<br>";
$msg = $msg . "Your phone = " . $_POST["Phone"] . "<br>";
$msg = $msg . "Your address = " . $_POST["address"] . "<br>";
$msg = $msg . "Your Line = " . $_POST["Line"] . "<br>";
$msg = $msg . "Your City = " . $_POST["City"] . "<br>";
$msg = $msg . "Your Zip Code = " . $_POST["Zip_Code"] . "<br>";
$headers = "From: college_website_project@college_website.com" . "\r\n" .
"CC: othermail@mail.com";

mail($to,$subject,$msg,$headers);
?>

```

## 6. gallery.php

```

<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Manchester | Gallery </title>
    <!-- meta-tags -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Soft Responsive web template, Bootstrap Web Templates, Flat
Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />
    <script>
        addEventListener("load", function () {
            setTimeout(hideURLbar, 0);
        }, false);

        function hideURLbar() {
            window.scrollTo(0, 1);

```

```

    }
</script>
<!-- //meta-tags -->
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- font-awesome -->
<link href="css/font-awesome.css" rel="stylesheet">
<!-- fonts -->
<link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,500,500i,600,600i,70
0,700i,800,800i,900,900i"
rel="stylesheet">
<link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i"
rel="stylesheet">
</head>

<body>
    <!-- header -->
    <div class="header-top">
        <div class="container">
            <div class="bottom_header_left">
                <p>
                    <span class="fa fa-map-marker" aria-hidden="true"></span>New
Delhi, India
                </p>
            </div>
            <div class="bottom_header_right">
                <div class="header-top-right">
                    <div class="dropdown">
                        <?php
                            if ( empty($_COOKIE["logged_in"]) or (
$_COOKIE["logged_in"]=="0") ){
                                echo '<a href="login.php"><span class="fa fa-sign-out" aria-
hidden="true"></span>Login</a>';
                            } else{
                                echo '<a class="nav-link js-scroll-trigger" href=""><span
class="fa fa-user" aria-hidden="true" style="padding-right:7px;"></span>'. $_COOKIE["user_name"] .</a>';
                                echo '<div class="dropdown-content">';
                                echo '<a href="signout_action.php" style="color:#000;">Sign
out</a>';

                                // echo '<a href="#" style="color:#000;">Link 2</a>';
                                // echo '<a href="#" style="color:#000;">Link 3</a>';
                                echo '</div>';
                            }
                        ?>
                    </div>
                </div>
            <div class="clearfix"> </div>
        </div>
    <div class="clearfix"> </div>
    </div>
</div>
<div class="header">
    <div class="content white">

```

```

        <nav class="navbar navbar-default">
            <div class="container">
                <div class="navbar-header">
                    <button type="button" class="navbar-toggle" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                        <span class="sr-only">Toggle navigation</span>
                        <span class="icon-bar"></span>
                        <span class="icon-bar"></span>
                        <span class="icon-bar"></span>
                    </button>
                    <a class="navbar-brand" href="index.php">
                        <h1>
                            <span class="fa fa-university" aria-
hidden="true"></span>Manchester
                            <label>University</label>
                        </h1>
                    </a>
                </div>
                <!--/.navbar-header-->
                <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                    <nav class="link-effect-2" id="link-effect-2">
                        <ul class="nav navbar-nav">
                            <li>
                                <a href="index.php" class="effect-
3">Home</a>
                            </li>
                            <li>
                                <a href="about.php" class="effect-
3">About Us</a>
                            </li>
                            <li>
                                <a href="courses.php" class="effect-
3">Courses</a>
                            </li>
                            <li>
                                <a href="join.php" class="effect-
3">Join Us</a>
                            </li>
                            <li class="active">
                                <a href="gallery.php" class="effect-
3">Gallery</a>
                            </li>
                            <li>
                                <a href="contact.html" class="effect-
3">Contact Us</a>
                            </li>
                        </ul>
                    </nav>
                </div>
                <!--/.navbar-collapse-->
            <!--/.navbar-->
        </div>
    </nav>
</div>

```

```

</div>
<!-- banner -->
<div class="inner_page_agile">

</div>
<!--//banner -->
<!-- short-->
<div class="services-breadcrumb">
    <div class="inner_breadcrumb">
        <ul class="short_ls">
            <li>
                <a href="index.php">Home</a>
                <span>| </span>
            </li>
            <li>Gallery</li>
        </ul>
    </div>
</div>
<!-- //short-->
<!-- Gallery -->
<div class="gallery">
    <div class="container">
        <div class="title-div">
            <h3 class="tittle">
                <span>O</span>ur <span>G</span>allery
            </h3>
            <div class="tittle-style">

        </div>
    </div>
    <div class="agileinfo-gallery-row">
        <div class="col-xs-4 w3gallery-grids">
            <a href="images/g7.jpg" class="imghvr-hinge-right figure">
                
                <div class="agile-figcaption">
                    <h4>Library</h4>
                </div>
            </a>
        </div>
        <div class="col-xs-4 w3gallery-grids">
            <a href="images/g9.jpg" class="imghvr-hinge-right figure">
                
                <div class="agile-figcaption">
                    <h4>Volleyball</h4>
                </div>
            </a>
        </div>
        <div class="col-xs-4 w3gallery-grids">
            <a href="images/g3.jpg" class="imghvr-hinge-right figure">
                
                <div class="agile-figcaption">
                    <h4>Computer Lab</h4>
                </div>
            </a>
        </div>
    </div>

```

```

<div class="col-xs-4 w3gallery-grids">
  <a href="images/g4.jpg" class="imghvr-hinge-right figure">
    
    <div class="agile-figcaption">
      <h4>Meditation</h4>
    </div>
  </a>
</div>
<div class="col-xs-4 w3gallery-grids">
  <a href="images/g1.jpg" class="imghvr-hinge-right figure">
    
    <div class="agile-figcaption">
      <h4>Science</h4>
    </div>
  </a>
</div>
<div class="col-xs-4 w3gallery-grids">
  <a href="images/g6.jpg" class="imghvr-hinge-right figure">
    
    <div class="agile-figcaption">
      <h4>Group Discussion</h4>
    </div>
  </a>
</div>
<div class="col-xs-4 w3gallery-grids">
  <a href="images/g2.jpg" class="imghvr-hinge-right figure">
    
    <div class="agile-figcaption">
      <h4>Chemical Lab</h4>
    </div>
  </a>
</div>
<div class="col-xs-4 w3gallery-grids">
  <a href="images/g5.jpg" class="imghvr-hinge-right figure">
    
    <div class="agile-figcaption">
      <h4>Sports</h4>
    </div>
  </a>
</div>
<div class="col-xs-4 w3gallery-grids">
  <a href="images/g8.jpg" class="imghvr-hinge-right figure">
    
    <div class="agile-figcaption">
      <h4>Seminar</h4>
    </div>
  </a>
</div>
<div class="clearfix"></div>
</div>
</div>
<!-- //Gallery -->

```

```

<!-- footer -->
<div class="mkl_footer">
    <div class="sub-footer">
        <div class="container">
            <div class="mkls_footer_grid">
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Location:</h4>
                    <p>12345, Location,
                        <br> New Delhi, India</p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Mail Us:</h4>
                    <p>
                        <span>Phone : </span>+91 987 654 3210</p>
                    <p>
                        <span>Email : </span>
                        <a
href="mailto:mail@mail.com">mail@mail.com</a>
                    </p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Opening Hours:</h4>
                    <p>Working days : 8am-10pm</p>
                    <p>Sunday
                        <span>(closed)</span>
                    </p>
                </div>
            <div class="clearfix"> </div>
        </div>
        <div class="botttom-nav-allah">
            <ul>
                <li>
                    <a href="index.php">Home</a>
                </li>
                <li>
                    <a href="about.php">About Us</a>
                </li>
                <li>
                    <a href="courses.php">Courses</a>
                </li>
                <li>
                    <a href="join.php">Join Us</a>
                </li>
                <li>
                    <a href="contact.html">Contact Us</a>
                </li>
            </ul>
        </div>
    <!-- footer-button-info -->
    <div class="footer-middle-thanks">
        <h2>Manchester University Welcomes You</h2>
    </div>
    <!-- footer-button-info -->
</div>
</div>

```

```

<div class="footer-copy-right">
  <div class="container">
    <div class="allah-copy">
      <p>© 2018 Manchester University. All rights reserved
      </p>
    </div>
    <div class="footercopy-social">
      <ul>
        <li>
          <a href="#">
            <span class="fa fa-facebook"></span>
          </a>
        </li>
        <li>
          <a href="#">
            <span class="fa fa-twitter"></span>
          </a>
        </li>
        <li>
          <a href="#">
            <span class="fa fa-rss"></span>
          </a>
        </li>
        <li>
          <a href="#">
            <span class="fa fa-vk"></span>
          </a>
        </li>
      </ul>
    </div>
    <div class="clearfix"></div>
  </div>
</div>
<!--/footer -->

<!-- js files -->
<!-- js -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- bootstrap -->
<script src="js/bootstrap.js"></script>
<!-- simple-lightbox -->
<script type="text/javascript" src="js/simple-lightbox.js"></script>
<script>
  $(function () {
    var gallery = $('.agileinfo-gallery-row a').simpleLightbox({
      navText: ['&lsaquo;', '&rsaquo;']
    });
  });
</script>
<link href='css/simplelightbox.min.css' rel='stylesheet' type='text/css'>
<!-- Light-box css -->
<!-- smooth scrolling -->
<script src="js/SmoothScroll.min.js"></script>
<script src="js/move-top.js"></script>

```



```

<script src="js/easing.js"></script>
<!-- here stars scrolling icon -->
<script>
    $(document).ready(function () {
        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UItoTop({
            easingType: 'easeOutQuart'
        });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- smooth scrolling -->
<!-- //js-files -->

</body>

</html>

```

## 7. contactus.php

```

<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Manchester | Contact Us </title>
    <!-- meta-tags -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Soft Responsive web template, Bootstrap Web Templates, Flat
Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />
    <script>
        addEventListener("load", function () {
            setTimeout(hideURLbar, 0);
        }, false);

        function hideURLbar() {
            window.scrollTo(0, 1);
        }
    </script>
    <!-- //meta-tags -->
    <link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
    <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
    <!-- font-awesome -->

```

```

<link href="css/font-awesome.css" rel="stylesheet">
<!-- fonts -->
<link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,500,500i,600,600i,70
0,700i,800,800i,900,900i"
rel="stylesheet">
<link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i"
rel="stylesheet">
</head>

<body>
<!-- header -->
<div class="header-top">
    <div class="container">
        <div class="bottom_header_left">
            <p>
                <span class="fa fa-map-marker" aria-hidden="true"></span>New
Delhi, India
            </p>
        </div>
        <div class="bottom_header_right">
            <div class="header-top-right">
                <div class="dropdown">
                    <?php
                        if ( empty($_COOKIE["logged_in"]) or (
$_COOKIE["logged_in"]=="0") ){
                            echo '<a href="login.php"><span class="fa fa-sign-out" aria-
hidden="true"></span>Login</a>';
                        } else{
                            echo '<a class="nav-link js-scroll-trigger" href=""><span
class="fa fa-user" aria-hidden="true" style="padding-right:7px;"></span>'. $_COOKIE["user_name"] .'</a>';
                            echo '<div class="dropdown-content">';
                            echo '<a href="signout_action.php" style="color:#000;">Sign
out</a>';

                            // echo '<a href="#" style="color:#000;">Link 2</a>';
                            // echo '<a href="#" style="color:#000;">Link 3</a>';
                            echo '</div>';
                        }
                    ?>
                </div>
            </div>
        <div class="clearfix"> </div>
    </div>
    <div class="clearfix"> </div>
</div>
<div class="header">
    <div class="content white">
        <nav class="navbar navbar-default">
            <div class="container">
                <div class="navbar-header">
                    <button type="button" class="navbar-toggle" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                        <span class="sr-only">Toggle navigation</span>

```

```

                                <span class="icon-bar"></span>
                                <span class="icon-bar"></span>
                                <span class="icon-bar"></span>
                                </button>
                                <a class="navbar-brand" href="index.php">
                                    <h1>
                                        <span class="fa fa-university" aria-
hidden="true"></span>Manchester
                                        <label>University</label>
                                    </h1>
                                </a>
                            </div>
                        <!--/.navbar-header-->
                        <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                            <nav class="link-effect-2" id="link-effect-2">
                                <ul class="nav navbar-nav">
                                    <li>
                                        <a href="index.php" class="effect-
3">Home</a>
                                    </li>
                                    <li>
                                        <a href="about.php" class="effect-
3">About Us</a>
                                    </li>
                                    <li>
                                        <a href="courses.php" class="effect-
3">Courses</a>
                                    </li>
                                    <li>
                                        <a href="join.php" class="effect-
3">Join Us</a>
                                    </li>
                                    <li>
                                        <a href="gallery.php" class="effect-
3">Gallery</a>
                                    </li>
                                    <li class="active">
                                        <a href="contact.php" class="effect-
3">Contact Us</a>
                                    </li>
                                </ul>
                            </nav>
                        </div>
                    <!--/.navbar-collapse-->
                    <!--/.navbar-->
                </div>
            </nav>
        </div>
        <!-- banner -->
        <div class="inner_page_agile">
            </div>
        <!--//banner -->

```

```

<!-- short-->
<div class="services-breadcrumb">
    <div class="inner_breadcrumb">
        <ul class="short_ls">
            <li>
                <a href="index.php">Home</a>
                <span>| </span>
            </li>
            <li>Contact Us</li>
        </ul>
    </div>
</div>
<!-- //short-->
<!-- contact -->
<div class="contact">
    <div class="container">
        <div class="title-div">
            <h3 class="tittle">
                <span>C</span>ontact
                <span>U</span>s
            </h3>
            <div class="tittle-style">

        </div>
    </div>
    <div class="contact-row">
        <div class="col-md-6 contact-text1">
            <h4>Contact Our
                <span>Manchester University</span>
            </h4>
            <p>Aliquam erat volutpat. Duis vulputate tempus laoreet. Aliquam
erat volutpat. Duis vulputate tempus laoreet. Aliquam erat
volutpat. Duis vulputate tempus laoreet.
            </p>
        </div>
        <div class="col-md-6 contact-w3lsright">
            <<iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d224345.97161708496!2d77.06889666
984354!3d28.52751980744446!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x390cfd5b347eb62
d%3A0x52c2b7494e204dce!2sNew+Delhi%2C+Delhi!5e0!3m2!1sen!2sin!4v1517133681425"
allowfullscreen></iframe>
            </div>
            <div class="clearfix"></div>
        </div>
    </div>
</div>
<div class="contact-lsleft">
    <div class="container">
        <div class="address-grid">
            <h4>Contact Details</h4>
            <ul class="w3_address">
                <li>
                    <span class="fa fa-globe" aria-hidden="true"></span>12345,
New Delhi, India
                </li>

```

```

        <li>
            <span class="fa fa-envelope-o" aria-hidden="true"></span>
            <a href="mailto:mail@mail.com">mail@mail.com</a>
        </li>
        <li>
            <span class="fa fa-phone" aria-hidden="true"></span>+91
987 654 3210
        </li>
    </ul>
</div>
<div class="contact-grid agileits">
    <h4>Get In Touch</h4>
    <form action="#" method="post">
        <div class="">
            <input type="text" name="Name" placeholder="Name"
required="">
        </div>
        <div class="">
            <input type="email" name="Email" placeholder="Email"
required="">
        </div>
        <div class="">
            <input type="text" name="Phone Number"
placeholder="Phone Number" required="">
        </div>
        <div class="">
            <textarea name="Message" placeholder="Message..."
required=""></textarea>
        </div>
        <input type="submit" value="Submit">
    </form>
</div>
</div>
</div>
<!-- //contact -->

<!-- footer -->
    <div class="mkl_footer">
        <div class="sub-footer">
            <div class="container">
                <div class="mkls_footer_grid">
                    <div class="col-xs-4 mkls_footer_grid_left">
                        <h4>Location:</h4>
                        <p>12345, Location,
                            <br> New Delhi, India</p>
                    </div>
                    <div class="col-xs-4 mkls_footer_grid_left">
                        <h4>Mail Us:</h4>
                        <p>
                            <span>Phone : </span>+91 987 654 3210</p>
                        <p>
                            <span>Email : </span>
                            <a
href="mailto:mail@mail.com">mail@mail.com</a>

```



```

                <li>
                    <a href="#">
                        <span class="fa fa-rss"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-vk"></span>
                    </a>
                </li>
            </ul>
        </div>
        <div class="clearfix"></div>
    </div>
</div>
<!--/footer -->

<!-- js files -->
<!-- js -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- bootstrap -->
<script src="js/bootstrap.js"></script>
<!-- smooth scrolling -->
<script src="js/SmoothScroll.min.js"></script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<!-- here stars scrolling icon -->
<script>
    $(document).ready(function () {
        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UtoTop({
            easingType: 'easeOutQuart'
        });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- smooth scrolling -->
<!-- //js-files -->

</body>

</html>

```

## 8. login.php

```
<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Manchester | Login </title>
    <!-- meta-tags -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Soft Responsive web template, Bootstrap Web Templates, Flat
Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />
    <script>
        addEventListener("load", function () {
            setTimeout(hideURLbar, 0);
        }, false);

        function hideURLbar() {
            window.scrollTo(0, 1);
        }
    </script>
    <!-- //meta-tags -->
    <link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
    <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
    <!-- font-awesome -->
    <link href="css/font-awesome.css" rel="stylesheet">
    <!-- fonts -->
    <link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,500,500i,600,600i,70
0,700i,800,800i,900,900i"
rel="stylesheet">
    <link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i"
rel="stylesheet">
</head>

<body>
    <!-- header -->
    <div class="header-top">
        <div class="container">
            <div class="bottom_header_left">
                <p>
                    <span class="fa fa-map-marker" aria-hidden="true"></span>New
Delhi, India
                </p>
            </div>
            <div class="bottom_header_right">
                <div class="header-top-right">
                    <div class="dropdown">
                        <?php
                        if ( empty($_COOKIE["logged_in"]) or (
$_COOKIE["logged_in"]=="0") ){
```



```

hidden="true"></span>Login</a>';
                                } else{
                                echo '<a class="nav-link js-scroll-trigger" href=""><span
class="fa fa-user" aria-hidden="true" style="padding-right:7px;"></span>' . $_COOKIE["user_name"] . '</a>';
                                echo '<div class="dropdown-content">';
                                echo '<a href="signin_action.php" style="color:#000;">Sign
out</a>';

                                // echo '<a href="#" style="color:#000;">Link 2</a>';
                                // echo '<a href="#" style="color:#000;">Link 3</a>';
                                echo '</div>';
                                }
                                ?>

                                </div>
                                </div>
                                <div class="clearfix"> </div>
                                </div>
                                <div class="clearfix"> </div>
                                </div>
                                <div class="header">
                                <div class="content white">
                                <nav class="navbar navbar-default">
                                <div class="container">
                                <div class="navbar-header">
                                <button type="button" class="navbar-toggle" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                                <span class="sr-only">Toggle navigation</span>
                                <span class="icon-bar"></span>
                                <span class="icon-bar"></span>
                                <span class="icon-bar"></span>
                                </button>
                                <a class="navbar-brand" href="index.php">
                                <h1>
                                <span class="fa fa-university" aria-
hidden="true"></span>Manchester
                                <label>University</label>
                                </h1>
                                </a>
                                </div>
                                <!--/.navbar-header-->
                                <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                                <nav class="link-effect-2" id="link-effect-2">
                                <ul class="nav navbar-nav">
                                <li>
                                <a href="index.php" class="effect-
3">Home</a>
                                </li>
                                <li>
                                <a href="about.php" class="effect-
3">About Us</a>
                                </li>
                                <li>

```

```

3">Courses</a>
3">Join Us</a>
3">Gallery</a>
3">Contact Us</a>

<a href="courses.php" class="effect-
</li>
<li>
<a href="join.php" class="effect-
</li>
<li>
<a href="Gallery.php" class="effect-
</li>
<li>
<a href="contact.php" class="effect-
</li>
</ul>
</nav>
</div>
<!--/.navbar-collapse-->
<!--/.navbar-->
</div>
</nav>
</div>
<!-- banner -->
<div class="inner_page_agile">
</div>
<!--//banner -->
<!-- short-->
<div class="services-breadcrumb">
<div class="inner_breadcrumb">
<ul class="short_ls">
<li>
<a href="index.php">Home</a>
<span>| </span>
</li>
<li>Login</li>
</ul>
</div>
</div>
<!-- //short-->
<div class="register-form-main">
<div class="container">
<div class="title-div">
<h3 class="tittle">
<span>L</span>ogin
<span>F</span>orm
</h3>
<div class="tittle-style">
</div>
</div>
<div class="login-form">
<form action="login_action.php" method="post">

```

```

        <div class="">
            <p>User Name </p>
            <input type="text" class="name" name="username"
required="" />
        </div>
        <div class="">
            <p>Password</p>
            <input type="password" class="password" name="password"
required="" />
        </div>
        <input type="submit" value="Login">
        <div class="register-forming">
            <p>To Register New Account --
                <a href="register.php">Click Here</a>
            </p>
        </div>
    </form>
</div>

</div>
</div>

<!-- footer -->
<div class="mkl_footer">
    <div class="sub-footer">
        <div class="container">
            <div class="mkls_footer_grid">
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Location:</h4>
                    <p>12345, Location,
                        <br> New Delhi, India</p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Mail Us:</h4>
                    <p>
                        <span>Phone : </span>+91 987 654 3210</p>
                    <p>
                        <span>Email : </span>
                        <a
href="mailto:mail@mail.com">mail@mail.com</a>
                    </p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Opening Hours:</h4>
                    <p>Working days : 8am-10pm</p>
                    <p>Sunday
                        <span>(closed)</span>
                    </p>
                </div>
            <div class="clearfix"> </div>
        </div>
    </div>
    <div class="botttom-nav-allah">
        <ul>
            <li>
                <a href="index.php">Home</a>

```

```

        </li>
        <li>
            <a href="about.php">About Us</a>
        </li>
        <li>
            <a href="courses.php">Courses</a>
        </li>
        <li>
            <a href="join.php">Join Us</a>
        </li>
        <li>
            <a href="contact.php">Contact Us</a>
        </li>
    </ul>
</div>
<!-- footer-button-info -->
<div class="footer-middle-thanks">
    <h2>Manchester University Welcomes You</h2>
</div>
<!-- footer-button-info -->
</div>
</div>
<div class="footer-copy-right">
    <div class="container">
        <div class="allah-copy">
            <p>© 2018 Manchester University. All rights reserved
            </p>
        </div>
        <div class="footercopy-social">
            <ul>
                <li>
                    <a href="#">
                        <span class="fa fa-facebook"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-twitter"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-rss"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-vk"></span>
                    </a>
                </li>
            </ul>
        </div>
    </div>
</div>
</div>

```

```

</div>
<!--/footer -->

<!-- js files -->
<!-- js -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- bootstrap -->
<script src="js/bootstrap.js"></script>
<!-- smooth scrolling -->
<script src="js/SmoothScroll.min.js"></script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<!-- here stars scrolling icon -->
<script>
    $(document).ready(function () {
        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UtoTop({
            easingType: 'easeOutQuart'
        });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- smooth scrolling -->
<!-- //js-files -->

</body>

</html>

```

## 9. loginaction.php

```

<html>
<body>
<div id="result"></div>
<?php
//connect to db
$conn = mysqli_connect("localhost","root","","college_website_db");
//get POST data
$username = $_POST["username"];
$password = $_POST["password"];
//Set variables
$logged_in = false;

//get data from db to check for already existing usernames and passwords
$query = "SELECT uname, psw FROM users ORDER BY id;";

```

```

$result = mysqli_query($conn,$query);
while($data = mysqli_fetch_assoc($result)){
    $name = $data['uname'];
    $pass = $data['psw'];
    if ($uname == $name) {
        {
            if ($psw == $pass) {
                echo "Login Successful";
                $logged_in = true;
                //set COOKIES
                setcookie("user_name", $uname, time() + (86400 * 30), "/"); // 86400 = 1 day
                setcookie("logged_in", "1", time() + (86400 * 30), "/"); // 86400 = 1 day
                header('Location: index.php');
                break;
            }
        }
    }
}

if($logged_in == false){
    echo 'User not registered.<br><a href="login.php">Go back and press the Register Button at the
bottom.</a>';
    setcookie("user_not_registered", "1", time() + (86400 * 30), "/"); // 86400 = 1 day
    header('Location: register.php');
}
$conn->close();
?>

</body>
</html>

```

## 10.register.php

```

<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Manchester | Register </title>
    <!-- meta-tags -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Soft Responsive web template, Bootstrap Web Templates, Flat
Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web
design" />
    <script>
        addEventListener("load", function () {
            setTimeout(hideURLbar, 0);
        }, false);

        function hideURLbar() {
            window.scrollTo(0, 1);
        }
    </script>

```

```

<!-- //meta-tags -->
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- font-awesome -->
<link href="css/font-awesome.css" rel="stylesheet">
<!-- fonts -->
<link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,500,500i,600,600i,70
0,700i,800,800i,900,900i"
rel="stylesheet">
<link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i,800,800i"
rel="stylesheet">

</head>

<body>
  <!-- header -->
  <div class="header-top">
    <div class="container">
      <div class="bottom_header_left">
        <p>
          <span class="fa fa-map-marker" aria-hidden="true"></span>New
Delhi, India
        </p>
      </div>
      <div class="bottom_header_right">
        <div class="header-top-right">
          <div class="dropdown">
            <?php
              if ( empty($_COOKIE["logged_in"]) or (
$_COOKIE["logged_in"]=="0") ){
                echo '<a href="login.php"><span class="fa fa-sign-out" aria-
hidden="true"></span>Login</a>';
              } else{
                echo '<a class="nav-link js-scroll-trigger" href=""><span
class="fa fa-user" aria-hidden="true" style="padding-right:7px;"></span>' . $_COOKIE["user_name"] . '</a>';
                echo '<div class="dropdown-content">';
                echo '<a href="signout_action.php" style="color:#000;">Sign
out</a>';

                // echo '<a href="#" style="color:#000;">Link 2</a>';
                // echo '<a href="#" style="color:#000;">Link 3</a>';
                echo '</div>';
              }
            ?>
          </div>
        </div>
      <div class="clearfix"> </div>
    </div>
  <div class="clearfix"> </div>
</div>
<div class="header">
  <div class="content white">
    <nav class="navbar navbar-default">

```

```

        <div class="container">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
                <a class="navbar-brand" href="index.php">
                    <h1>
                        <span class="fa fa-university" aria-
hidden="true"></span>Manchester
                        <label>University</label>
                    </h1>
                </a>
            </div>
            <!--/.navbar-header-->
            <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                <nav class="link-effect-2" id="link-effect-2">
                    <ul class="nav navbar-nav">
                        <li>
                            <a href="index.php" class="effect-
3">Home</a>
                        </li>
                        <li>
                            <a href="about.php" class="effect-
3">About Us</a>
                        </li>
                        <li>
                            <a href="courses.php" class="effect-
3">Courses</a>
                        </li>
                        <li>
                            <a href="join.php" class="effect-
3">Join Us</a>
                        </li>
                        <li>
                            <a href="Gallery.php" class="effect-
3">Gallery</a>
                        </li>
                        <li>
                            <a href="contact.php" class="effect-
3">Contact Us</a>
                        </li>
                    </ul>
                </nav>
            </div>
            <!--/.navbar-collapse-->
            <!--/.navbar-->
        </div>
    </nav>
</div>
</div>
</div>

```



```

<!-- banner -->
<div class="inner_page_agile">

</div>
<!--//banner -->
<!-- short-->
<div class="services-breadcrumb">
    <div class="inner_breadcrumb">
        <ul class="short_ls">
            <li>
                <a href="index.php">Home</a>
                <span>| </span>
            </li>
            <li>Register</li>
        </ul>
    </div>
</div>
<!-- //short-->
<div class="register-form-main">
    <div class="container">
        <div class="title-div">
            <h3 class="tittle">
                <span>R</span>egister
                <span>F</span>orm
            </h3>
            <div class="tittle-style">

        </div>
    </div>
    <div class="login-form">
        <form action="register_action.php" method="post">
            <div class="">
                <p>User Name </p>
                <input type="text" class="name" name="username"
required="" />
            </div>
            <div class="">
                <p>E-mail</p>
                <input type="email" class="password" name="email"
required="" />
            </div>
            <div class="">
                <p>Password</p>
                <input type="password" class="password" name="password"
id="password1" required="" />
            </div>
            <div class="">
                <p>Confirm Password</p>
                <input type="password" class="password"
name="password2" id="password2" required="" />
            </div>
            <label class="anim">
                <input type="checkbox" class="checkbox">
                <span>I Accept Terms & Conditions</span>
            </label>
        </form>
    </div>
</div>

```

```

                <input type="submit" value="Register">
            </form>
        </div>
    </div>
</div>

<!-- footer -->
<div class="mkl_footer">
    <div class="sub-footer">
        <div class="container">
            <div class="mkls_footer_grid">
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Location:</h4>
                    <p>12345, Location,
                        <br> New Delhi, India</p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Mail Us:</h4>
                    <p>
                        <span>Phone : </span>+91 987 654 3210</p>
                    <p>
                        <span>Email : </span>
                        <a
href="mailto:mail@mail.com">mail@mail.com</a>
                    </p>
                </div>
                <div class="col-xs-4 mkls_footer_grid_left">
                    <h4>Opening Hours:</h4>
                    <p>Working days : 8am-10pm</p>
                    <p>Sunday
                        <span>(closed)</span>
                    </p>
                </div>
            <div class="clearfix"> </div>
        </div>
        <div class="botttom-nav-allah">
            <ul>
                <li>
                    <a href="index.php">Home</a>
                </li>
                <li>
                    <a href="about.php">About Us</a>
                </li>
                <li>
                    <a href="courses.php">Courses</a>
                </li>
                <li>
                    <a href="join.php">Join Us</a>
                </li>
                <li>
                    <a href="contact.php">Contact Us</a>
                </li>
            </ul>
        </div>
    </div>

```

```

        <!-- footer-button-info -->
        <div class="footer-middle-thanks">
            <h2>Manchester University Welcomes You</h2>
        </div>
        <!-- footer-button-info -->
    </div>
</div>
<div class="footer-copy-right">
    <div class="container">
        <div class="allah-copy">
            <p>© 2018 Manchester University. All rights reserved
            </p>
        </div>
        <div class="footercopy-social">
            <ul>
                <li>
                    <a href="#">
                        <span class="fa fa-facebook"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-twitter"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-rss"></span>
                    </a>
                </li>
                <li>
                    <a href="#">
                        <span class="fa fa-vk"></span>
                    </a>
                </li>
            </ul>
        </div>
        <div class="clearfix"></div>
    </div>
</div>
<!--/footer -->

<!-- js files -->
<!-- js -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- bootstrap -->
<script src="js/bootstrap.js"></script>
<!-- smooth scrolling -->
<script src="js/SmoothScroll.min.js"></script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<!-- here stars scrolling icon -->
<script>
    $(document).ready(function () {

```

```

        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UItoTop({
            easingType: 'easeOutQuart'
        });

    });
</script>
<!-- //here ends scrolling icon -->
<!-- smooth scrolling -->
<!-- password-script -->
<script>
    window.onload = function () {
        document.getElementById("password1").onchange = validatePassword;
        document.getElementById("password2").onchange = validatePassword;
    }

    function validatePassword() {
        var pass2 = document.getElementById("password2").value;
        var pass1 = document.getElementById("password1").value;
        if (pass1 != pass2)
            document.getElementById("password2").setCustomValidity("Passwords
Don't Match");
        else
            document.getElementById("password2").setCustomValidity("");
        //empty string means no validation error
    }
</script>
<!-- //password-script -->
<!-- //js-files -->

</body>

</html>

```

## 11.register\_action.php

```

<?php

$conn = mysqli_connect("localhost","root","","college_website_db");

$username = $_POST["username"];
$password = $_POST["password"];
$email = $_POST["email"];
$user_exists = false;

$query = "SELECT uname, psw, email FROM users ORDER BY id;";
$result = mysqli_query($conn,$query);

```

```

while($data = mysqli_fetch_assoc($result)){
    $name = $data['uname'];
    $pass = $data['psw'];

    if ($uname == $name) {
        {
            if ($psw == $pass) {
                echo "User already exists. Redirecting to login page....";
                $user_exists = true;
                // sleep(5);
                header('Location: Login.php');
                break;
            }
        }
    }
}

if ($user_exists == false) {
    $mysql_qry = "INSERT INTO `users` (`id`, `uname`, `psw`, `email`) VALUES (NULL, '$uname', '$psw', '$email');";

    // $mysqli_result = mysqli_query($conn, $mysql_qry);
    if ($conn->query($mysql_qry) === TRUE) {
        setcookie("user_name", $uname, time() + (86400 * 30), "/"); // 86400 = 1 day
        setcookie("logged_in", "1", time() + (86400 * 30), "/"); // 86400 = 1 day
        header('Location: index.php');
    }
    else{
        echo "Error : " . $mysql_qry . "<br>" . $conn->error;
    }
}
$conn->close();
?>

```

## 12.signout\_action.php

```

<?php
setcookie("user_name", "null", time() + (86400 * 30), "/"); // 86400 = 1 day
setcookie("logged_in", "0", time() + (86400 * 30), "/"); // 86400 = 1 day
header('Location: index.php');
?>

```