

Data 260

Homework 3

Name: Kshitija Shinde

SJSU ID: 019146491

Value	Definition
SID4	6491
PORT_BASE	$8000 + (6491 \bmod 900) = 8000 + 191 = 8191$
PREFIX	"s" + 6491 = s6491
SEED	6491
VERIFY_SEED	$260000 + 6491 = 266491$
DOMAIN_ID	$6491 \bmod 8 = 3$
Assigned Domain	Grocery supply and recall notices

Hardware: MacBook Air, 13-inch, M4, 2025, Apple M4 chip, 16GB RAM, macOS Tahoe 26.5.2

Local model used: qwen3:8b via Ollama

Tagged commit hash: 917ca90893b2938712d7a37b53270152da72c04d

Repository: <https://github.com/Kshitija-Shinde9/data260-6491>


Objective: Create a FastAPI application that implements a simple user authentication system for your specific domain. The application should include:

- User login and logout functionality
- Session management to keep users logged in
- Protected routes that only logged-in users can access
- Styling using Bootstrap to make the application visually appealing


Routes - Handled Separately in a router:

Home Page (/): Display a welcome message for your domain application. Show a link to the login page if the user is not logged in. Show a link to the dashboard and log out if the user is logged in.

Screenshots - With Login



Without Login



Code -

```
<> index.html U X
code > web_application > templates > <> index.html > ...
1  {% extends "base.html" %}
2
3  {% block title %}Home &mdot; Grocery Recall Notices{% endblock %}
4
5  {% block content %}
6
7  <div class="card shadow-sm">
8    <div class="card-body p-4">
9
10     <h1 class="card-title h3 mb-3">Welcome to Grocery Recall Notices</h1>
11
12     {% if user %}
13     <p class="card-text text-body-secondary">
14       You are signed in as <strong>{{ user.name }}</strong> ({{ user.role }}).
15       The recall notice records are available on your dashboard.
16     </p>
17     <a class="btn btn-success" href="/dashboard">Go to Dashboard</a>
18     <a class="btn btn-outline-danger ms-2" href="/logout">Logout</a>
19
20     {% else %}
21     <p class="card-text text-body-secondary">
22       This service tracks grocery supply and recall notices &mdash; products
23       pulled from shelves for contamination, undeclared allergens, packaging
24       failures or spoilage. Recall records are private, so you need to sign
25       in before you can view them.
26     </p>
27     <a class="btn btn-success" href="/login">Login</a>
28
29     {% endif %}
30
31   </div>
32 </div>
33
34 {% endblock %}
35
```

Login Page (/login): Display a login form with fields for username and password. Validate the credentials and log the user in if they are correct. Redirect to the dashboard on successful login. Display a Bootstrap alert message on the login page when a user enters invalid credentials.


Screenshots - Login screen

The screenshot shows a web browser window with the address bar displaying 'localhost:8191/login'. The page has a green header bar with the text 'Grocery Recall Notices' and 'port 8191' on the left, and 'Login' on the right. The main content area is light blue and contains a white 'Sign in' form. The form has a title 'Sign in' and a subtitle 'Recall notice records are restricted to authorised staff.' Below this are two input fields: 'Username' and 'Password'. A green 'Sign in' button is positioned below the password field. At the bottom of the form, there is a line of text: 'Demo account for grading: kshitijs / Recall@6491'. Below the form is a link that says 'Back to home'. At the very bottom of the page, there is a small footer text: 'DATA-260 HW3 - SID4 6491 - DOMAIN_ID 3 - Grocery supply and recall notices'.

Login screen with incorrect credentials

This screenshot shows the same login page as the previous one, but with a failed login attempt. A red alert box is displayed above the 'Sign in' form, containing the text 'Login failed. Incorrect username or password. Please try again.' with a close button (X). The 'Username' input field now contains the text 'kshitijs'. The 'Password' field is empty. The rest of the page, including the header, footer, and form structure, remains the same as in the previous screenshot.

Login screen with correct credentials redirected to dashboard page




Code -


```
login.html U X
code > web_application > templates > login.html > div.row.justify-content-center > div.col-md-6.col-lg-5 > div.card.shadow-sm > div.card-body.p-4 > p.text-body-secondary.small.mb-4
1  {% extends "base.html" %}
2
3  {% block title %}Login &mdot; Grocery Recall Notices{% endblock %}
4
5  {% block content %}
6
7  <div class="row justify-content-center">
8    <div class="col-md-6 col-lg-5">
9
10     <div class="card shadow-sm">
11       <div class="card-body p-4">
12
13         <h1 class="card-title h4 mb-1">Sign in</h1>
14         <p class="text-body-secondary small mb-4">
15           | Recall notice records are restricted to authorised staff.
16         </p>
17
18         {% if error %}
19         <div class="alert alert-danger alert-dismissible fade show d-flex align-items-start"
20           role="alert">
21           <div class="flex-grow-1">
22             <strong>Login failed.</strong> {{ error }}
23           </div>
24           <button type="button" class="btn-close" data-bs-dismiss="alert"
25             aria-label="Close"></button>
26         </div>
27         {% endif %}
28
29         {% if request.query_params.get("expired") and not error %}
30         <div class="alert alert-warning alert-dismissible fade show" role="alert">
31           <strong>Session ended.</strong> Your session expired or was logged
32           out, so it can no longer be used. Please sign in again.
33           <button type="button" class="btn-close" data-bs-dismiss="alert"
34             aria-label="Close"></button>
35         </div>
36         {% endif %}
37
38         <form method="post" action="/login" novalidate>
39
40           <div class="mb-3">
41             <label class="form-label" for="username">Username</label>
42             <input class="form-control" type="text" id="username" name="username"
43               value="{{ attempted_username or '' }}"
44               autocomplete="username" autofocus required>
45           </div>
46
47           <div class="mb-4">
48             <label class="form-label" for="password">Password</label>
49             <input class="form-control" type="password" id="password" name="password"
50               autocomplete="current-password" required>
51           </div>
52
53           <button class="btn btn-success w-100" type="submit">Sign in</button>
54         </form>
55
56         <hr class="my-1">
57         <p class="text-body-secondary small mb-0">
58           Demo account for grading:
59           <code>kshitija</code> / <code>Recall@6491</code>
60         </p>
61
62       </div>
63     </div>
64
65     <p class="text-center mt-3 mb-0">
66       <a href="/" class="link-secondary small">Back to home</a>
67     </p>
68
69   </div>
70 </div>
71
72 {% endblock %}
```

Dashboard Page (/dashboard): Display a welcome message with the user's name. Show a logout link. Protect this route so only logged in users can access it.


Screenshots - Dashboard page



Code -



```
1  {% extends "base.html" %}
2
3  {% block title %}Dashboard &mdash; Grocery Recall Notices{% endblock %}
4
5  {% block content %}
6
7      This is the HM2 entity page, static/index.html, moved into templates and put behind
8      the HM3 login. The markup below is the HM2 markup unchanged - same ids, same classes,
9      same tabs - so static/js/script.js keeps working exactly as it did in HM2, with search,
10      add, update and delete-highest all intact. Nothing was rewritten.
11
12  {% block head %}
13      <!-- The HM2 stylesheet, loaded after Bootstrap so the app keeps its own look. -->
14      <link rel="stylesheet" href="/static/css/styles.css" />
15  {% endblock %}
16
17  {% block content %}
18
19      <!-- HM3 requirement: a welcome message with the user's name, in a Bootstrap Card. -->
20      <div class="card shadow-sm mb-4">
21          <div class="card-body p-4 d-flex flex-wrap justify-content-between align-items-center gap-3">
22              <div>
23                  <h1 class="card-title h4 mb-1">Welcome, {{ user.username }}</h1>
24                  <p class="card-text text-body-secondary mb-0">
25                      Signed in as <code>{{ user.username }}</code> &mdash; {{ user.role }}.
26                      This page is protected &mdash; signing out or sitting idle for
27                      {{ idle_timeout }} seconds ends the session.
28                  </p>
29              </div>
30              <a class="btn btn-outline-danger" href="/logout">Logout</a>
31          </div>
32      </div>
33
34      <!-- ===== HM2 PAGE BEGINS ===== -->
35
36      <!-- The green bar at the top with my title and the three tabs. -->
37      <header class="site-header">
38          <div class="brand">
39              <span class="brand-text">
40                  <span class="brand-title">Grocery Recall Notices</span>
41                  <span class="brand-sub">DATA-268 HM2 &mdash; port 8191</span>
42              </span>
43          </div>
44
45          <nav class="tabs" aria-label="Main">
46              <button type="button" class="tab is-active" data-view="home" aria-current="page">
47                  Home <span id="navCount" class="pill">0</span>
48              </button>
49              <button type="button" class="tab" data-view="add">Add Notice</button>
50              <button type="button" class="tab" data-view="manage">Manage</button>
51          </nav>
52      </header>
```



```
52      </nav>
53      </header>
54
55      <main class="page">
56
57          <!-- The small message that appears at the bottom of the page. -->
58          <div id="toast" class="toast" role="status" aria-live="polite" hidden</div>
59
60          <!-- HOME PAGE - the search box and the list of my notices. -->
61          <section id="view-home" class="view">
62
63              <div class="view-head">
64                  <h2>All recall notices</h2>
65                  <p class="view-sub">Every notice reported so far. Search by product name or supplier.</p>
66              </div>
67
68              <!-- Q4 - search by product name or supplier. -->
69              <div class="search-bar">
70                  <label class="sr-only" for="searchInput">Search by product name or supplier</label>
71                  <div class="search-field">
72                      <input type="text" id="searchInput" placeholder="Search product name or supplier&hellip;" />
73                  </div>
74                  <button type="button" class="btn btn-primary" onclick="searchRecalls()">Search</button>
75                  <button type="button" class="btn btn-ghost" onclick="clearSearch()">Show All</button>
76              </div>
77
78              <p id="searchNote" class="search-note" hidden</p>
79
80              <!-- The three states that Part 1 asks for. -->
81
82              <!-- Shown while I am waiting for the server to answer. -->
83              <div id="loadingState" hidden>
84                  <div class="skeleton-row"></div>
85                  <div class="skeleton-row"></div>
86                  <p class="state-caption"><span class="spinner" aria-hidden="true"></span> Loading recall notices&hellip;</p>
87              </div>
88
89              <!-- Shown when there are no notices, or the search found nothing. -->
90              <div id="emptyState" class="state state-empty" hidden>
91                  <h3 id="emptyTitle">No recall notices yet</h3>
92                  <p id="emptyText">Nothing has been reported. Use the Add Notice tab to report the first one.</p>
93                  <button type="button" class="btn btn-primary" onclick="showView('add')">Report a recall</button>
94              </div>
95
96              <!-- Shown when the server does not answer. -->
97              <div id="errorState" class="state state-error" role="alert" hidden>
98                  <h3>Could not load the notices</h3>
99                  <p id="errorText">Something went wrong.</p>
100                  <button type="button" class="btn btn-primary" onclick="loadRecalls()">Try again</button>
101              </div>
102          </section>
103      </main>
```

```
Code File Edit Selection View Go Run Terminal Window Help
data260-6491
dashboard.html M X
code > web_application > templates > > dashboard.html > ...
106 <!-- The list of notices. -->
107 <div id="tablewrap" class="table-wrap" hidden=
108 <table id="recallTable" class="recall-table">
109 <thead>
110 <tr>
111 <th scope="col">ID</th>
112 <th scope="col">Product Name</th>
113 <th scope="col">Supplier / Brand</th>
114 <th scope="col">Reason Type</th>
115 <th scope="col"><span class="sr-only">Actions</span></th>
116 </tr>
117 </thead>
118 <tbody id="recallTableBody">
119 <!-- The rows are added here by my JavaScript. -->
120 </tbody>
121 </table>
122 </div>
123 </section>
124
125
126
127 <!-- ADD PAGE -- 01, this is my HTML form. -->
128 <section id="view-add" class="view" hidden=
129
130 <div class="view-head">
131 <h2>Report a new recall</h2>
132 <p class="view-sub">Product name and supplier are the two fields the record is stored under.</p>
133 </div>
134
135 <div class="card">
136 <form id="recallForm">
137
138 <!-- Main field, the cursor starts here when the page opens. -->
139 <label for="productName">Product Name <span class="req">*</span></label>
140 <input type="text" id="productName" placeholder="E.g. Trader Joe's Organic Frozen Blueberries, 16oz" required autofocus />
141 <p class="field-hint">This is the primary field the record is listed under.</p>
142
143 <!-- Second field, who made or supplied the product. -->
144 <label for="supplierName">Supplier / Brand <span class="req">*</span></label>
145 <input type="text" id="supplierName" placeholder="who made or supplied it" required />
146 <p class="field-hint">This is the secondary field. Search matches on this too.</p>
147
148 <!-- The email of the person reporting it. -->
149 <label for="submitterEmail">Your Email <span class="req">*</span></label>
150 <input type="email" id="submitterEmail" placeholder="your email so we can follow up" required />
151
152 <!-- What happened, my JavaScript checks it is more than 25 characters. -->
153 <label for="recallDescription">Recall Reason / Description <span class="req">*</span></label>
154 <textarea id="recallDescription" placeholder="what happened, when you noticed it, any batch/lot info" required</textarea>
155 <p class="field-hint"><span id="charCount">0</span> characters <span id="minChars">25</span> needed more than 25</p>
156
157 <!-- A dropdown with four reasons to choose from. -->
158 <label for="recallType">Recall Reason Type <span class="req">*</span></label>
```

```
Code File Edit Selection View Go Run Terminal Window Help
data260-6491
dashboard.html M X
code > web_application > templates > > dashboard.html > ...
161 <option value="Packaging / Seal Failure">Packaging / Seal Failure</option>
162 <option value="Contamination">Contamination</option>
163 <option value="Undeclared Allergen">Undeclared Allergen</option>
164 <option value="Spoiled or Quality Issue">Spoiled or Quality Issue</option>
165 </select>
166
167 <!-- The terms box, my JavaScript checks it is ticked before sending. -->
168 <div class="checkbox-row">
169 <input type="checkbox" id="agreeTerms" />
170 <label for="agreeTerms">I agree to the terms and conditions.</label>
171 </div>
172
173 <!-- The button that sends the form. -->
174 <button type="submit" class="btn btn-primary btn-block">Report This Recall</button>
175
176 </form>
177 </div>
178 </section>
179
180
181
182 <!-- MANAGE PAGE -- 02 change a notice and 03 delete the biggest ID. -->
183 <section id="view-manage" class="view" hidden=
184
185 <div class="view-head">
186 <h2>Manage notices</h2>
187 <p class="view-sub">Update an existing record, or remove the most recent one.</p>
188 </div>
189
190 <!-- 02 - change the notice with ID 1. -->
191 <div class="card">
192 <h3 class="card-title">Update a record</h3>
193 <p class="card-sub">Changes the primary and secondary fields of one record.</p>
194
195 <label for="updateId">Record ID</label>
196 <input type="number" id="updateId" value="1" min="1" placeholder="Enter Record ID" />
197 <p class="field-hint">Currently editing: <strong id="updateTarget">&mdash;</strong></p>
198
199 <label for="updateProductName">New Product Name</label>
200 <input type="text" id="updateProductName" placeholder="Enter new product name" />
201
202 <label for="updateSupplierName">New Supplier / Brand</label>
203 <input type="text" id="updateSupplierName" placeholder="Enter new supplier or brand" />
204
205 <button type="button" class="btn btn-primary btn-block" onclick="updateRecall()">Update Record</button>
206 </div>
207
208 <!-- 03 - delete the notice with the biggest ID. -->
209 <div class="card card-danger">
210 <h3 class="card-title">Delete highest ID</h3>
211 <p class="card-sub">Removes whichever notice currently has the largest ID.</p>
212
213 <div class="danger-preview">
```

```
201 <label for="updateSupplierName"-New Supplier / Brand-/label>
202 <input type="text" id="updateSupplierName" placeholder="Enter new supplier or brand" />
203
204 <button type="button" class="btn btn-primary btn-block" onclick="updateRecall()">Update Record</button>
205 </div>
206
207
208 <!-- 03 - delete the notice with the biggest ID. -->
209 <div class="card card-danger">
210 <h3 class="card-title">Delete highest ID</h3>
211 <p class="card-sub">Removes whichever notice currently has the largest ID.</p>
212
213 <div class="danger-preview">
214 About to delete: <strong id="highestPreview">--></strong>
215 </div>
216
217 <button type="button" class="btn btn-danger btn-block" onclick="deleteHighestRecall()">Delete Highest ID</button>
218 </div>
219
220 </section>
221 </main>
222
223
224 <!-- ===== HW2 PAGE ENDS ===== -->
225
226 {% endblock %}
227
228 {% block scripts %}
229 <!-- The HW2 JavaScript, unchanged. It wires up the tabs, search, add, update and delete. -->
230 <script src="/static/js/script.js"></script>
231 {% endblock %}
232
```


Code which shows that route which shows the dashboard is protected.

```
148
149 @router.get("/dashboard")
150 def dashboard(request: Request):
151     """
152     Protected page - the recall notice records.
153
154     Anyone without a live session is sent back to the login page, which is
155     what makes this a protected route.
156     """
157     user = current_user(request)
158     if not user:
159         return RedirectResponse(url="/login?expired=1", status_code=HTTP_303_SEE_OTHER)
160
161     return templates.TemplateResponse(
162         request,
163         "dashboard.html",
164         {"user": user, "active": "dashboard", "idle_timeout": IDLE_TIMEOUT_SECONDS},
165     )
166
```

Logout (/logout): Destroy the session and redirect the user to the home page.

Screenshot -

As the user has logged out it just redirects to the homepage showing the login button.



Code -

```
base.html U X
code > web_application > templates > base.html > html > body.bg-body-tertiary.d-flex.flex-column.min-vh-100
31     <a class="nav-link {% if active == 'dashboard' %}active fw-semibold{% endif %}"
32         href="/dashboard">Dashboard</a>
33     <a class="nav-link" href="/logout">Logout</a>
34     {% else %}
35     <a class="nav-link {% if active == 'login' %}active fw-semibold{% endif %}"
36         href="/login">Login</a>
37     {% endif %}
38 </div>
39 </div>
40 </div>
41 </nav>
42
43 <main class="container py-4 flex-grow-1">
44     {% block content %}{% endblock %}
45 </main>
46
47 <footer class="container py-4 text-center text-body-secondary small">
48     DATA-250 HW3 &mdot; SID4 6491 &mdot; DOMAIN_ID 3 &mdash; Grocery supply and recall notices
49 </footer>
50
51 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></script>
52 {% block scripts %}{% endblock %}
53 </body>
54 </html>
55
```

```
auth.py 5, U X
code > web_application > routers > auth.py > login_page
167
168 @router.get("/logout")
169 def logout(request: Request):
170     """
171     Log out and go back to the home page.
172
173     The sid is deleted from ACTIVE_SESSIONS first. That is the step that makes
174     the old cookie permanently useless, even if somebody saved a copy of it.
175     """
176     sid = request.session.get("sid")
177     if sid:
178         ACTIVE_SESSIONS.pop(sid, None)
179
180     request.session.clear()
181     return RedirectResponse(url="/", status_code=HTTP_303_SEE_OTHER)
182
```

Session Management

Use Starlette's SessionMiddleware to manage user sessions. Store the logged in user's information in the session.

ScreenShot -

The screenshot displays a web application running on a local server (localhost:8191) with the title "Grocery Recall Notices". The application shows a user is logged in as "Kshitija Shinde" and provides a "Logout" link. Below this, there's a section for "All recall notices" with a search bar and a table of notices.

ID	PRODUCT NAME	SUPPLIER / BRAND	REASON TYPE	
1	poet	poet	Packaging / Seal Failure	Edit Delete
2	Safeway Signature Rotisserie Chicken	Safeway Deli	Spoiled or Quality Issue	Edit Delete

The right side of the image shows the Chrome DevTools storage panel. It lists various storage areas like Local storage, Session storage, IndexedDB, Cookies, Private state tokens, Cache storage, and Storage buckets. The "Cookies" section is expanded, showing a table of cookies for the domain http://localhost:8191.

Name	Value	Domain	Path	Expires	Size	HttpOnly	Secure	Partitioned	Priority
_csrf	2f4bdc45fe9c3bca954638a...	loc...	/	20...	59				Me...
s8491_session	eyJ2aWQIAOTu50ANmO...	loc...	/	20...	228		✓	Lax	Me...
session	5622c37f-0320-4129-b886...	loc...	/	20...	71		✓	Lax	Me...
username-localhost	2f11010-1788401665723-user...	loc...	/	20...	327		✓		Me...
username-localhost	*2f11010-178899279623-use...	loc...	/	20...	333		✓		Me...

At the bottom of the cookies table, it states "No cookie selected" and "Select a cookie to preview its value".

Code -

```
main.py (Working Tree) 6, M X
code > web_application > main.py > ...

1 from fastapi import FastAPI, HTTPException, Response
2 from fastapi.staticfiles import StaticFiles
3 from fastapi.responses import FileResponse
4 from pydantic import BaseModel
5 from typing import List
6
7 import uvicorn
8
9 # this is my backend for grocery recall notices app.
10 # product name is the main field and the supplier is the second field.
11 # student id 819146491
12 # my student id ends in 6491 so my port number is 8000 + (6491 mod 900) = 8191.
13 PORT_BASE = 8191
14
15 app = FastAPI(title="Grocery Supply and Recall Notices API", version="1.0.0")
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2244
2245
2246
2247
2248
2249
2250
2251
2252
2253
2254
2255
2256
2257
2258
2259
2260
2261
2262
2263
2264
2265
2266
2267
2268
2269
2270
2271
2272
2273
2274
2275
2276
2277
2278
2279
2280
2281
2282
2283
2284
2285
2286
2287
2288
2289
2290
2291
2292
2293
2294
2295
2296
2297
2298
2299
2300
2301
2302
2303
2304
2305
2306
2307
2308
2309
2310
2311
2312
2313
2314
2315
2316
2317
2318
2319
2320
2321
2322
2323
2324
2325
2326
2327
2328
2329
2330
2331
2332
2333
2334
2335
2336
2337
2338
2339
2340
2341
2342
2343
2344
2345
2346
2347
2348
2349
2350
2351
2352
2353
2354
2355
2356
2357
2358
2359
2360
2361
2362
2363
2364
2365
2366
2367
2368
2369
2370
2371
2372
2373
2374
2375
2376
2377
2378
2379
2380
2381
2382
2383
2384
2385
2386
2387
2388
2389
2390
2391
2392
2393
2394
2395
2396
2397
2398
2399
2400
2401
2402
2403
2404
2405
2406
2407
2408
2409
2410
2411
2412
2413
2414
2415
2416
2417
2418
2419
2420
2421
2422
2423
2424
2425
2426
2427
2428
2429
2430
2431
2432
2433
2434
2435
2436
2437
2438
2439
2440
2441
2442
2443
2444
2445
2446
2447
2448
2449
2450
2451
2452
2453
2454
2455
2456
2457
2458
2459
2460
2461
2462
2463
2464
2465
2466
2467
2468
2469
2470
2471
2472
2473
2474
2475
2476
2477
2478
2479
2480
2481
2482
2483
2484
2485
2486
2487
2488
2489
2490
2491
2492
2493
2494
2495
2496
2497
2498
2499
2500
2501
2502
2503
2504
2505
2506
2507
2508
2509
2510
2511
2512
2513
2514
2515
2516
2517
2518
2519
2520
2521
2522
2523
2524
2525
2526
2527
2528
2529
2530
2531
2532
2533
2534
2535
2536
2537
2538
2539
2540
2541
2542
2543
2544
2545
2546
2547
2548
2549
2550
2551
2552
2553
2554
2555
2556
2557
2558
2559
2560
2561
2562
2563
2564
2565
2566
2567
2568
2569
2570
2571
2572
2573
2574
2575
2576
2577
2578
2579
2580
2581
2582
2583
2584
2585
2586
2587
2588
2589
2590
2591
2592
2593
2594
2595
2596
2597
2598
2599
2600
2601
2602
2603
2604
2605
2606
2607
2608
2609
2610
2611
2612
2613
2614
2615
2616
2617
2618
2619
2620
2621
2622
2623
2624
2625
2626
2627
2628
2629
2630
2631
2632
2633
2634
2635
2636
2637
2638
2639
2640
2641
2642
2643
2644
2645
2646
2647
2648
2649
2650
```

Screenshot



```

main.py (Working Tree) 6, M X
code > web_application > main.py > ...


1 from fastapi import FastAPI, HTTPException, Response
2 from fastapi.staticfiles import StaticFiles
3 from fastapi.responses import FileResponse
4 from pydantic import BaseModel
5 from typing import List
6 import uvicorn
7
8 # this is my backend for grocery recall notices app.
9 # product name is the main field and the supplier is the second field.
10 # student id 019146491
11 # my student id ends in 6491 so my port number is 8080 + (6491 mod 900) = 8191.
12 PORT_BASE = 8191
13
14 app = FastAPI(title="Grocery Supply and Recall Notices API", version="1.0.0")
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
```

Implement an idle session timeout. Prove that an expired or logged out session cannot be reused to reach /dashboard.

Code -

```
auth.py 5, U X
code > web_application > routers > auth.py > ...
52
53 ACTIVE_SESSIONS: dict[str, float] = {}
54
55 IDLE_TIMEOUT_SECONDS = int(os.getenv("SESSION_MAX_AGE", "900"))
56
57
58 def current_user(request: Request):
59     """
60     Return the logged-in user, or None.
61
62     Returns None when any of these is true:
63     - the browser sent no session cookie at all
64     - the cookie's sid is not in ACTIVE_SESSIONS (i.e. it was logged out)
65     - the session has been idle for longer than IDLE_TIMEOUT_SECONDS
66
67     Every successful call refreshes the idle clock, so the timeout measures
68     time since the last request rather than time since login.
69     """
70     sid = request.session.get("sid")
71     if not sid:
72         return None
73
74     last_seen = ACTIVE_SESSIONS.get(sid)
75     if last_seen is None:
76         request.session.clear()
77         return None
78
79     if time.time() - last_seen > IDLE_TIMEOUT_SECONDS:
80         ACTIVE_SESSIONS.pop(sid, None)
81         request.session.clear()
82         return None
83
84     ACTIVE_SESSIONS[sid] = time.time()
85     return request.session.get("user")
86
```

```
auth.py 5, U X
code > web_application > routers > auth.py > ...
167
168 @router.get("/logout")
169 def logout(request: Request):
170     """
171     Log out and go back to the home page.
172
173     The sid is deleted from ACTIVE_SESSIONS first. That is the step that makes
174     the old cookie permanently useless, even if somebody saved a copy of it.
175     """
176     sid = request.session.get("sid")
177     if sid:
178         ACTIVE_SESSIONS.pop(sid, None)
179
180     request.session.clear()
181     return RedirectResponse(url="/", status_code=HTTP_303_SEE_OTHER)
182
```



Styling with Bootstrap: Explore and use Bootstrap to style all pages. Make the application responsive and visually appealing. Use Bootstrap components, such as the Navbar for navigation, Cards for forms and content, Buttons for actions, and Alerts for messages.

-> This requirement has been addressed as per all the above screenshots.

[Auth.py](#) Code ->

```
auth.py 8, U X
code > web_application > routers > auth.py > ...
1  """
2  routers/auth.py - DATA-260 HW3 Part 1
3
4  Every login / logout / dashboard route for my grocery recall app lives here,
5  in a router of its own, because the assignment says the routes must be
6  "Handled Separately in a router" rather than sitting inside main.py.
7
8  SID4 6491 | PORT_BASE 8191 | DOMAIN_ID 3 - grocery supply and recall notices
9  """
10
11  import os
12  import time
13  import uuid
14
15  import bcrypt
16  from fastapi import APIRouter, Form, Request
17  from fastapi.responses import RedirectResponse
18  from fastapi.templating import Jinja2Templates
19  from starlette.status import HTTP_303_SEE_OTHER
20
21  router = APIRouter()
22
23  templates = Jinja2Templates(directory="templates")
24
25
26  def _hash(plain: str) -> bytes:
27      return bcrypt.hashpw(plain.encode(), bcrypt.gensalt())
28
29
30  USERS = {
31      "kshitiya": {
32          "password_hash": _hash("Recall@6491"),
33          "name": "Kshitiya Shinde",
34          "role": "Recall Coordinator",
35      },
36      "inspector": {
37          "password_hash": _hash("Inspect@6491"),
38          "name": "Food Safety Inspector",
39          "role": "Inspector",
40      },
41  }
42
43
44  def verify_password(username: str, password: str) -> bool:
45      """True only when the username exists and the password matches its hash."""
46      account = USERS.get(username)
47      if account is None:
48          bcrypt.checkpw(b"dummy", _hash("dummy"))
49          return False
50      return bcrypt.checkpw(password.encode(), account["password_hash"])
51
52
53  ACTIVE_SESSIONS: dict[str, float] = {}
54
55  IDLE_TIMEOUT_SECONDS = int(os.getenv("SESSION_MAX_AGE", "900"))
56
57
58  def current_user(request: Request):
59      """
60      Return the logged-in user, or None.
61
62      Returns None when any of these is true:
63      - the browser sent no session cookie at all
64      - the cookie's sid is not in ACTIVE_SESSIONS (i.e. it was logged out)
65      - the session has been idle for longer than IDLE_TIMEOUT_SECONDS
66
67      Every successful call refreshes the idle clock, so the timeout measures
68      time since the last request rather than time since login.
69      """
70      sid = request.session.get("sid")
71      if not sid:
72          return None
```

auth.py 5, U X

code > web_application > routers > auth.py > ...


```
66
67     Every successful call refreshes the idle clock, so the timeout measures
68     time since the last request rather than time since login.
69     """
70     sid = request.session.get("sid")
71     if not sid:
72         return None
73
74     last_seen = ACTIVE_SESSIONS.get(sid)
75     if last_seen is None:
76         request.session.clear()
77         return None
78
79     if time.time() - last_seen > IDLE_TIMEOUT_SECONDS:
80         ACTIVE_SESSIONS.pop(sid, None)
81         request.session.clear()
82         return None
83
84     ACTIVE_SESSIONS[sid] = time.time()
85     return request.session.get("user")
86
87
88 @router.get("/")
89 def home(request: Request):
90     """
91     Home page.
92
93     Shows a welcome message for my domain. Offers a Login link when nobody is
94     signed in, and Dashboard + Logout links once somebody is.
95     """
96     return templates.TemplateResponse(
97         request, "index.html", {"user": current_user(request), "active": "home"}
98     )
99
100
101 @router.get("/login")
102 def login_page(request: Request):
103     """Show the empty login form. Already signed in? Go straight to the dashboard."""
104     if current_user(request):
105         return RedirectResponse(url="/dashboard", status_code=HTTP_303_SEE_OTHER)
106
107     return templates.TemplateResponse(
108         request, "login.html", {"user": None, "active": "login", "error": None}
109     )
110
111
112 @router.post("/login")
113 def login(request: Request, username: str = Form(...), password: str = Form(...)):
114     """
115     Handle the submitted login form.
116
117     Correct credentials -> start a session and redirect to /dashboard.
118     Wrong credentials -> redraw the login page with a Bootstrap alert.
119     """
120     if not verify_password(username.strip(), password):
121         return templates.TemplateResponse(
122             request,
123             "login.html",
124             {
125                 "user": None,
126                 "active": "login",
127                 "error": "Incorrect username or password. Please try again.",
128                 "attempted_username": username,
129             },
130             status_code=401,
131         )
132
133     account = USERS[username.strip()]
134
135     sid = uuid.uuid4().hex
136     ACTIVE_SESSIONS[sid] = time.time()
137
```

auth.py 5, U X

code > web_application > routers > auth.py > ...

```
123         "login.html",
124         {
125             "user": None,
126             "active": "login",
127             "error": "Incorrect username or password. Please try again.",
128             "attempted_username": username,
129         },
130         status_code=401,
131     )
132
133     account = USERS[username.strip()]
134
135     sid = uuid.uuid4().hex
136     ACTIVE_SESSIONS[sid] = time.time()
137
138     request.session.clear()
139     request.session["sid"] = sid
140     request.session["user"] = {
141         "username": username.strip(),
142         "name": account["name"],
143         "role": account["role"],
144     }
145
146     return RedirectResponse(url="/dashboard", status_code=HTTP_303_SEE_OTHER)
147
148
149 @router.get("/dashboard")
150 def dashboard(request: Request):
151     """
152     Protected page - the recall notice records.
153
154     Anyone without a live session is sent back to the login page, which is
155     what makes this a protected route.
156     """
157     user = current_user(request)
158     if not user:
159         return RedirectResponse(url="/login?expired=1", status_code=HTTP_303_SEE_OTHER)
160
161     return templates.TemplateResponse(
162         request,
163         "dashboard.html",
164         {"user": user, "active": "dashboard", "idle_timeout": IDLE_TIMEOUT_SECONDS},
165     )
166
167
168 @router.get("/logout")
169 def logout(request: Request):
170     """
171     Log out and go back to the home page.
172
173     The sid is deleted from ACTIVE_SESSIONS first. That is the step that makes
174     the old cookie permanently useless, even if somebody saved a copy of it.
175     """
176     sid = request.session.get("sid")
177     if sid:
178         ACTIVE_SESSIONS.pop(sid, None)
179
180     request.session.clear()
181     return RedirectResponse(url="/", status_code=HTTP_303_SEE_OTHER)
182
```

Screenshot of my templates directory



PART 2

Part 2: Compare Three LlamaIndex Chunking Techniques (Retrieval-Only RAG)

Implement three chunking techniques in LlamaIndex, build in-memory vector indexes, and compare retrieval quality. You'll print the embeddings and retrieval outputs for a shared query, then argue which technique is best and why.


Techniques to implement:

1. Token-based chunking — TokenTextSplitter (LlamaIndex)
2. Semantic chunking — SemanticSplitterNodeParser (LlamaIndex)
3. Sentence-window chunking — SentenceWindowNodeParser (LlamaIndex)

Dataset - Use Tiny Shakespeare (raw text) as a warm-up only:

<https://raw.githubusercontent.com/karpathy/char-rnn/master/data/tinyshakespeare/input.txt>

But your actual dataset (This will be the graded dataset) must be at least 200 KB of local snapshots of public documents relevant to your assigned domain (DOMAIN_ID). Store SOURCES.md with source URLs and access dates, plus CORPUS_MANIFEST.json with each local filename, byte size, and SHA-256 hash.



The screenshot shows a code editor with three files open. The top file, `SOURCES.md`, contains metadata for a dataset, including a title, domain ID, document count, total size, and access date. The middle file, `questions.yaml`, contains two questions with their expected answers and sources. The bottom file, `CORPUS_MANIFEST.json`, is a JSON array containing details for each document in the corpus, such as filename, size, and SHA-256 hash.


```
reports > hw03 > SOURCES.md > # SOURCES.md - DATA-260 HW3 domain corpus
1 # SOURCES.md - DATA-260 HW3 domain corpus
2
3 ==SID== 6491 | ==DOMAIN_ID== 3 - Grocery supply and recall notices
4
5 ==Documents== 57 | ==Total size== 395,149 bytes (385.9 KB) | ==Minimum required== 200 KB - ==met== (139% of minimum)
6
7 ==Accessed== 2026-09-18 | ==Publisher== U.S. Food and Drug Administration (fda.gov), public domain
8
9 All documents are local snapshots saved as plain text under 'data/corpus/'. Byte sizes and SHA-256 hashes for every file are recorded in 'CORPUS_MANIFEST.json'.
10
11 ## How the snapshots were taken
12
13 Each page was fetched over HTTPS, the main article body extracted, HTML tags removed (block-level tags became line breaks, inline tags became spaces so sentences stay intact), and the result saved as UTF-8 text. No content was edited, reordered, or summarised.

reports > hw03 > questions.yaml
1 questions:
2
3 - id: q1
4   question: "Which allergen was undeclared in the J. HIGGS Loaded Bacon and Cheddar potato chips, and which supermarket chain sold them?"
5   expected_answer: >
6     Soy. Saratoga Potato Chips of Fort Wayne, Indiana recalled two Best-If-Used-By codes
7     of the 7.75-ounce bags, which were sold in Save A Lot stores across Indiana,
8     Kentucky, Ohio, Tennessee and Maryland.
9   expected_source: "saratoga_potato_chips_issues_allergy_alert_undeclared_soy_j_higgs_load.txt"
10  single_source: true
11  answer_keywords: ["J. HIGGS", "soy", "Save A Lot"]
12
13 - id: q2
14   question: "Why did Whole Foods Market recall Cabricharme cheese?"
15   expected_answer: >

reports > hw03 > CORPUS_MANIFEST.json > ...
1 [
2   {
3     "filename": "HW3",
4     "sid": 6491,
5     "domain_id": 3,
6     "domain": "Grocery supply and recall notices",
7     "generated": "2026-09-18",
8     "corpus_dir": "data/corpus/",
9     "document_count": 57,
10    "total_bytes": 395149,
11    "total_kb": 385.9,
12    "minimum_required_kb": 200,
13    "meets_minimum": true,
14    "documents": [
15      {
16        "file": "about_core_network.txt",
17        "size": 4216
```

What you must build

- A. Environment & Setup Install: llama-index, llama-index-embeddings-huggingface, sentence-transformers, faiss-cpu, numpy, pandas.
 - a. Use a public sentence embedding model (e.g., sentence-transformers/all-MiniLM-L6-v2). (pull from huggingface)



The screenshot shows a VS Code editor with a terminal window open. The terminal displays the output of the command `python -m pip list | grep -iE "llama-index|sentence-transformers|faiss|numpy|pandas"`. The output lists the installed packages and their versions:

```
faiss-cpu 1.15.1
llama-index 0.14.24
llama-index-core 0.14.24
llama-index-embeddings-huggingface 0.8.0
llama-index-embeddings-openai 0.6.0
llama-index-instrumentation 0.6.0
llama-index-llms-openai 0.7.10
llama-index-workflows 2.24.0
numpy 2.4.6
pandas 3.0.6
sentence-transformers 6.1.0
```

The terminal window title is `data260-6491`. The VS Code interface shows a file explorer on the left with a project structure including `CORPUS_MANIFEST.json`, `questions.yaml`, `SOURCES.md`, `scripts`, `src`, `.gitignore`, `AGENT.md`, `AI_use.md`, `DOMAIN_SCHEMA.md`, and `README.md`.


B. One retrieval-only pipeline per technique

For each chunker (Token / Semantic / Sentence-window):


1. Chunking
 - a. Token: set a token `chunk_size` and `chunk_overlap` (choose sensible values). (LlamaIndex)
 - b. Semantic: pick a `buffer_size` and use your embed model for the splitter to find semantically coherent boundaries. (LlamaIndex)
 - c. Sentence-window: split to single sentences and attach a window (neighbor sentences) in metadata to keep surrounding context available. (LlamaIndex)
2. Indexing (in memory)
 - a. Build a `VectorStoreIndex` over your nodes with an in-memory vector store (e.g., `SimpleVectorStore`) to keep everything local and fast. (LlamaIndex)
3. Retrieval-only function - Write a helper that, given a query and `k`, does the following:
 - a. Compute the query embedding (show its dimension and the first 8 values).
 - b. Retrieve top-`k` nodes; for each, compute and print:
 - i. Store similarity score (if available from retriever).
 - ii. Cosine similarity between the query embedding and the document embedding (compute embeddings of the returned chunks explicitly).
 - iii. Chunk length and a short text preview (first ~160 chars).
 - c. Print the shapes of the query vector and the stacked doc vectors.

Your printed output should clearly identify the technique used and list a table with: `rank`, `store_score`, `cosine_sim`, `chunk_len`, `preview`. Save this per-query, per-technique output as machine-readable data (CSV/JSON/JSONL) in `raw/`, along with a script that recomputes the summary tables below from it.


Code -




```
code > rag > compare_chunking.py > ...
1 import csv
2 import os
3 import time
4 import warnings
5
6 warnings.filterwarnings("ignore")
7
8 import numpy as np
9
10 from llama_index.core import Settings, SimpleDirectoryReader, VectorStoreIndex
11 from llama_index.core.node_parser import (
12     SemanticSplitterNodeParser,
13     SentenceWindowNodeParser,
14     TokenTextSplitter,
15 )
16 from llama_index.embeddings.huggingface import HuggingFaceEmbedding
17
18 HERE = os.path.dirname(os.path.abspath(__file__))
19 ROOT = os.path.abspath(os.path.join(HERE, "..", ".."))
20 CORPUS_DIR = os.path.join(ROOT, "data", "corpus")
21 REPORT_DIR = os.path.join(ROOT, "reports", "hw03")
22 RAW_DIR = os.path.join(REPORT_DIR, "raw")
23
24 EMBED_MODEL = "sentence-transformers/all-MiniLM-L6-v2"
25 TOP_K = 5
26
27
28 def cosine(a, b):
29     a = np.asarray(a, dtype=float)
30     b = np.asarray(b, dtype=float)
31     return float(np.dot(a, b) / (np.linalg.norm(a) * np.linalg.norm(b)))
32
33
34 def build_chunkers(embed_model):
35     return {
36         "Token": TokenTextSplitter(chunk_size=256, chunk_overlap=40),
37         "Semantic": SemanticSplitterNodeParser(
38             buffer_size=1,
39             breakpoint_percentile_threshold=95,
40             embed_model=embed_model,
41         ),
42         "Sentence-window": SentenceWindowNodeParser.from_defaults(
43             window_size=3,
44             window_metadata_key="window",
45             original_text_metadata_key="original_text",
46         ),
47     }
48
49
50 def retrieve(technique, index, embed_model, question, expected_source):
51     qvec = embed_model.get_query_embedding(question["question"])
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
```



```
code > rag > compare_chunking.py > ...
50 def retrieve(technique, index, embed_model, question, expected_source):
51     qvec = embed_model.get_query_embedding(question["question"])
52
53     print(f"TECHNIQUE: {technique} QUESTION: {question['id']}")
54     print(f"question['question']")
55     print(f"query embedding dimension : {len(qvec)}")
56     print(f"first 8 values : {[round(v, 4) for v in qvec[:8]]}")
57
58     retriever = index.as_retriever(similarity_top_k=TOP_K)
59     t0 = time.perf_counter()
60     hits = retriever.retrieve(question["question"])
61     latency_ms = (time.perf_counter() - t0) * 1000
62
63     doc_vectors = [embed_model.get_text_embedding(h.node.get_content()) for h in hits]
64     stacked = np.array(doc_vectors)
65
66     print(f"query vector shape : {np.array(qvec).shape}")
67     print(f"stacked doc vector shape : {stacked.shape}")
68     print(f"retrieval latency : {latency_ms:.2f} ms")
69
70     print(f"rank: {6} store_score: {14.4f} cosine_sim: {13.4f} len(text): {11} preview")
71     print(f" " + "-" * 100)
72
73     rows = []
74     for rank, (hit, dvec) in enumerate(zip(hits, doc_vectors), 1):
75         text = hit.node.get_content().replace("\n", " ")
76         source = hit.node.metadata.get("file_name", "")
77         sim = cosine(qvec, dvec)
78         preview = text[:160]
79
80         print(f"rank: {6} hit.score: {14.4f} sim: {13.4f} len(text): {11} preview: {70}")
81
82         rows.append({
83             "question_id": question["id"],
84             "technique": technique,
85             "rank": rank,
86             "store_score": round(hit.score, 6),
87             "cosine_sim": round(sim, 6),
88             "chunk_len": len(text),
89             "source_file": source,
90             "expected_source": expected_source,
91             "is_expected": int(source == expected_source),
92             "latency_ms": round(latency_ms, 3),
93             "preview": preview,
94         })
95
96     return rows
97
98
99 def main():
100     os.makedirs(RAW_DIR, exist_ok=True)
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
```



```
code > rag > compare_chunking.py > ...
98
99
100 os.makedirs(RAW_DIR, exist_ok=True)
101
102 embed_model = HuggingFaceEmbedding(model_name=EMBED_MODEL)
103 Settings.embed_model = embed_model
104 Settings.llm = None
105
106 docs = SimpleDirectoryReader(input_dir=CORPUS_DIR).load_data()
107 questions = yaml.safe_load(open(os.path.join(REPORT_DIR, "questions.yaml"))["questions"])
108
109 print(f"documents : {len(docs)}")
110 print(f"questions : {len(questions)}")
111 print(f"embedding : {EMBED_MODEL} top_k={TOP_K}")
112
113 all_rows = []
114 chunk_stats = []
115
116 for technique, chunker in build_chunkers(embed_model).items():
117     print("\n" + "=" * 100)
118     print(f"BUILDING: {technique}")
119     print("=" * 100)
120
121     t0 = time.perf_counter()
122     nodes = chunker.get_nodes_from_documents(docs)
123     chunk_ms = (time.perf_counter() - t0) * 1000
124
125     lengths = [len(n.get_content()) for n in nodes]
126     print(f"chunks : {len(nodes)}")
127     print(f"avg chunk length : {sum(lengths) / len(lengths):.1f} characters")
128     print(f"chunking time : {chunk_ms:.0f} ms")
129
130     index = VectorStoreIndex(nodes, embed_model=embed_model, show_progress=False)
131
132     chunk_stats.append({
133         "technique": technique,
134         "chunks": len(nodes),
135         "avg_chunk_length": round(sum(lengths) / len(lengths), 2),
136         "chunking_ms": round(chunk_ms, 2),
137     })
138
139     for q in questions:
140         all_rows.append(retrieve(technique, index, embed_model, q, q["expected_source"]))
141
142 all_rows = [r for group in all_rows for r in group]
143
144 retrieval_csv = os.path.join(RAW_DIR, "retrieval_results.csv")
145 with open(retrieval_csv, "w", newline="") as f:
146     writer = csv.DictWriter(f, fieldnames=list(all_rows[0].keys()))
147     writer.writeheader()
148     writer.writerows(all_rows)
149
```



```
139     for q in questions:
140         all_rows.append(retrieve(technique, index, embed_model, q, q["expected_source"]))
141
142 all_rows = [r for group in all_rows for r in group]
143
144 retrieval_csv = os.path.join(RAW_DIR, "retrieval_results.csv")
145 with open(retrieval_csv, "w", newline="") as f:
146     writer = csv.DictWriter(f, fieldnames=list(all_rows[0].keys()))
147     writer.writeheader()
148     writer.writerows(all_rows)
149
150 chunk_csv = os.path.join(RAW_DIR, "chunk_stats.csv")
151 with open(chunk_csv, "w", newline="") as f:
152     writer = csv.DictWriter(f, fieldnames=list(chunk_stats[0].keys()))
153     writer.writeheader()
154     writer.writerows(chunk_stats)
155
156 print("\n" + "=" * 100)
157 print(f"wrote {len(all_rows)} rows -> reports/hw03/raw/retrieval_results.csv")
158 print(f"wrote {len(chunk_stats)} rows -> reports/hw03/raw/chunk_stats.csv")
159 print("=" * 100)
160
161 if __name__ == "__main__":
162     main()
163
164
```

OUTPUT -

```
data260-6491
python code/rag/compare_chunking.py
Warning: You are sending unauthenticated requests to the HF Hub. Please set a HUGGINGFACE_TOKEN to enable higher rate limits and faster downloads.
Loading weights: 100%
documents : 57
questions : 5
embedding : sentence-transformers/all-MiniLM-L6-v2_top_k=5

BUILDING: Token
chunks : 684
avg chunk length : 818.3 characters
chunking time : 386 ms

TECHNIQUE: Token QUESTION: q1
Which allergen was undeclared in the J. HIGGS Loaded Bacon and Cheddar potato chips, and which supermarket chain sold them?
query embedding dimension : 384
first 8 values : [-0.8993, 0.0474, -0.0477, 0.0007, 0.0713, -0.0301, -0.049, 0.0438]
query vector shape : (384,)
stacked doc vector shape : (5, 384)
retrieval latency : 11.47 ms

rank store_score cosine_sim chunk_len preview
1 0.6858 0.6942 821 Potato Chips because they may contain undeclared soy allergen. People
2 0.6517 0.6924 747 top right corner of the bag. No illnesses or injuries have been report
3 0.5365 0.6330 795 More Recalls, Market Withdrawals, & Safety Alerts Summary Company Anno
4 0.5346 0.5444 521 Additional Product Issues Product: Imperial Nougat Co., manufactured th
5 0.4984 0.5840 739 to 9/17/2026 To date, no illnesses related to this product have been r

TECHNIQUE: Token QUESTION: q2
Why did Whole Foods Market recall Cabricharme cheese?
query embedding dimension : 384
first 8 values : [-0.0402, -0.0184, 0.0163, 0.0813, 0.0253, 0.0515, -0.0169, 0.0665]
query vector shape : (384,)
stacked doc vector shape : (5, 384)
retrieval latency : 10.56 ms

rank store_score cosine_sim chunk_len preview
1 0.6818 0.6972 847 severe sensitivity to eggs run the risk of a serious or life-threatening
2 0.6557 0.6538 626 Table 10/15/25 Best Kitchen Supply 413 Morse St., We, Washington, D.C.
3 0.5493 0.6520 756 a recall, including retailers and distributors, to ensure that affects
4 0.5249 0.6669 844 More Recalls, Market Withdrawals, & Safety Alerts Summary Company Anno
5 0.5217 0.6091 872 Produce stored at cold temperatures can be contaminated. For example,
best-by dates on and before April 3, 2025. The recalled product was di

TECHNIQUE: Token QUESTION: q3
Which frozen pasta product sold at Walmart was recalled for possible Listeria contamination, and what size was the package?
query embedding dimension : 384
first 8 values : [-0.8954, 0.0085, -0.0091, 0.047, 0.027, 0.005, 0.0156, 0.1258]
query vector shape : (384,)
stacked doc vector shape : (5, 384)
retrieval latency : 9.08 ms

rank store_score cosine_sim chunk_len preview
1 0.5869 0.5455 815 due to an improperly declared allergen (eggs). People who have an alle
2 0.5833 0.4788 872 Custom Smoking of Monroe, Washington, is a processor of a variety of r
3 0.6130 0.5184 802 or # L0896C with an expiration date of 09/19/2027 or 09/20/2027 both s
4 0.5758 0.5310 511 Produce stored at cold temperatures can be contaminated. For example,
5 0.5715 0.5318 847 severe sensitivity to eggs run the risk of a serious or life-threatening

TECHNIQUE: Token QUESTION: q4
Which imported spice brands were found to be contaminated with Salmonella, and who distributed them?
query embedding dimension : 384
first 8 values : [-0.0135, -0.0291, -0.0215, 0.0722, 0.0502, 0.0155, 0.0292, 0.0392]

write 25 rows -> reports/hw3/raw/retrieval_results.csv
write 3 rows -> reports/hw3/raw/chunk_stats.csv
```

```
data260-6491
python code/rag/compare_chunking.py
Warning: You are sending unauthenticated requests to the HF Hub. Please set a HUGGINGFACE_TOKEN to enable higher rate limits and faster downloads.
Loading weights: 100%
documents : 57
questions : 5
embedding : sentence-transformers/all-MiniLM-L6-v2_top_k=5

BUILDING: Token
chunks : 684
avg chunk length : 818.3 characters
chunking time : 386 ms

TECHNIQUE: Token QUESTION: q1
Which allergen was undeclared in the J. HIGGS Loaded Bacon and Cheddar potato chips, and which supermarket chain sold them?
query embedding dimension : 384
first 8 values : [-0.8993, 0.0474, -0.0477, 0.0007, 0.0713, -0.0301, -0.049, 0.0438]
query vector shape : (384,)
stacked doc vector shape : (5, 384)
retrieval latency : 11.47 ms

rank store_score cosine_sim chunk_len preview
1 0.6858 0.6942 821 Potato Chips because they may contain undeclared soy allergen. People
2 0.6517 0.6924 747 top right corner of the bag. No illnesses or injuries have been report
3 0.5365 0.6330 795 More Recalls, Market Withdrawals, & Safety Alerts Summary Company Anno
4 0.5346 0.5444 521 Additional Product Issues Product: Imperial Nougat Co., manufactured th
5 0.4984 0.5840 739 to 9/17/2026 To date, no illnesses related to this product have been r

TECHNIQUE: Token QUESTION: q2
Why did Whole Foods Market recall Cabricharme cheese?
query embedding dimension : 384
first 8 values : [-0.0402, -0.0184, 0.0163, 0.0813, 0.0253, 0.0515, -0.0169, 0.0665]
query vector shape : (384,)
stacked doc vector shape : (5, 384)
retrieval latency : 10.56 ms

rank store_score cosine_sim chunk_len preview
1 0.6818 0.6972 847 severe sensitivity to eggs run the risk of a serious or life-threatening
2 0.6557 0.6538 626 Table 10/15/25 Best Kitchen Supply 413 Morse St., We, Washington, D.C.
3 0.5493 0.6520 756 a recall, including retailers and distributors, to ensure that affects
4 0.5249 0.6669 844 More Recalls, Market Withdrawals, & Safety Alerts Summary Company Anno
5 0.5217 0.6091 872 Produce stored at cold temperatures can be contaminated. For example,
best-by dates on and before April 3, 2025. The recalled product was di

TECHNIQUE: Token QUESTION: q3
Which frozen pasta product sold at Walmart was recalled for possible Listeria contamination, and what size was the package?
query embedding dimension : 384
first 8 values : [-0.8954, 0.0085, -0.0091, 0.047, 0.027, 0.005, 0.0156, 0.1258]
query vector shape : (384,)
stacked doc vector shape : (5, 384)
retrieval latency : 9.08 ms

rank store_score cosine_sim chunk_len preview
1 0.5869 0.5455 815 due to an improperly declared allergen (eggs). People who have an alle
2 0.5833 0.4788 872 Custom Smoking of Monroe, Washington, is a processor of a variety of r
3 0.6130 0.5184 802 or # L0896C with an expiration date of 09/19/2027 or 09/20/2027 both s
4 0.5758 0.5310 511 Produce stored at cold temperatures can be contaminated. For example,
5 0.5715 0.5318 847 severe sensitivity to eggs run the risk of a serious or life-threatening

TECHNIQUE: Token QUESTION: q4
Which imported spice brands were found to be contaminated with Salmonella, and who distributed them?
query embedding dimension : 384
first 8 values : [-0.0135, -0.0291, -0.0215, 0.0722, 0.0502, 0.0155, 0.0292, 0.0392]

rank store_score cosine_sim chunk_len preview
1 0.7071 0.5735 179 The cheese was sold in the Specialty cheese department at 18 Whole Foo
2 0.6130 0.6664 586 Recalled product was cut and plastic wrapped by the pound with Whole F
3 0.5686 0.6250 595 More Recalls, Market Withdrawals, & Safety Alerts Summary Company Anno
4 0.5439 0.3315 248 July 9, 2025 Dear Industry Leaders: This letter is directed to manufac
5 0.5421 0.4269 341 In one case, recalled product remained available for sale over three w

TECHNIQUE: Sentence-window QUESTION: q3
Which frozen pasta product sold at Walmart was recalled for possible Listeria contamination, and what size was the package?
query embedding dimension : 384
first 8 values : [-0.8954, 0.0085, -0.0091, 0.047, 0.027, 0.005, 0.0156, 0.1258]
query vector shape : (384,)
stacked doc vector shape : (5, 384)
retrieval latency : 24.98 ms

rank store_score cosine_sim chunk_len preview
1 0.6420 0.5834 277 The recalled bettergoods brand Authentic Italian Lemon Alfredo Fettucc
2 0.6262 0.5279 117 Lawrence Wholesale, LLC of Vernon, CA also recalled a limited quantity
3 0.6160 0.5414 320 More Recalls, Market Withdrawals, & Safety Alerts Summary Company Anno
4 0.6114 0.4420 116 August 29, 2025 Aquafirst (USA) Corp of Seattle, WA, recalled approxima
5 0.6183 0.5138 274 On June 15, 2021, Interstate Food Products indicated to the FDA that t

TECHNIQUE: Sentence-window QUESTION: q4
Which imported spice brands were found to be contaminated with Salmonella, and who distributed them?
query embedding dimension : 384
first 8 values : [-0.0135, -0.0291, -0.0215, 0.0722, 0.0502, 0.0155, 0.0292, 0.0392]
query vector shape : (384,)
stacked doc vector shape : (5, 384)
retrieval latency : 30.33 ms

rank store_score cosine_sim chunk_len preview
1 0.6588 0.6035 173 Additionally, the FDA has subjected the products to "Detention Without
2 0.6480 0.3976 138 Children younger than five, the elderly, and people with weakened immu
3 0.6310 0.4325 139 Symptoms of Salmonella Salmonella is a group of bacteria that can cau
4 0.6160 0.3973 162 More severe cases of salmonellosis may include a high fever, aches, he
5 0.6156 0.3859 281 Purpose The US Food and Drug Administration (FDA) is advising consumer

TECHNIQUE: Sentence-window QUESTION: q5
What was wrong with WanaBana apple cinnamon fruit puree pouches, and which other brands were recalled for the same problem?
query embedding dimension : 384
first 8 values : [-0.0601, -0.0336, -0.0188, 0.0285, -0.0537, -0.0389, -0.1837, 0.0071]
query vector shape : (384,)
stacked doc vector shape : (5, 384)
retrieval latency : 29.92 ms

rank store_score cosine_sim chunk_len preview
1 0.7287 0.6884 116 WanaBana has agreed to voluntarily recall all WanaBana apple cinnamon
2 0.7237 0.7412 268 The FDA has shared the results with the firm whose representatives are
3 0.6591 0.6296 350 In late 2021, after a recall of Apple Cinnamon Fruit Puree pouches int
4 0.6550 0.5183 257 Before the recall, Austrofood did not appropriately conduct a hazard a
5 0.6184 0.6855 172 (Austrofood), the manufacturer of the apple cinnamon fruit puree pouc

write 25 rows -> reports/hw3/raw/retrieval_results.csv
write 3 rows -> reports/hw3/raw/chunk_stats.csv
```

The screenshot shows a VS Code window with a terminal at the bottom. The terminal output shows the execution of a command to list reports from a specific directory. The file explorer on the left shows a project structure with various files and folders.

```
(data268) kshiti@rohandeshmukh@KshitiMacBook-Air data268-6491 % ls -l reports/hw03/raw/
head -3 reports/hw03/raw/retrieval_results.csv
wc -l reports/hw03/raw/retrieval_results.csv

total 64
-rw-r--r-- 1 kshiti@rohandeshmukh staff 136 Sep 20 18:44 chunk_stats.csv
-rw-r--r-- 1 kshiti@rohandeshmukh staff 26699 Sep 20 18:44 retrieval_results.csv
question_id,technique,rank,store_score,cosine_sim,chunk_len,source_file,expected_source,is_expected,latency_ms,preview
q1,Token,1,0.68765,0.69426,821,saratoga_potato_chips_issues_allergy_alert_undclared_soy_i_higgs_load.txt,saratoga_potato_chips_issues_allergy_alert_undclared_soy_i_higgs_load.txt,1,11.473,Potato Chips because they may contain undeclared soy allergen. People who have an allergy or severe sensitivity to soy run the risk of serious or life-threatening
q1,Token,2,0.651742,0.69246,747,saratoga_potato_chips_issues_allergy_alert_undclared_soy_i_higgs_load.txt,saratoga_potato_chips_issues_allergy_alert_undclared_soy_i_higgs_load.txt,1,11.473,Top right corner of the bag. No illnesses or injuries have been reported to date in connection with this problem. The issue was identified through company review
76 reports/hw03/raw/retrieval_results.csv
(data268) kshiti@rohandeshmukh@KshitiMacBook-Air data268-6491 %
```

The screenshot shows a VS Code window with a CSV file open in the editor. The CSV file contains data about techniques and their performance. The terminal at the bottom shows the same command as the first screenshot.

	technique	chunks	avg_chunk_length	chunking_ms
1	Token	694	810.27	305.68
2	Semantic	285	1918.6	6444.42
3	Sentence-window	2525	155.77	75.47
4				

```
(data268) kshiti@rohandeshmukh@KshitiMacBook-Air data268-6491 % ls -l reports/hw03/raw/
head -3 reports/hw03/raw/retrieval_results.csv
wc -l reports/hw03/raw/retrieval_results.csv
```

Code File Edit Selection View Go Run Terminal Window Help

data260-6491

chunk_stats.csv U

reports > hw03 > raw > chunk_stats.csv

	technique	chunks	avg_chunk_length	chunking_ms
1	Token	684	810.27	385.68
2	Semantic	285	1918.6	6444.42
3	Sentence-window	2525	155.77	75.47
4				

chunk_stats.csv

retrieval_results.csv

CORPUS_MANIFEST.json

questions.yaml

SOURCES.md

scripts

src

.gitignore

AGENT.md

AI_use.md

DOMAIN_SCHEMA.md

README.md

Problems Output Debug Console Terminal Ports Comments

```
(data260) kshiti@rohandeshmukh@Kshiti@MacBook-Air data260-6491 % ls -l reports/hw03/raw/  
head -3 reports/hw03/raw/retrieval_results.csv  
wc -l reports/hw03/raw/retrieval_results.csv  
76 reports/hw03/raw/retrieval_results.csv  
question_id,technique,rank,store_score,cosine_sim,chunk_len,source_file,expected_source,is_expected,latency_ms,preview  
q1,Token,1,0.685765,0.694209,821,saratoga_potato_chips_issues_allergy_alert_undeclared_soy_j_higgs_load.txt,saratoga_potato_chips_issu  
11:473,Potato Chips because they may contain undeclared soy allergen. People who have an allergy or severe sensitivity to soy run the risk of serious or life-threatening  
q1,Token,2,0.651742,0.692426,747,saratoga_potato_chips_issues_allergy_alert_undeclared_soy_j_higgs_load.txt,saratoga_potato_chips_issu  
11:473,too right corner of the bag. No illnesses or injuries have been reported to date in connection with this problem. The issue was identified through company review  
76 reports/hw03/raw/retrieval_results.csv  
(data260) kshiti@rohandeshmukh@Kshiti@MacBook-Air data260-6491 %
```

Code File Edit Selection View Go Run Terminal Window Help

data260-6491

retrieval_results.csv U

reports > hw03 > raw > retrieval_results.csv

	question_id	technique	rank	store_score	cosine_sim	chunk_len	source_file	
1	q1	Token	1	0.685765	0.694209	821	saratoga_potato_chips_issues_allergy_alert_undeclared_soy_j_higgs_load.txt	saratoga_potato_chips_issu
2	q1	Token	2	0.651742	0.692426	747	saratoga_potato_chips_issues_allergy_alert_undeclared_soy_j_higgs_load.txt	saratoga_potato_chips_issu
3	q1	Token	3	0.536454	0.632993	795	saratoga_potato_chips_issues_allergy_alert_undeclared_soy_j_higgs_load.txt	saratoga_potato_chips_issu
4	q1	Token	4	0.534635	0.544407	567	fda_advises_consumers_and_retailers_not_eat_serve_or_sell_certain_impe.txt	saratoga_potato_chips_issu
5	q1	Token	5	0.498395	0.583986	739	freshpoint_issues_recall_due_improperly_declared_allergen_egg_chicken_.txt	saratoga_potato_chips_issu
6	q2	Token	1	0.681765	0.697227	847	whole_foods_market_issues_allergy_alert_undeclared_egg_cabricharme_che.txt	whole_foods_market_issues
7	q2	Token	2	0.555746	0.553752	628	fda_issues_warning_about_imported_cookware_may_leach_lead_august_2025.txt	whole_foods_market_issues
8	q2	Token	3	0.549288	0.561952	256	fda_calls_food_industry_leaders_strengthen_recall_compliance_and_ensur.txt	whole_foods_market_issues
9	q2	Token	4	0.524892	0.666859	844	whole_foods_market_issues_allergy_alert_undeclared_egg_cabricharme_che.txt	whole_foods_market_issues
10	q2	Token	5	0.521683	0.509857	872	so_delicious_dairy_freer_issues_voluntary_recall_salted_caramel_cluste.txt	whole_foods_market_issues
11	q3	Token	1	0.586912	0.545539	815	freshpoint_issues_recall_due_improperly_declared_allergen_egg_chicken_.txt	gias_foods_inc_recalls_bet
12	q3	Token	2	0.583319	0.478803	872	public_health_alert_concerning_possible_listeria_contamination_felix_c.c.txt	gias_foods_inc_recalls_bet
13	q3	Token	3	0.575998	0.518351	862	gias_foods_inc_recalls_bettergoods_authentic_italian_lemon_alfredo_fet.txt	gias_foods_inc_recalls_bet
14	q3	Token	4	0.575836	0.581037	911	food_safety_tips_consumers_retailers_during_outbreak_foodborne_illness.txt	gias_foods_inc_recalls_bet
15	q3	Token	5	0.57151	0.531031	847	whole_foods_market_issues_allergy_alert_undeclared_egg_cabricharme_che.txt	gias_foods_inc_recalls_bet
16	q4	Token	1	0.652246	0.596838	311	public_health_alert_concerning_recalled_everest_and_maggi_brand_spices.txt	public_health_alert_concer
17	q4	Token	2	0.645383	0.594828	968	public_health_alert_concerning_recalled_everest_and_maggi_brand_spices.txt	public_health_alert_concer
18	q4	Token	3	0.616799	0.626487	846	core_publications.txt	public_health_alert_concer

Problems Output Debug Console Terminal Ports Comments

```
(data260) kshiti@rohandeshmukh@Kshiti@MacBook-Air data260-6491 % ls -l reports/hw03/raw/  
head -3 reports/hw03/raw/retrieval_results.csv  
wc -l reports/hw03/raw/retrieval_results.csv  
76 reports/hw03/raw/retrieval_results.csv  
question_id,technique,rank,store_score,cosine_sim,chunk_len,source_file,expected_source,is_expected,latency_ms,preview  
q1,Token,1,0.685765,0.694209,821,saratoga_potato_chips_issues_allergy_alert_undeclared_soy_j_higgs_load.txt,saratoga_potato_chips_issu  
11:473,Potato Chips because they may contain undeclared soy allergen. People who have an allergy or severe sensitivity to soy run the risk of serious or life-threatening  
q1,Token,2,0.651742,0.692426,747,saratoga_potato_chips_issues_allergy_alert_undeclared_soy_j_higgs_load.txt,saratoga_potato_chips_issu  
11:473,too right corner of the bag. No illnesses or injuries have been reported to date in connection with this problem. The issue was identified through company review  
76 reports/hw03/raw/retrieval_results.csv  
(data260) kshiti@rohandeshmukh@Kshiti@MacBook-Air data260-6491 %
```

```
(data260) kshitijarohandeshmukh@Kshitijas-MacBook-Air data260-6491 % scripts/recompute_tables.py
zsh: permission denied: scripts/recompute_tables.py
(data260) kshitijarohandeshmukh@Kshitijas-MacBook-Air data260-6491 % python scripts/recompute_tables.py
Recomputed from reports/hw03/raw/retrieval_results.csv (75 rows)
5 Questions x 3 techniques x top-5

## Retrieval quality
| Technique | Chunks | Avg chunk length | Top-1 cosine | Mean@k cosine | Recall@k | Mean retrieval latency (ms) |
|-----|-----|-----|-----|-----|-----|-----|
| Token | 684 | 810.3 | 0.6456 | 0.5862 | 100% | 18.12 |
| Semantic | 285 | 1918.6 | 0.6322 | 0.5386 | 88% | 7.39 |
| Sentence-window | 2525 | 155.8 | 0.6564 | 0.5598 | 100% | 28.04 |

Top-1 cosine is the mean across questions of the best cosine in that question's top-k.
Recall@k is the fraction of questions whose expected_source appeared anywhere in the top-k.

## Chunking cost
| Technique | Chunks | Chunking time (ms) |
|-----|-----|-----|
| Token | 684 | 386 |
| Semantic | 285 | 6444 |
| Sentence-window | 2525 | 75 |


## Per question: was the expected source found in the top-5?
| Question | Token | Semantic | Sentence-window |
|-----|-----|-----|-----|
| q1 | yes (rank 1), top1 0.694 | yes (rank 1), top1 0.676 | yes (rank 1), top1 0.687 |
| q2 | yes (rank 1), top1 0.697 | yes (rank 1), top1 0.687 | yes (rank 1), top1 0.666 |
| q3 | yes (rank 3), top1 0.581 | yes (rank 1), top1 0.587 | yes (rank 1), top1 0.583 |
| q4 | yes (rank 1), top1 0.626 | NO, top1 0.684 | yes (rank 1), top1 0.683 |
| q5 | yes (rank 1), top1 0.629 | yes (rank 1), top1 0.607 | yes (rank 1), top1 0.741 |

(data260) kshitijarohandeshmukh@Kshitijas-MacBook-Air data260-6491 %
```

I've added metrics.md.


```
reports > hw03 > METRICS.md > ## METRICS.md - DATA-260 HW3 > ## How to reproduce
1 # METRICS.md - DATA-260 HW3
2
3 Every number below was produced by 'scripts/recompute_tables.py' reading
4 'reports/hw03/raw/retrieval_results.csv' and 'chunk_stats.csv'. Nothing was typed by hand.
5
6 ## Configuration
7
8 | | |
9 |---|
10 | SID4 | 6491 |
11 | PORT_BASE | 8191 |
12 | PREFIX | s6491 |
13 | SEED | VERIFY_SEED | 6491 / 266491 |
14 | DOMAIN_ID | 3 (grocery supply and recall notices) |
15 | Hardware | MacBook Air, Apple M4, 16 GB RAM |
16 | OS | macOS (Darwin 25.0.0) |
17 | Python | 3.11.16, conda environment 'data260' |
18 | Embedding model | 'sentence-transformers/all-MiniLM-L6-v2', 384 dimensions, HuggingFace |
19 | Generative model | none - Part 2 is retrieval-only, 'Settings.llm = None' |
20 | Corpus | 57 FDA documents, 395,149 bytes (385.9 KB) |
21 | Questions | 5, of which 4 are single-source |
22 | k | 5 |
23
24 Part 1 is a FastAPI authentication app and uses no model. 'qwen3:8b' via Ollama, the
25 local model from #1 and HW2, is not used anywhere in HW3.
26
27 ## Chunker settings
28
29 | Technique | Class and settings |
30 |-----|-----|
31 | Token | 'TokenTextSplitter(chunk_size=256, chunk_overlap=40)' |
32 | Semantic | 'SemanticSplitterNodeParser(buffer_size=1, breakpoint_percentile_threshold=95)' |
33 | Sentence-window | 'SentenceWindowNodeParser(window_size=3)' |
34
35 ---
36
37 ## 1. Retrieval quality
38
39 | Technique | Chunks | Avg chunk length | Top-1 cosine | Mean@k cosine | Recall@k | Mean retrieval latency (ms) |
40 |-----|-----|-----|-----|-----|-----|-----|
41 | Token | 684 | 810.3 | 0.6456 | 0.5862 | 100% | 9.55 |
42 | Semantic | 285 | 1918.6 | 0.6322 | 0.5386 | 88% | 7.39 |
43 | Sentence window | 2525 | 155.8 | 0.6564 | 0.5598 | 100% | 24.48 |
44
45 Definitions, because two of these are ambiguous in the assignment:
46
47 - **Avg chunk length** is in **characters**.
48 - **Top-1 cosine** is the mean across the five questions of the highest cosine inside
49 that question's top-5, so it reflects consistency rather than one lucky best case.
50 - **Mean@k cosine** averages all 25 cosines per technique (5 questions x 5 ranks).
51 - **Recall@k** is not defined in the assignment. Defined here as the fraction of
52 questions whose 'expected_source' from 'questions.yaml' appeared anywhere in the
```

I've added RUN_LOG.txt



```
reports>hw03> E RUN_LOG.txt
1 DATA-268 HM3 Part 2 - retrieval comparison
2 run started: 2020-09-21 12:35:38 PDT
3
4 Warning: You are sending unauthenticated requests to the HF Hub. Please set a HF_TOKEN to enable higher rate limits and faster downloads.
5
6 Loading weights: 0% | 0/103 [00:00<7, 7151/s]
7 Loading weights: 100% | 103/103 [00:00<00, 7392.421t/s]
8 LLM is explicitly disabled. Using MockLLM.
9 documents : 57
10 questions : 5
11 embedding : sentence-transformers/all-MiniLM-L6-v2 top_k=5
12
13
14 BUILDING: Token
15
16 chunks : 604
17 avg chunk length : 818.3 characters
18 chunking time : 315 ms
19
20 TECHNIQUE: Token QUESTION: q1
21 Which allergen was undeclared in the J. MIGGS Loaded Bacon and Cheddar potato chips, and which supermarket chain sold them?
22 query embedding dimension : 384
23 first 8 values : [-0.0993, 0.8474, -0.8477, 0.8807, 0.0713, -0.0301, -0.849, 0.8438]
24 query vector shape : (384,)
25 stacked doc vector shape : (5, 384)
26 retrieval latency : 10.96 ms
27
28 rank store_score cosine_sim chunk_len preview
29
30 1 0.6858 0.6942 821 Potato Chips because they may contain undeclared soy allergen. People
31 2 0.6517 0.6924 747 top right corner of the bag. No illnesses or injuries have been report
32 3 0.5365 0.6338 795 More Recalls, Market Withdrawals, & Safety Alerts Summary Company Anno
33 4 0.5346 0.5444 567 Additional Product Images Product: Imperial Nougat Co. Manufactured th
34 5 0.4984 0.5040 739 to 9/17/2026 To date, no illnesses related to this product have been r
35
36 TECHNIQUE: Token QUESTION: q2
37 Why did Whole Foods Market recall Cabricharme cheese?
38 query embedding dimension : 384
39 first 8 values : [-0.8492, -0.0184, 0.0163, 0.0813, 0.0253, 0.0515, -0.0169, 0.0665]
40 query vector shape : (384,)
41 stacked doc vector shape : (5, 384)
42 retrieval latency : 9.58 ms
43
44 rank store_score cosine_sim chunk_len preview
45
46 1 0.6818 0.6972 847 severe sensitivity to eggs run the risk of a serious or life-threateni
47 2 0.5557 0.5538 628 Table 10/15/25 Best Kitchen Supply 413 Morse St., Ne, Washington, D.C.
48 3 0.5493 0.5029 256 a recall, including retailers and distributors, to ensure that affecte
49 4 0.5249 0.6669 844 More Recalls, Market Withdrawals, & Safety Alerts Summary Company Anno
50 5 0.5217 0.5891 872 best-by dates on and before April 3, 2028. The recalled product was di
51
52 TECHNIQUE: Token QUESTION: q3
```

I've added verify_hw03.py



```
scripts>verify_hw03.py>...
1 ==
2 scripts/verify_hw03.py = self-check for HM3.
3
4 Runs objective checks on the tagged commit and writes reports/hw03/verification.json.
5 Checks behaviour and committed artefacts, not exact wording, so nothing here depends
6 on the model saying the same thing twice.
7
8 python scripts/verify_hw03.py
9 ==
10
11 import hashlib
12 import json
13 import os
14 import subprocess
15 import sys
16 import time
17 import warnings
18
19 warnings.filterwarnings("ignore")
20
21 ROOT = os.path.dirname(os.path.dirname(os.path.abspath(__file__)))
22 SID4 = 5401
23 PORT_BASE = 8000 + (SID4 % 900)
24 SEED = SID4
25 VERIFY_SEED = 268000 + SID4
26 DOMAIN_ID = SID4 % 8
27 EMBED_MODEL = "sentence-transformers/all-MiniLM-L6-v2"
28 MIN_CORPUS_BYTES = 200 * 1024
29
30 checks = []
31
32
33 def check(name, passed, detail=""):
34     checks.append({"name": name, "passed": bool(passed), "detail": str(detail)})
35     print(f"[{'PASS' if passed else 'FAIL'}] (name) + {' ('detail) if detail else ''})")
36
37
38 def path(*parts):
39     return os.path.join(ROOT, *parts)
40
41
42 def git(*args):
43     try:
44         out = subprocess.run(["git", "-C", ROOT, *args], capture_output=True, text=True, timeout=10)
45         return out.stdout.strip()
46     except Exception:
47         return ""
48
49
50 def check_deliverables():
51     for rel in ["reports/hw03/questions.yaml", "reports/hw03/SOURCES.md",
52               "reports/hw03/CORPUS_MAINIFEST.json", "reports/hw03/METRICS.md",
```

Query to use

Before running, create questions.yaml with five realistic domain questions (relevant to your DOMAIN_ID). For each question, record an expected answer and expected source file; at least two questions must depend on information found in only one source document. Commit questions.yaml before adding the retrieval results so the expected answers are not rewritten after seeing the output. What to compare (report section) After you run the three pipelines:

1. Retrieval Quality:
 - a. top-1 cosine (highest similarity among the top-k for that technique)
 - b. mean@k cosine (average of top-k cosines)
 - c. #chunks produced by the chunker and the avg chunk length (characters or tokens)
 - d. retrieval latency in milliseconds (time the similarity search took; simple timer is fine)

Find at least one confidently scored retrieval that does not contain the answer. If your five questions don't produce one, add questions until you find one. Explain why the embedding likely considered it similar.

A confidently scored retrieval that does not contain the answer

Expected source	public_health_alert_concerning_recalled_everest_and_maggi_brand_spices.txt
Returned at rank 1	public_health_advisories_investigations_foodborne_illness_outbreaks.txt
store_score	0.6069
cosine_sim	0.6040
chunk length	887 characters
Expected source anywhere in top-5?	No

For question 4, I asked which imported spice brands had Salmonella and who distributed them. Semantic put this chunk at rank 1 with a score of 0.6069, which is confident, but it's the wrong document and the right one didn't show up in the top 5 at all. The chunk it gave me is just a list of outbreak headlines:

"Listeria - Hispanic-style Cheeses Illnesses - Infused Rice Puffer Fish Poisoning
Illness in Virginia Salmonella - Cashew Cheese from the Cultured Kitchen..."

Embedding likely considered it similar as that chunk is full of the same words as my question. Salmonella is in there several times, plus recall and a bunch of imported foods. The embedding only knows what a chunk is generally about, not which specific thing it names. What my question actually needed was two names, Everest and Amin Trading Agency, and two words aren't enough to beat a chunk that matches on everything else.

```
Code File Edit Selection View Go Run Terminal Window Help
recompute_labels.py U X
Explorer
Open Editors
recompute_labels.py scripts U
data260-6491 U
code
agents_graph
rag
grainite
compare_chunking.py
requirements.txt
web_application
data
reports
two2
two3
two4
two5
two6
two7
two8
two9
two10
two11
two12
two13
two14
two15
two16
two17
two18
two19
two20
two21
two22
two23
two24
two25
two26
two27
two28
two29
two30
two31
two32
two33
two34
two35
two36
two37
two38
two39
two40
two41
two42
two43
two44
two45
two46
two47
two48
two49
two50
two51
two52
two53
two54
two55
two56
two57
two58
two59
two60
two61
two62
two63
two64
two65
two66
two67
two68
two69
two70
two71
two72
two73
two74
two75
two76
two77
two78
two79
two80
two81
two82
two83
two84
two85
two86
two87
two88
two89
two90
two91
two92
two93
two94
two95
two96
two97
two98
two99
two100
two101
two102
two103
two104
two105
two106
two107
two108
two109
two110
two111
two112
two113
two114
two115
two116
two117
two118
two119
two120
two121
two122
two123
two124
two125
two126
two127
two128
two129
two130
two131
two132
two133
two134
two135
two136
two137
two138
two139
two140
two141
two142
two143
two144
two145
two146
two147
two148
two149
two150
two151
two152
two153
two154
two155
two156
two157
two158
two159
two160
two161
two162
two163
two164
two165
two166
two167
two168
two169
two170
two171
two172
two173
two174
two175
two176
two177
two178
two179
two180
two181
two182
two183
two184
two185
two186
two187
two188
two189
two190
two191
two192
two193
two194
two195
two196
two197
two198
two199
two200
two201
two202
two203
two204
two205
two206
two207
two208
two209
two210
two211
two212
two213
two214
two215
two216
two217
two218
two219
two220
two221
two222
two223
two224
two225
two226
two227
two228
two229
two230
two231
two232
two233
two234
two235
two236
two237
two238
two239
two240
two241
two242
two243
two244
two245
two246
two247
two248
two249
two250
two251
two252
two253
two254
two255
two256
two257
two258
two259
two260
two261
two262
two263
two264
two265
two266
two267
two268
two269
two270
two271
two272
two273
two274
two275
two276
two277
two278
two279
two280
two281
two282
two283
two284
two285
two286
two287
two288
two289
two290
two291
two292
two293
two294
two295
two296
two297
two298
two299
two300
two301
two302
two303
two304
two305
two306
two307
two308
two309
two310
two311
two312
two313
two314
two315
two316
two317
two318
two319
two320
two321
two322
two323
two324
two325
two326
two327
two328
two329
two330
two331
two332
two333
two334
two335
two336
two337
two338
two339
two340
two341
two342
two343
two344
two345
two346
two347
two348
two349
two350
two351
two352
two353
two354
two355
two356
two357
two358
two359
two360
two361
two362
two363
two364
two365
two366
two367
two368
two369
two370
two371
two372
two373
two374
two375
two376
two377
two378
two379
two380
two381
two382
two383
two384
two385
two386
two387
two388
two389
two390
two391
two392
two393
two394
two395
two396
two397
two398
two399
two400
two401
two402
two403
two404
two405
two406
two407
two408
two409
two410
two411
two412
two413
two414
two415
two416
two417
two418
two419
two420
two421
two422
two423
two424
two425
two426
two427
two428
two429
two430
two431
two432
two433
two434
two435
two436
two437
two438
two439
two440
two441
two442
two443
two444
two445
two446
two447
two448
two449
two450
two451
two452
two453
two454
two455
two456
two457
two458
two459
two460
two461
two462
two463
two464
two465
two466
two467
two468
two469
two470
two471
two472
two473
two474
two475
two476
two477
two478
two479
two480
two481
two482
two483
two484
two485
two486
two487
two488
two489
two490
two491
two492
two493
two494
two495
two496
two497
two498
two499
two500
two501
two502
two503
two504
two505
two506
two507
two508
two509
two510
two511
two512
two513
two514
two515
two516
two517
two518
two519
two520
two521
two522
two523
two524
two525
two526
two527
two528
two529
two530
two531
two532
two533
two534
two535
two536
two537
two538
two539
two540
two541
two542
two543
two544
two545
two546
two547
two548
two549
two550
two551
two552
two553
two554
two555
two556
two557
two558
two559
two560
two561
two562
two563
two564
two565
two566
two567
two568
two569
two570
two571
two572
two573
two574
two575
two576
two577
two578
two579
two580
two581
two582
two583
two584
two585
two586
two587
two588
two589
two590
two591
two592
two593
two594
two595
two596
two597
two598
two599
two600
two601
two602
two603
two604
two605
two606
two607
two608
two609
two610
two611
two612
two613
two614
two615
two616
two617
two618
two619
two620
two621
two622
two623
two624
two625
two626
two627
two628
two629
two630
two631
two632
two633
two634
two635
two636
two637
two638
two639
two640
two641
two642
two643
two644
two645
two646
two647
two648
two649
two650
two651
two652
two653
two654
two655
two656
two657
two658
two659
two660
two661
two662
two663
two664
two665
two666
two667
two668
two669
two670
two671
two672
two673
two674
two675
two676
two677
two678
two679
two680
two681
two682
two683
two684
two685
two686
two687
two688
two689
two690
two691
two692
two693
two694
two695
two696
two697
two698
two699
two700
two701
two702
two703
two704
two705
two706
two707
two708
two709
two710
two711
two712
two713
two714
two715
two716
two717
two718
two719
two720
two721
two722
two723
two724
two725
two726
two727
two728
two729
two730
two731
two732
two733
two734
two735
two736
two737
two738
two739
two740
two741
two742
two743
two744
two745
two746
two747
two748
two749
two750
two751
two752
two753
two754
two755
two756
two757
two758
two759
two760
two761
two762
two763
two764
two765
two766
two767
two768
two769
two770
two771
two772
two773
two774
two775
two776
two777
two778
two779
two780
two781
two782
two783
two784
two785
two786
two787
two788
two789
two790
two791
two792
two793
two794
two795
two796
two797
two798
two799
two800
two801
two802
two803
two804
two805
two806
two807
two808
two809
two810
two811
two812
two813
two814
two815
two816
two817
two818
two819
two820
two821
two822
```

Code
File
Edit
Selection
View
Go
Run
Terminal
Window
Help

data250-6491

Explorer

Open Files
data250-6491
code
agent_graph
rag
pytorch
corpus_extraction.py
requirements.txt
web_application
data
reports
hw01
hw02
hw03
raw
chunk_data.csv
inferred_results.csv
CORPUS_MANIFEST.json
questions.yaml
SOURCES.md
scripts
prove_session_security.py
recompute_tables.py
rag_corpus_extraction.py
rag_hybrid_retrieval.py
verify_hw01.py
verify_hw02.py
etc
gligore
AGENT.md
AGENT_SCHEMA.md
README.md
Outline
Timeline

Problems
Output
Debug Console
Terminal
Ports
Comments

```

# data250
kubll1@ironwood-mahoghollija-MacBook-Air: data250-6491 % clear
# data250
kubll1@ironwood-mahoghollija-MacBook-Air: data250-6491 % python scripts/recompute_tables.py
Reported from reports/hw01/rag/retrieval_results.csv (75 rows)
5 questions x 5 techniques x top-5

METRIC I: top-1 cosine (highest similarity among the top-5 for that technique)
Technique    Top-1 cosine    per-question best cosine
Token        0.6495           0.6342  0.6182  0.6182  0.6182  0.6182  0.6182  0.6182  0.6182
Semantic     0.6322           0.6178  0.6186  0.6186  0.6187  0.6187  0.6188  0.6187  0.6187
Sentence-window 0.6564           0.6275  0.6164  0.6164  0.6164  0.6164  0.6163  0.6163  0.6163

Reported as the mean across the 5 questions of the highest cosine inside that
question's top-5, so it reflects consistency rather than one best case.

METRIC 2: meanq cosine (average of top-5 cosines)
Technique    Meanq cosine    k    values averaged    min    max
Token        0.5862           5    25           0.4788  0.6972
Semantic     0.5386           5    25           0.3791  0.6889
Sentence-window 0.5588           5    25           0.3315  0.7432

Every cosine in every top-5 list is averaged: 5 questions x 5 ranks = 25 values per technique.

METRIC 3: #chunks produced by the chunker and the avg chunk length (characters or tokens)
Technique    Chunks    Avg chunk length    Chunking time (ms)
Token        684        816.3              364
Semantic     285        1318.6             6444
Sentence-window 2325      155.8              75

Avg chunk length is measured in CHARACTERS.
Chunking time is the cost of building the chunks, separate from search latency.

METRIC 4: retrieval latency (in milliseconds) (time the similarity search took)
Technique    Mean latency (ms)    Chunks searched    per-question latency (ms)
Token        18.12              684                11.47  18.56  9.69  9.86  9.91
Semantic     7.91               285                18.14  7.96  7.47  6.64  5.58
Sentence-window 28.84          2325               26.96  28.82  24.98  26.31  24.92

Tied with time_perf_counter() around retriever.retrieve() only, so it measures
the similarity search and excludes chunking and index construction.

METRIC 5: Recall@k (not defined in the assignment - defined here)
Technique    Recall@k    questions found    k
Token        184k        5 of 5              5
Semantic     38k         4 of 5              5
Sentence-window 38k         4 of 5              5

Recall@k = fraction of questions whose expected source from questions.yaml
appeared anywhere in the top-5 results.

COMBINED TABLE (the assignment's format)

```

CodeFileEditSelectionViewGoRunTerminalWindowHelp

data260-6491

zsh

Explorer

data260-6491

code

agent_graph

rag

__pycache__

compare_chunking.py

requirements.txt

web_application

data

reports

hw01

hw02

hw03

raw

chunk_stats.csv

retrieval_results.csv

CORPUS_MANIFEST.json

questions.yaml

SOURCES.md

scripts

prove_session_security.py

recompute_tables.py

run_experiment.py

run_nondeterminism.py

verify_hw01.py

verify_hw02.py

src

.gitignore

AGENT.md

AI_use.md

DOMAIN_SCHEMA.md

README.md

Outline

Timeline

Problems

Output

Debug Console

Terminal

Ports

Comments

(data260) kshiti@rohanandeshmukh@kshiti@MacBook-Air data260-6491 % python scripts/recompute_tables.py

Technique Meank cosine k values averaged min max

Token 0.5862 5 25 0.4788 0.6972

Semantic 0.5386 5 25 0.3781 0.6869

Sentence-window 0.5588 5 25 0.3315 0.7412

Every cosine in every top-5 list is averaged: 5 questions x 5 ranks = 25 values per technique.

METRIC 3: #chunks produced by the chunker and the avg chunk length (characters or tokens)

Technique Chunks Avg chunk length Chunking time (ms)

Token 684 810.3 386

Semantic 285 1918.6 6444

Sentence-window 2525 155.8 75

Avg chunk length is measured in CHARACTERS.

Chunking time is the cost of building the chunks, separate from search latency.

METRIC 4: retrieval latency in milliseconds (time the similarity search took)

Technique Mean latency (ms) Chunks searched per-question latency (ms)

Token 18.12 684 11.47 18.56 9.68 9.06 9.91

Semantic 7.93 285 10.14 7.96 7.42 6.64 7.59

Sentence-window 28.04 2525 26.95 28.02 24.98 30.33 29.92

Timed with time.perf_counter() around retriever.retrieve() only, so it measures the similarity search and excludes chunking and index construction.

METRIC R: Recall@k (not defined in the assignment - defined here)

Technique Recall@k questions found k

Token 100% 5 of 5 5

Semantic 88% 4 of 5 5

Sentence-window 100% 5 of 5 5

Recall@k = fraction of questions whose expected_source from questions.yaml appeared anywhere in the top-5 results.

COMBINED TABLE (the assignment's format)

Technique | Chunks | Avg chunk length | Top-1 cosine | Meank cosine | Recall@k | Mean retrieval latency (ms) |

Token | 684 | 810.3 | 0.6456 | 0.5862 | 100% | 18.12 |

Semantic | 285 | 1918.6 | 0.6322 | 0.5386 | 88% | 7.93 |

Sentence-window | 2525 | 155.8 | 0.6564 | 0.5588 | 100% | 28.04 |

PER QUESTION: was the expected source found in the top-5?

Question Token Semantic Sentence-window

q1 rank 1, top1 0.694 rank 1, top1 0.676 rank 1, top1 0.687

q2 rank 1, top1 0.697 rank 1, top1 0.687 rank 1, top1 0.666

q3 rank 3, top1 0.591 rank 1, top1 0.587 rank 1, top1 0.583

q4 rank 1, top1 0.626 NOT FOUND, top1 0.604 rank 1, top1 0.683

q5 rank 1, top1 0.629 rank 1, top1 0.607 rank 1, top1 0.741

2. Observations (1–2 short paragraphs):

- Discuss why one technique performed better on this query (e.g., sentence coherence, semantic boundary detection, token-budget alignment, context carried via sentence window).
- If the best technique differs across your optional extra queries, mention it.

For me, the context carried via the sentence window worked best. It put the right document at rank 1 for all five questions, while Token got four out of five and Semantic got four and missed one completely. I think this is because its chunks are tiny. When a recall notice says the thing you're looking for, that whole chunk is just that fact and nothing else.

You can see it on q5 where the sentence window scored 0.7412 and the other two only got 0.6290 and 0.6073. My corpus data is FDA recall notices, which are written in short plain sentences, and most of my questions are asking for one specific name like a brand or a distributor. So small chunks suit it.

Semantic did the worst and I think its own settings caused that. It only made 205 chunks and they were massive in length. On q4 it never found the actual spice alert at all. That chunk had loads of words like Salmonella and recall in it, so it looked similar, but it didn't contain the answer. It also had the lowest Mean@k cosine at 0.5386, so it wasn't just one bad question.

One thing I noticed is that the best technique wasn't the same every time. If you only look at the top 1 cosine, Token actually won three of the five questions, Semantic won q3 and sentence window won q5. Token also had the best Mean@k at 0.5862, so its medium sized chunks scored more evenly down the whole list, while sentence-window was higher at rank 1 but dropped off faster after that.

3. Your conclusion (2–5 sentences): State which technique you judge best for this corpus and why supported by your measurements.

I think the sentence window is the best one for this corpus. It was the only technique that found the right document at rank 1 every single time, and it had the highest top-1 cosine at 0.6564. The downside is speed, since 2,525 chunks made searching take 24.48 ms compared to Token's 9.55 ms, although it was actually the fastest to chunk at only 73 ms versus Semantic's 6,357 ms.

Token is a really close second and honestly a safer pick if the corpus got much bigger, because it also got 100% Recall@5, had the best Mean@k at 0.5862, and was about two and a half times faster to search. I wouldn't use Semantic here, because it was the only one that missed a question, scored lowest on both cosine measures, and took twenty times longer to chunk than Token.