INTERNAL LAUNCH REVIEW · EVIDENCE-BASED

Synora — Product Showcase

Every screen in this document is a real screenshot of the Synora application running locally from commit `01a9acd` on 2026-08-03, against a live PostgreSQL 16 + Redis 7 and a real authenticated session. Nothing is a mockup. Nothing is imagined.

How this was produced. The backend (Express, port 3001) and web app (Next.js, port 3000) were launched locally. A real user was registered through the API, a workspace, project, three conversations with message history, a prompt template, a conversation template, three memories and two notifications were seeded through Prisma. Chromium (Playwright) then drove the real UI — signing in through the actual login form — and captured 61 screenshots at 1440×900 desktop and 390×844 mobile. Where a capability does not exist, this document says **NOT IMPLEMENTED** rather than showing a substitute.

Three real defects were found and fixed during this walkthrough (all committed and pushed):


1. **Chat history never rendered.** `useMessages` read `.items` off a response that is already an array, so every conversation showed the empty state regardless of history. No unit test covered the hook. Fixed in `8bae2bc`.
2. **EmptyState icons rendered as literal words.** Three pages passed strings ("Zap", "Package", "CreditCard") to a `ReactNode` prop — the Usage page literally read "Zap". Fixed in `01a9acd`.
3. **⌘K opened two stacked dialogs.** `useSearchDialog` and `CommandPalette` both bound the shortcut. Fixed in `01a9acd`.

All three are visible in before/after screenshots in this document.


1. Screen-by-screen walkthrough

1 Landing page (dark)


`/` Public marketing home — positioning, stats, feature grid, CTA.



MOBILE 390×844







MAJOR COMPONENTS

Navbar, Hero, Badge, StatCard ×3, FeatureCard grid, TestimonialCard, CTA, Footer, theme toggle

IMPLEMENTED

- Full responsive marketing page rendered from real content modules
- Working theme toggle (light/dark) in navbar
- Live nav to Features / Pricing / Changelog / Sign in / Get started

PLACEHOLDER

- Stat figures ("10+", "100%", "<100ms") are static copy, not measured telemetry


MISSING

None observed

Production readiness **92%**

2 Landing page (light theme)

/ Same route with light theme applied via the navbar toggle.



MAJOR COMPONENTS

Identical component tree; token-driven light palette via CSS variables

IMPLEMENTED

- Light theme fully implemented through design-system CSS variables
- Theme choice persists via the theme preference hook

PLACEHOLDER

None observed


MISSING

None observed


Production readiness 92%

3 Pricing

`/pricing` Three-tier plan comparison plus FAQ.



MOBILE 390×844



MAJOR COMPONENTS

PricingCard ×3 ("Most popular" badge), feature check lists, FAQItem accordion ×5, Footer

IMPLEMENTED

- Three real tiers (Free $0 / Pro $20 / Team $40) with monthly+yearly copy
- Honest labelling — e.g. "SSO (coming with enterprise release)"
- Expandable FAQ accordion

PLACEHOLDER

- Plan CTAs navigate to signup; they are not wired to Stripe Checkout (no live keys)


MISSING

None observed

Production readiness 85%

4 Changelog

`/changelog` Dated, tagged record of shipped work.



MAJOR COMPONENTS

Timeline entries, type badges (feature/fix), long-form entry bodies

IMPLEMENTED

- Real dated entries rendered from a content module
- Explicit "no vaporware" editorial stance

PLACEHOLDER

None observed


MISSING

None observed

Production readiness 90%

5 Feature detail

`/features/[slug]` Per-capability deep-dive page (6 slugs exist: text, code, image, video, audio, collaboration).




MAJOR COMPONENTS IMPLEMENTED PLACEHOLDER MISSING

Feature hero, benefit sections, CTA, Footer	• Dynamic route driven by a real features content module with 6 slugs	• Image/video/audio feature pages describe capabilities whose UI is not yet built	None observed


Production readiness 80%

6 Sign in

`/auth/login` Email + password authentication with remember-me.



MOBILE 390×844




MAJOR COMPONENTS	IMPLEMENTED	PLACEHOLDER	MISSING
Card, Input ×2, PasswordInput (reveal toggle), Checkbox, Button, links	• Real cookie-based auth against the backend (httpOnly access + refresh tokens) • Password reveal toggle; "Remember me"; forgot-password and register links	None observed	• No OAuth/social sign-in buttons (next-auth is a dependency but not wired)

Production readiness 88%

7 Sign in — error state

`/auth/login` Invalid-credentials feedback.



MAJOR COMPONENTS

Same form + inline error region

IMPLEMENTED

- Real backend rejection surfaced in the UI (not a client-side stub)

PLACEHOLDER

None observed


MISSING

None observed

Production readiness 85%

8 Register

`/auth/register` Account creation.



MAJOR COMPONENTS

Card, Input ×3, PasswordInput, Button

IMPLEMENTED

- Creates a real user; backend enforces password policy

PLACEHOLDER

None observed


MISSING

- No post-signup onboarding/setup wizard — lands straight on an empty dashboard

Production readiness 82%

9 Forgot password

`/auth/forgot-password` Request a reset link.



MAJOR COMPONENTS

Card, Input, Button

IMPLEMENTED

- Wired to the real password-reset token service

PLACEHOLDER

- Email delivery needs real SMTP/Resend credentials to actually send


MISSING

None observed

Production readiness 80%

10 Post-login redirect

`/dashboard` Successful authentication landing.



MAJOR COMPONENTS

AppShell (Sidebar + Topbar), verification banner, workspace card

IMPLEMENTED

- Real session established; redirect to dashboard works end to end

PLACEHOLDER

None observed


MISSING

None observed


Production readiness 90%

11 Dashboard home

`/dashboard` Authenticated landing — workspace summary.



MOBILE 390×844



MAJOR COMPONENTS

Sidebar (6 nav items), Topbar (search, notifications w/ badge, avatar), WorkspaceSwitcher, verification banner, workspace Card with member/role/created stats

IMPLEMENTED

- Live workspace data (name, slug, member count, role, created date)
- Email-verification banner with working resend action
- Notification badge reflects real unread count (3)

PLACEHOLDER

None observed


MISSING

- No activity feed, usage sparkline, or recent-conversation shortcuts on the home surface

Production readiness 75%

12 Command palette (⌘K)

`/dashboard` Global navigation + actions launcher.



MAJOR COMPONENTS

Dialog, Command list, grouped Navigation / Actions sections, icons

IMPLEMENTED

- Real ⌘K binding; grouped navigation entries and actions
- Actions include Create workspace and explicit light/dark theme switches
- Bug fixed during this walkthrough: previously opened two stacked dialogs

PLACEHOLDER

None observed


MISSING

- Does not yet search conversations/messages inline (that is the separate search dialog)

Production readiness **85%**

13 Notifications menu

`/dashboard` Unread notifications dropdown.



MAJOR COMPONENTS

DropdownMenu, notification rows, EmptyState fallback

IMPLEMENTED

- Reads real Notification rows from the backend; unread badge count

PLACEHOLDER

None observed


MISSING

- No dedicated /notifications page — dropdown only

Production readiness 78%

14 User menu

`/dashboard` Account dropdown.



MAJOR COMPONENTS

DropdownMenu, Avatar, profile/settings/logout entries

IMPLEMENTED

- Real logout through the auth API; links into settings

PLACEHOLDER

None observed


MISSING

None observed

Production readiness 85%

15 404 / not found

`(any unmatched route)` Not-found state.




MAJOR COMPONENTS	IMPLEMENTED	PLACEHOLDER	MISSING
EmptyState, "Go home" Button	• Custom branded 404 with recovery action	None observed	None observed


Production readiness 90%

16 Conversations list

`/conversations` Conversation index with folder tree.



MOBILE 390×844



MAJOR COMPONENTS

Three-pane layout: Sidebar, ConversationSidebar (New Chat, search, FolderTree, list), main list with provider/model badges

IMPLEMENTED

- Real conversations with provider + model badges (anthropic/claude-sonnet-5, openai/gpt-5)
- Folder tree wired to the backend folder API ("All chats" / "Unfiled")
- Chat search field and New Chat / New Conversation actions

PLACEHOLDER

None observed


MISSING

None observed


Production readiness **88%**

17 Chat / conversation detail

`/conversations/[id]` The core chat surface — message thread, composer, export/share.



MOBILE 390×844



MAJOR COMPONENTS

MessageBubble (user + assistant variants), Markdown renderer, Composer, Attachments panel, Attach file, Export dropdown, Share button, provider/model header

IMPLEMENTED

- Renders real persisted message history with markdown (bold, ordered/unordered lists)
- Distinct user (filled, right) vs assistant (surface, left) bubble treatments
- Composer with send, file attachment panel, export and share affordances
- Bug fixed during this walkthrough: the thread always rendered empty (useMessages read .items off an array)

PLACEHOLDER

- Live token streaming could not be demonstrated — no provider API key is configured, so generation returns an honest error rather than tokens


MISSING

- No model-switcher control inside the chat header (provider/model are display-only)

Production readiness 80%

18 New conversation dialog

`/conversations` Create a chat blank, from a template, or from a saved prompt.



MAJOR COMPONENTS

Dialog, Input, template/prompt selectors, Button

IMPLEMENTED

- Real creation flow; template/prompt seeding path exists in the backend

PLACEHOLDER

None observed


MISSING

None observed

Production readiness 82%

19 Prompt library

`/knowledge/prompts` Reusable prompt management.



MAJOR COMPONENTS

Tabs (Prompts/Templates), category filter chips, New Prompt, EmptyState

IMPLEMENTED

- Real CRUD surface with 6 category filters
- Workspace-scoped prompt library backed by the PromptTemplate model

PLACEHOLDER

None observed


MISSING

- List showed the empty state for this workspace at capture time despite a seeded prompt — worth a follow-up check on the category/scope filter default

Production readiness 70%

20 Conversation templates

`/knowledge/templates` Pre-configured system prompts to start chats.



MAJOR COMPONENTS

Tabs, category filter chips, New Template, list

IMPLEMENTED

- Real ConversationTemplate backend with system prompt, initial message, suggested follow-ups

PLACEHOLDER

None observed


MISSING

None observed

Production readiness 75%

21 Projects

`/dashboard/projects` Project index for the workspace.



MAJOR COMPONENTS

Page header, New project Button, project cards

IMPLEMENTED

- Live project data ("Launch Website" with description) scoped to the workspace

PLACEHOLDER

None observed


MISSING

- No project detail dashboard content shown at index level; no filtering/sorting/search

Production readiness 72%

22 Tools

`/dashboard/tools` HTTP tools the workspace can call.



MAJOR COMPONENTS

Page header with explanatory copy, New Tool Button, EmptyState

IMPLEMENTED

- Honest, specific description of the real capability (per-tool timeouts, retries, optional admin approval)
- Backed by a genuine tool-execution engine (circuit breaker, retry/backoff, secret resolution)

PLACEHOLDER

None observed


MISSING

- No tool run history / execution log surface in the UI

Production readiness 70%

23 Usage & analytics

`/dashboard/usage` Credit and usage analytics.



MAJOR COMPONENTS

UsageOverview, UsageLedger, EmptyState (Zap icon)

IMPLEMENTED

- Real credit-balance / usage-summary / ledger queries
- Bug fixed during this walkthrough: the empty state literally rendered the word "Zap" instead of the icon

PLACEHOLDER

None observed


MISSING

- No charts/graphs observed in the empty state; charting components are not part of the design system

Production readiness **65%**

24 Billing

`/dashboard/billing` Plan selection and subscription.



MAJOR COMPONENTS

Plan cards, Badge, EmptyState (Package icon)

IMPLEMENTED

- Real plan/subscription/change-plan queries against the billing service
- Same literal-icon bug fixed here and on settings billing

PLACEHOLDER

- Shows "No plans available / Plans are not yet configured" — plans require real Stripe product & price IDs


MISSING

None observed


Production readiness 60%

25 Settings — profile

`/dashboard/settings/profile` Personal profile and avatar.



MOBILE 390×844



MAJOR COMPONENTS

Tabs (Profile/Account/Sessions/Workspace), avatar upload, Input ×4 (Name, Bio, Website, Location), Save

IMPLEMENTED

- Real profile persistence; avatar upload via the storage abstraction
- Inline unverified-email notice with resend action

PLACEHOLDER

- Avatar upload needs a real S3/R2 bucket in production


MISSING

None observed

Production readiness **85%**

26 Settings — account & MFA

`/dashboard/settings/account` Password change, two-factor, notification prefs.



MAJOR COMPONENTS

Change-password form ×3 inputs, Two-factor card, notification Switches

IMPLEMENTED

- Working password change
- Notification preference toggles bound to real user preferences

PLACEHOLDER

None observed


MISSING

None observed

Production readiness **88%**

27 MFA enrolment (TOTP)

`/dashboard/settings/account` Two-factor setup step — real secret + otpauth URI.



MAJOR COMPONENTS

TOTP secret block, otpauth:// provisioning URI, verification code Input

IMPLEMENTED

- Genuine RFC-6238 TOTP enrolment: server-issued base32 secret and a correctly-formed otpauth URI (issuer=Synora AI, SHA1, 6 digits, 30s period)
- Verification-code step before MFA is activated

PLACEHOLDER

None observed


MISSING

- The provisioning URI is shown as raw text — no rendered QR code image, so users must paste the secret manually

Production readiness **70%**

28 Settings — sessions

`/dashboard/settings/sessions` Active device/session management.



MAJOR COMPONENTS

Session rows with device metadata, revoke actions

IMPLEMENTED

- Real refresh-token session records with device metadata; revoke and logout-all supported

PLACEHOLDER

None observed


MISSING

None observed

Production readiness 85%

29 Settings — workspace

`/dashboard/settings/workspace` Workspace details, members, invitations, activity.



MAJOR COMPONENTS

Tabs (Members/Invitations/Activity), workspace URL + name fields, Save

IMPLEMENTED

- Real member management, invitation flow, and audit/activity log backed by RBAC-enforced endpoints

PLACEHOLDER

None observed


MISSING

None observed

Production readiness 82%

30 Settings — billing

`/dashboard/settings/billing` Subscription and credit overview.



MAJOR COMPONENTS

Subscription card, credit balance, EmptyState (CreditCard icon)

IMPLEMENTED

- Real subscription/plan/credit queries

PLACEHOLDER

- Empty until Stripe products exist

MISSING

None observed

Production readiness 60%

2. NOT IMPLEMENTED

The brief asked for many surfaces. These do not exist in the codebase and are reported as absent rather than fabricated. Verified by route enumeration under `apps/web/src/app` and component search.

SURFACE	EVIDENCE
Admin portal UI	No `/admin` route exists. Backend has `/api/admin` + admin billing endpoints, but no operator interface.
Developer portal / API keys UI	No developer route. API keys exist in the schema; no management screen.
Memories UI	No `/memories` route. A full memory backend (retrieval, ranking, dedup, summarisation, decay) exists with no user-facing surface.
Dedicated search page	No `/search` route. Search exists as a backend subsystem and a topbar dialog only.
Image / video / audio generation UI	No routes. Backend provider abstractions and async job platform exist; marketing pages describe them; there is no way to generate media in the product.
Model selection UI	No model-picker component. Provider/model are set at conversation creation and displayed read-only.
Onboarding flow	No onboarding route or wizard. New users land on an empty dashboard with no guided setup.
Notifications page	Dropdown only; no full-page notification centre.
Analytics dashboards	Only the usage page. No charts, no org-level analytics; the design system contains no chart components.
Agent platform / workflow builder / marketplace	No routes, no components, no backend.
Drag & drop	No drag-and-drop implementation found in the frontend.
Realtime collaboration UI	Presence/typing exist in the backend and a collaboration component folder exists, but no multi-user collaborative surface was reachable in the running app.
Live streaming demo	Streaming infrastructure (SSE + accumulator + client hook) is implemented and unit-tested, but no token stream can be demonstrated without a provider API key.
Localisation / i18n	No i18n framework; all copy is hard-coded English.
Loading & skeleton states	A Skeleton component exists in the design system, but dev-server renders resolved too fast to capture a loading state; not demonstrated.

3. Clickable sitemap

```
PUBLIC
  /                          Landing
  /pricing                   Plans + FAQ
  /changelog                 Shipped-work log
  /features/[slug]           6 slugs: text-, code-, image-, video-, audio-generation, collaboration
  /auth/login  /auth/register  /auth/forgot-password  /auth/reset-password  /auth/verify-email
  /invite/[token]            Accept workspace invitation
```

```
  /share/[token]                Public shared conversation

AUTHENTICATED
  /dashboard                    Workspace home
  /dashboard/projects           Project index
  /dashboard/projects/[id]      Project detail
  /dashboard/tools              HTTP tools
  /dashboard/usage              Credits + usage
  /dashboard/billing            Plan selection
  /dashboard/settings           -> profile | account | sessions | workspace | billing
  /dashboard/[...catchAll]      In-app 404
  /conversations                Conversation index + folder tree
  /conversations/[id]           Chat thread
  /knowledge/prompts            Prompt library
  /knowledge/templates          Conversation templates
```

4. User journey map

```
DISCOVER   Landing -> Features/[slug] -> Pricing -> "Get started"
SIGN UP    /auth/register -> account created -> /dashboard
           GAP: no onboarding wizard; user lands on an empty workspace with no guided first action.
SET UP     Create workspace (via ⌘K action or dashboard) -> Workspace settings -> invite members
WORK       /conversations -> New Conversation (blank | template | saved prompt)
           -> chat thread -> attach files -> export / share
           GAP: cannot switch model mid-conversation; cannot generate images/video/audio anywhere.
ORGANISE   Folders in the conversation sidebar; Projects; Prompt & template libraries
OPERATE    Usage/credits -> Billing (blocked until Stripe products exist)
SECURE     Settings > Account -> enable TOTP two-factor -> Sessions -> revoke devices
```

5. Feature map (UI surface vs backend)


CAPABILITY	BACKEND	UI
Auth (JWT + refresh, cookies)	Complete	Complete
MFA / TOTP	Complete	Enrolment UI present; no QR image
Workspaces / RBAC / invitations / audit	Complete	Complete
Projects / folders / assets	Complete	Index + detail only
Chat / conversations / branching	Complete	Complete
Streaming (SSE)	Complete	Present, undemonstrable without a key
Realtime (presence/typing)	Complete	Not surfaced
Search	Complete	Topbar dialog only — no results page
Memory (retrieval/ranking/dedup/decay)	Complete	**None**
Tool calling engine	Complete	Index + create only; no run history
Image / video / audio generation	Provider abstractions ready	**None**
Billing / credits / refunds / dunning	Complete (test mode)	Present but empty without Stripe data
Notifications	Complete	Dropdown only

Admin / developer portals	Partial API	**None**

6. Component dependency graph

```
@synora/design-system  (36 primitives, token-driven, Tailwind preset)
        |
        v
apps/web/src/components/
  shell/ (19)        AppShell -> Sidebar | Topbar -> { Breadcrumbs, CommandPalette,
                     NotificationsMenu, UserMenu, WorkspaceSwitcher, KeyboardShortcutsDialog }
  chat/ (7)          ChatInterface-less: Composer, MessageBubble -> { Markdown,
                     MessageAttachments, MessageEditor, FeedbackControls, ReportProblemDialog }
  conversations/ (4) ConversationSidebar -> FolderTree | ConversationCreateDialog | PromptSelector
  marketing/ (7)     Section, Hero/FeatureCard/PricingCard/FAQItem/CTA compositions
  analytics/ (2)     UsageOverview, UsageLedger
  files/ (3) · branching/ (2) · collaboration/ (2) · library/ (2) · tools/ (2)
  auth/ (2) · history/ (1) · search/ (1) · settings/ (1) · sharing/ (1)
        |
        v
hooks/ (useConversationChat, useStream, useRequireAuth, useBilling, useWorkspaces, ...)
        |
        v
lib/api/ (typed fetch client -> ApiEnvelope unwrap) -> Express REST API
```

7. Screen flow diagram



8. Design system

36 primitives in `@synora/design-system`, consumed by both apps:

Avatar | Badge | Breadcrumb | Button | CTA | Card | Checkbox | Command | Container | Dialog | DropdownMenu | EmptyState | FAQItem | FeatureCard | FeedbackCorrection | FeedbackHallucination | FeedbackPreference | FeedbackRating | Grid | Heading | Input | Kbd | Label | MessageFeedbackBar | PricingCard | Separator | Skeleton | Spinner | StatCard | StepCard | Switch | Tabs | TestimonialCard | Textarea | Toaster | Tooltip

TOKENS

Colour is fully tokenised as HSL CSS variables with alpha support (`hsl(var(--primary) / <alpha-value>)`) across `border, input, ring, background, foreground, primary, secondary, destructive, success, muted, accent, card, popover` — which is why light and dark themes both work from one component tree. Primary brand colour is a violet (`#7c5cff` family). Typography is a single geometric sans with a tight, confident display scale (hero ≈ 60px/700, section ≈ 30px, body 14–16px). Spacing follows Tailwind's 4px scale; radii are consistently 6–10px; borders are single-pixel low-contrast separators on near-black surfaces.

NOT IN THE DESIGN SYSTEM

No chart/graph components, no Table primitive, no Toast beyond `Toaster` wiring, no Popover, no date picker, no data-grid. Tables and charts are the two most consequential gaps for an analytics-bearing product.

9. Production UX audit

AREA	FINDING
Strengths	Coherent three-pane information architecture; genuine ⌘K palette with grouped navigation and actions; breadcrumbs everywhere; honest empty states with a primary action; consistent dark surface hierarchy; marketing copy that explicitly refuses to overclaim ("no vaporware", "SSO coming with enterprise release").
First-run	Weakest journey. Registration drops the user on an empty dashboard with an unverified-email banner and a single workspace card. No onboarding, no sample content, no "create your first conversation" nudge on the home surface.
Dead ends	Billing and Usage both render permanent empty states until external services are configured; neither explains that to the user.
Chat	Thread rendering is good; but no model switcher, no regenerate/stop controls visible in the captured state, and no streaming indicator demonstrable.
Discoverability	Memory, search, realtime and tool-execution capability all exist in the backend with no way for a user to reach them. This is the single biggest product-completeness gap: substantial engineering is invisible.
Accessibility	Semantic landmarks, aria-labels on icon buttons, visible focus affordances and keyboard shortcuts are present. Not verified: colour-contrast ratios on muted text over near-black (several samples look below 4.5:1), screen-reader flows, focus trapping in dialogs, reduced-motion handling. No automated a11y test suite exists.

10. UI consistency audit


DIMENSION	FINDING
Shell	Consistent across every authenticated route — sidebar, topbar, breadcrumbs, search, notifications, avatar never shift position.

Empty states	Consistent pattern (icon in circle, title, description, action) — but three pages passed the icon wrongly until fixed in this pass.
Buttons	One primary violet fill, one neutral outline; used consistently.
Route naming	**Inconsistent.** Chat lives at `/conversations` and knowledge at `/knowledge/*`, while everything else is under `/dashboard/*`. Two route groups, `(dashboard)` and `dashboard`, coexist.
Keyboard hints	The topbar shows a ⌘K badge next to the search control, but ⌘K now opens the command palette while the search dialog opens on click. The hint should move or the palette should absorb content search.
Settings	Tabs are consistent; the Account tab mixes password, MFA and notification preferences in one long column — a Security tab would separate concerns.

11. Comparison against leading products

PRODUCT	HONEST READ
ChatGPT	Chat thread quality, markdown rendering, and conversation organisation (folders) are comparable. Synora lacks: model switching in-chat, voice, image generation, and a memory UI.
Claude	Similar restrained dark aesthetic and typographic calm. Synora lacks Projects-as-context, artifacts, and streaming polish.
Gemini	Synora is tighter and less cluttered. Gemini has multimodality Synora has not surfaced.
Perplexity	Perplexity is search-first with citations; Synora has a search backend but no search-result UI to compare.
Notion AI	Notion embeds AI in a document surface; Synora has no document editor, so the comparison is mostly out of scope.
Cursor	Not comparable — no code editor surface.
Lovable / Bolt / v0	Those are generative app builders; Synora is a chat+workspace platform. No overlap in surface.
Linear	Closest peer for shell quality: sidebar, ⌘K palette, breadcrumbs, keyboard affordances all land in the same family. Linear is far ahead on motion design, optimistic updates, and density controls.
Figma	Not comparable — no canvas.
GitHub	Settings/workspace/member/audit patterns are recognisably similar and competently done; GitHub is deeper on permissions UI.

12. Scores



Consistency	**8/10**
Visual hierarchy	**8/10**
Interaction quality	**6/10**
Enterprise readiness	**5/10**

Animation (5) and **Interaction quality (6)** are the lowest UI scores: an `animations.ts` module exists and is unit-tested, but the captured UI shows little motion — no page transitions, no message entrance animation, no optimistic updates, no streaming shimmer. **Enterprise readiness (5)** reflects missing admin/developer portals, no SSO, no i18n, and no observability UI. **Accessibility (6)** is provisional — the fundamentals are present but nothing has been formally audited.

13. The founder's question

> **"If OpenAI released this interface tomorrow, would users believe it is a premium AI platform?"**
>
> **The shell, yes. The product, not yet.**
>
> Judged on the marketing site, the sign-in flow, the application shell and the conversation list, Synora already reads as a credible premium product — the restraint, the typography, the ⌘K palette and the breadcrumbed three-pane layout are in the same family as Linear and Claude, and nothing about them looks amateur.
>
> But a user who signed in expecting an OpenAI-grade platform would hit the wall within about ninety seconds: they cannot switch models, cannot generate an image, cannot see memory, cannot search from a results page, and — until the bug fixed during this very walkthrough — could not see their own chat history. What is missing is not styling; it is the last mile of wiring between a genuinely substantial backend and the surfaces that would let a person use it. Close that gap and the honest answer flips to yes.

Generated 2026-08-03 from commit `01a9acd` · 61 screenshots captured from the running application · No mockups, no synthetic UI.