

43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x No Problem x MFE Machine information x +

Not secure | 43.72.52.51 / checkin/show_downtime.php

51 84 Preventive Mainten... Spare Part Control... Login Downtime Home



Wed Jul 29 2020
14:45:14

Show Machine Down Time ADMIN

MFE MACHINE INFORMATION

Current machine downtime status at this moment

Refresh time = 60 sec. (Down time more than 15 min. Highlights.)

NO ANY MACHINE DOWN TIME.
NO ANY MACHINE DOWN TIME.



43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x No Problem x MFE Machine information x +

Not secure | 43.72.52.51 / checkin/show_downtime.php

51 84 Preventive Mainten... Spare Part Control... Login Downtime Home



Wed Jul 29 2020
14:43:55

Show Machine Down Time ADMIN

MFE MACHINE INFORMATION

Current machine downtime status at this moment

Refresh time = 60 sec. (Down time more than 15 min. Highlights.)

LINE	PROCESS	START	CHECK IN TIME	TTL D/T (Min.)	ADMIN
HEA	Jig front zone	14:40:51	NONE		NONE



43.72.52.51 / localhost / checkin
43.72.52.51 / localhost / checkin
43.72.52.51 / localhost / checkin
MFE Machine information
MFE Machine information
History

Not secure | 43.72.52.51/checkin/show_downtime.php

51 84 Preventive Mainten... Spare Part Control... Equipment at proce... Downtime Home

Mon Aug 17 2020
10:43:19

Show Machine Down Time
ADMIN

MFE MACHINE INFORMATION

Current machine downtime status at this moment

Refresh time = 60 sec. (Down time more than 15 min. Highlights.)

LINE	PROCESS	START	CHECK IN TIME	TTL D/T (Min.)	ASSIGN BY
HEH	P1	10:37:25	10:39:49	1	Kittiphong Phakkasem

10:43
8/17/2020

43.72.52.51 / localhost / checkin
43.72.52.51 / localhost / checkin
43.72.52.51 / localhost / checkin
Fix Problem
Login

Not secure | 43.72.52.51/checkin/index.php?gofix=gofix&lineshow=HEA&problem=jig+front+zone&startshow=2020-07-29+14%3A40%3A51

51 84 Preventive Mainten... Spare Part Control... Login Downtime Home

Wed Jul 29 2020
14:44:19

Please Login
BACK

Username

Enter Username

Login

14:44
7/29/2020

before

43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x Fix Problem x Fix Problem x +

Not secure | 43.72.52.51 / checkin / fixproblem / index.php

51 54 Preventive Mainten... Spare Part Control... Login Downtime Home

IMPE-MFE
Check In

Wed Jul 29 2020
14:44:37

Fix problem

Kitiphong Phakkasem

 Start

00:00:02

14:44:35

Stop

 Detail

 Image

Choose file Browse

Upload

Username : Kitiphong Phakkasem

Production line : HEA

Process : Jig front zone

Start : 2020-07-29 14:40:51

SUCCESS

Windows taskbar: 14:44 7/29/2020

after

43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x MFE Machine information x Fix Problem x History x +

Not secure | 43.72.52.51 / checkin / fixproblem / index.php

51 54 repl.it Preventive Mainten... Spare Part Control... Downtime Home

IMPE-MFE
Check In

Tue Aug 11 2020
16:38:46

Fix problem

Kitiphong Phakkasem

 Start

32 Min.

16:05:02

 Detail

 Image

Choose file Browse

Upload

Username : Kitiphong Phakkasem

Production line : HEI



Process : AUTO SCREW

Start : 2020-08-11 16:04:29

SUCCESS

Windows taskbar: 16:38 8/11/2020

before



After

43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x MFE Machine information x Fix Problem x History x +

Not secure | 43.72.52.51/checkin/fixproblem/index.php

51 54

Preventive Mainten... Spare Part Control... Equipment at proce... Downtime Home

Mon Aug 17 2020 10:39:52

Fix problem Kitiphong Phakkasem

Detail

Username : Kitiphong Phakkasem

Production line : HEH

Process : P1

Start : 2020-08-17 10:37:25

Image

Choose file Browse

Upload

Problem Check

Problem name

Action

Select actions

43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x MFE Machine information x Fix Problem x History x +

Not secure | 43.72.52.51/checkin/fixproblem/index.php

51 54

Preventive Mainten... Spare Part Control... Equipment at proce... Downtime Home

10:39 8/17/2020

Username : Kitiphong Phakkasem

Production line : HEH

Process : P1

Start : 2020-08-17 10:37:25

Upload

Problem Check

Problem name

test prb

Replacement Details

Function Details

Action

R.F

☒ Replacement

☐ Clean/Check

☐ Inspection

☒ Function

☐ Lubricate

+

SAVE

The screenshot shows a web application titled "Problem Check" running in a browser. The browser's address bar shows the URL "43.72.52.51/checkin/fixproblem/index.php". The application interface is divided into three main sections: "Problem name", "Replacement Details", and "Function Details".

- Problem name:** This section contains a text input field with the value "test prb" and a dropdown menu labeled "Action" with the value "R F".
- Replacement Details:** This section contains a large, empty text area for input.
- Function Details:** This section contains a large, empty text area for input.

Below these sections, there are two more sections: "Clean/Check Details" and "Lubricate Details". The "Clean/Check Details" section has a text input field with the value "test prb2" and a dropdown menu labeled "Action" with the value "C L". The "Lubricate Details" section has a large, empty text area for input.

A dropdown menu is open, showing the following options:

- ☐ Replacement
- ☒ Clean/Check
- ☐ Inspection
- ☐ Function
- ☒ Lubricate

The application is running in a web browser with multiple tabs open, including "43.72.52.51 / localhost / checkin", "43.72.52.51 / localhost / checkin", "MFE Machine Information", "Fix Problem", "History", and "Incognito".

43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x Fix Problem x Home x +

Not secure | 43.72.52.51/checkin/home.php

51 84 Preventive Mainten... Spare Part Control... Login Downtime Home

 **IMPE-MFE**
Check In

Wed Jul 29 2020
14:45:53

Home Management History

Management History

Windows taskbar: 14:45 7/29/2020

43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x Fix Problem x Management x +

Not secure | 43.72.52.51/checkin/management/index.php

51 84 Preventive Mainten... Spare Part Control... Login Downtime Home

 **IMPE-MFE**
Check In

Wed Jul 29 2020
14:46:04

Management Home Actions Line

Actions Add Line

Windows taskbar: 14:46 7/29/2020

43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x 501 Fix Problem x Add Actions x +

Not secure | 43.72.52.51 / checkin / management / action_management.php

51 54 Preventive Mainten... Spare Part Control... Login Downtime Home

 Wed Jul 29 2020 14:46:29

Management > Actions Management Actions Line

Add Actions

Short name: R Full name: Replacement [SAVE](#)

No.	Short name	Full name	Management
1	RI	Reinput	EDIT DELETE
2	RC	Recheck	EDIT DELETE
3	FU	Fuctions	EDIT DELETE
4	L	Lubricate	EDIT DELETE
5	I	Inspection	EDIT DELETE
6	R	Replacement	EDIT DELETE

Windows taskbar: 14:46 7/29/2020

43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x Add Actions x +

Not secure | 43.72.52.51 / checkin / management / action_management.php

51 54 Preventive Mainten... Spare Part Control... Login Downtime Home

 Wed Jul 29 2020 16:07:51

Management > Actions Management Actions Line

EDIT

Action

Short name: RI Full name: Reinput

[CONFIRM](#) [CANCEL](#)

Short name: R

[SAVE](#)

No.	Short name	Full name	Management
1	RI	Reinput	EDIT DELETE
2	RC	Recheck	EDIT DELETE
3	FU	Fuctions	EDIT DELETE
4	L	Lubricate	EDIT DELETE
5	I	Inspection	EDIT DELETE
6	R	Replacement	EDIT DELETE

Windows taskbar: 16:07 7/29/2020

43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x Add Actions x +

Not secure | 43.72.52.51/checkin/management/action_management.php

51 54 Preventive Mainten... Spare Part Control... Login Downtime Home

IMPE-MFE
Check In

Management > Actions

Management Actions Line

Wed Jul 29 2020 16:09:57

DELETE

Are you sure you want to delete this action ?

CONFIRM CANCEL

Short name

R

SAVE

No.	Short name	Full name	Management
1	RI	Reinput	EDIT DELETE
2	RC	Recheck	EDIT DELETE
3	FU	Fuctions	EDIT DELETE
4	L	Lubricate	EDIT DELETE
5	I	Inspection	EDIT DELETE
6	R	Replacement	EDIT DELETE

16:09 7/29/2020

43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x Fix Problem x Add Line x +

Not secure | 43.72.52.51/checkin/management/line_management.php

51 54 Preventive Mainten... Spare Part Control... Login Downtime Home

IMPE-MFE
Check In

Management > Line

Management Actions Line

Add Line

Name

Replacement

SAVE

No.	Name	Management
1	HEX	EDIT DELETE
2	HEA	EDIT DELETE
3	HEB	EDIT DELETE
4	HBB	EDIT DELETE
5	HBD	EDIT DELETE
6	HEF	EDIT DELETE
7	HEW	EDIT DELETE
8	HEH	EDIT DELETE
9	HEJ	EDIT DELETE
10	HEI	EDIT DELETE

16:46 7/29/2020

43.72.52.51 / localhost / checkin - x 43.72.52.51 / localhost / checkin - x 43.72.52.51 / localhost / checkin - x Add Line x +

Not secure | 43.72.52.51 / checkin / management / line_management.php

51 54 Preventive Mainten... Spare Part Control... Login Downtime Home

IMPE-MFE
Check In

Management > Line

Wed Jul 29 2020 16:10:16

Management Actions Line

EDIT

Line

Name

HEX

CONFIRM CANCEL

SAVE

No.	Name	Management
1	HEX	EDIT DELETE
2	HEA	EDIT DELETE
3	HEB	EDIT DELETE
4	HBB	EDIT DELETE
5	HBD	EDIT DELETE
6	HEF	EDIT DELETE
7	HEW	EDIT DELETE
8	HEH	EDIT DELETE

16:10 7/29/2020

43.72.52.51 / localhost / checkin - x 43.72.52.51 / localhost / checkin - x 43.72.52.51 / localhost / checkin - x Add Line x +

Not secure | 43.72.52.51 / checkin / management / line_management.php

51 54 Preventive Mainten... Spare Part Control... Login Downtime Home

IMPE-MFE
Check In

Management > Line

Wed Jul 29 2020 16:10:33

Management Actions Line

DELETE

Are you sure you want to delete this action ?

CONFIRM CANCEL

SAVE

No.	Name	Management
1	HEX	EDIT DELETE
2	HEA	EDIT DELETE
3	HEB	EDIT DELETE
4	HBB	EDIT DELETE
5	HBD	EDIT DELETE
6	HEF	EDIT DELETE
7	HEW	EDIT DELETE
8	HEH	EDIT DELETE

16:10 7/29/2020

before

43.72.52.51 / localhost / checkin x MFE Machine information x database - Run if the Google x Installation x History x +

Not secure | 43.72.52.51/checkin/history/index.php

51 84 Preventive Mainten... Spare Part Control... Login Downtime Home

 **IMPE-MFE**
Check In

Sat Aug 01 2020
14:57:39

History Home Management History

Type : Actions History

CSV Excel PDF Print Search:

No.	Name	Nickname	Type	Date	Assign By
1	Lubricate	L	Add	2020-07-30 16:44:01	Chanakarn Hokee
2	Lubricates	L	Delete	2020-07-30 16:43:54	Chanakarn Hokee
3	Lubricates	L	Edit	2020-07-30 16:42:55	Chanakarn Hokee
4	Lubricate	L	Add	2020-07-30 16:34:37	Kittiphong Phakkasem
5	Function	F	Add	2020-07-30 14:08:19	Kittiphong Phakkasem
6	Inspection	I	Add	2020-07-30 14:08:10	Kittiphong Phakkasem
7	Clean/Check	C	Add	2020-07-30 14:07:59	Kittiphong Phakkasem
8	Replacement	R	Add	2020-07-30 14:07:47	Kittiphong Phakkasem

Showing 1 to 8 of 8 entries

Previous 1 Next

Windows taskbar: 14:57 8/1/2020

43.72.52.51 / localhost / checkin x MFE Machine information x database - Run if the Google x Installation x History x +

Not secure | 43.72.52.51/checkin/history/index.php

51 84 Preventive Mainten... Spare Part Control... Login Downtime Home

 **IMPE-MFE**
Check In

Sat Aug 01 2020
14:57:53

History Home Management History

Type : Production Line History

CSV Excel PDF Print Search:

No.	Name	Type	Date	Assign By
1	FET	Add	2020-07-30 14:04:07	Kittiphong Phakkasem
2	FES	Add	2020-07-30 14:04:03	Kittiphong Phakkasem
3	FER	Add	2020-07-30 14:03:59	Kittiphong Phakkasem
4	FEQ	Add	2020-07-30 14:03:55	Kittiphong Phakkasem
5	FEP	Add	2020-07-30 14:03:51	Kittiphong Phakkasem
6	FEY	Add	2020-07-30 14:03:47	Kittiphong Phakkasem
7	HEC	Add	2020-07-30 14:03:43	Kittiphong Phakkasem
8	HBD	Add	2020-07-30 14:03:21	Kittiphong Phakkasem
9	HEI	Add	2020-07-30 14:02:52	Kittiphong Phakkasem
10	HEJ	Add	2020-07-30 14:02:47	Kittiphong Phakkasem

Showing 1 to 10 of 18 entries

Previous 1 2 Next

Windows taskbar: 14:57 8/1/2020

43.72.52.51 / localhost / checkin x MFE Machine information x datatble - dourvive Google x Installation x History x +

Not secure | 43.72.52.51/checkin/history/index.php

51 54 Preventive Mainten... Spare Part Control... Login Downtime Home

 **IMPE-MFE**
Check In

Sat Aug 01 2020 14:58:12

History Home Management History

Type : Downtime History

CSV Excel PDF Print Search: kit

No.	Line	Problem	Date time start	Date time fix	Timer	Assign By	Detail
1	HEB	ST-21_MG_MP_FD_NFC	2020-08-01 13:54:39	2020-08-01 13:55:34	0	Kittiphong Phakkasem	
3	FET	Packing Model Change	2020-08-01 12:49:47	2020-08-01 12:56:26	0	Kittiphong Phakkasem	
4	HEX	ST-11 USB_Charge/ML_Shoe	2020-08-01 11:13:42	2020-08-01 11:15:45	0	Kittiphong Phakkasem	
10	FEQ	Packing Model Change	2020-07-31 09:51:43	2020-07-31 10:01:48	0	Kittiphong Phakkasem	
12	HEW	ST1	2020-07-31 09:39:25	2020-07-31 09:42:24	0	Kittiphong Phakkasem	
13	HEA	ST-10_KT_MP_DRA	2020-07-31 09:09:56	2020-07-31 09:10:56	0	Kittiphong Phakkasem	
14	HEF	ST10	2020-07-31 08:43:49	2020-07-31 08:46:34	0	Kittiphong Phakkasem	
15	FEQ	CHECK WEIGHT	2020-07-31 08:42:41	2020-07-31 08:43:00	0	Kittiphong Phakkasem	
16	FET	Packing Model Change	2020-07-31 08:19:48	2020-07-31 08:36:32	0	Kittiphong Phakkasem	
17	FEP	DAI Machine	2020-07-30 13:07:44	2020-07-30 13:10:03	0	Kittiphong Phakkasem	

Showing 1 to 10 of 31 entries (filtered from 81 total entries)

Previous 1 2 3 4 Next

Windows taskbar: 14:58 8/1/2020

After

43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x MFE Machine information x Fix Problem x History x +

Not secure | 43.72.52.51/checkin/history/index.php

51 54 Preventive Mainten... Spare Part Control... Downtime Home

 **IMPE-MFE**
Check In

Tue Aug 11 2020 16:41:11

History Home Management History

Type : Downtime History Start Date : 2020-08-01 End Date : 2020-08-11

Windows taskbar: 16:41 8/11/2020



Tue Aug 11 2020
16:43:00

History

Home Management History

Type : Choose... Start Date : End Date :

August 2020						
Su	Mo	Tu	We	Th	Fr	Sa
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					



Tue Aug 11 2020
16:43:23

History

Home Management History

Type : Choose... Start Date : End Date :

August 2020						
Su	Mo	Tu	We	Th	Fr	Sa
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

S



Tue Aug 11 2020
16:41:39

History

Home Management History

Type : Start Date : End Date :

Show entries

Search:

No.	Date	Name	Nickname	Type	Assign By
1	2020-08-10 08:41:49	mariew	MM	Delete	Chanakam Hokee
2	2020-08-10 08:41:30	mariew	MM	Add	Chanakam Hokee
3	2020-08-04 11:48:03	frangelel	FR	Delete	Chanakam Hokee
4	2020-07-30 16:44:01	Lubricate	L	Add	Chanakam Hokee
5	2020-07-30 16:43:54	Lubricates	L	Delete	Chanakam Hokee
6	2020-07-30 16:42:55	Lubricates	L	Edit	Chanakam Hokee
7	2020-07-30 16:34:37	Lubricate	L	Add	Kittiphong Phakkasem
8	2020-07-30 14:08:19	Function	F	Add	Kittiphong Phakkasem
9	2020-07-30 14:08:10	Inspection	I	Add	Kittiphong Phakkasem
10	2020-07-30 14:07:59	Clean/Check	C	Add	Kittiphong Phakkasem

No. Date Name Nickname Type Assign By

Showing 1 to 10 of 10 entries

Previous Next



Tue Aug 11 2020
16:42:07

History

Home Management History

Type : Start Date : End Date :

Show entries

Search:

No.	Date	Name	Type	Assign By
1	2020-07-30 14:04:07	FET	Add	Kittiphong Phakkasem
2	2020-07-30 14:04:03	FES	Add	Kittiphong Phakkasem
3	2020-07-30 14:03:59	FER	Add	Kittiphong Phakkasem
4	2020-07-30 14:03:55	FEQ	Add	Kittiphong Phakkasem
5	2020-07-30 14:03:51	FEP	Add	Kittiphong Phakkasem
6	2020-07-30 14:03:47	FEY	Add	Kittiphong Phakkasem
7	2020-07-30 14:03:43	HEC	Add	Kittiphong Phakkasem
8	2020-07-30 14:03:21	HBD	Add	Kittiphong Phakkasem
9	2020-07-30 14:02:52	HEI	Add	Kittiphong Phakkasem
10	2020-07-30 14:02:47	HEJ	Add	Kittiphong Phakkasem

No. Date Name Type Assign By

Showing 1 to 10 of 18 entries

Previous 2 Next

43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x MFE Machine information x Fix Problem x History x +

Not secure | 43.72.52.51/checkin/history/index.php

51 54 Preventive Mainten... Spare Part Control... Downtime Home

Check In 16:42:17

History Home Management History

Type : Downtime History Start Date : End Date :

Show 10 entries Search:

No.	Date time start	Line	Problem	Date time fix	Timer (Min.)	Assign By	Detail
1	2020-08-11 16:04:29	HEI	AUTO SCREW	2020-08-11 16:40:18	35	Kittiphong Phakkasem	
2	2020-08-11 15:44:21	FEP	Packing Model Change	2020-08-11 16:12:20	22	Chanakam Hokee	
3	2020-08-11 14:18:10	HEX	ST-21 WATER_LEVEL	2020-08-11 14:20:08	0	Chanakam Hokee	
4	2020-08-11 14:11:11	HEB	JIG	2020-08-11 14:28:53	13	Kittiphong Phakkasem	
5	2020-08-11 12:59:47	HEI	AUTO SCREW	2020-08-11 13:18:49	8	Chanakam Hokee	
6	2020-08-11 13:06:38	FET	CHECK WEIGHT	2020-08-11 13:48:33	38	Kittiphong Phakkasem	
7	2020-08-11 11:13:54	HEB	SY-A	2020-08-11 11:17:49	1	Chanakam Hokee	
8	2020-08-11 10:37:11	HEI	AUTO SCREW	2020-08-11 11:04:38	26	Kittiphong Phakkasem	
9	2020-08-11 10:21:54	FES	DAI Machine	2020-08-11 10:24:31	1	Chanakam Hokee	
10	2020-08-11 10:16:19	HEB	ST-09_MQ_MP_MarioHL	2020-08-11 10:20:03	2	Kittiphong Phakkasem	

No. Date time start Line Problem Date time fix Timer (Min.) Assign By Detail

Showing 1 to 10 of 214 entries Previous 1 2 3 4 5 ... 22 Next

43.72.52.51 / localhost / checkin x 43.72.52.51 / localhost / checkin x MFE Machine information x Fix Problem x History x +

Not secure | 43.72.52.51/checkin/history/index.php

51 54 Preventive Mainten... Spare Part Control... Downtime Home

Check In 16:42:47

History Home Management History

Type : Downtime History Start Date : 2020-08-01

Show 10 entries Search:

No.	Date time start	Line	Problem	Date time fix	Timer (Min.)	Assign By	Detail
25	2020-08-10 17:23:11	HEB	PART SCA		0	Chanakam Hokee	
26	2020-08-10 16:59:06	FES	Packing f		0	Chanakam Hokee	
27	2020-08-10 16:07:46	FEQ	PRINTER P		0	Chanakam Hokee	
28	2020-08-10 15:50:33	FEQ	Packing f		5	Chanakam Hokee	
29	2020-08-10 15:36:00	HEX	HEX		2	Kittiphong Phakkasem	
30	2020-08-10 14:39:32	HEX	ST-12 TEBU		1	Kittiphong Phakkasem	
31	2020-08-10 14:27:40	HEX	PART SCA		7	Kittiphong Phakkasem	
32	2020-08-10 13:49:52	HEI	AUTO SCR		7	Chanakam Hokee	
33	2020-08-10 13:39:47	FER	SERVER PR		9	Chanakam Hokee	
34	2020-08-10 13:39:42	FER	QA MODE		3	Kittiphong Phakkasem	

No. Date time start Line Problem Date time fix Timer (Min.) Assign By Detail

Showing 1 to 10 of 115 entries (filtered from 214 total entries) Previous 1 2 3 4 5 ... 12 Next

Details

Line : FEQ
 Problem : PRINTER P5
 Assign by : Chanakam Hokee
 Start downtime : 2020-08-10 16:07:46
 Start Fix : 2020-08-10 16:16:50

Problem : error software
 Actions : Function
 Details : ทำการตรวจสอบ software
 Actions : Clean/Check
 Details : ทำการตรวจสอบ software

Problem : กล้องไม่บันทึกภาพ
 Actions : Clean/Check
 Details : ตรวจสอบการทำงานของ hardware
 Actions : Inspection
 Details : ตรวจสอบการทำงานของ hardware