
BASICS-PQ-LIMS-24

Script Title	Create a Stability Spec Data (Virtual Vault)


Test Script ID	BASICS-PQ-LIMS-24	Title	Create a Stability Spec Data (Virtual Vault)
Description	Verify successful creation of a Stability Spec Data record. Verify the permission to create design data copy.		
Vault Name	ClinicalBasicsAutomation26R1	Product Version	26R1
V-Assure Environment	Spotline: V-Assure Development	Run Number	
Start Time	26-JUN-2026 04:11:59 GMT-07:00	End Time	26-JUN-2026 04:43:24 GMT-07:00
Pre-Test Setup (PTS)	1. Ensure the following Test Accounts are available and record the usernames of the accounts: - USER1 (Security Profile: LIMS User, LIMS Roles: Stability Design & Study Admin): stab.admin1@vaultbasics-automation.com 2. Identify a Sample Plan (SP1) in the Draft state. The Sample Plan has two Sample Definition records with Sample Type = Stability. Each sample definition has a different Storage Condition. Record the sample definitions as SD1 and SD2. SP1: SP1_L24_19771307 SD1: SD1_L24_89763007 SD2: SD2_L24_25046268 3. Identify a Test Definition TD1 in the Draft state. The Test Definition has at least one numeric result definition R1. TD1: TD1_L24_36693788 R1: RD1_L24_52276161 4. Identify a Test Definition TD2 in the Draft state. The Test Definition has at least one Test Definition Variation record with a numeric result definition R2. TD2: TD2_L24_83898343 R2: RD2_L24_90263835 Test Definition Variation: TDV1_L24_83493287 5. Confirm that the Vault Token: Virtual Vault? = true		

PTS Screenshots


PTS Step #1 Screenshot Screenshot Time: 26-JUN-2026 04:13:21 GMT-07:00




PTS Step #2 Screenshot #1 Screenshot Time: 26-JUN-2026 04:17:13 GMT-07:00




PTS Step #2 Screenshot #2 Screenshot Time: 26-JUN-2026 04:17:26 GMT-07:00




PTS Step #3 Screenshot #1 Screenshot Time: 26-JUN-2026 04:19:44 GMT-07:00




PTS Step #3 Screenshot #2 Screenshot Time: 26-JUN-2026 04:19:57 GMT-07:00




PTS Step #4 Screenshot #1 Screenshot Time: 26-JUN-2026 04:23:52 GMT-07:00




PTS Step #4 Screenshot #2 Screenshot Time: 26-JUN-2026 04:24:04 GMT-07:00



PTS Step #4 Screenshot #3 Screenshot Time: 26-JUN-2026 04:24:16 GMT-07:00



PTS Step #5 Screenshot Screenshot Time: 26-JUN-2026 04:25:58 GMT-07:00



Step #	Procedure	Expected Results	Actual Results	Pass/Fail
1	Log into Vault as USER1. From the Design & Admin tab collection, navigate to Design Data > Spec Data. Click the + Create button.	The Create Spec Data Definition page is displayed.	The Create Spec Data Definition page is displayed.	PASS 26-JUN-2026 04:28:13
2	Populate the required field(s), selecting the Sample Plan recorded in the Setup steps . Click Save and Next. Click the Spec Data link in the top left corner. Expand the Change Analysis section.	The record is saved. The Spec Data is in the Draft Lifecycle State.	The record is saved. The Spec Data is in the Draft Lifecycle State.	PASS 26-JUN-2026 04:29:09
3	Navigate back to the builder UI for the Spec Data record. Click the circle in the middle of the screen and then select Assign Tests. Within the first screen select TD1 and TD2, then click Next. In the second screen, select the variation for TD2, then click Next. In the third screen, select the result for each test. Click Next and then Finish.	Assign Tests is displayed with "1 of 2".	Assign Tests is displayed with "1 of 2".	PASS 26-JUN-2026 04:33:10
4	For the first test, click + Criteria. For the Rule, select Between and populate the Minimum and Maximum with 90.0 and 110.0, respectively. Populate the remaining mandatory (yellow) fields, selecting Out of Specification for the Indication, and Stability Study Report for the Purpose. Check the Display in Result Entry field. Populate the following fields: Rounding Rule Precision Precision Type	The fields are populated as listed.	The fields are populated as listed.	PASS 26-JUN-2026 04:34:28
5	Click Save.	The criteria record is created.	The criteria record is created.	PASS 26-JUN-2026 04:34:44


Step #	Procedure	Expected Results	Actual Results	Pass/Fail
6	Click the > button to move to the next test. Click +Criteria. For the Rule, select <= and populate the Maximum with 0.2. Populate the remaining mandatory (yellow) fields, selecting Alert for the Indication. Clear the following fields: Rounding Rule Precision Precision Type Click Save.	The criteria record is created.	The criteria record is created.	PASS 26-JUN-2026 04:36:47
7	Click Done.	The card shows 2 tests, 1 with the red exclamation icon and 1 with the orange exclamation icon.	The card shows 2 tests, 1 with the red exclamation icon and 1 with the orange exclamation icon.	PASS 26-JUN-2026 04:37:01
8	Click into the Define Chart Definitions section. Click + Chart Definition. Select Regression Chart (if not already selected). Select the result from the result selector and click the + button. Click Save. Expand the Regression Chart.	There is a Regression chart definition.	There is a Regression chart definition.	PASS 26-JUN-2026 04:38:09
9	Click the Spec Data link in the top left corner. Expand the Samples to Test section. Using the all actions menu of the sample to test record, select "Deep Copy Record". Within the page that opens, click Edit and change the Sample Definition to the other value. Click Save. Click the Spec Data Link and then click the Spec Data link in the top left corner.	There are: 2 samples to test 4 tests to execute 4 specification criteria	There are: 2 samples to test 4 tests to execute 4 specification criteria	PASS 26-JUN-2026 04:40:27

Step #	Procedure	Expected Results	Actual Results	Pass/Fail
10	For a Test to Execute record which has a Specification Criteria with Indication = Alert, use the all actions menu and select "Power Delete". Refresh the page.	There are: 2 samples to test 3 tests to execute 3 specification criteria	There are: 2 samples to test 3 tests to execute 3 specification criteria	PASS 26-JUN-2026 04:41:56
11	From the All Actions menu of the Spec Data record, select "Create Design Data Copy". Click the Spec Data link in the top left corner. Expand the Change Analysis section.	A copy of the Spec Data is created.	A copy of the Spec Data is created.	PASS 26-JUN-2026 04:42:38
12	Click the pencil icon to edit the new Spec Data. Add "Copy" to the end of the value in the Spec Data Name field. Click Save.	The name of the new Spec Data record is updated.	The name of the new Spec Data record is updated.	PASS 26-JUN-2026 04:43:23


Intentionally Left Blank

Execution Screenshots


Step #1 Screenshot Screenshot Time: 26-JUN-2026 04:28:05 GMT-07:00




Step #2 Screenshot #1 Screenshot Time: 26-JUN-2026 04:28:56 GMT-07:00




Step #2 Screenshot #2 Screenshot Time: 26-JUN-2026 04:29:09 GMT-07:00




Step #3 Screenshot Screenshot Time: 26-JUN-2026 04:33:10 GMT-07:00




Step #4 Screenshot #1 Screenshot Time: 26-JUN-2026 04:33:55 GMT-07:00




Step #4 Screenshot #2 Screenshot Time: 26-JUN-2026 04:34:28 GMT-07:00




Step #5 Screenshot Screenshot Time: 26-JUN-2026 04:34:44 GMT-07:00




Step #6 Screenshot #1 Screenshot Time: 26-JUN-2026 04:36:23 GMT-07:00




Step #6 Screenshot #2 Screenshot Time: 26-JUN-2026 04:36:35 GMT-07:00




Step #6 Screenshot #3 Screenshot Time: 26-JUN-2026 04:36:47 GMT-07:00




Step #7 Screenshot Screenshot Time: 26-JUN-2026 04:37:01 GMT-07:00




Step #8 Screenshot Screenshot Time: 26-JUN-2026 04:38:09 GMT-07:00




Step #9 Screenshot #1 Screenshot Time: 26-JUN-2026 04:40:15 GMT-07:00




Step #9 Screenshot #2 Screenshot Time: 26-JUN-2026 04:40:27 GMT-07:00




Step #10 Screenshot #1 Screenshot Time: 26-JUN-2026 04:41:44 GMT-07:00




Step #10 Screenshot #2 Screenshot Time: 26-JUN-2026 04:41:56 GMT-07:00



Step #11 Screenshot Screenshot Time: 26-JUN-2026 04:42:38 GMT-07:00



Step #12 Screenshot Screenshot Time: 26-JUN-2026 04:43:23 GMT-07:00



Script Execution Approval	
Status Pass/Fail:	PASS
Executed by	*Executed through automation*
Validation Specialist	Molly Baechler *Approval by Electronic Signature*
Business/Technical Approver	Rebecca Wright *Approval by Electronic Signature*
Quality Approver	Madhavi Sathe *Approval by Electronic Signature*