BASICS-PQ-LIMS-10


Script Title	Batch Creation, Sample Results Entry, and CoA (Virtual Vault)

Test Script ID	BASICS-PQ-LIMS-10	**Title**	Batch Creation, Sample Results Entry, and CoA (Virtual Vault)
Description	Verify the Batch creation process. Enter results via Sample Results Entry with transcription document. Verify the CoA.		
Vault Name	ClinicalBasicsAutomation26R1	**Product Version**	26R1
V-Assure Environment	Spotline: V-Assure Development	**Run Number**	
Start Time	12-AUG-2026 09:24:47 GMT-07:00	**End Time**	12-AUG-2026 11:28:17 GMT-07:00
Pre-Test Setup (PTS)	1. Ensure the following Test Accounts are available and record the usernames of the accounts: - USER1 (Security Profile: LIMS User, LIMS Roles: Batch Creator, Results Entry): user01@vaultbasics-automation.com - USER2 (Security Profile: LIMS User, LIMS Roles: Results Reviewer): user05@vaultbasics-automation.com 2. There is an active country record: COUNTRY1. COUNTRY1: United States 3. There is an External Organization type Organization record ORG1 in the Initiated state. All fields in the details section of ORG1 are populated. ORG1: ORG1_LIMS_10 4. There is a Release Spec Data SD1 record which is Effective. When used at run time, the following will be logged: 1. Two samples 1. One sample has one test. This test will have the Test Method populated, and the Reported Name field populated (with a unique value which is different from the Test Method value and different from the Test Definition name). 2. The other sample has two tests 3. Both samples will have the testing location populated, each with a different value. 2. There are at least 3 release limits*; all release limits have Purpose = CoA and Indication = Out of Specification. There is at least 1 control limit (Purpose = Internal and Indication = Alert). *NOTES: a) one of the release limits is associated to a test definition result which is defined with replicates: with Allow Ad Hoc Replicates = yes/true, and Number of Replicates = 0. This release limit will be associated to the sample that will have two tests. b) one release limit has the Display in Result Entry field checked. This release limit will be associated to the sample that will have one test. c) Each criteria/limit record has a unique order value d) At least one test definition result has a unit SD1: SPEC_LIMS_1045535633 5. Ensure there is the following record available:		


	Material MAT1 is active. The Description field is populated and none of the fields in the CoA field Suppression section are checked. MAT1 has a Spec Data Mapping record in the Active state for: Country = COUNTRY1 Organization = ORG1 Spec Data = SD1 There are no other spec data mapping records for MAT1. MAT1: MAT_LIMS_1090002927 6. A PDF file is available outside of vault (i.e., to be used for sample results transcription). 7. USER1 has created a Transcription Document: DOC1. DOC1 is in the Initial state. DOC1: DOC1 LIMS10 Test_35263257 8. USER1 has created a Transcription Document: DOC2. DOC2 is in the Initial state. DOC2: DOC2 LIMS10 Test_47745951 9. The Basics customer record has the following fields populated Customer Name Address CoA Release Statement Company Logo NOTE: include a screenshot of the logo include the file name to ensure it is the same logo file attached on the Basics Customer record 10. Confirm that the Vault Token: Virtual Vault? = true

PTS Screenshots


PTS Step #1 Screenshot #1 Screenshot Time: 12-AUG-2026 09:26:33 GMT-07:00




PTS Step #1 Screenshot #2 Screenshot Time: 12-AUG-2026 09:26:47 GMT-07:00




PTS Step #2 Screenshot Screenshot Time: 12-AUG-2026 09:28:26 GMT-07:00




PTS Step #3 Screenshot Screenshot Time: 12-AUG-2026 09:29:07 GMT-07:00




PTS Step #4 Screenshot #1 Screenshot Time: 12-AUG-2026 10:07:26 GMT-07:00




PTS Step #4 Screenshot #2 Screenshot Time: 12-AUG-2026 10:07:52 GMT-07:00




PTS Step #4 Screenshot #3 Screenshot Time: 12-AUG-2026 10:08:20 GMT-07:00




PTS Step #4 Screenshot #4 Screenshot Time: 12-AUG-2026 10:08:46 GMT-07:00




PTS Step #4 Screenshot #5 Screenshot Time: 12-AUG-2026 10:09:13 GMT-07:00




PTS Step #4 Screenshot #6 Screenshot Time: 12-AUG-2026 10:11:40 GMT-07:00




PTS Step #5 Screenshot #1 Screenshot Time: 12-AUG-2026 10:20:08 GMT-07:00




PTS Step #5 Screenshot #2 Screenshot Time: 12-AUG-2026 10:22:59 GMT-07:00




PTS Step #7 Screenshot Screenshot Time: 12-AUG-2026 10:26:27 GMT-07:00




PTS Step #8 Screenshot Screenshot Time: 12-AUG-2026 10:29:06 GMT-07:00




PTS Step #9 Screenshot #1 Screenshot Time: 12-AUG-2026 10:31:17 GMT-07:00



PTS Step #9 Screenshot #2 Screenshot Time: 12-AUG-2026 10:31:21 GMT-07:00



PTS Step #10 Screenshot Screenshot Time: 12-AUG-2026 10:32:56 GMT-07:00



Step #	Procedure	Expected Results	Actual Results	Pass/Fail
1	Log into Vault as USER1. From the LIMS tab collection, navigate to Release Testing > Batches. Click the +Create button.	The Create Batch page is displayed.	The Create Batch page is displayed.	PASS 12-AUG-2026 10:34:39
2	Populate the following fields: Material = MAT1 Manufacturing Site = ORG1 Country = COUNTRY1 Populate all other fields. For date fields, use unique values. Click Save. Note: this will be referred to at BATCH1.	The Batch is created and is in the Active state.	The Batch is created and is in the Active state. BATCH1: BATCH_01 LIMS 1002536621	PASS 12-AUG-2026 10:36:54
3	Expand the Spec Executions section. Click into the Spec Execution record. Expand the following sections and ensure screenshots show these fields: Release Limits section: Test Definition Evaluated Result Conforms Evaluated Value Criteria Test Order Samples section: Testing Location Tests Section: Test Method Name Reported Name	The Spec Execution is in the Not Started state. The Spec Data field is populated with SD1.	The Spec Execution is in the Not Started state. The Spec Data field is populated with SD1.	PASS 12-AUG-2026 10:54:48
4	Expand the Samples section and the Tests section. Identify the sample with only one test. NOTE: This will be referred to as SPL1. The other sample will be referred to as SPL2.	Both samples and all tests are in the Not Started state. The sample with only one test is identified.	Both samples and all tests are in the Not Started state. The sample with only one test is identified. SPL1: S1217 SPL2: S1216	PASS 12-AUG-2026 10:55:09

Step #	Procedure	Expected Results	Actual Results	Pass/Fail
5	From the All Actions menu of SPL1, select Launch Sample Result Entry. Within the dialog that opens, click Continue.	Sample Result Entry opens for SPL1.	Sample Result Entry opens for SPL1.	PASS 12-AUG-2026 10:55:47
6	Click on the Upload Document icon. Select the PDF file as outlined in the Set Up steps. Click Open. Click the View Related Document icon.	The document is displayed on the right hand side of Sample Result Entry.	The document is displayed on the right hand side of Sample Result Entry.	PASS 12-AUG-2026 10:56:06
7	For the Result that has the criteria with Display in Result Entry, from the All Actions menu select View Criteria Descriptions.	A dialog with the criteria description is displayed.	A dialog with the criteria description is displayed.	PASS 12-AUG-2026 10:56:26
8	Close the dialog. Enter result(s) for the test on SPL1. Click the Evaluate button.	The test result(s) are entered. The result cell(s) are no longer editable.	The test result(s) are entered. The result cell(s) are no longer editable.	PASS 12-AUG-2026 10:57:02
9	For a result, use the All Actions menu and select Edit.	The result cell is editable.	The result cell is editable.	PASS 12-AUG-2026 10:57:22
10	Change the result and click the Commit icon.	The Sign Off Result Change task dialog is displayed.	The Sign Off Result Change task dialog is displayed.	PASS 12-AUG-2026 10:57:41
11	Select a Change Reason, select the Commit Changes verdict, and complete the E-signature. Click Complete.	The changed result is commited and shows a triangle icon beside it.	The changed result is commited and shows a triangle icon beside it.	PASS 12-AUG-2026 10:58:13
12	For the same result, use the All Actions menu and select View Result Changes.	The Lab Test Result Changes dialog is displayed.	The Lab Test Result Changes dialog is displayed.	PASS 12-AUG-2026 10:58:33
13	For a result, use the All Actions menu and select Edit. Change the result and click the Discard icon.	The result reverts back to the original value.	The result reverts back to the original value.	PASS 12-AUG-2026 10:59:17
14	For the result from the last step, use the All Actions menu and select View Result Changes.	The Lab Test Result Changes dialog is displayed. The entry at the top has change reason = change reverted.	The Lab Test Result Changes dialog is displayed. The entry at the top has change reason = change reverted.	PASS 12-AUG-2026 10:59:38
15	Click OK. Click Verify and then click Complete.	The Spec Execution is displayed. The Spec Execution is in the In Progress state. SPL1 and the associated test are both in the Testing Complete state. SPL2 and the associated tests are in the Not Started state.	The Spec Execution is displayed. The Spec Execution is in the In Progress state. SPL1 and the associated test are both in the Testing Complete state. SPL2 and the associated tests are in the Not Started state.	PASS 12-AUG-2026 11:00:57

Step #	Procedure	Expected Results	Actual Results	Pass/Fail
16	From the All Actions menu of SPL2, select Launch Sample Result Entry. Within the dialog that opens, click Continue.	Sample Result Entry opens for SPL2.	Sample Result Entry opens for SPL2.	PASS 12-AUG-2026 11:01:32
17	Click the Find Document icon. Within the Search Documents dialog, select DOC1 and click continue. Click the View Related Document icon.	The document is displayed on the right hand side of Sample Result Entry.	The document is displayed on the right hand side of Sample Result Entry.	PASS 12-AUG-2026 11:02:10
18	Click the Delete Document Relationship icon. Click Delete.	"No Document Found" is displayed on the right hand side of Sample Result Entry.	"No Document Found" is displayed on the right hand side of Sample Result Entry.	PASS 12-AUG-2026 11:02:28
19	Click the Find Document icon. Within the Search Documents dialog, select DOC2 and click continue. Click the View Related Document icon.	The document is displayed on the right hand side of Sample Result Entry.	The document is displayed on the right hand side of Sample Result Entry.	PASS 12-AUG-2026 11:02:58
20	Click the + icon to Add Result. In the dialog that opens, select the result and click Done.	A section appears to enter Number of Replicates.	A section appears to enter Number of Replicates.	PASS 12-AUG-2026 11:03:29
21	Beside the Results field, click the dropdown and select discard.	The section to enter Number of Replicates disappears.	The section to enter Number of Replicates disappears.	PASS 12-AUG-2026 11:03:49
22	Click the + icon to Add Result. In the dialog that opens, select the result and click Done. Enter 2 for the Number of Replicates, and click the checkmark.	2 result replicates are added.	2 result replicates are added.	PASS 12-AUG-2026 11:04:46
23	From the All Actions menu of the second replicate, select Cancel Replicate.	1 result replicate disappears.	1 result replicate disappears.	PASS 12-AUG-2026 11:05:14
24	From the All Actions menu of the replicate, select Name Replicates. Populate the field with text and click the checkmark. NOTE: this value will be referred to as TEXT1.	The text is added above the result replicate.	The text is added above the result replicate. TEXT1: Testing Replicate	PASS 12-AUG-2026 11:05:53
25	Enter results for all tests on SPL2. Click Evaluate.	The results are entered and commited, the result cells are no longer editable.	The results are entered and commited, the result cells are no longer editable.	PASS 12-AUG-2026 11:06:15


Step #	Procedure	Expected Results	Actual Results	Pass/Fail
26	Click Verify and then click Complete.	The Spec Execution is displayed. The Spec Execution is in the Testing Complete state. All Samples and Tests are in the testing complete state. The Certificate of Analysis (CoA) field has a link to a document. There is one additional Release Limit record.	The Spec Execution is displayed. The Spec Execution is in the Testing Complete state. All Samples and Tests are in the testing complete state. The Certificate of Analysis (CoA) field has a link to a document. There is one additional Release Limit record.	PASS 12-AUG-2026 11:08:14
27	Click the link for the CoA to open in a new tab.	The CoA document opens in a new tab. The document is in the Initial state.	The CoA document opens in a new tab. The document is in the Initial state.	PASS 12-AUG-2026 11:10:27
28	Navigate back to the Spec Execution record. Click the pencil icon to edit the record. Populate the CoA Comment field and click Save.	The CoA Comment field is populated.	The CoA Comment field is populated.	PASS 12-AUG-2026 11:11:42
29	From the All Actions menu, select Refresh CoA. Then click Continue.	A banner appears indicating Successfully completed Refresh CoA.	A banner appears indicating Successfully completed Refresh CoA.	PASS 12-AUG-2026 11:12:13
30	Wait until a notification is received indicating the generate document from Formatted Output action was successful. Within the tab containing the CoA, refresh and click on the latest viewable version. On each page of the CoA, verify that the header correctly displays the following from the Basics Customer record: 1) Company Logo 2) Customer Name and Address	On each page of the CoA, the header correctly displays the following from the Basics Customer record: 1) Company Logo 2) Customer Name and Address	On each page of the CoA, the header correctly displays the following from the Basics Customer record: 1) Company Logo 2) Customer Name and Address	PASS 12-AUG-2026 11:14:21

Step #	Procedure	Expected Results	Actual Results	Pass/Fail
31	Below the header of the CoA, verify the batch/spec execution information is correctly listed as follows: Batch Material Material Description Country Manufacturer Manufacturer Address Manufacture Date Expiration Date Quantity Specification CoA Comments	Below the header of the CoA, the batch/ spec execution information is correctly listed as described.	Below the header of the CoA, the batch/ spec execution information is correctly listed as described.	PASS 12-AUG-2026 11:15:06
32	Below the batch/spec execution information of the CoA, verify the results table is correctly listed as follows: Test = Reported Name from Test (if populated), else Test Definition from Test Method = Test Method from Test Test Attribute = Evaluated Result from release criteria limit, with replicate label in parenthesis (if applicable) Specification = Criteria from release criteria limit Result = Evaluated Value from release criteria limit Conform = Conforms from release criteria limit	Below the batch/spec execution information of the CoA, the results table is correctly listed as outlined. The replicate result has TEXT1 in parenthesis after Evaluated Result in the Test Attribute column. Rows in the table are ordered based on the Order field from the corresponding release criteria limit.	Below the batch/spec execution information of the CoA, the results table is correctly listed as outlined. The replicate result has TEXT1 in parenthesis after Evaluated Result in the Test Attribute column. Rows in the table are ordered based on the Order field from the corresponding release criteria limit.	PASS 12-AUG-2026 11:15:51
33	Below the results table of the CoA, verify the Testing Locations are correctly listed based on the values from the samples.	Below the results table of the CoA, the Testing Locations are correctly listed based on the values from the samples.	Below the results table of the CoA, the Testing Locations are correctly listed based on the values from the samples.	PASS 12-AUG-2026 11:16:36
34	Below the testing location of the CoA, verify the CoA Release statement from the Basics Customer record is correctly listed.	Below the testing location of the CoA, the CoA Release statement from the Basics Customer record is correctly listed.	Below the testing location of the CoA, the CoA Release statement from the Basics Customer record is correctly listed.	PASS 12-AUG-2026 11:17:08
35	On each page of the CoA, verify that the footer correctly displays the following: 1) On the left side: Report Date 2) In the center: CONFIDENTIAL 3) On the right side: Page X of Y	On each page of the CoA, the footer correctly displays the following: 1) On the left side: Report Date 2) In the center: CONFIDENTIAL 3) On the right side: Page X of Y	On each page of the CoA, the footer correctly displays the following: 1) On the left side: Report Date 2) In the center: CONFIDENTIAL 3) On the right side: Page X of Y	PASS 12-AUG-2026 11:18:13


Step #	Procedure	Expected Results	Actual Results	Pass/Fail
36	From the Spec Execution record, expand the Samples section and open SPL1. Expand the Sample Documents section. From the all actions menu of the Sample Document record, confirm there is a Delete option.	There is a Delete option for the Sample Document.	There is a Delete option for the Sample Document.	PASS 12-AUG-2026 11:18:58
37	From the Workflow & State change icon for SPL1, select Send for Review. Then Click Start.	The workflow starts and SPL1 moves to the In Review state.	The workflow starts and SPL1 moves to the In Review state.	PASS 12-AUG-2026 11:19:27
38	Expand the Sample Documents section. From the all actions menu of the Sample Document record, confirm there is no Delete option.	There is no Delete option for the Sample Document.	There is no Delete option for the Sample Document.	PASS 12-AUG-2026 11:19:47
39	Log into Vault as USER2. From the LIMS tab collection, navigate to Samples & Tests > Samples. Locate SPL1 and expand the Sample Documents section. Click the link for the document.	The document is displayed and is in the Initial state.	The document is displayed and is in the Initial state.	PASS 12-AUG-2026 11:24:26
40	From the LIMS tab collection, navigate to Samples & Tests > Samples. Locate SPL2 and expand the Sample Documents section. Click the link for the document.	The document is displayed and is in the Initial state.	The document is displayed and is in the Initial state.	PASS 12-AUG-2026 11:27:50
41	From the LIMS tab collection, navigate to Release Testing > Batches. Click the +Create button.	The user does not have the ability to create a batch.	The user does not have the ability to create a batch.	PASS 12-AUG-2026 11:28:17

Execution Screenshots


Step #1 Screenshot Screenshot Time: 12-AUG-2026 10:34:31 GMT-07:00




Step #2 Screenshot Screenshot Time: 12-AUG-2026 10:36:54 GMT-07:00




Step #3 Screenshot #1 Screenshot Time: 12-AUG-2026 10:44:01 GMT-07:00




Step #3 Screenshot #2 Screenshot Time: 12-AUG-2026 10:54:48 GMT-07:00




Step #4 Screenshot Screenshot Time: 12-AUG-2026 10:55:09 GMT-07:00




Step #5 Screenshot Screenshot Time: 12-AUG-2026 10:55:47 GMT-07:00




Step #6 Screenshot Screenshot Time: 12-AUG-2026 10:56:06 GMT-07:00




Step #7 Screenshot Screenshot Time: 12-AUG-2026 10:56:26 GMT-07:00




Step #8 Screenshot Screenshot Time: 12-AUG-2026 10:57:02 GMT-07:00




Step #9 Screenshot Screenshot Time: 12-AUG-2026 10:57:22 GMT-07:00




Step #10 Screenshot Screenshot Time: 12-AUG-2026 10:57:41 GMT-07:00




Step #11 Screenshot Screenshot Time: 12-AUG-2026 10:58:13 GMT-07:00




Step #12 Screenshot Screenshot Time: 12-AUG-2026 10:58:33 GMT-07:00




Step #13 Screenshot Screenshot Time: 12-AUG-2026 10:59:17 GMT-07:00




Step #14 Screenshot Screenshot Time: 12-AUG-2026 10:59:38 GMT-07:00




Step #15 Screenshot Screenshot Time: 12-AUG-2026 11:00:57 GMT-07:00




Step #16 Screenshot Screenshot Time: 12-AUG-2026 11:01:32 GMT-07:00




Step #17 Screenshot Screenshot Time: 12-AUG-2026 11:02:10 GMT-07:00




Step #18 Screenshot Screenshot Time: 12-AUG-2026 11:02:28 GMT-07:00




Step #19 Screenshot Screenshot Time: 12-AUG-2026 11:02:58 GMT-07:00




Step #20 Screenshot Screenshot Time: 12-AUG-2026 11:03:29 GMT-07:00




Step #21 Screenshot Screenshot Time: 12-AUG-2026 11:03:49 GMT-07:00




Step #22 Screenshot Screenshot Time: 12-AUG-2026 11:04:46 GMT-07:00




Step #23 Screenshot Screenshot Time: 12-AUG-2026 11:05:14 GMT-07:00




Step #24 Screenshot Screenshot Time: 12-AUG-2026 11:05:53 GMT-07:00




Step #25 Screenshot Screenshot Time: 12-AUG-2026 11:06:15 GMT-07:00




Step #26 Screenshot #1 Screenshot Time: 12-AUG-2026 11:06:58 GMT-07:00




Step #26 Screenshot #2 Screenshot Time: 12-AUG-2026 11:08:14 GMT-07:00




Step #27 Screenshot Screenshot Time: 12-AUG-2026 11:10:27 GMT-07:00




Step #28 Screenshot Screenshot Time: 12-AUG-2026 11:11:42 GMT-07:00




Step #29 Screenshot Screenshot Time: 12-AUG-2026 11:12:13 GMT-07:00




Step #30 Screenshot Screenshot Time: 12-AUG-2026 11:13:48 GMT-07:00




Step #31 Screenshot Screenshot Time: 12-AUG-2026 11:15:06 GMT-07:00




Step #32 Screenshot Screenshot Time: 12-AUG-2026 11:15:51 GMT-07:00




Step #33 Screenshot Screenshot Time: 12-AUG-2026 11:16:36 GMT-07:00




Step #34 Screenshot Screenshot Time: 12-AUG-2026 11:17:08 GMT-07:00




Step #35 Screenshot #1 Screenshot Time: 12-AUG-2026 11:17:40 GMT-07:00




Step #35 Screenshot #2 Screenshot Time: 12-AUG-2026 11:18:13 GMT-07:00




Step #36 Screenshot Screenshot Time: 12-AUG-2026 11:18:58 GMT-07:00




Step #37 Screenshot Screenshot Time: 12-AUG-2026 11:19:27 GMT-07:00




Step #38 Screenshot Screenshot Time: 12-AUG-2026 11:19:47 GMT-07:00




Step #39 Screenshot Screenshot Time: 12-AUG-2026 11:24:18 GMT-07:00



Step #40 Screenshot Screenshot Time: 12-AUG-2026 11:27:50 GMT-07:00



Step #41 Screenshot Screenshot Time: 12-AUG-2026 11:28:17 GMT-07:00



Script Execution Approval	
Status Pass/Fail:	PASS
Executed by	*Executed through automation*
Validation Specialist	Madhavi Sathe *Approval by Electronic Signature*
Business/Technical Approver	Molly Baechler *Approval by Electronic Signature*
Quality Approver	Madhavi Sathe *Approval by Electronic Signature*