# TokenRouter

Trusted AI Agent Infrastructure

🚀 **Getting Started Guide**

Build secure, compliant, and cost-efficient AI applications for enterprise automation

API Endpoint: **token.route.worthwolf.top**

Questions? jason.jia@thirdhour.eu

# Quick Start

Get up and running with TokenRouter in under 5 minutes

## 1 Get Your API Key

**Contact us** at jason.jia@thirdhour.eu to receive your demo API key with **100,000 free tokens**

## 2 Make Your First Request

```
curl -X POST https://token.route.worthwolf.top/v1/chat/completions \
  -H "Content-Type: application/json" \
  -H "Authorization: Bearer YOUR_API_KEY" \
  -d '{
    "messages": [{"role": "user", "content": "Hello!"}],
    "provider": "deepseek"
  }'
```

## 3 You're Ready!

Your API key is now active. Start building with our AI routing, PII masking, and privacy compute features.

# How It Works

Three simple steps to privacy-first AI processing

1

**Your Data**

Send requests with sensitive data

→

2

**PII Masking**

Automatic detection & protection

→

3

**AI Processing**

Secure computation & responses

## Privacy-First Architecture

### Input Masking

Personally Identifiable Information (PII) is automatically detected and masked before any AI processing occurs.

### Local Computation

Statistical operations run locally with zero cost. Your raw data never leaves our secure environment.

## Multi-Provider Routing

TokenRouter automatically routes your requests to the optimal AI provider based on cost, availability, and performance. Fallback mechanisms ensure reliability.

# API Reference

Base URL: https://token.route.worthwolf.top

---

**POST** `/v1/chat/completions`

Send messages to AI models with automatic provider routing.

```
{
  "messages": [
    {"role": "user", "content": "What is machine learning?"}
  ],
  "provider": "deepseek",    // optional
  "model": "deepseek-chat",  // optional
  "temperature": 0.7
}
```

**POST** `/v1/mask`

Automatically detect and mask Personally Identifiable Information.

```
{
  "text": "Contact Zhang Wei at 13812345678 or zhang@example.com"
}
// Response:
{
  "success": true,
  "masked": "Contact Zhang Wei at [手机号] or [邮箱]",
  "detected": [
    {"type": "PHONE_CN", "value": "13812345678"},
    {"type": "EMAIL", "value": "zhang@example.com"}
  ]
}
```

**POST** `/v1/privacy/compute`

Perform local computations on sensitive data — **FREE**

```
{
  "task": "Calculate sales statistics",
  "data": {"sales": [{"amount": 5999}, {"amount": 2999}]},
  "operations": ["count", "sum", "average"]
}
// Response:
{
  "success": true,
  "computed": {"count": 2, "sum": 8998, "average": 4499},
  "cost_usd": 0
}
```

# PII Detection Types

Supported detection types for privacy protection

| Type | Description | Example |
|---|---|---|
| PHONE_CN | Chinese phone number | 13812345678 |
| EMAIL | Email address | user@example.com |
| ID_CARD_CN | Chinese ID card | 110101199001011234 |
| BANK_CARD | Bank card number | 6222021234567890 |
| PERSON | Person name | 张三 |

## 💰 Pricing

| Feature | Price | Notes |
|---|---|---|
| AI Chat (DeepSeek) | **$0.0001** / 1K tokens | Most cost-effective |
| AI Chat (SiliconFlow) | **$0.001** / 1K tokens | More provider options |
| PII Masking | FREE | Always free |
| Privacy Compute | FREE | Local computation |

🎁 **100,000 free tokens** for all demo accounts!

# Code Examples

Integrate TokenRouter into your applications

## Python

```python
import requests

API_KEY = "YOUR_API_KEY"
BASE = "https://token.route.worthwolf.top"

headers = {"Authorization": f"Bearer {API_KEY}"}

# Chat API
def chat(message):
    return requests.post(
        f"{BASE}/v1/chat/completions",
        headers=headers,
        json={"messages": [{"role": "user", "content": message}]}
    ).json()

# PII Masking
def mask(text):
    return requests.post(
        f"{BASE}/v1/mask",
        headers=headers,
        json={"text": text}
    ).json()

# Privacy Compute (FREE)
def stats(data):
    return requests.post(
        f"{BASE}/v1/privacy/compute",
        headers=headers,
        json={"task": "Calculate", "data": data, "operations": ["sum", "average"]}
    ).json()
```

## OpenAI SDK Compatible

```python
from openai import OpenAI

client = OpenAI(
    api_key="YOUR_API_KEY",
    base_url="https://token.route.worthwolf.top/v1"
)
```

```
# Works with OpenAI SDK!
response = client.chat.completions.create(
    model="deepseek-chat",
    messages=[{"role": "user", "content": "Hello!"}]
)
```

**TokenRouter**

Trusted AI Agent Infrastructure
for Enterprise Automation

## Resources

Documentation

Dashboard

Support

## Contact

jason.jia@thirdhour.eu

token.route.worthwolf.top