



Data Article

DIMPSAR: Dataset for Indian medicinal plant species analysis and recognition



Pushpa B R*, N. Shobha Rani*

Department of Computer Science, School of Computing, Mysuru, Amrita Vishwa Vidyapeetham, India

ARTICLE INFO

Article history:

Received 6 March 2023

Revised 13 June 2023

Accepted 4 July 2023

Available online 14 July 2023

Dataset link: [Indian Medicinal Leaves Image Datasets \(Original data\)](#)

Keywords:

Plant classification

Leaf images

Whole plant images

Mobile captured images

Plant/leaf analysis

ABSTRACT

Mobile-captured images of medicinal plants are widely used in various research investigations. Machine vision-based tasks such as the identification of plant species types for intelligent imaging device applications take a significant part in it. Botanists, farmers and researchers can reliably identify medicinal plants with the help of images captured using smartphones. Mobile captured images can be used for quality control to make sure that the right plant species are being used in pharmaceutical products. In the field of education, pictures of medicinal plants and their usage can be used to educate learners, medical professionals, and the general public. Further, various research investigations in the area of chemistry, pharmacology, the therapeutic potential of medicinal plants, images can be employed.

In this paper, we contribute a dataset of Indian medicinal plant species. The dataset is collected from different regions of Karnataka and Kerala. Datasets include characteristics such as multiple resolutions, varying illuminations, varying backgrounds, and seasons in the year. The datasets consist of 5900 images of forty plant species and single leaf images of eighty plant species consisting of 6900 samples obtained from real-time conditions using smartphones. The datasets contributed would be useful to researchers to investigate on development of algorithmic models based on image processing, machine learning, and deep learning concepts to educate about medicinal plants. The dataset can be accessed

DOI of original article: [10.1016/j.jarmp.2023.100459](https://doi.org/10.1016/j.jarmp.2023.100459)

* Corresponding authors.

E-mail addresses: pushpa@my.amrita.edu (P. B R), n_shobharani@my.amrita.edu (N.S. Rani).Social media: [@Shobha89998054](#) (N.S. Rani)<https://doi.org/10.1016/j.dib.2023.109388>

2352-3409/© 2023 The Author(s). Published by Elsevier Inc. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>)

Specifications table

| | |
|--------------------------------|--|
| Subject | Computer Science; Agricultural and Biological Sciences |
| Specific subject area | Image processing, Computer vision and Pattern recognition; Plant species recognition |
| Type of data | Images |
| How the data were acquired | In the proposed work, there is no fixed setup being followed to acquire the images, realistic image-capturing context for smartphone image acquisition is considered while taking photos of plants. A group of ten smartphone users is assigned to capture the dataset. Images are acquired using different smartphones with a camera resolution of Nokia N95(5MP), Xiaomi Redmi 1S(8MP), Samsung Galaxy S9(12MP), Xiaomi Mi 4i(13MP) and Xiaomi Redmi Note3(16MP). Images are photographed in different weather conditions on cloudy, sunny, and windy days with varying distances, lighting, and backgrounds in multiple projection angles covering both sides of leaf patterns. |
| Data format | Raw |
| Description of data collection | Images collected as part of dataset collection include real-time challenges related to the recognition and identification process of plants. All species considered are medicinal and captured with fixed lens smartphone cameras with different perspectives of projection angles, color variations of leaf, multiple resolutions and varying distances. The spatial resolution of images captured spans from 2,560×1,920 to 5312×2988. There exists an imbalanced number of samples per class that are addressed through image augmentation methods. |
| Data source location | Various botanical gardens are visited in and around Karnataka and Kerala to carry out dataset collection. Some of them include., <ol style="list-style-type: none">1. Medicinal plant garden Chandravana, Government Ayurveda Medical College and Hospital, Mysuru. https://goo.gl/maps/r8p66ijK2hjaLxrcA2. Green Atmosphere plant nursery, Hebbal, Mysuru https://goo.gl/maps/4mAg8355RniqDAr83. Bhudevi Farm, Jayalakshampuram, Mysuru <a)"="" href="https://goo.gl/maps/2zDJLZPq6HYLonxj6">https://goo.gl/maps/2zDJLZPq6HYLonxj6") https://goo.gl/maps/2zDJLZPq6HYLonxj64. Uppala medicinal botanical garden, Kasaragod, Kerala5. Medicinal botanical garden, Kasaragod, Kerala.Country: India https://goo.gl/maps/VA8uyK46qcsEG7LXA |
| Data accessibility | Repository name: Mendeley data DOI: 10.17632/748f8jkphb.3 URL: https://data.mendeley.com/datasets/748f8jkphb |
| Related research article | Pushpa, B. R., & Rani, N. S. (2023). Ayur-PlantNet: An unbiased light weight deep convolutional neural network for Indian Ayurvedic plant species classification. Journal of Applied Research on Medicinal and Aromatic Plants, 100459. (https://doi.org/10.1016/j.jarmap.2023.100459) |

Value of the Data

- Datasets of medicinal plants are helpful in scientific investigations in various fields for re-search. Exploration of the appearance and features of different plant species is useful in vision-based plant identification, phytochemical analysis, and conservation efforts.
- Datasets can be used for the development of algorithmic models based on deep/machine learning/image analysis and pattern recognition.

- Furthermore, in the area of object detection from images, the raw images can be helpful in proposing the models to address various challenges related to medicinal plant species classification, leaf region segmentation, pre-processing, shadow removal, estimate leaf count, modeling of relation to compute similarity from one plant species to another belonging to the same class and different classes and occluded leaf recognition etc.
- Datasets can be utilized to create an application that can educate the students and spread awareness on Indian medicinal plants and its health benefits to mankind.
- The images collected can be analyzed using various image processing tools to extract useful information such as plant morphology, color, and texture. This data can be used for different applications such as machine learning algorithms for the diagnosis of plant diseases.
- Images collected can help in creation of a comprehensive database comprising information related to diseases, usefulness, pests/fertilizers to be applied to prevent diseases and other industrial uses.

1. Objective

Ayurveda is one of the ancient medicinal systems practiced in India for several thousands of years to treat various diseases with lower cost and undesirable side effects compared to allopathy medicine. Every organ of medicinal plants such as root, leaf, stem, fruit, and seed are composed of medicinal properties. The primary objective of creating an image dataset of Indian medicinal plant species is to promote the use of ayurvedic medicinal practices and spread the knowledge related to common medicinal plants that are present around us. The awareness would help in encouraging researchers, educators, and practitioners in the field of medicinal plants to address new challenges. Also, this would lead to an increased harvest of medicinal plants that leads to the adoption of the best health practices by common people and reducing health-related risks. Specifically, the creation of the datasets can serve benefits such as plant species identification in machine/ deep learning, biodiversity conservation, medicinal plant research [1], phytochemical analysis, ayurvedic medicine, education and outreach, conservation and sustainable use.

Overall, the creation of an Indian medicinal plant dataset species can contribute to the development of innovative and sustainable approaches to their use and conservation.

2. Data Description

This work is exclusive as there is no standard plant organ image dataset for Indian medicinal plants in the literature as presented in the Table 1. The image acquisition process is set free from various constraining factors that usually occur in the conventional image acquisition model [2]. The images of plants are acquired invariant to season, time, lighting conditions and background making it useful for real-time plant analysis related investigations. The list of Indian medicinal plant species is contributed by intuitive exploration of medicinal values with the help of

Table 1
Highlights of literature work on Indian medicinal plant dataset

| Reference | Dataset | No. of classes | No. of samples | Attributes |
|-----------|------------------|----------------|----------------|---|
| [4] | Self-built | 10 | 1300 | High resolution, uniform illumination, plain background |
| [5] | Self-built | 18 | 300 | Uniform illumination, plain background |
| [6] | Self-built | 50 | 1500 | Plain background |
| [7] | Self-built | 4 | - | Plain background |
| [2] | Self-built | 40 | 2515 | Plain background |
| [8] | Mendeley dataset | 30 | 1835 | High resolution images |




Fig. 1. Image samples captured in the varying background (a) Leaf- Shadow (b) Leaf- Occluded (c) Leaf- Varying background (d) Leaf- Light Illumination (e) Leaf- Bright sunlight.

botanists, phytochemists and data sources from the Botanical survey of India. [Table 1](#) highlights the literature worked on Indian medicinal plants using self-built datasets and [Table 2](#) details the list of the Indian medicinal plant species that contributed as part of this work [3].

Two datasets consisting of single leaf and whole-plant species of medicinal plants are collected. Dataset of whole plant images consists of forty plant species of 5200 raw image samples and post-augmentation of 5900 image samples [9]. The leaf image dataset of 80 plant species of 6900 image samples. [Table 3](#) gives the summary of the datasets.

3. Experimental Design, Materials, and Methods

3.1. Data collection

The authors collected the dataset from various botanical gardens in and around Mysuru, Karnataka and Kasaragod, Kerala, India.

1. Medicinal plant garden Chandravana, Government Ayurveda Medical College and Hospital, Mysuru.
2. Green atmosphere, plant nursery, Hebbal, Mysuru
3. Bhudevi Farm, Jayalakshmipuram, Mysuru
4. Uppala medicinal botanical garden, Kasaragod, Kerala
5. Medicinal botanical garden, Kasaragod, Kerala

The Chandravana medicinal garden consists of plant species that are rich in medicinal values, rare and endangered species are preserved by providing a suitable environment. The garden consists of more than three hundred plant varieties. The other medicinal plant gardens have medicinal plant species that are commonly found.

3.2. Data acquisition

3.2.1. Medicinal leaf dataset

The dataset is created by first plucking more than 80 leaves in each species type. Initially, the leaves are cleaned to remove the dust or other particles that are present on the leaf. The leaf images are captured both in indoor and outdoor environments with natural lightning conditions and others [10]. The leaf images are placed on various background surfaces with moderate image stabilization, zoom for tiny leaves, autofocus method for standard leaf sizes. The sample of leaf images is presented in [Fig. 1](#).

The images captured in this dataset consist of image samples that include-

- a. Occluded images: The leaf images that are broken or the leaf region is not complete and partially crawled.

Table 2

List of medicinal plant species

| Sl No | Common Name | Botanical Name | No. of samples | Sl No | Common Name | Botanical Name | No. of samples |
|-------|-------------------------|---------------------------|----------------|-------|----------------------------|--------------------------|----------------|
| 1 | Alovera | Aloe barbadensis miller | 118 | 41 | Nithya Pushpa | Catharanthus roseus | 134 |
| 2 | Amla | Phyllanthus emblica | 67 | 42 | Onion | Allium cepa | 92 |
| 3 | Noni | Morinda citrifolia | 72 | 43 | Spinach | Spinacia oleracea | 149 |
| 4 | Giloy (Amrutaballi) | Tinospora cordifolia | 91 | 44 | Neem | Azadirachta indica | 132 |
| 5 | Peepal(Arali) | Ficus religiosa | 89 | 45 | Seethashoka | | 47 |
| 6 | Asthma weed | Euphorbia hirta | 82 | 46 | Indian blackberry (Nerale) | Syzygium cumini | 62 |
| 7 | Bamboo | Bambusoideae | 118 | 47 | Papaya | Carica papaya | 135 |
| 8 | Betel | Piper betle | 114 | 48 | Parijatha | Nyctanthes arbor-tristis | 66 |
| 9 | Brahmi | Bacopa monnieri | 104 | 49 | Pepper | Piper nigrum | 18 |
| 10 | Bringaraj | Eclipta prostrata | 73 | 50 | Pomegranate | Punica granatum | 75 |
| 11 | Camphor | Cinnamomum camphora | 66 | 51 | Raddish | Raphanus sativus | 40 |
| 12 | Castor | Ricinus communis | 129 | 52 | Rose | Rosa | 106 |
| 13 | Citron lime (herelikai) | Citrus medica | 99 | 53 | Coriander | Coriandrum sativum | 115 |
| 14 | Coffee | Coffea | 83 | 54 | Indian Borge (Doddapatre) | Coleus amboinicus | 142 |
| 15 | Curry leaf | Murraya koenigii | 168 | 55 | Drumstick | Moringa oleifera | 56 |
| 16 | Insulin plant | Costus igneus | 89 | 56 | Aak | Calotropis gigantea | 81 |
| 17 | Jackfruit | Artocarpus heterophyllus | 110 | 57 | Black nightshade | Solanum nigrum | 63 |
| 18 | Jasmine | Jasminum | 49 | 58 | Eucalyptus | Eucalyptus globulus | 80 |
| 19 | Ginger | Zingiber officinale | 82 | 59 | Lemon | Citrus limon | 123 |
| 20 | Guava | Psidium guajava | 128 | 60 | Lemon grass | Cymbopogon citratus | 18 |
| 21 | Henna | Lawsonia inermis | 80 | 61 | Kamakasturi | Ocimum basilicum | 67 |
| 22 | Hibiscus | Hibiscus rosa-sinensis | 118 | 62 | Fluted pumpkin leaf | Cucurbita moschata | 92 |
| 23 | Taro | Colocasia esculenta | 69 | 63 | Ganigale | Calotropis gigantea | 75 |
| 24 | Malabar spinach | Basella alba | 79 | 64 | Tecoma | Tecoma stans | 69 |
| 25 | Mango | Mangifera indica | 103 | 65 | Nagadali | Ruta graveolens | 67 |
| 26 | Marigold | Tagetes erecta | 93 | 66 | Tamarind | Tamarindus indica | 156 |
| 27 | Beans | Phaseolus | 97 | 67 | Seethapala | Annona reticulata | 114 |
| 28 | Chilly | Capsicum frutescens | 69 | 68 | Sapota | Manilkara zapota | 45 |
| 29 | Honge | Milletia pinnata | 113 | 69 | Gasagase | Papaver somniferum | 79 |
| 30 | Flameleaf | Ixora coccinea | 76 | 70 | Tomato | Solanum lycopersicum | 62 |
| 31 | Thumba | Leucas aspera | 74 | 71 | Sampige | Magnolia champaca | 61 |
| 32 | Tulsi | Ocimum tenuiflorum | 177 | 72 | Globe amarnath, | Gomphrena globosa, | 81 |
| 33 | Turmeric | Curcuma longa | 39 | 73 | Caricature | graptophyllum_pictum | 76 |
| 34 | Malabar Nut | Adathoda vasica) | 51 | 74 | Spinach | Spinacia oleracea | 54 |
| 35 | Balloon Vine | Cardiospermum halicacabum | 61 | 75 | Butterfly pea | Clitoria ternatea | 60 |
| 36 | Badipala | | 76 | 76 | Kasaambruga | | 48 |
| 37 | Chakte | | 68 | 77 | Nelavambu | Andrographis paniculata | 90 |
| 38 | Padri | Radermachera xylocarpa | 73 | 78 | Lantana | Lantana camara | 76 |
| 39 | Pea | Pisum | 47 | 79 | Kohlrabi | Brassica oleracea | 73 |
| 40 | Ashoka | Saraca asoca | 81 | 80 | Mint | Gongylodes Mentha | 135 |

Table 3

Detailed description of datasets collected

| Type | Number of plants Species | Total images | Type of background |
|-------------------------|--------------------------|--------------|--------------------------------------|
| Medicinal leaf dataset | 80 | 6900 | Plain / Non varying intensity levels |
| Medicinal plant dataset | 40 | 5900 | Varying background |



Fig. 2. Samples of whole plant images captured in varying background

- b. Indoor images: The images captured inside the closed environment under the natural light that are positioned at different angles with various backgrounds.
- c. Outdoor images: The images are captured outside using natural lights that are placed on various backgrounds like sand, stones, green background and other objects.
- d. Shadow images: The images were captured in different lighting conditions such as bright sunlight or occlusions that would result in shadow formation.
- e. Leaf images with inter-class similarity where plants belong to different classes but look similar and plant species that belong to the same class and vary in their shape, texture and color.

3.2.2. Medicinal plant dataset

The dataset is created for forty plant species types that consist of more than 100 image samples in each species type. The images are captured using multiple mobile phones with different resolutions and other specifications [11]. The created datasets can be utilized to address the real-time plant species recognition and analysis challenges. Fig. 2 shows the sample images of datasets collected under plant datasets acquired under various conditions comprising various image acquiring factors.

3.3. Data nomenclature

Two dataset contributions are the medicinal leaf dataset and the medicinal plant dataset. Both datasets are captured using smartphone cameras with various real-time conditions as mentioned. Both image datasets are captured with different illuminations, occluded leaves, shadows, and varying backgrounds. The medicinal plant dataset is captured directly from farms with the specified image acquisition conditions using 5MP, 12MP, 8MP, 13MP, and 16MP resolutions. The collected images are compiled into separate folders with the folder name of plant species in both medicinal leaf and plant datasets.

3.4. Data augmentation

Data augmentation is applied only on medicinal plant datasets. The medicinal plant dataset with image samples of 5200 captured with a natural background was subjected to data augmentation to reduce the dataset imbalance and cover all real-time challenges. Geometrical and intensity transformations such as image rotation is achieved by rotating the image by 180-degree, low contrast by multiplying the intensity factor by 0.6, high contrast with an intensity factor




Fig. 3. Augmented samples geometrical intensity transformations (a) Original image (b) Low contrast images (c) High contrast images (d) Rotated images (e) Flipped images.

1.5, and flip are employed by flipping the raw image in the direction to create an augmented dataset. After the geometric transformation operations, all samples are resized to fixed spatial dimensions of 600 * 450 pixels. The post-augmented dataset contains 5900 image samples and each class consists of 140-150 samples of balanced data. Fig. 3 shows the augmented image samples of medicinal plant datasets.

Ethics Statements

This work does not involve studies with animals and humans.

Declaration of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships which have or could be perceived to have influenced the work reported in this article.

Data availability

[Indian Medicinal Leaves Image Datasets \(Original data\)](#) (Mendeley Data)

CRediT Author Statement

Pushpa B R: Conceptualization, Formal analysis, Investigation, Data curation, Methodology, Resources, Writing – review & editing, Writing – original draft, Validation; **N. Shobha Rani:** Conceptualization, Formal analysis, Investigation, Data curation, Methodology, Resources, Writing – review & editing, Writing – original draft, Validation, Supervision.

Acknowledgments

The authors would like to thank the supporters who helped in the collection of leaves and various botanical gardens, Mysuru supported in providing plant species for image acquisition. Finally, thanks to Amrita Vishwa Vidyapeetham, Mysuru for providing an opportunity to perceive my doctoral program. This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

References

- [1] S. Anubha Pearline, V. Sathiesh Kumar, S. Harini, A study on plant recognition using conventional image processing and deep learning approaches, J. Intell. Fuzzy Syst. 36 (3) (2019) 1997–2004.

- [2] S. Roopashree, J. Anitha, T.R. Mahesh, V.V. Kumar, W. Viriyasitavat, A. Kaur, An IoT based authentication system for therapeutic herbs measured by local descriptors using machine learning approach, *Measurement* 200 (2022) 111484.
- [3] Pushpa B R, Shobha Rani, "Indian medicinal leaves image datasets", *Mendeley Data* V3 (2023), doi:10.17632/748f8jkphb.3.
- [4] J.G. Thanikkal, A.K. Dubey, M.T. Thomas, An efficient mobile application for identification of immunity boosting medicinal plants using shape descriptor algorithm, *Wirel. Pers. Commun.* (2023) 1–17.
- [5] J.G. Thanikkal, A.K. Dubey, M.T. Thomas, Deep-Morpho Algorithm (DMA) for medicinal leaves features extraction, *Multimedia Tools Appl.* (2023) 1–21.
- [6] R.U. Rao, M.S. Lahari, K.P. Sri, K.Y. Srjana, D. Yaswanth, Identification of medicinal plants using deep learning, *Int. J. Res. Appl. Sci. Eng. Technol.* 10 (2022) 306–322.
- [7] P.P. Kaur, S. Singh, Random forest classifier used for modelling and classification of herbal plants considering different features using machine learning, in: *Mobile Radio Communications and 5G Networks: Proceedings of Second MRCN 2021*, Springer Nature Singapore, Singapore, 2022, pp. 83–94.
- [8] Divyasree, G., & Sheelarani, M. (2022). Ayurvedic leaf identification using deep learning model: VGG16. Available at SSRN 4091254.
- [9] B.R. Pushpa, N.S. Rani, Ayur-PlantNet: an unbiased light weight deep convolutional neural network for Indian Ayurvedic plant species classification, *J. Appl. Res. Med. Aromat. Plants* 34 (2023) 100459.
- [10] J. Parraga-Alava, K. Cusme, A. Loor, E. Santander, RoCole: a robusta coffee leaf images dataset for evaluation of machine learning-based methods in plant disease recognition, *Data Brief* 25 (2019) 104414.
- [11] N. Shobha Rani, B.R. Pushpa, A simple and efficient technique for leaf extraction in complex backgrounds of low-resolution mobile photographed images, *J. Intell. Fuzzy Syst.* (2022).