

QUIZ - W2

Total points 28/32 ?

This will act as your attendance.

B03 - Monday

B04 - Tuesday

Submit before the **end of the day** of your class day.

Put the questions & answers in your GitHub :)

The respondent's email (**afiqfarhan2012@gmail.com**) was recorded on submission of this form.

0 of 2 points

✗ Student ID *

.../1

52215125319

✗

Class *

☐ B03

☒ B04



✖ Name *

.../1

MUHAMMAD AFIQ FARHAN BIN MOHD NASARUDDIN

✖

Questions start

28 of 30 points

✓ In the ARN `arn:aws:s3:::my-bucket`, which component represents the AWS service? *1/1

- ☒ s3
- ☐ aws
- ☐ my-bucket
- ☐ arn

✓

✓ Which characteristic allows cloud resources to automatically grow or shrink? *1/1

- ☐ Resource Pooling
- ☐ On-demand Self-Service
- ☐ Broad Network Access
- ☒ Rapid Elasticity

✓



✓ Which service model provides virtual machines? *

1/1

- ☐ SaaS
- ☐ PaaS
- ☐ DBaaS
- ☒ IaaS



✗ Which ARN component identifies the AWS account that owns the resource?

*0/1

- ☐ Service
- ☒ Account ID
- ☐ Resource ID
- ☐ Region



Correct answer

- ☒ Resource ID

✓ Which IAM identity is normally used as a temporary identity? *

1/1

- ☐ IAM Group
- ☐ Root User
- ☐ IAM User
- ☒ IAM Role



✓ Which AWS CLI command verifies the current identity? * 1/1

- ☒ aws sts get-caller-identity
- ☐ aws login
- ☐ aws identity
- ☐ aws iam whoami



✓ Docker is mainly used to: * 1/1

- ☐ Create AWS accounts
- ☐ Create databases
- ☐ Manage IAM
- ☒ Run containers



✓ Which account should never have access keys created for routine use? * 1/1

- ☐ IAM Role
- ☐ Analyst User
- ☐ IAM User
- ☒ Root User



✗ Cloud computing refers to: *

0/1

- ☒ Delivering computing resources over the Internet
- ☐ Running applications only on Windows
- ☐ Installing software locally
- ☐ Buying more physical servers



Correct answer

- ☒ Buying more physical servers

✓ Which security principle gives users only the permissions required to perform their tasks?

*1/1

- ☒ Principle of Least Privilege
- ☐ Zero Trust
- ☐ Defense in Depth
- ☐ Confidentiality



✓ For easier permission management, policies should preferably be attached to:

*1/1

- ☐ Access keys
- ☐ The Root User
- ☐ Individual users
- ☒ IAM Groups



✓ Which IAM component contains permissions? * 1/1

- ☐ IAM User
- ☐ IAM Group
- ☒ IAM Policy
- ☐ IAM Role



✓ LocalStack is used because it: * 1/1

- ☐ Creates AWS accounts
- ☐ Installs Kubernetes
- ☐ Replaces Docker
- ☒ Simulates AWS services locally



✓ Which AWS-managed policy provides full administrative access? * 1/1

- ☒ AdministratorAccess
- ☐ RootPolicy
- ☐ AmazonS3ReadOnlyAccess
- ☐ IAMReadOnlyAccess



✓ Google Docs is an example of: *

1/1

- ☐ IaaS
- ☐ Virtual Machine
- ☒ SaaS
- ☐ PaaS



✓ Which service model requires customers to manage the operating system?

*1/1

- ☐ PaaS
- ☐ SaaS
- ☐ FaaS
- ☒ IaaS



✓ A Kubernetes cluster consists of: *

1/1

- ☐ Containers only
- ☐ Access keys
- ☒ Multiple nodes
- ☐ Multiple policies



✓ Which command lists Kubernetes nodes? *

1/1

- ☒ kubectl get nodes
- ☐ kubectl get buckets
- ☐ docker ps
- ☐ aws iam list-users



✓ A collection of IAM users is called: *

1/1

- ☐ IAM Role
- ☐ IAM Policy
- ☒ IAM Group
- ☐ S3 Bucket



✓ Which endpoint is commonly used with LocalStack? *

1/1

- ☐ <http://localhost:22>
- ☐ <http://localhost:3389>
- ☒ <http://localhost:4566>
- ☐ <http://localhost:80>



✓ Which tool creates a local Kubernetes cluster? *

1/1

- ☐ LocalStack
- ☒ kind
- ☐ Amazon EC2
- ☐ Docker Desktop



✓ Which is NOT an essential characteristic of cloud computing? *

1/1

- ☐ Resource Pooling
- ☒ Manual Provisioning
- ☐ Measured Service
- ☐ Rapid Elasticity



✓ A node is: *

1/1

- ☒ A worker machine
- ☐ A database
- ☐ A storage bucket
- ☐ A Docker image



✓ Which AWS identity has unlimited privileges? *

1/1

- ☐ IAM Role
- ☐ IAM User
- ☐ IAM Group
- ☒ Root User



✓ The smallest deployable unit in Kubernetes is: *

1/1

- ☐ Node
- ☐ Cluster
- ☒ Pod
- ☐ Virtual Machine



✓ Which deployment model provides the MOST control? *

1/1

- ☒ Private Cloud
- ☐ Community Cloud
- ☐ Hybrid Cloud
- ☐ Public Cloud



✓ Which deployment model combines private and public cloud? * 1/1

- ☐ Public Cloud
- ☒ Hybrid Cloud
- ☐ Multi-cloud
- ☐ Community Cloud



✓ Access keys are mainly used for: * 1/1

- ☒ Programmatic access
- ☐ Kubernetes dashboard login
- ☐ AWS Management Console login
- ☐ Docker login



✓ If an access key is compromised, what should be done first? * 1/1

- ☐ Ignore it
- ☐ Delete the IAM user immediately
- ☐ Restart Docker
- ☒ Deactivate or rotate the key



✓ What does ARN stand for? *

1/1

- ☒ Amazon Resource Name
- ☐ Amazon Resource Number
- ☐ Amazon Registry Name
- ☐ AWS Resource Namespace



DONE :)

0 of 0 points

Dont forget to submit your Github Link :)

https://1drv.ms/x/c/7a38c24f0604aa60/IQBG5_ybRu7JT50WvBpQ_rgoAZlmon3KdjWW13ULus2yQdY?e=BayPJ8

Thank You :)

This content is neither created nor endorsed by Google. - [Contact form owner](#) - [Terms of Service](#) - [Privacy Policy](#)

Does this form look suspicious? [Report](#)

Google Forms



