

COMP3430 / COMP8430

Data wrangling

Lecture 3: Data extraction and storage,
data warehousing
(Lecturer: Peter Christen)



Lecture outline

- How to extract data
- Data storage
- Data warehousing

Data extraction

- The process of retrieving data out of data sources for further processing and storage
- There are various data sources, some internal some external to an organisation
- Unstructured data sources include emails, Web pages, PDFs, scanned and OCRed text (optical character recognition), audio reports (speech-to-text), etc.
- Different sources require different extraction methods
- Certain sources might be poorly structured or even unstructured
- The process of extracting data from the Web is called **Web scraping**

Extraction, transformation and loading (ETL)

- ETL is an integral part of data warehousing (more on DW later)
- **Extraction** involves retrieving data from disparate sources, such as transactional databases in an organisation or external sources
- In the **loading** phase, the extracted data are loaded into a staging (temporary) area of a data warehouse, where extraction logic (rules and pattern matching) are applied to ensure only suitable data are added to the warehouse
- In the **transformation** phase the selected data are transformed so they conform to the structure and formats of the data warehouse

Extracting data from PDF files

- Many documents online and within organisations are stored in the portable document format
- Documents often contain valuable information, such as tables with structured data, so extracting them might be required
Note: Try to find the same data in a suitable format (for example as comma separated values, CSV, text file)
- Various PDF extraction tools, and modules/packages in different programming languages (often needs several modules in combination)
 - Python see: <https://pypi.python.org/> (Python package index)
 - R see: <https://cran.r-project.org/> (R package archive)

Data storage

- Various ways to store data: databases, data warehouses, document management systems, files (text, binary, multimedia, proprietary formats), cloud storage, etc.
- Data storage should be:
 - Persistent (over time)
 - Robust (redundant storage, RAID)
 - Secure (access regulated, distributed, cannot be manipulated)
 - Consistent and normalised
 - Available (with high performance)
- Often: *Garbage-in garbage-out* principle

Data warehousing (1)


- A data warehouse is a decision support database that is maintained separately from an organisation's operational databases(s)
- Provides a solid platform of consolidated, historical data for analysis and mining
- Organised around major subjects, like customers, products, or sales (provides a simple and concise view around these entities)
- Often constructed by cleaning, standardising and integrating multiple heterogeneous data sources
 - To ensure consistency in coding, naming, measurements, etc.

Data warehousing (2)

- Longer time horizon than operational systems (that are used for transaction processing)
 - Historical data are important for analysis and mining
 - Separate data warehouse due to performance, data representation, consistency, integration, and data quality
 - Databases: OLTP (On-Line Transaction Processing)
 - Data warehouses: OLAP (On-Line Analytic Processing)
- Contains a time element
 - New data are, for example, loaded into a data warehouse every week
- Only two operations: *Initial loading* and *querying* of data (read)
 - While transaction processing systems have *reads*, *writes* and *updates*


Data warehousing (3)

- Data warehouse architecture
 - Data cubes (multi-dimensional aggregated data views)
 - Dimension tables (details of the dimensions) and fact tables (values and names of the facts, e.g. *items_sold*, as well as keys into dimension tables)
 - Data are stored at different levels of details (e.g. *country / state / city*, or *item / item_group / item_category*)




Data warehousing (4)

- Concept hierarchies
 - Defines a sequence of mappings from a set of low-level concepts to higher-level, more general, concepts



Data warehousing (5)


- Concept hierarchies can be created by discretising or grouping numerical values




Data warehousing (6)

- For data warehouses, a *multi-dimensional data model* is most popular
 - Compared to *entity-relationship model* for relational databases
- Implemented as:
 - **Star schema** (a large central *fact* table containing bulk of the data, and a set of smaller *dimension* tables)
 - **Snowflake schema** (variant of star schema with normalised dimension tables)
 - **Fact constellation schema** (multiple fact tables who share dimension tables), can be viewed as a collection of star schemas


Star schema



Snowflake schema




Fact constellation schema



Data warehouse operations (1)

- Data warehouse operations
 - **Roll-up** (summarise data)
 - **Drill-down** or **roll-down** (get detailed view)
 - **Slice** and **dice** (project and select)
 - **Pivot** (rotate), re-orient the cube, 2D to 2D visualisation
- Example applications of data warehousing:
 - Information processing (basic statistics, reporting, tables, charts, graphs, Web-based reporting, etc.)
 - Analytic processing (further drill down, multi-dimensional analysis, on both summarised and detailed data)
 - Data mining: A clean, stable, high-quality source for data mining algorithms

Data warehouse operations (2)



Data warehouse architecture

