

glutamine




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

adenosine 5'-monophosphate pos




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

3-methyl-2-oxobutanoic acid




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

guanine




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

guanosine pos




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

glutathione oxidized




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

glutathione pos




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

n-acetylglutamic acid




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

NAD




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

hexose-6-phosphate




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

4-hydroxybenzoic acid




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

citrulline




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

cytidine pos




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

cytosine




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

desthiobiotin




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

spermidine




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

threonine (isom. homoserine)




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

phenylalanine




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

proline




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

s-(5'-adenosyl)-L-homocysteine pos




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

adenine pos




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

alpha-ketoglutaric acid




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

aspartic acid neg




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

s-adenosyl-l-methionine




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

glutamic acid neg




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

sucrose387 neg




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

tyrosine




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

UDP-glucose




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

uridine 5-monophosphate pos




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

xanthosine neg




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

pantothenic acid neg




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

kynurenine




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

leucine




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

inosine 5-monophosphate pos




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

isoleucine




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

MTA




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

n-acetylglucosamine204




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

citric acid




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

methionine




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

succinic acid




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

T_90to30




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

NADP




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

nicotinamide




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

thymidine




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

tryptophan




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

T_90to62




- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

lumichrome



- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell

tetrahydrobiopterin240



- Blank_adj_concentration_inSample_nM
- cellNorm_blank_adj_concen_inSample_agCell