

Ex. No: 2	BASIC SQL
Date:	

Aim:

To execute the given basic SQL queries

Description:

DML:

Data Manipulation Language (DML) statements are used to define the data in the database

INSERT:

To insert data into tables.

```
INSERT INTO table [(column [, column...])]
VALUES (value [, value...]);
```

UPDATE:

To update data in the database.

```
UPDATE table
SET column = value [, column = value, ...]
[WHERE condition];
```

DELETE:

To delete data from the database.

```
DELETE [FROM] table
[WHERE condition];
```

SELECT:

To retrieve the data from the database.

```
SELECT *[{[DISTINCT] column|expression [alias],...}]
FROM table;
SELECT *[{[DISTINCT] column|expression [alias],...}]
FROM table
[WHERE condition(s)];
```

A where clause is used to restrict the rows returned.

Operators Used In Where Clause:

1. < >

Greater than, less than

Used to filter the data with the specified condition

Ex. Where salary > 1500

And / Or

and, or operators is used to check more than one conditions. And:-
retrieves the row when both the conditions satisfy.

Or:- retrieves the row when atleast one condition satisfy.

2. =, !=, <>

Equal(=) and not equal(!= , <>)

Used to filter data with specified condition.

3. Null, not null

Check whether the data in a field is null or not null.

Ex: where deptno is null;

4. In, not in

Filters the data when the conditions satisfy.

Ex: where deptno in(10, 20, 30);

5. Like

Like is used for string formats comparisons.

Ex: where empname like 's%';

6. Between and

Used to compare the values present in a range.

Ex: where age between 20 and 30;

7. SELECT MIN(column_name) FROM table_name WHERE condition; 8. SELECT first_name, last_name FROM Customers WHERE country = 'USA' AND last_name = 'Doe';

9. SELECT first_name, last_name FROM Customers WHERE country = 'USA' OR last_name = 'Doe';

Queries to be execute:

1. Insert all the fields given in the ticket reservation schema.
2. Display all the fields in User, Events, Venue and Ticket tables.
3. Retrieve all venues ordered by city and then by country.

4. Retrieve total number of users.
5. Retrieve all events ordered by date and time in descending order
6. Get the average price of tickets for each event.
7. Get the total price and count of tickets for each event.
8. Count the number of tickets for each event
9. Retrieve a distinct number of users.
10. Retrieve the events conducted after 30/07/2023.
11. Calculate the sum of prices for all confirmed tickets.
12. Concatenate the user's name and email for display
13. Retrieve the venue from the city New York and country USA.
14. Retrieve all cities ordered by Country in ascending order.
15. Delete the cancelled ticket in the ticket table.

Result: