NAME: KULAKARNI VIJAYEENDRA

SRN : PES2UG24CS244

SECTION : D

Use-Case Flow Specification

Use Case: Submit Technical Paper

Use Case ID: UC-01
Primary Actor: Conference Author

Preconditions

1. The Conference Author has a registered account.
2. The Conference Author is authenticated in the system.
3. The conference submission period is open.
4. The required technical paper is available in a supported file format.

Main Success Scenario

1. The Conference Author selects **Submit Technical Paper**.
2. The system displays the paper submission form.
3. The Conference Author selects the appropriate conference track.
4. The Conference Author enters the required paper details.
5. The Conference Author uploads the technical paper.
6. The system validates the entered details and uploaded file.
7. The Conference Author submits the paper.
8. The system records the submission and assigns a unique submission ID.
9. The system displays a submission confirmation to the Conference Author.
10. The use case ends successfully.


Alternate Flow — Invalid Submission

6a. Invalid paper or missing information


1. The system detects missing required information or an invalid uploaded file.
2. The system displays an appropriate error message.
3. The Conference Author corrects the missing information or uploads a valid file.
4. The system validates the corrected submission again.
5. If validation is successful, the flow continues from Step 7 of the Main Success Scenario.

Postconditions

1. The technical paper is stored successfully in the system.
2. A unique submission ID is assigned to the paper.
3. The submission status is recorded as **Submitted**.
4. The Conference Author can view the submission status through the platform.



Req ID	Type	Description	Priority	Acceptance Criteria	Rationale	Comments
FR-001	Functional	Conference Author to submit a technical paper to a selected conference track.	High	select a conference track, upload a valid technical paper, submit it, and receive a	Core functionality for submitting technical work.	Clear and testable.
FR-002	Functional	Conference Author to view the status of a submitted technical paper.	High	the author can view the current status of the paper such as Submitted, Under	Allows authors to track their submissions.	Clear and testable.
FR-003	Functional	Track Chair to review and manage technical paper submissions assigned to their track.	High	can view the submissions assigned to the track and update their review status. Fail:	Essential for managing conference submissions.	Should specify valid review statuses.
FR-004	Functional	Track Chair to schedule accepted technical papers for conference sessions.	High	can assign an accepted paper to an available conference session with a date and time. Fail:	Enables organization of technical conference sessions.	Clear and testable.
FR-005	Functional	Conference Author when the status of their submitted technical paper changes.	Medium	status changes, the author receives a notification containing the updated status. Fail:	Keeps authors informed about important submission updates.	Notification method can be specified later.
		valid submission and conference-		tests show that valid requests are processed	Ensures responsive	



FR-005	Functional	Conference Author when the status of their submitted technical paper changes.	Medium	status changes, the author receives a notification containing the updated status. Fail:	Keeps authors informed about important submission updates.	Notification method can be specified later.
NFR-001	Nonfunctional	valid submission and conference-management requests within 3 seconds under	High	tests show that valid requests are processed within 3 seconds under the defined normal	Ensures responsive interaction with the platform.	Performance requirement is measurable.
NFR-002	Nonfunctional	that only authenticated and authorized users can access conference functions appropriate to	High	Authors can access author functions and Track Chairs can access track-management	Protects conference data and prevents unauthorized access.	Security requirement should be verified with role-based access tests.

UML USECASE DIAGRAM:

