Fermentors List

Home

Fermentor ID	View Fermentations
AA0C-8AD7B319D4A4L	View Fermentations
AA0C-8AD7B319D4A4M	View Fermentations
AA0C-8AD7B319D4A4N	View Fermentations

Fermentor1 – fermentation runs

Home

Status: Past		View Graph	Status: Past		View Graph	Status: Active		View Graph
PH	**Dissolved Oxygen**	**Temperature**	**PH**	**Dissolved Oxygen**	**Temperature**	**PH**	**Dissolved Oxygen**	**Temperature**
7.84	26.43	28.68	7.88	27.33	27.78	8.34	30	30.57
8.2	28.1	29.92	8.14	29.23	27.95	8.67	29.56	31.47
7.96	29.11	28.89	7.96	27.07	27.72	8.39	28.24	30.1
8.13	30	27.93	8.16	29.26	29.21	8.09	29.11	30.89
7.83	28.69	28.13	7.95	27.9	30.08	8.21	26.94	31.92
7.5	28.28	27.61	8.15	29.06	31.23	7.87	28.24	31.39

Fermentor2 – fermentation runs

Home

Status: Past   View Graph

PH	Dissolved Oxygen	Temperature
7.21	5	23.06
6.93	7	22.55
6.56	9.1	23.36
6.8	10.55	23.1
6.63	10.08	24.54
6.81	10.33	25.2
6.99	10.76	24.74
7.37	11.28	24.89

Fermentor3 – fermentation runs

Home

Status: Past		View Graph	Status: Past		View Graph	Status: Active		View Graph
PH	Dissolved Oxygen	Temperature	PH	Dissolved Oxygen	Temperature	PH	Dissolved Oxygen	Temperature
8.3	27.89	29.32	9.51	27.58	22.65	8.07	23.21	23.95
7.97	29.81	27.84	9.26	27.26	22.01	7.74	24.93	25.04
7.78	30	29.12	8.97	28.17	23.2	7.84	26.74	24.83
7.65	29.44	29.49	9.35	30	23.38	7.5	26.35	25.35
8.04	27.88	29.37	9.51	29.1	23.85	7.75	25.64	25.04
8.17	27.08	28.64	9.24	30	24.89	7.9	24.99	25.99
8.56	29.23	28.92	9.08	29.35	26.18	8.19	25.53	24.96

**Fermentor1 – fermentation run-1 Graph**

Home

Fermentation Parameters

Fermentor 2 – fermentation run -1 Graph

Fermentor 3 – fermentation run -3 Graph