



Jio Platforms Limited

Date: March 2026

Version 2.0

COPYRIGHT INFORMATION

No part of this document may be copied, reproduced, stored in any retrieval system, or transmitted in any form or by any means, either electronically, mechanically, or otherwise, without prior written permission.

© Copyright Jio Platforms Limited.

All rights reserved.

Jio Platforms Limited, Reliance Corporate Park

Thane Belapur Road, Ghansoli-400 701

TRADEMARKS

All the brand names and other products or services mentioned in this document are identified by the trademarks or service marks of their respective owners

DISCLAIMER

The information in this document is subject to change without notice and should not be construed as a commitment by Jio Platforms Limited. assumes no responsibility or makes no warranties for any errors that may appear in this document and disclaims any implied warranty of merchantability or fitness for a particular purpose

USER GUIDE

Table of Contents

1. Introduction	6
1.1 Purpose of the Consent Management System	6
1.2 Key Objectives	6
1. Consent Lifecycle Management	6
2. Transparency for Data Principals	6
3. Regulatory Compliance	6
2. Home Page	6
Accessing the Home Page	7
Figure: CMS Home Page	7
New Users	7
Existing Users	8
3. Getting Started	8
3.1 Creating an Account	8
Figure: Create Account Page	8
3.2 Logging In	9
Figure: Login Page	9
4. Dashboard	10
Figure: Dashboard Overview	10
Dashboard Components	11
Main Content Area	11
Quick Action Buttons	11
Navigation Menu	11
Figure: Navigation Menu	11
5. System Configuration	12
5.1 Configuration	12
Callback URL (Required)	13
Client ID	13
Client Secret Key	13
Default Consent Expiry (in years)	14
Token (in minutes)	14
Upload Certificate	14
Upload P12 Certificate	14
Company Logo	14
5.2 Master Data	14
Personally Identifiable Information (PII)	15

Figure: PII Configuration.....	16
Data Processor.....	16
Figure: Data Processor Page	17
Adding a Data Processor.....	17
Figure: Add New Data Processor.....	18
Processing Activity	18
Figure: Processing Activity Page	19
Adding a Processing Activity.....	19
Figure: Add New Processing Activity.....	20
Purpose	20
Figure: Purpose Configuration Page	21
5.3 Retention Policies	21
Figure: Retention Policy Page	22
5.4 User Portal Branding	22
Figure: User Portal Branding.....	23
6. Consent.....	24
6.1 Templates.....	24
Figure: Consent Templates Page	25
Creating a Consent Template.....	25
Purpose Configuration	25
Language Customization	26
Branding Customization.....	26
Accessibility Configuration	26
Figure: Consent Template Editor.....	27
6.2 Configuration	29
Preferred Language	30
Multilingual Support.....	30
Connectivity with DigiLocker.....	30
Client ID	31
Client Secret	31
Code Verifier	31
Redirect URL.....	31
Saving the Configuration	31
7. Cookies.....	31
7.1 Templates	32
Figure: Registered Cookies Page.....	32
Registered Cookies.....	32
Scanning a Website for Cookies	33

Figure: Scan Website for Cookies	34
Configuring the Cookie Banner	34
Banner Placement	34
Multilingual Support.....	34
Customising Content	35
Preview Panel.....	35
Saving or Publishing the Template.....	35
Figure: Cookie Templates Page.....	36
7.2 Cookies Logs	36
Manage Categories	38
Language Selection	38
Cookie Categories.....	38
Managing Categories	39
8. Governance.....	39
8.1 Data Protection Officer.....	39
Figure: Data Protection Officer Page	40
8.2 ROPA (Record of Processing Activities).....	40
Figure: ROPA Page	41
8.3 Audit & Compliance Reports.....	41
Figure: Audit & Compliance Report Page	42
8.4 Breach Notifications.....	42
Figure: Breach Notification Page.....	43
9. Grievance Redressal	43
9.1 Configuration	43
Intake Method	44
Grievance Callback Endpoint.....	44
Workflow Steps	44
SLA Timelines.....	45
Escalation Policy	45
9.2 Grievance Form.....	45
Creating a Grievance Form Template	46
Step 1: Grievance Categories	46
Step 2: User Information	47
Preview Panel.....	47
9.3 Requests.....	48
Viewing Request Details	49
10. Administration.....	50

10.1 Business Groups	50
10.2 Roles	51
10.3 Users.....	52
10.4 Organization Map	53
11. Notifications.....	55
11.1 Notification Configuration	55
URL.....	56
Callback URL.....	56
Network Type.....	56
Client ID	56
Client Secret Key	57
SID	57
Upload Certificate.....	57
11.2 Notification Templates	57
12. Monitoring	59
12.1 Scheduler Statistics.....	59
12.2 Data Compliance Report.....	61
Consent Event & Grievance Callbacks	61
Data Deletion / Purge Confirmation.....	62
12.3 Data Deletion and Purge Dashboard	63
Viewing Deletion Request Details.....	64

1. Introduction

1.1 Purpose of the Consent Management System

The Consent Management System (CMS) enables organizations to collect, store, and manage user consent in compliance with the **Digital Personal Data Protection (DPDP) Act, 2023**.

The platform allows organizations to maintain transparency in how personal data is collected, processed, and stored while giving data principals the ability to control their consent preferences.

The system supports the full lifecycle of consent, including:

- Consent collection
- Consent storage
- Consent updates
- Consent withdrawal
- Compliance tracking

1.2 Key Objectives

The CMS platform is designed to achieve the following objectives:

1. Consent Lifecycle Management

Enable organizations to manage consent throughout its entire lifecycle.

2. Transparency for Data Principals

Provide individuals with clear visibility into how their personal data is being used.

3. Regulatory Compliance

Ensure organizations comply with the requirements of the DPDP Act including purpose limitation and data minimization.

2. Home Page

The Home Page is the entry point to the Consent Management System.

From this page, users can:


- Create an account
- Log in to the CMS administrator portal
- Access legal policies such as Terms of Service and Privacy Policy.

Accessing the Home Page

Open your web browser and navigate to:

<https://jcms.jiolabs.com/>

Figure: CMS Home Page



New Users

If you are using the platform for the first time, you can create an account by clicking:

- **Get Started**
- **Sign Up**

Both options redirect to the account creation page.

Existing Users

Existing users can log in by clicking **Log In** and entering their credentials.

3. Getting Started

This section explains how to create an account and log in to the CMS platform.

3.1 Creating an Account


To create a new account, navigate to:

<https://jcms.jiolabs.com/signup>

Users must provide the following information:

- Company Name
- Company PAN
- Administrator Name
- Email Address or Mobile Number

Figure: Create Account Page



The screenshot displays the 'Create an account' form on the Jio Consent Management platform. The form is titled 'Create an account' and includes the following fields: 'Company's Name (Required)', 'Company's PAN (Required)', 'SPOC Name (Required)', and 'Email/Mobile number (Required)'. Each field is represented by a text input box. Below the input fields, there is a line of text stating 'By continuing, you agree to our [Terms of Service](#) and [Privacy & Legal Policy](#).' followed by a blue 'Continue' button. At the bottom of the form, there is a link that says 'Already have an account? [Login](#)'.

After entering the required details, click **Continue**.

The system will create a primary administrator account for the organization.

3.2 Logging In

To access the CMS administrator portal, navigate to:


<https://jcms.jiolabs.com/adminLogin>

Enter:

- Company PAN
- Email Address or Mobile Number

Click **Continue**.

Figure: Login Page

The image shows a login form titled "Jio Consent Management Log In". It contains two input fields: "Company's PAN/Client ID (Required)" and "Email/Mobile number (Required)". Below these fields is a blue "Continue" button. At the bottom, there is a link that says "Don't have an account? Sign Up". The form is centered on a white background.

The system uses **multi-factor authentication**. An OTP will be sent to the registered email or mobile number to complete the login process.

4. Dashboard


After logging in, users are redirected to the **Dashboard**.

The Dashboard acts as the **central control center** of the CMS platform.

Administrators can use the dashboard to:

- View system overview
- Access configuration options
- Navigate to different modules

Figure: Dashboard Overview



Dashboard Components

Main Content Area

Displays system metrics and operational information.

Initially, the dashboard may appear empty until the system is configured.

Quick Action Buttons

The dashboard may display shortcuts such as:

- Configure System
- Create Business Group

These buttons help administrators begin the initial setup process.


Navigation Menu

The left-hand navigation menu provides access to all CMS modules.

Modules include:

- System Configuration
- Consent
- Cookies
- Governance
- Grievance Redressal
- Administration
- Notifications
- Monitoring

Figure: Navigation Menu



5. System Configuration

The **System Configuration** section contains the foundational settings required to initialize the CMS platform.

Administrators should complete these settings before creating consent templates or onboarding users.

5.1 Configuration

The **Configuration** page allows administrators to define key system settings required for integrating and operating the Consent Management System.

These settings control API connectivity, authentication credentials, token validity, and security certificates used for secure communication.

Figure: Configuration Page

Jio Consent Management Jio Management

Configuration System Configuration

Callback URL (Required)

 Callback URL of the system used in APIs, links, callbacks

Default consent expiry (in years)

 Default number of years after which consent expires

Token (in minutes)

 Time-to-live (TTL) of generated JWT tokens in minutes

Upload Certificate
 Upload
 Drag and drop signing certificate (PEM, CRT, or CER) requested for encryption under 500KB

Company's logo
 Upload
 Drag and drop or upload image under 500KB

Client ID

 Unique system-generated identifier for the client/application

Client secret key

 Secret key used for authentication and API access

Consent request expiry (in years)

 Expiry time for signed consent artefacts

Upload P12 Certificate (To sign Form 65B)
 Upload
 Drag and drop P12 certificate (P12 or PFX) under 500KB

Save

Copyright © 2025 Jio Platforms Limited. All rights reserved. [Contact Us](#) [Privacy Policy](#) [Terms & Conditions](#)

Callback URL (Required)

The **Callback URL** defines the base endpoint used by the system for API communication and callback responses when external applications interact with the CMS.

Client ID

The **Client ID** is a unique identifier generated by the system for the organization or application. It is used for authentication during API integration.

Client Secret Key

The **Client Secret Key** is used along with the Client ID to authenticate API requests. This key should be kept secure.

Default Consent Expiry (in years)

Defines the default duration for which user consent remains valid if a specific validity period is not set in a consent template.

Token (in minutes)

Specifies the validity period (TTL) of generated authentication tokens used for secure API communication.

Upload Certificate

Allows administrators to upload a signing certificate used for encryption and secure communication.

Supported formats: **PEM, CRT, CER** (max size 500 KB).

Upload P12 Certificate

Upload a **P12 or PFX certificate** used to digitally sign consent artefacts such as Form 65B.
Maximum file size: **500 KB**.

Company Logo

Upload the organization's logo to customize the CMS interface and consent notices.
Maximum file size: **500 KB**.

5.2 Master Data

The **Master Data** section is used to define the foundational elements required for managing personal data within the Consent Management System. These definitions are later used while configuring consent templates and processing activities.

Master data helps administrators maintain a structured and standardized record of how personal data is collected and processed within the organization.

The Master Data module includes the following components:

- Personally Identifiable Information (PII)
- Data Processors
- Processing Activities

- Purpose

Personally Identifiable Information (PII)

The **Personally Identifiable Information (PII)** section allows administrators to define the types of personal data collected from individuals.

This section acts as a catalog of all personal data fields that the organization may collect when requesting consent.

The page is divided into two main sections:

- **Data Types** – Broad categories of personal data
- **Data Items** – Specific data elements within each category

Examples of data types include:


- Identity Data
- Contact Information
- Financial Information
- Health Data

Examples of data items may include:

- Full Name
- Email Address
- Phone Number
- PAN Number
- Aadhaar Number

Administrators can add new categories and data items depending on the organization's requirements.

Figure: PII Configuration



Data Processor


A **Data Processor** is any third-party organization or service that processes personal data on behalf of the organization.

Examples include:

- Cloud service providers
- Payment gateways
- Email service providers
- Analytics platforms

Administrators can register data processors within the system and maintain documentation related to their data processing activities.

Figure: Data Processor Page



Adding a Data Processor

To add a new data processor:


1. Navigate to **Master Data → Data Processor**
2. Click **Add New**
3. Enter the required information.

Fields include:

- Processor Name
- Callback URL
- Description
- Upload Certificate
- Upload Risk Assessment Document

Once added, the processor becomes available for selection when defining processing activities.

Figure: Add New Data Processor



The screenshot shows a modal window titled "Add processor" with a close button (X) in the top right corner. The form contains the following fields and sections:

- Language:** A dropdown menu currently set to "English (English)".
- Processor name (Required):** A text input field.
- Call back URL (Required):** A text input field.
- SPOC Name (Required):** A text input field.
- Email (Required):** A text input field.
- Details (Required):** A text area with the placeholder text "Enter description of processor". A character count "0/200" is visible at the bottom right of the text area.
- Is Cross Border:** A checkbox.
- Upload Certificate:** A section with an "Upload Certificate" button (indicated by an upward arrow icon) and a note: "Drag and drop certificate (PEM, CRT, or CER) under 500KB".
- Upload Risk Assessment:** A section with an "Upload Assessment" button (indicated by an upward arrow icon) and a note: "Drag and drop risk assessment (PDF) under 500KB".
- Upload Agreement Document:** A section with an "Upload Agreement Document" button (indicated by an upward arrow icon) and a note: "Drag and drop agreement document (PDF) under 500KB".

An "Add" button is located at the bottom right of the modal.

Processing Activity

Processing Activities describe how personal data is handled within the organization.

Each processing activity represents an operation performed on personal data.

Examples include:


- Data Storage
- Data Sharing
- Data Analysis
- Identity Verification
- Payment Processing

Each activity must be associated with:

- A Data Processor
- A Data Type
- A Data Item

This allows the system to maintain a clear record of how personal data flows through the organization.

Figure: Processing Activity Page



Adding a Processing Activity

To add a processing activity:

1. Navigate to **Master Data → Processing Activity**
2. Click **Add New**
3. Enter the required details.


Fields include:

- Activity Name
- Processor
- Data Type
- Data Item

- Description

Once saved, this activity can be linked to consent templates.

Figure: Add New Processing Activity



The screenshot shows a modal window titled "Add new activity" with a close button (X) in the top right corner. The form contains the following fields:

- A language selector dropdown set to "English (English)".
- A text input field for "Activity name (Required)".
- A dropdown menu for "Select processor (Required)" with "Select" as the placeholder.
- A dropdown menu for "Select data type (Required)" with "Select data types" as the placeholder.
- A text area for "Details (Required)" with the placeholder text "Enter description of processor".
- A character count "0/300" at the bottom right of the details text area.
- A blue "Add" button at the bottom right of the modal.

Purpose

Under the DPDP Act, organizations must clearly define the **purpose** for collecting personal data.

The **Purpose** section allows administrators to create and manage these purposes.

Examples of purposes include:

- Account Creation
- Marketing Communication
- Identity Verification
- Payment Processing
- Customer Support

Each purpose includes:

- Purpose Name
- Purpose Code
- Description

When requesting consent from users, these purposes are displayed to inform individuals how their data will be used.

Figure: Purpose Configuration Page

Purpose name	Description	Purpose code	Action
Account Creation & Authentication	Collect data to create user account and authenticate securely.	P001	
Service Delivery / Fulfilment	Process personal data to provide requested product or service.	P002	
Payment Processing & Billing	Handle financial data for payments, invoicing, and reconciliation.	P003	
Customer Support / Grievance Handling	Use data to respond to customer queries and grievances.	P004	
Marketing Communications	Send promotional emails, SMS, or notifications.	P005	
Analytics & Service Improvement	Collect usage data for analytics, personalization, and feature enhancements.	P006	
Fraud Detection & Security Monitoring	Use data for fraud prevention, security monitoring, and threat detection.	P007	
Regulatory & Legal Compliance	Process data as required under law, audits, or regulatory obligations.	P008	
Third-Party Data Sharing	Share information with trusted processors/partners for agreed purposes.	P009	
Data Portability / Account Transfer	Share or transfer user data upon request to another service provider.	P010	
Research & Development	Use anonymized/pseudonymized data for R&D and innovation.	P011	
Personalization / Recommendations	Provide tailored recommendations, offers, and content to the user.	P012	
Location-Based Services	Use geolocation data to provide location-specific services and updates.	P013	
Employee / HR Management (Internal DF)	Process employee data for payroll, compliance, and HR activities.	P014	

5.3 Retention Policies

The **Retention Policies** section allows administrators to define how long different types of system records should be stored.

Retention policies help ensure that personal data is not stored longer than necessary, which is a key requirement under data protection regulations.

Administrators can configure retention periods for:

- Consent artefacts
- Activity logs
- System records

Once the configured duration expires, the system may automatically archive or delete the corresponding records.

Figure: Retention Policy Page

5.4 User Portal Branding

The **User Portal Branding** section allows administrators to customize the appearance of the CMS interface and the consent banners displayed to users.

Branding helps organizations maintain visual consistency across their digital services.

Administrators can configure:

- Company Logo
- Theme Colors
- Banner Styling

The uploaded branding elements are reflected in:

- Consent pop-ups
- User consent portal
- Notification templates

Figure: User Portal Branding

The screenshot displays the 'User Dashboard' within the 'Jio Consent Management' system. The dashboard is divided into two main sections: 'Branding' and 'Accessibility'. The 'Branding' section is currently active, showing a 'Brand color' configuration area with a 'Select color' input field set to '#FFFFFF' and a 'Save' button. The 'Accessibility' section is also visible but not active. The dashboard includes a sidebar with navigation links for 'Dashboard', 'System Configuration', 'Configuration', 'Master Data', 'Retention Policies', 'User Portal Branding', 'Consent', 'Cookies', 'Governance', 'Grievance Redressal', 'Administration', 'Notifications', and 'Monitoring'. The 'Consent' section is expanded, showing 'Granted consents', 'Pending requests', 'Grievance redressal', and 'Requests'. The 'Granted consents' section displays a table of active consents, including a search bar and filters for 'Active' and 'Withdrawn' status. The table lists consent details such as ID, created date, expiry date, status, and action. Below the table, there is a section for 'Purpose', 'Data type', 'Data item', 'Data used by', and 'Status'.

Consent ID	Created date	Expiry date	Status	Action
PRIV10134567	25/09/2025	25/09/2026	ACTIVE	View Edit

Purpose	Data type	Data item	Data used by	Status
Account creation (collect data to create user account)	Profile	Gender	Jio Platforms Limited	ACCEPTED
Service delivery (process personal data for service)	Preference	PAN, Aadhaar	Jio Platforms Limited	ACCEPTED

Copyright © 2025 Jio Platforms Limited. All rights reserved. [Regulatory](#) [Policies](#) [Terms & Conditions](#) [Help & Support](#)

6. Consent

The **Consent** module allows administrators to create and manage the consent notices presented to users.

Consent notices inform individuals about how their personal data will be collected and used.

This module includes the following components:

- Templates
- Configuration
- Systems
- Datasets


6.1 Templates

A "Consent Template" is the actual pop-up window or form that your users will see when they are asked to provide their consent. This is where you design the layout, write the text, and define the specific permissions you are asking for by using the definitions from the Master Set Up.

Administrators can configure:

- Purpose of consent
- Processing activities
- Consent validity period
- Template language
- Branding and design

Figure: Consent Templates Page



Creating a Consent Template

To create a consent template:

1. Navigate to **Consent → Templates**
2. Click **Create Consent Template**

The template editor contains four sections:

- Purpose
- Language
- Branding
- Accessibility

Purpose Configuration

Administrators can define one or more purposes for which consent is requested.

Each purpose must include:

- Purpose selection
- Processing activity
- Validity period
- Required or optional status

Users must accept required purposes in order to proceed.

Language Customization

The Language section allows administrators to define the content displayed to users.

Fields include:

- Preferred language
- Consent description
- Mandatory consent label
- Data principal rights text
- Permission text

These fields define the message shown in the consent banner.

Branding Customization

Administrators can customize the appearance of the consent notice by configuring:

- Logo
- Color themes
- Button styles
- Font colors

The system supports both **light mode** and **dark mode** themes.

Accessibility Configuration

Accessibility settings ensure the consent banner can be used by individuals with disabilities.

Administrators can configure:

- HTML semantic structure
- Keyboard navigation order
- Screen reader reading order

These settings help ensure compliance with accessibility standards.

Figure: Consent Template Editor

Jio

Consent Management

Jio Management

Create consent template

Enter template name (Required)

Template name

Purpose

Language

Branding

Accessibility

Purpose 1

All fields are required

Select Purpose

Select...

Is consent for this purpose required or optional ?

Required

Optional

Enter the validity period in days/months/years

Day

Month

Year

Auto-renew validity after expiry period?

Yes

No

Processing activity

Select Processing activity (Required)

Select...

Used by

Data item

Add another purpose

Preview

Mobile view

Dark mode

Manage Consent

English

Jio

While using (Organization Name), your activities create data which will be used with your consent to offer customised services. Details of data usage are provided below.

Customer ID: RAVIRAJ.MISHRA@RIL.COM

To withdraw your consent, exercise your rights, or file complaints with the Board click here.

I'm below 18 years of age.

By clicking 'Allow all' or 'Save my choices', you are providing your consent to Reliance Medlab using your data as outlined above.

Save my choices

Allow all

Help

Save as draft

Publish template

User Guide

27

6.2 Configuration

The **Configuration** page under the **Consent** module allows administrators to define settings related to consent communication and external integrations.

These settings determine the default language used for consent notices and enable integration with external services such as **DigiLocker**. When DigiLocker connectivity is enabled, administrators must configure the authentication credentials required for the integration.

Figure: Consent Configuration Page

The screenshot displays the 'Configuration' tab of the 'Jio Consent Management' interface. The left sidebar contains a navigation menu with options like Dashboard, System Configuration, Consent, Templates, Configuration (selected), Systems, Datasets, Cookies, Governance, Grievance Redressal, Administration, Notifications, and Monitoring. The main content area is titled 'Configuration' and includes a 'Consent' sub-tab. It features several configuration fields: 'Preferred language (Required)' set to 'English', 'Multilingual support' checked, 'Connectivity with DigiLocker' checked, 'Client ID' set to 'D78D56A4', 'Client Secret' set to 'b30cdebe4e375613886', 'Code verifier' set to 'r1hwfcdykeqkfxavqomttddqzuzstjllqzjgqvogtuzriukg', and 'Redirect URL' set to 'https://myjcms-st.jiolabs.com/app-documents'. A 'Save' button is located at the bottom right. The footer contains copyright information and links for Contact Us, Privacy Policy, and Terms & Conditions.

Preferred Language

The **Preferred Language** defines the default language used for consent communication within the system.

This language will be used when displaying consent notices to users unless another language is configured in the consent template.

Multilingual Support

The **Multilingual Support** option enables consent notices to be displayed in multiple languages. When enabled, administrators can configure consent templates in different languages so that users can read consent information in their preferred language.

Connectivity with DigiLocker

This option enables integration between the CMS platform and **DigiLocker**, allowing the system to retrieve or verify user documents during the consent process.

When this option is enabled, the DigiLocker integration credentials must be configured.

Client ID

The **Client ID** is the unique identifier provided by DigiLocker for the organization's application. It is used when the CMS communicates with DigiLocker services.

Client Secret

The **Client Secret** is a secure credential used along with the Client ID to authenticate requests sent to DigiLocker.

Code Verifier

The **Code Verifier** is used as part of the authentication process between the CMS and DigiLocker to securely validate authorization requests.

Redirect URL

The **Redirect URL** specifies where users will be redirected after completing the DigiLocker authentication process.

Example:

<https://myjcms-st.jiolabs.com/app-documents>

Saving the Configuration

After entering the required information, click **Save** to apply the configuration settings. These settings will then be used during the consent and DigiLocker integration process.

7. Cookies

The **Cookies** module allows administrators to manage cookie consent for websites and applications integrated with the Consent Management System.

Cookies are small data files stored on a user's device that help websites remember user preferences, track usage, and enable functionality.

Organizations are required to inform users about the cookies being used and obtain consent where necessary. The Cookies module helps administrators manage cookie categories, consent banners, and activity logs.

The Cookies section includes the following components:

- Templates
- Cookies Logs
- Manage Categories

7.1 Templates

The **Cookie Templates** page allows administrators to create and manage cookie consent banners displayed on websites integrated with the Consent Management System.

These templates define how cookie notices appear to users and allow organizations to inform users about cookie usage and collect their consent before cookies are stored on their devices.

Administrators can scan websites for cookies, configure banner content, and customize the appearance of the cookie consent notice.

Figure: Registered Cookies Page

Domain name	Last scanned	Scan frequency	Next scan	Total cookies	Template ID	Status	Action
youtube.com	27/02/26	Monthly	27/03/26	9	2a0a3fc0-58f4-4a75-91cf-d20815826062	Active	</>
linkedin.com	16/12/25	Monthly	16/01/26	26	f6f55b11-0f9a-4762-b5f4-fee79e95b7f1	Active	</>
published%20cookie%20consent%20template	15/12/25	Monthly	15/01/26	3	3ae20df0-b294-4a26-90b4-8acb067f6de8	Active	</>
facebook.com	11/12/25	Monthly	11/01/26	6	eb889632-c57d-4c5a-bd16-cf74f47e3970	Active	</>
shopify.com	11/12/25	Monthly	11/01/26	27	09fda00e-05fb-4075-974c-19d57e6c301e	Active	</>
spotify.com	11/12/25	Monthly	11/01/26	25	e468561c-a318-4677-b286-aab5d81e72e7	Active	</>
youtube.com	11/12/25	Monthly	11/01/26	8	1b466100-17ea-4a56-be91-877b6b700b06	Active	</>
google.com	26/11/25	Monthly	26/12/25	3	ac0137c8-80ec-4c37-8f38-689e94d5a2df	Active	</>

Registered Cookies

The **Registered Cookies** page displays all websites that have been scanned for cookies.

The summary cards at the top provide a quick overview of cookie configurations:

- **Total** – Total number of registered cookie configurations.
- **Active** – Number of active cookie templates currently in use.
- **Draft** – Templates that have been created but not yet published.

The table below displays information for each configured website, including:

- **Domain Name** – The website domain where cookies are detected.
- **Last Scanned** – Date when the website was last scanned for cookies.
- **Scan Frequency** – Frequency at which the system automatically scans the website.
- **Next Scan** – Scheduled date for the next cookie scan.
- **Total Cookies** – Number of cookies identified on the website.
- **Template ID** – Unique identifier for the cookie template.
- **Status** – Indicates whether the template is active or inactive.

Administrators can also perform actions such as editing templates or accessing integration code.


Scanning a Website for Cookies

To scan a website for cookies:

1. Click **Scan website for cookies**.
2. Enter the **Domain URL** of the website to be scanned.
3. Optionally add **subdomains** that should also be included in the scan.
4. Click **Scan**.

The system will analyze the website and generate a report listing the cookies detected.

Figure: Scan Website for Cookies



Configuring the Cookie Banner

After scanning a website, administrators can configure the cookie banner that will be shown to users.

This configuration allows administrators to customize the text, language, and placement of the cookie notice.

Banner Placement

Administrators can select where the cookie notice will appear on the website.

Available options include:

- **Banner** – A bar displayed at the top or bottom of the page.
- **Modal** – A popup displayed in the center of the screen.
- **Tooltip** – A smaller notification displayed within the interface.

Multilingual Support

The **Multilingual Support** option allows the cookie banner to be displayed in multiple languages.

Administrators can select the languages that should be supported and configure banner text for each language.

Customising Content

Administrators can customize the text displayed within the cookie banner.

Key fields include:

- **Title for Cookie Banner** – The headline displayed to users.
- **Description Text** – A detailed explanation of how cookies are used on the website.

The content should clearly explain:

- The purpose of cookies
- The types of cookies used
- The user's ability to accept or manage cookie preferences

Preview Panel

The preview panel on the right side of the page shows how the cookie banner will appear to users.

Administrators can switch between:

- **Desktop / Mobile View**
- **Light Mode / Dark Mode**

This helps ensure the banner is displayed correctly across different devices and themes.


Saving or Publishing the Template

After configuring the banner settings:

- Click **Save as Draft** to store the configuration without making it active.
- Click **Publish** to activate the cookie banner for the selected website.

Once published, the cookie consent notice will be displayed to users visiting the configured website.

Figure: Cookie Templates Page



7.2 Cookies Logs

The **Cookies Logs** page displays a record of all cookie consent activities captured by the system across websites or applications integrated with the Consent Management System.

This page allows administrators to monitor how users interact with cookie consent banners and track the consent decisions made for different cookie categories.

The summary cards at the top of the page provide a quick overview of cookie consent activity, including:

- **Total views** – Number of times the cookie banner was displayed to users.
- **Total consent** – Number of consent responses received.
- **All accepted** – Number of users who accepted all cookies.
- **Partially accepted** – Number of users who accepted only selected cookie categories.
- **All rejected** – Number of users who rejected all optional cookies.
- **Expired** – Number of cookie consents that have expired.

Figure: Cookies Logs Page

IP address	Scan ID	Date & Time	Version	Cookie category	Scanned site	Status	Form 65B
6461a9fa-0200-4cd5-b1a-85ca42937885	61da6f4e-243e-46c1-bb5b-206ec9c4e541	10-12-2025 10:33:05	1	Analytics, Advertisement	https://google.com	ACCEPTED	Download
49257cc9-a1c4-4676-b551-3689be451fb5	61da6f4e-243e-46c1-bb5b-206ec9c4e541	—	1	Analytics, Advertisement	https://google.com	REJECTED	Download
49257cc9-a1c4-4676-b551-3689be451fb5	61da6f4e-243e-46c1-bb5b-206ec9c4e541	—	1	Analytics, Advertisement	https://google.com	REJECTED	Download
49257cc9-a1c4-4676-b551-3689be451fb5	61da6f4e-243e-46c1-bb5b-206ec9c4e541	—	1	Analytics, Advertisement	https://google.com	REJECTED	Download
3643c3db-cf0e-4c43-bfa0-5be9b0ff5a7d	ed313d8c-9002-4782-9d2c-7ea9f86d57a3	11-12-2025 01:51:55	1	Analytics	https://spotify.com	PARTIALLY ACCEPTED	Download
8cd59943-cde0-4f88-b6ce-b3223fdddfad	ed313d8c-9002-4782-9d2c-7ea9f86d57a3	11-12-2025 00:30:15	1	Analytics, Functional	https://spotify.com	ACCEPTED	Download
49257cc9-a1c4-4676-b551-3689be451fb5	ed313d8c-9002-4782-9d2c-7ea9f86d57a3	10-12-2025 23:13:33	1	Analytics, Functional	https://spotify.com	ACCEPTED	Download
49257cc9-a1c4-4676-b551-3689be451fb5	ed313d8c-9002-4782-9d2c-7ea9f86d57a3	10-12-2025 11:13:56	1	Analytics	https://spotify.com	PARTIALLY ACCEPTED	Download
091462c3-5d6c-474e-b574-e14ad18ef206	ed313d8c-9002-4782-9d2c-7ea9f86d57a3	10-12-2025 10:55:77	1	Analytics, Functional	https://spotify.com	ACCEPTED	Download

The table below the summary section displays detailed records of cookie consent events.

Each entry includes the following information:

- **IP Address** – The IP address from which the cookie consent interaction was recorded.
- **Scan ID** – Unique identifier associated with the cookie scan or consent request.
- **Date & Time** – The date and time when the consent decision was recorded.
- **Version** – Version of the cookie consent configuration used.
- **Cookie Category** – The categories of cookies involved in the consent decision (for example Analytics, Advertisement, Functional).
- **Scanned Site** – The website where the cookie banner was displayed.
- **Status** – Indicates whether the cookies were **Accepted**, **Rejected**, or **Partially Accepted**.
- **Form 65B** – Option to download the legally compliant consent artefact for audit or regulatory purposes.


Administrators can use this page to review user consent activity, verify compliance records, and export consent artefacts when required.

Manage Categories

The **Manage Categories** page allows administrators to define and manage the different categories of cookies used on websites integrated with the Consent Management System.

Cookie categories help organize cookies based on their purpose and allow users to choose which types of cookies they want to allow when interacting with the cookie consent banner.

Figure: Manage Cookie Categories Page



Language Selection

Administrators can select the **language** to view and edit cookie category descriptions. This supports displaying cookie information in multiple languages for users.

Cookie Categories

The table lists all configured cookie categories along with their descriptions. Common categories include:

- **Necessary** – Essential cookies required for the basic functioning of the website.

- **Functional** – Cookies that remember user preferences and settings.
- **Analytics** – Cookies that collect information about how users interact with the website to improve performance.
- **Advertisement** – Cookies used to deliver personalized advertisements based on browsing behavior.
- **Others** – Cookies that do not fall under the defined categories.

Managing Categories

Administrators can:

- **Add Category** to create a new cookie category.
- **Edit** existing categories to update their descriptions.
- Click **Save** to apply changes.

Proper categorization ensures that users clearly understand the types of cookies used by the website.

8. Governance

The **Governance** module supports regulatory compliance by providing tools for managing data protection roles, documenting processing activities, and tracking security incidents.

This module ensures that organizations maintain proper documentation and reporting mechanisms required under data protection regulations.

The Governance module includes:

- Data Protection Officer
- ROPA
- Audit & Compliance Reports
- Breach Notifications

8.1 Data Protection Officer

Organizations may be required to appoint a **Data Protection Officer (DPO)** to oversee compliance with data protection laws.

The Data Protection Officer section allows administrators to record the contact details of the organization's designated DPO.

The following information can be captured:

- DPO Name
- Email Address
- Phone Number
- Address

These details may be displayed within the system and used when responding to data protection inquiries or complaints.

Figure: Data Protection Officer Page

The screenshot shows the 'Data protection officer (DPO)' page within the 'Jio Consent Management' system. The page has a sidebar on the left with a 'BUSINESS GROUP' dropdown set to 'Jio Management'. The sidebar menu includes 'Dashboard', 'System Configuration', 'Consent', 'Cookies', 'Governance', 'Data protection officer' (highlighted), 'ROPA', 'Audit & Compliance Report', 'Breach Notifications', 'Grievance Redressal', 'Administration', 'Notifications', and 'Monitoring'. The main content area is titled 'Data protection officer (DPO)' with a 'Governance' tab. It contains several required input fields: 'DPO Name (Required)', 'Full name of DPO', 'Email address (Required)', 'Official email address of DPO', 'Phone number (Required)', 'Contact number of DPO', 'Address (Required)', and 'Address of DPO'. Each field has an 'Enter' placeholder. A blue 'Save' button is located at the bottom right of the form. The footer includes 'Copyright © 2025 Jio Platforms Limited. All rights reserved.' and links for 'Contact Us', 'Privacy Policy', and 'Terms & Conditions'.

8.2 ROPA (Record of Processing Activities)

ROPA stands for **Record of Processing Activities**.

This section is used to maintain documentation of how personal data is processed within the organization.

ROPA records may include:

- Types of personal data processed
- Purpose of processing
- Data processors involved
- Data retention periods
- Security measures applied

Maintaining accurate ROPA documentation helps organizations demonstrate compliance with data protection regulations.

Figure: ROPA Page

Categories of a special nature	Source of personal data	Category of individual	Permitted Reason for Processing		
Origin, family and health info	Public register	Employees, Customers, Others	Permitted Reasons for Processing Activity	Additional condition for processing personal data	C. E.
customers	Full Name, National Identifier (PAN, Aadhaar, Passport, Voter ID, Driving License)	customers	Preferences	NA	N.

8.3 Audit & Compliance Reports

The **Audit & Compliance Reports** section provides administrators with insights into the organization's data protection compliance status.

Reports generated from this section may include:

- Consent collection statistics
- Processing activity summaries
- Compliance status indicators
- System activity reports

These reports are useful for internal audits and regulatory reviews.

Figure: Audit & Compliance Report Page

Audit ID	Business Name	Event timestamp	Business ID	Module name	Component
9e35dd59-d64e-40ca-b067-3c35c735b18c	Jio Management	16-03-2026 at 02:09:46 AM	b83508dc-d0c9-4681-80a9-b762bc8f8a87	PARTNER-PORTAL	DATA_PROCESSOR
77773ae48-e0ff-4aed-8b0e-0723fe2338b2	Jio Management	16-03-2026 at 02:09:24 AM	b83508dc-d0c9-4681-80a9-b762bc8f8a87	PARTNER-PORTAL	DATA_PROCESSOR
3f417f92-c22f-4e18-b010-67c34f9f766e	Jio Management	16-03-2026 at 01:58:35 AM	b83508dc-d0c9-4681-80a9-b762bc8f8a87	CONSENT	JIO CONSENT MANAGEMENT SYSTEM
8c093318-c997-4b9c-9962-01a3e3270542	Jio Management	15-03-2026 at 08:59:19 PM	b83508dc-d0c9-4681-80a9-b762bc8f8a87	CONSENT	JIO CONSENT MANAGEMENT SYSTEM
001c4a91-b183-4271-895e-197e83e5e944	Jio Management	12-03-2026 at 12:49:05 PM	b83508dc-d0c9-4681-80a9-b762bc8f8a87	NOTIFICATION	EMAIL_CONSUMER
afc516de-6f27-4956-bbc6-fd9a5287955	Jio Management	12-03-2026 at 12:49:03 PM	b83508dc-d0c9-4681-80a9-b762bc8f8a87	NOTIFICATION	TRIGGER_EVENT
30fe7f76-ae33-46fb-ab99-40d585215af6	Jio Management	12-03-2026 at 12:49:03 PM	b83508dc-d0c9-4681-80a9-b762bc8f8a87	CONSENT	CONSENT_REQUEST
d28c7346-a8b1-4daa-84ff-610e1c3b8acf	Jio Management	12-03-2026 at 12:49:03 PM	b83508dc-d0c9-4681-80a9-b762bc8f8a87	CONSENT	CONSENT
4c4b42d5-3edd-419a-8a64-74dd984d967	Jio Management	12-03-2026 at 12:49:01 PM	b83508dc-d0c9-4681-80a9-b762bc8f8a87	CONSENT	CONSENT_REQUEST
41106ff5-c943-4492-8588-850cece664a3	Jio Management	12-03-2026 at 12:22:11 PM	b83508dc-d0c9-4681-80a9-b762bc8f8a87	CONSENT	JIO CONSENT MANAGEMENT SYSTEM

8.4 Breach Notifications

The **Breach Notifications** section allows administrators to track and manage incidents involving unauthorized access, disclosure, or loss of personal data.


When a breach occurs, organizations may be required to notify regulatory authorities and affected individuals.

This section allows administrators to:

- Record breach incidents
- Track investigation progress
- Maintain documentation related to the incident
- Monitor resolution status

Maintaining breach records helps organizations demonstrate transparency and accountability.

Figure: Breach Notification Page



9. Grievance Redressal

The **Grievance Redressal** module enables organizations to manage complaints and data-related requests submitted by users (Data Principals).

It provides tools to configure grievance workflows, create grievance forms, track requests, and resolve issues within defined timelines.

The module includes the following sections:

- Configuration
- Grievance Form
- Requests

9.1 Configuration

The **Configuration** page allows administrators to define how grievances are received, processed, and escalated within the system.

These settings control the grievance intake method, workflow steps, SLA timelines, and escalation policies.

Figure: Grievance Configuration Page

The screenshot shows the 'Configuration' page for 'Grievance Redressal' within the 'Jio Management' system. The page has a sidebar on the left with a 'BUSINESS GROUP' dropdown set to 'Jio Management'. The sidebar menu includes: Dashboard, System Configuration, Consent, Cookies, Governance, Grievance Redressal (expanded), Configuration (selected), Grievance Form, Requests, Administration, Notifications, and Monitoring. The main content area is titled 'Configuration' and contains several fields: 'Intake method (Required)' with a dropdown set to 'Web Form'; a note 'This will be user's default language for consent communication'; 'Grievance Callback Endpoint (Required)' with a text input containing 'http://10.173.184.34:10001/api/notification/callback' and a sub-note 'Callback URL to notify the Data Fiduciary'; 'Workflow steps (Required)' with a dropdown showing 'New', 'In Progress', and 'Resolved'; a note 'The steps grievance redressal will follow'; 'SLA timelines in days (Required)' with a text input set to '7' and a sub-note 'Estimated time to handle grievances'; 'Escalation policy in days (Required)' with a text input set to '2' and a sub-note 'Time frame to escalate the grievance request'; and a blue 'Save' button at the bottom right. The footer contains copyright information and links for 'Contact Us', 'Privacy Policy', and 'Terms & Conditions'.

Intake Method

The **Intake Method** defines how users can submit grievances.

For example, grievances can be submitted through a **Web Form** integrated with the system.

Grievance Callback Endpoint

This field specifies the **callback URL** used to notify the organization when a grievance request is received or updated.

Workflow Steps

Administrators can define the stages through which a grievance request will pass during its lifecycle.

Common workflow stages include:

- **New**
- **In Progress**

- **Resolved**

SLA Timelines

This setting defines the expected time (in days) within which a grievance should be resolved.

Escalation Policy

The escalation policy defines when unresolved grievances should be escalated to a higher authority if they are not addressed within the defined time.

Click **Save** to apply the configuration settings.

9.2 Grievance Form

The **Grievance Form** section allows administrators to create and manage grievance form templates used by users to submit complaints or requests.

These forms collect information necessary to investigate and resolve grievances.

Figure: Grievance Form Templates Page

Form name	Template ID	Version	Last updated	Status	Actions
Customer complaint	ec55aaeb-2285-4d48-b37c-73b4856d17a4	1	26/11/2025	PUBLISHED	</> 📄 ✎
DSAR	a1fc1ff4-0759-414c-8916-0a8086799353	1	28/11/2025	PUBLISHED	</> 📄 ✎
Customer Complaints	6cf1feb6-7211-4ae3-9fc5-33b1dc572c02	1	28/11/2025	PUBLISHED	</> 📄 ✎
Customer Complaints	6cf1feb6-7211-4ae3-9fc5-33b1dc572c02	2	15/12/2025	PUBLISHED	</> 📄 ✎
Customer Complaints	6cf1feb6-7211-4ae3-9fc5-33b1dc572c02	3	15/12/2025	PUBLISHED	</> 📄 ✎
Customer Complaints	6cf1feb6-7211-4ae3-9fc5-33b1dc572c02	4	15/12/2025	PUBLISHED	</> 📄 ✎
Customer Complaints	6cf1feb6-7211-4ae3-9fc5-33b1dc572c02	5	15/12/2025	PUBLISHED	</> 📄 ✎

The page displays a list of existing form templates along with:

- Form Name
- Template ID
- Version
- Last Updated Date
- Status (Published or Draft)

Administrators can create new grievance form templates by clicking **Create grievance form template**.

Creating a Grievance Form Template

When creating a new template, administrators must provide a **form name** and configure the fields that users will fill while submitting a grievance.

Figure: Create Grievance Form Template Page

The form configuration includes the following sections:

Step 1: Grievance Categories

Administrators can define grievance categories and subcategories to classify different types of complaints.

Examples include:

- Legal Grievances
- Consent Related Grievances
- Data Principal Rights

Subcategories may include:

- Violation of Data Protection Law
- Breach Notification Delay
- Improper Data Sharing

Optional settings include:

- Allow users to provide a grievance description
- Allow file attachments

Step 2: User Information

Administrators can configure the user information fields that must be collected when submitting a grievance.

These may include:

- User type
- Contact details
- Additional identification fields

Preview Panel

The preview panel on the right side shows how the grievance form will appear to users.

Administrators can switch between **mobile view** and **dark mode** to check how the form will appear across different devices.

After configuration:


- Click **Save as Draft** to save the template without publishing it.
- Click **Publish Template** to make the form available for users.

9.3 Requests

The **Requests** page displays all grievances submitted by users through the grievance forms.

This page allows administrators to track, review, and manage grievance requests.

Figure: Grievance Requests Page



At the top of the page, summary cards show the status of requests:

- **Total** – Total number of grievances submitted
- **New** – Newly received grievances
- **In Process** – Requests currently being handled
- **Resolved** – Requests that have been completed
- **Escalated** – Requests escalated due to SLA breach

The table below lists individual requests with the following details:

- Request ID


- Request Type
- Date and Time Received
- Data Principal
- Days Left (based on SLA)
- Status

Administrators can search and filter requests using the search bar.

Viewing Request Details

Clicking on a request opens the **Request Details** page.

Figure: Request Details Page



This page displays detailed information about the grievance, including:

- Request type
- Grievance category and description
- Data principal information
- Attachments (if provided)

Administrators can update the request status according to the workflow stages, such as **New**, **In Progress**, or **Resolved**.

The page may also display **related consent details** associated with the user, helping administrators understand the context of the grievance.

10. Administration

The **Administration** module allows administrators to manage organizational structure, user access, and role-based permissions within the Consent Management platform.

This module includes the following sections:

- Business Groups
- Roles
- Users
- Organization Map


These features help define the internal hierarchy of the organization and control access to system features.

10.1 Business Groups

The **Business Groups** page allows administrators to create and manage business units within the organization.

Each business group represents a logical unit such as a department, subsidiary, or operational division.

Figure: Business Groups Page



The page displays the following information:

- **Business Group Name** – Name of the business unit
- **Description** – Short description of the business group
- **Created On** – Date when the group was created

Administrators can create a new group by clicking **Add Business Group**.


Business groups are used to organize data processors, users, and consent management activities under specific organizational units.

10.2 Roles

The **Roles** page allows administrators to define roles and access permissions for users within the system.

Roles determine what actions users can perform and which modules they can access.

Figure: Roles Page



The page displays:

- **Role Name**
- **Description**
- **Access To** – The system area or permission associated with the role
- **Created On** – Date the role was created

Common roles may include:


- **Legal Admin** – Administrative control over consent and compliance features
- **Data Protection Officer (DPO)** – Access to privacy and compliance related functions

Administrators can create a new role using the **Add Role** button.

10.3 Users

The **Users** page allows administrators to manage user accounts that have access to the platform.

Figure: Users Page



The page displays the following user details:

- **Name**
- **Designation**
- **Email or Mobile Number**

Administrators can perform the following actions:


- Add a new user
- Edit user details
- Assign roles to users
- Remove users from the system

To add a new user, click **Add User**.

10.4 Organization Map

The **Organization Map** provides a visual overview of the organizational hierarchy within the system.

Figure: Organization Structure Page



It displays relationships between:

- Organization entities
- Business groups
- Data processors
- Users

This view helps administrators understand how different components of the organization are structured and connected.

The hierarchy typically includes:

- **Organization** – The top-level entity
- **Data Processors** – Systems or services that process data
- **Users** – Individuals with platform access
- **Business Groups** – Sub-units within the organization

This structure helps manage governance, accountability, and access control across the platform.

11. Notifications

The **Notifications** module allows administrators to configure notification services and manage message templates used for system communications.

Notifications are used to inform users and administrators about important system events such as OTP verification, grievance updates, consent expiry, and data-related alerts.

This module includes:

- Notification Configuration
- Notification Templates

11.1 Notification Configuration

The **Notification Configuration** page allows administrators to configure the notification service used by the platform.

This configuration enables the system to send notifications through supported communication channels.

Figure: Notification Configuration Page

The screenshot displays the 'Notification set up' page in the Jio Consent Management interface. The left sidebar contains a 'BUSINESS GROUP' dropdown set to 'Jio Management' and a navigation menu with options: Dashboard, System Configuration, Consent, Cookies, Governance, Grievance Redressal, Administration, Notifications, Configuration (highlighted), Notification Templates, and Monitoring. The main content area has a header with 'Notification set up' and a sub-header 'System Configuration'. Below this, there are two tabs: 'Notification service' (active) and 'Simple mail transfer protocol (SMTP)'. The 'Notification service' tab contains several input fields: 'URL (Required)' with the value 'https://api.dscoe.jiolabs.com:8443', 'Callback URL (Required)' with the placeholder 'Enter', 'Network type (Required)' with the value 'INTERNET', 'Client ID (Required)' with the value 'iz9Sy3SvIZcZodfhTgpR1OGf9pUa', 'Client secret key (Required)' with the value 'Kg4hOlUvVCLcDkPEDHmMfhPLTEmEa', and 'SID (Required)' with the value '47'. There is also an 'Upload Certificate' section with an 'Upload' button and a note: 'Drag and drop signing certificate (PEM, CRT, or CER) requested for encryption under 500KB'. A 'Save' button is located at the bottom right of the form. The footer contains copyright information and links for 'Contact Us', 'Privacy Policy', and 'Terms & Conditions'.

The following fields are available:

URL

The **URL** specifies the endpoint of the notification service used to send notifications.

Callback URL

The **Callback URL** is used to receive delivery status updates from the notification service.

Network Type

This defines the network environment used by the notification service, such as **Internet**.

Client ID

The **Client ID** uniquely identifies the application when connecting to the notification service.

Client Secret Key

The **Client Secret Key** is used for authentication when the platform communicates with the notification service.

SID

The **Service ID (SID)** identifies the notification service instance used for sending messages.

Upload Certificate

Administrators can upload a certificate file used for secure communication and encryption.

After entering the required details, click **Save** to store the configuration.

11.2 Notification Templates

The **Notification Templates** page allows administrators to create and manage message templates used for system notifications.

These templates define the content of messages sent through email or SMS when specific events occur.

Figure: Notification Templates Page

Event Type	Channel	Subject / DLT ID	Message
INIT_OTP	Email	One-Time Password (OTP) for Jio Consent Management System	Jio Consent Management System – OTPDear ,Your One-Time Password (OTP) for logging into the Jio Conse...
ORGANIZATION_ONBOARDING	Email	Organization Successfully Onboarded	Jio Consent Management System – Organization OnboardingDear ,Your organization has been successfully...
DATA_DELETED	Email	Update on Your Data Record	Jio Consent Management System – Data Processing NotificationDear User (),This is to inform you that ...
GRIEVANCE_STATUS_UPDATED	Email	[DPO Alert] Grievance Status Updated – Business: <#ARG1>	Jio Consent Management System – Grievance Status UpdatedDear ,The grievance for has been updated o...
DATA_BREACHED	Email	Security Alert – Data Breach Notification	Jio Consent Management System – Data Breach NotificationDear ,We regret to inform you that your pers...
GRIEVANCE_DENIED	SMS	515345543233407312	Dear user (<#ARG1>), your grievance (ID: <#ARG2>) with <#ARG3> has been denied on <#ARG4>.
CONSENT_PREFERENCE_EXPIRY	Email	Consent Preference Expiry Notification	Jio Consent Management System – Consent Expiry NoticeDear ,Your consent preference (Preference ID:)...
GRIEVANCE_RAISED	SMS	515345543233407308	Dear User (<#ARG1>), There has been an update on your grievance raised with <#ARG2>. Reference I...
DATA_SHARED	Email	Update on Your Data Record	Jio Consent Management System – Data Processing NotificationDear User (),This is to inform you that ...
GRIEVANCE_INPROCESS	SMS	515345543233407309	Dear User (<#ARG1>), There has been an update on your grievance raised with <#ARG2>. Reference I...
GRIEVANCE_DENIED	Email	[DPO Alert] Grievance Denied – Business: <#ARG1>	Jio Consent Management System – Grievance DeniedDear ,The grievance for has been denied on .Reason...
GRIEVANCE_RAISED	Email	[DPO Alert] New Grievance Raised – Business: <#ARG1>	Jio Consent Management System – New Grievance RaisedDear ,A new grievance has been raised in the Con...
GRIEVANCE_RESOLVED	SMS	515345543233407311	Dear User (<#ARG1>), There has been an update on your grievance raised with <#ARG2>. Reference I...
TENANT_ONBOARDED	Email	New Tenant Onboarded – <#ARG1>	Tenant Onboarded - DPO NotificationNew Tenant OnboardedA new tenant has been successfully onboarded ...

The page displays the following information:

- **Event Type** – The system event that triggers the notification
- **Channel** – The communication channel used (Email or SMS)
- **Subject / DLT ID** – Email subject or SMS template identifier
- **Message** – The notification message content

Common notification events include:

- OTP generation
- Organization onboarding
- Data deletion notification
- Grievance status updates
- Data breach alerts
- Consent preference expiry

Administrators can create new templates using:

- **Add Email Template**
- **Add SMS Template**

Templates support placeholders (such as dynamic variables) to insert contextual information into messages automatically.

12. Monitoring

The **Monitoring** module provides visibility into system operations, scheduled jobs, compliance callbacks, and data deletion activities.

It helps administrators monitor the health of background processes, verify compliance workflows, and track data deletion confirmations.

The Monitoring module includes:


- Scheduler Statistics
- Data Compliance Report
- Data Deletion and Purge Dashboard

12.1 Scheduler Statistics

The **Scheduler Statistics** page provides an overview of background jobs executed by the system.

These jobs handle automated tasks such as consent expiry processing, retention policy enforcement, grievance escalation, and notification triggers.

Figure: Scheduler Statistics Page



Administrators can filter results using **Start Date** and **End Date**.

The page displays key metrics such as:

- **Total Executions** – Total number of scheduled job executions
- **Successful** – Jobs completed successfully
- **Failed** – Jobs that failed during execution
- **Running** – Jobs currently running
- **Pending** – Jobs waiting for execution

The table below lists individual scheduler jobs with the following details:

- **Scheduler Name**
- **Total Executions**
- **Success Count**
- **Failure Count**
- **Running Jobs**
- **Pending Jobs**
- **Success Rate**

- **Last Execution Date**


This information helps administrators monitor system automation and identify potential issues.

12.2 Data Compliance Report

The **Data Compliance Report** provides insights into system callbacks and data deletion confirmations sent to data fiduciaries and processors.

This report helps verify that compliance events are correctly communicated across systems.

Figure: Data Compliance Report Page



The report contains two sections:

Consent Event & Grievance Callbacks

This section displays callbacks triggered by consent lifecycle events and grievance activities.

Examples include:

- Consent created
- Consent withdrawn
- Consent expired

- Grievance resolved
- Data deleted

The table shows:


- Data Fiduciary / Processor
- Event Type
- Number of Callbacks Sent
- Successful Callbacks
- Failed Callbacks
- Success Percentage
- Failure Percentage
- Logs

A summary panel also displays **total callback statistics and success rate**.

Data Deletion / Purge Confirmation

This section tracks confirmation messages received after personal data has been deleted or purged from connected systems.

Figure: Data Deletion / Purge Confirmation Page



The table displays:

- Data Fiduciary / Processor
- Event Type
- Total Records
- Purged Records
- Pending Records
- Purge Percentage
- Pending Percentage


The dashboard also shows overall **purge statistics and event distribution**.

12.3 Data Deletion and Purge Dashboard

The **Data Deletion and Purge Dashboard** provides a centralized view of all consent-related data deletion requests.

This feature helps organizations ensure compliance with data retention and deletion policies.

Figure: Data Deletion and Purge Dashboard Page



The overview section displays key metrics such as:

- **Deletion Requests** – Total number of deletion requests received
- **Completed** – Requests successfully completed
- **In Progress** – Requests currently being processed
- **User Notified** – Users informed after deletion completion
- **Notification Pending** – Requests awaiting notification


The table lists detailed information about each deletion request, including:

- **Consent ID**
- **Data Principal**
- **Reason** (Withdraw or Expiry)
- **Data Fiduciary Status**
- **Number of Processors**
- **Overall Deletion Status**

Viewing Deletion Request Details

Selecting a specific consent record opens the **Consent Information** page.

Figure: Consent Information Page



This page provides detailed information such as:

- **Consent ID**
- **Trigger Event** (Withdrawal or Expiry)
- **Template Used**
- **Timestamp** of the consent event
- **Retention Policy**

Additional tabs may display information about:

- Data Fiduciaries
- Data Processors
- PII Items
- Notification Timeline

This detailed view helps administrators track the lifecycle of a consent record and verify that associated data has been deleted according to policy.