Jio Platforms Limited

INTEGRATION DOCUMENT

Consent Management System

COPYRIGHT INFORMATION
No part of this document may be copied, reproduced, stored in any retrieval system, or transmitted in any form or by any means, either electronically, mechanically, or otherwise, without prior written permission.

© Copyright Jio Platforms Limited.
All rights reserved.
Jio Platforms Limited, Reliance Corporate Park
Thane Belapur Road, Ghansoli-400 701

TRADEMARKS
All the brand names and other products or services mentioned in this document are identified by the trademarks or service marks of their respective owners

DISCLAIMER
The information in this document is subject to change without notice and should not be construed as a commitment by Jio Platforms Limited. assumes no responsibility or makes no warranties for any errors that may appear in this document and disclaims any implied warranty of merchantability or fitness for a particular purpose

Date: November 26, 2025 *Released document | Version 2.0*

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."

Version History

Date	Contributor	Contribution	Version	State
Jun 12, 2025	Shivam Kumar	Initial Draft	0.1	Draft
Jun 16, 2025	Raviraj Mishra	Reviewed and corrected	0.2	Draft
Jun 20, 2025	Lokesh Sharma	Reviewed and released	1.0	Released
Nov 10, 2025	Raviraj Mishra	Updated all sections	1.1	Draft
Nov 26, 2025	Lokesh Sharma	Reviewed and released the document	2.0	Released

"CONFIDENTIAL – FOR NeGDv(MeitY) USE ONLY"

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."

References

Sr. No	Document Name and URL	Version #
1	Jio Consent Management System Detailed API Specification Document	1.0

"CONFIDENTIAL – FOR NeGDv(MeitY) USE ONLY"

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."

"CONFIDENTIAL – FOR NeGDv(MeitY) USE ONLY"

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."

Table of Contents

Version History *1*

References *2*

Table of Contents *4*

1. Introduction *5*

2. Scope of Integration *6*

3. Detailed Integration of CMS UI Journeys *7*

3.1 Consent Collection Journey (Embedded UI) **7**
3.1.1 Integration Method: JavaScript Snippet/Iframe 7
3.1.2 Integration Process: 7

3.2 Cookie Preferences Journey (Embedded UI) **9**
3.2.1 Integration Method: JavaScript Snippet 10
3.2.2 Integration Process 10

3.3 Grievance Request Journey (Embedded UI) **13**
3.3.1 Integration Method: 13
3.3.2 DF Application User Context: 13
3.3.3 Integration Process 13

3.4 User Dashboard Journey (Redirect UI) **17**
3.4.1 Integration Method: 17
3.4.2 DF Application User Context: 17
3.4.3 Integration Process 17

"CONFIDENTIAL – FOR NeGD/(MeitY) USE ONLY"

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."

1. Introduction

This document provides a comprehensive technical guide for integrating the Consent Management System (CMS) with Data Fiduciary (DF) systems and applications. The CMS is a modular, service-oriented platform designed to streamline end-to-end consent lifecycle operations, manage cookie preferences, handle grievances, and offer robust user self-service features. All user interactions are facilitated through embedded UI journeys seamlessly integrated into DF applications, while the backend microservices ensure compliance, traceability, and robust security.

"CONFIDENTIAL – FOR NeGDv(MeitY) USE ONLY"

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."

2. Scope of Integration

1) The scope of this integration encompasses the technical connectivity and data exchange necessary to embed the CMS's UI journeys within DF applications and enable backend communication with CMS microservices. It covers:
   - Embedding of UI Journeys:
   - Consent Collection Journey
   - Cookie Preferences Journey
   - Grievance Request Journey
   - User Dashboard Journey

2) API Integrations: Direct communication with CMS backend microservices (Consent Service, Cookie Consent Service, Grievance Management Service, and DF/DP Authentication has been covered in the CMS API Specification Document [1] that is required for embedding the CMS UI.

"CONFIDENTIAL – FOR NeGDv(MeitY) USE ONLY"

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."

3. Detailed Integration of CMS UI Journeys

3.1 Consent Collection Journey (Embedded UI)

The primary frontend interface for collecting initial and purpose-specific user consent.

Functions:

- Displays configurable consent notices based on context (e.g., first visit, new data processing purpose).
- Captures explicit user actions (e.g., "Accept", specific checkboxes).
- Redirects or triggers callbacks in the DF application upon consent submission.

Connected To: Consent Management System (backend)

Embedding Mechanism: The Consent Collection Journey will be provided as a JavaScript snippet or a web component that can be embedded into the DF's web application.

3.1.1 Integration Method: JavaScript Snippet/Iframe

The CMS will provide a lightweight JavaScript SDK or a direct <script> tag snippet. This script will dynamically inject the necessary HTML elements (e.g., a modal, banner, or full-page form) for the consent journey.

3.1.2 Integration Process:

Our JavaScript integration enables you to display a consent popup on your website at any trigger point in the user's journey. You control when and how the consent interface appears, allowing for seamless integration with your existing user flows.

3.1.2.1 JavaScript integration

1. Download the JavaScript File

   First, you'll need to obtain the JavaScript file from our Consent Management System portal:

   a. Log in to the CMS Portal
   b. Create a Consent Template
   c. Publish the Consent Template

"CONFIDENTIAL - FOR NeGD(MeitY) USE ONLY"

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."



d. Select "JavaScript Integration Method and download the JS file



e. Place the Integration.js file in your Project.

2. Obtain an Access Token from Token API (/oauth2/token)and Secure Code from Secure code API (/securecode/create). Also, create a consent Handle using the create consent handle API (/consent/v1.0/consent-handle/create) . (***DF Backend to CMS Backend***)
   Detailed information about this API is available in the *Jio Consent Management System – API Specification Document* [1].

3. Integrate the JavaScript File and Load the Consent Interface
   Once you have all the required details like secure code, tenant Id, business Id, and consentHandle, you can load the preference center using the loadPreferenceCenter(consentHandleId, tenantId, businessId,secureCode) function

"CONFIDENTIAL – MeitY) USE ONLY"

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."

provided in the JavaScript file. The method of integration depends on your application framework. The client has to decide exactly when the consent pop-up appears during the user's journey.

4. Consent Collection Process
   Once integrated, the preference center pop-up will display when triggered by your implementation. After the user provides their consent of choices and submits the form, the pop-up will automatically close.



The system will record the user's consent preferences in our database, linked to the customer ID, tenant ID, and business ID you provided in the API call.

3.2 Cookie Preferences Journey (Embedded UI)

A banner-style or modal interface enables users to manage their granular cookie preferences.

Functions:

- Provides granular opt-in options for different cookie categories (e.g., strictly necessary, analytics, advertising, functional, and others).
- Allows real-time updates to cookie consent preferences.

"CONFIDENTIAL - FOR USE ONLY"

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."

- Integrates with the CMS's versioned storage for traceability.

Connected To: Consent Management System (backend)

Integration Points:

- Embedding Mechanism: Similar to the Consent Collection Journey, likely a JavaScript snippet to be placed early in the DF application's <head> to ensure it loads before other scripts that might set cookies.

3.2.1 Integration Method: JavaScript Snippet

- Initial Load: The snippet will determine if the cookie consent banner needs to be displayed.
- Consent Enforcement (DF Responsibility): The DF application's website or tag manager must read the current cookie consent status from the CMS (e.g., via a cookie set by the CMS snippet, or a JavaScript API provided by the CMS SDK) before loading non-essential scripts/cookies.

3.2.2 Integration Process

3.2.2.1 JavaScript integration

1. Download the JavaScript File
    a. Log in to the CMS portal
    b. Design Cookie Consent Modal / Popup Through Cookie Section on CMS portal.



    c. Save the Preferences

"CONFIDENTIAL FOR NeGD(MeitY) USE ONLY"

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."



d. Download the JavaScript file



e. Open the JavaScript file and place in your Project.

2. Obtain an Access Token from Token API (/oauth2/token)and Secure Code from Secure code API (/securecode/create). Also, create a cookie consent handle using secure code with device ID (***DF Backend to CMS Backend***)
Detailed information about this API is available in the *Jio Consent Management System – API Specification Document* [1].

3. Integrate the JavaScript File in your Project and Load the Cookie Interface
Now you can load the cookie preference center using the function name loadCookiePreferenceCenter(tenantId, businessId, cookieTemplateId, templateVersion, ConsentHandleId, Securecode, and deviceUUID), depending on your application framework. It's up to the client to determine the exact moment in the user's journey when the cookie pop-up should be displayed.

"CONFIDENTIAL – MeitY ONLY"

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."

4. Cookie Collection Process

   Once integrated, cookie popups will display when triggered by your implementation. After the user provides their consent choices and accepts the cookie, the pop-up will automatically close.



   The system will record the user's cookie preferences in our database, linked to the template ID and device ID you provided in the API call.

"CONFIDENTIAL – FOR NeGD/(MeitY) ONLY"

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."

3.3 Grievance Request Journey (Embedded UI)

A dedicated portal embedded in DF systems for users to lodge data access, correction, erasure requests, or formal grievances under privacy acts.

Functions:

- Provides forms to record the various types of data principal grievance requests.
- Collects necessary user information for identity verification (handled by DF).
- Enables submission of formal complaints.

Connected To: Consent Management System (backend)

3.3.1 Integration Method:

The embedding mechanism is the Integration URL, which will be generated after you create the grievance template.

3.3.2 DF Application User Context:

- DataPrincipal-id (Mandatory): User identifier from the DF system.
- DataFiduciary-id (Mandatory): DF application identifier.
- Identity Verification (DF Responsibility): The DF application is responsible for authenticating the user before allowing them to access the grievance portal and providing the verified DataPrincipal-id. The CMS assumes the DataPrincipal-id provided is authentic for the DF's system. For unauthenticated users, the journey may require an additional PII collection for identity verification.

3.3.3 Integration Process

3.3.3.1 JavaScript integration

1. Generate the Integration URL
    a. Log in to the CMS portal

"CONFIDENTIAL - FOR NeGD/(MeitY) USE ONLY"

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."

b. Design Grievance Modal / Popup Through Grievance Redressal.



c. Publish the Grievance template.



d. Obtain an Access Token from Token API (/oauth2/token)and Secure Code from Secure code API (/securecode/create). (***DF Backend to CMS Backend***)
Detailed information about this API is available in the *Jio Consent Management System – API Specification Document* [1]

e. Create JSON with required parameters like tenant id , business id, template id and secure code. Encode JSON to Base64.

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."

f. Build the Integration URL by appending the base64 data to integration base url.



2. Integrate the Integration URL depending on your application framework. It's up to the client to determine the exact moment in the user's journey where the Grievance form should be displayed.

3. Grievance Collection Process
   Once integrated, the user raises their grievance request and submits the request.



"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."

The system will record the grievance request in our database and assign it a ticket for further processing.

"CONFIDENTIAL – FOR NeGDv(MeitY) USE ONLY"

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."

3.4 User Dashboard Journey (Redirect UI)

A self-service portal redirected from DF platforms allows user to view their consent history, modify consent, withdraw consent, and track grievance resolution.

Functions:

- Displays historical consent artifacts (versions, dates, purposes).
- Allows users to accept/revoke updated consent requests or renewals.
- Enables withdrawal of prior consent.
- Shows the status and updates of submitted grievance requests.

Connected To: Consent Management System (backend)

3.4.1 Integration Method:

Redirect URL embedding mechanism: Typically, a full dedicated page redirect using a redirect URL accessible via a "My Privacy" or "Consent Dashboard" link within the DF application.

3.4.2 DF Application User Context:

- DataPrincipal-id (Mandatory): Unique, verified user identifier from the DF's authentication system. This is crucial for retrieving the correct user's data.
- Authentication Flow: The DF application must ensure the user is authenticated and provide the user-id securely. The embedded dashboard will then use this DataPrincipal-id to fetch relevant consent and grievance data from the CMS backend services on behalf of the user.
- CMS Identity & Authentication Service: The User Dashboard Journey will interact with the CMS's internal Identity & Authentication Service, which relies on the DataPrincipal-id provided by the DF system.

3.4.3 Integration Process

3.4.3.1 Redirect API

1. Obtain Access token and Secure Code via API (***DF Backend to CMS Backend***)
   Detailed information about this API is available in the *Jio Consent Management System – API Specification Document* [1].

2. Build the redirect URL
   Construct the redirect URL with the required query parameters, which is a Base64-encoded JSON object containing below parameters.
   Required Parameters:
   - `secureCode`: The code received from API(Step 1)
   - `tenantId`: DataFiduciary-id received after onboarding

"CONFIDENTIAL – FOR NeGD/(MeitY) USE ONLY"

"This document is submitted only for Code for Consent Challenge, organised by NeGD (a part of MeitY) and shall not be used for any other purpose."

- `businessId`: Received after onboarding, which is specific to the business
- `grievancetemplateId`: Grievance template ID (Section 3.3)
- `customerID`: DataPrincipal Id

Final Redirect URL:
https://<Redirect_BaseURL>?customerDetails=${encodedDetails}

3. Redirect user
   Once the final redirect URL is ready, you need to redirect the user from the privacy center to the consent/grievance history page.



4. Users now have full control and visibility over their consent activity and grievance requests.
   They can:
   - View their complete consent history for transparency.
   - Revoke previously granted consent at any time.
   - Update the granted consent if required.
   - Track the status of any grievances submitted in real time.

This ensures greater user autonomy, compliance, and trust in the platform.

"CONFIDENTIAL - FOR ONLY"