08109062425, 0731-4972065 sales@trumen.in www.trumen.in

39, Mangal Nagar, Behind Sai Ram Plaza, AB Road, Indore, M.P.

Quotation

New info	Quote Ref	TTPL/2425/100
Plot No. P.009	Quote Date	04/07/2024
Opp: dsdasd, 145 new Quare india gate,	Enquiry Ref	India Mart
dsdasd, 145 new Quare india gate,indore, m.p. - 989898	Enquiry Date	23/05/2024
Mobile: 9090909090	GST Number	
Email: Vish1@gmail.com		
Kind Attention:		

Subject: SFSDF S KLSF ;LSDFL SFSD FSD;FSD SDFSDF.

Dear sir with reference to your enquiry for Requirment of cable flat label switch recharge (LCF-R), we are please to submit here unde our offer for the same. "TRUMEN" is an ISO 9001-2015 manufacturer and experier at level control instruments and our list of instrument

- **Compact Size for Easy Installation with IP-68 Enclosures**
- **Micro Processor Based**
- **15-260VAC & 15-60VDC Universal supply for integral model suitable for all industrial supplies.**
- **In built Time Delay for probe covered & probe uncovered (wet & dry) conditions**
- **Models available, suitable for high pressures up to 15 Bar**
- **CE certified products.**

Please feel free to contact us for further assistance.

Technologies provides maximum possible customization on all of its products

08109062425, 0731-4972065 sales@trumen.in www.trumen.in

39, Mangal Nagar, Behind Sai Ram Plaza, AB Road, Indore, M.P.

Quotation

S.No.	Description	Unite Rate (₹)	Qty	Total (₹)
	LSV:Vibrating Fork Point Level Switch for Solids **HSN Code: 90261020** **Application: sand**			
1.0	**Model: LSV:HAN-T2-S6-G4-PB5-F004-EIDL-D2-L500**	**5700.00₹**	**1**	**5700.00₹**
	HAN Remote Enclosure: Aluminum Non-Hazardous IP-67/68, (Cable Gland: 2 X ½" NPT DC Gland) (Device Type: CD), ()			
	T2 Process Temperature: 80 to 200 DegC, (Thermal Compensation: Thermal Compensation: 150 mm) (Temprature Material: SS-316)			
	S6 Sensing Surface: SS-316,			
	G4 Sensor Extension: SS-304,			
	PB5 Process Connection: Threaded 2", BSP,			
	F004 Flange Type: 1-1/4" B16.5 ANSI/ASA 150#RF,			
	EIDL Integral Electronic: Power Supply: 15-80 VDC Output: Two Wire DC 8/16 mA current output suitable for 4-20mA analog inputs Switching: Single Point Level Switching Fail S,			
	D2 Fork Type: 125mm Fork for min density 400 gm/L,			
	L Probe Length: 500, (Including/Excluding threads: Including Thread)			

Technologies provides maximum possible customization on all of its

Trumen Technologies Pvt. Ltd.

08109062425, 0731-4972065 sales@trumen.in www.trumen.in
39, Mangal Nagar, Behind Sai Ram Plaza, AB Road, Indore, M.P.

TERMS & CONDITIONS

1. Prices	FOR Site
2. P&f	GST @ Extra @ 2.5%
3. Taxes	GST @ 18%
4. Freight	Extra at actual through your approved freight carr
5. Transit insurance	Extra to your account.
6. Delivery	Within 8 weeks after confirmed order.
7. Payment	100% Against proforma invoice prior to dispatch.
8. Warranty	12 months from the date of commissioning or fifteen months from the date of supply which ever is earlier.
9. Validity of offer	30 Days
10. Release of po	Formal order mentioning your delivery address and dispatch instructions
11. Cancellation charges	50% Of po amount to be paid if cancelled after order acceptance.

Trust Our Offer Is In Line With Your Requirement. Please Feel Free To Contact Us For Further Assistance. We Look Forward To Your Valued Order

Thanks And Warm Regards.

Trumen
Trumen Technologies Pvt. Ltd.
39, Mangal Nagar, Behind Sai Ram Plaza Near Rajiv Gandhi Circle, AB Road
Tel: 0731-4972065, 88995 56622
Email: admin@admin.com, Web: www.trumen.in