

05
PHASE

Business Intelligence & Dashboards

Turn Data Into Insights.
Visualize. Analyze. Act.



Power BI



Tableau



Google Sheets



Excel



Connect
Data



Model
Data



Visualize
Insights



Make Better
Decisions



Drive Business
Impact



Better Insights. Better Decisions. **Better Outcomes.**

Table of Contents

10 Units • 58 Topics • A Complete BI Journey

Unit 1 Dashboard Design & UX Strategy 11 – 30

- 1.1 Defining KPIs: Lead vs. Lag indicators
- 1.2 The 5-Second Rule: Information hierarchy in layouts
- 1.3 Visual Perception: Gestalt principles (Proximity, Similarity, Enclosure)
- 1.4 Color Theory: Using color for emphasis, not decoration
- 1.5 Choosing the Right Chart: Comparison vs. Composition vs. Trend
- 1.6 User Stories: Defining “Who” the dashboard is for
- 1.7 Interactivity Design: Drill-downs vs. Tooltips vs. Page Navigation
- 1.8 Handling “Request Bloat”: How to say no to unnecessary charts

Unit 2 BI Data Modeling (The Star Schema)..... 31 – 50

- 2.1 Relational Modeling for BI: Fact tables vs. Dimension tables
- 2.2 Star Schema vs. Snowflake Schema: Why Star is king for BI
- 2.3 Primary Keys and Foreign Keys in a BI context
- 2.4 Cardinality: One-to-Many vs. Many-to-Many relationships
- 2.5 Normalization vs. Denormalization for performance
- 2.6 Handling Slowly Changing Dimensions (SCD Type 1 and Type 2)
- 2.7 Designing a “Date Table” (The backbone of all time-analysis)
- 2.8 ISNULL and NVL: dialect-specific alternatives
- 2.9 NULLs in math: what happens when you add 5 to NULL?
- 2.10 Handling NULLs in logical conditions

TRACK A: Power BI (The Microsoft Giant)

Unit 3 Power BI Desktop Fundamentals 51 – 75

- 3.1 Get Data: Connecting to SQL, Excel, and Web
- 3.2 Power Query (M Language) for BI-specific cleaning
- 3.3 Building the Relationship View: Active vs. Inactive relationships
- 3.4 Creating basic visuals: Cards, Tables, and Matrixes
- 3.5 Slicers and Syncing Slicers across pages
- 3.6 Using the “Selection Pane” for conditional layouts
- 3.7 Custom Visuals from the AppSource marketplace
- 3.8 CUBE for multi-dimensional aggregations
- 3.9 GROUPING SETS for custom aggregation levels
- 3.10 NULLs in aggregate functions: what gets ignored?

Unit 4 DAX (Data Analysis Expressions)76 – 102

- 4.1** Calculated Columns vs. Measures: When to use which
- 4.2** The “Golden Rule”: Row Context vs. Filter Context
- 4.3** CALCULATE(): The most powerful function in Power BI
- 4.4** Time Intelligence: SAMEPERIODLASTYEAR, YTD, MTD
- 4.5** Iterator Functions: SUMX, AVERAGEX, RANKX
- 4.6** Variables (VAR) for readability and performance
- 4.7** DAX Studio for debugging and optimization
- 4.8** Joining on multiple conditions
- 4.9** Joining more than two tables
- 4.10** Common JOIN mistakes & NULLs in results

Unit 5 Power BI Service & Governance 103 – 126

- 5.1** Publishing Workspaces: My Workspace vs. Pro Workspaces
- 5.2** Gateway Configuration: Setting up automatic data refreshes
- 5.3** Creating Power BI “Apps” for end-users
- 5.4** Row-Level Security (RLS): Static vs. Dynamic
- 5.5** Creating Dashboards vs. Reports (The technical difference)
- 5.6** Usage Metrics: Seeing who actually uses your reports
- 5.7** Ordering results from set operations
- 5.8** Using set operations vs JOINS: when each fits
- 5.9** Stacking multiple result sets for reporting
- 5.10** Real-world use case: comparing daily snapshots

TRACK B: Tableau (The Visual Standard)

Unit 6 Tableau Basics & Data Architecture 127 – 151

- 6.1** Connecting to data: Live vs. Extract (Performance trade-offs)
- 6.2** Blue Pills vs. Green Pills: Dimensions vs. Measures
- 6.3** Discrete vs. Continuous data logic
- 6.4** Building the “Worksheet”: Marks Card, Shelves, and Pages
- 6.5** The “Order of Operations” in Tableau (The Filter Pipeline)
- 6.6** Groups, Sets, and Bins
- 6.7** CTE syntax with the WITH clause
- 6.8** Multiple CTEs in a single query
- 6.9** Recursive CTEs for hierarchical data
- 6.10** CTEs vs subqueries: readability & performance

Unit 7 Advanced Tableau (LODs & Interactivity) 152 – 181

- 7.1** Calculated Fields: String, Date, and Logic functions

- 7.2 LOD Expressions: FIXED, INCLUDE, EXCLUDE
- 7.3 Parameters: Creating “What-if” scenarios and dynamic toggles
- 7.4 Dashboard Actions: Filter, Highlight, and URL actions
- 7.5 Map Layers and Spatial Analysis
- 7.6 Device Designer: Making dashboards for Mobile vs. Desktop
- 7.7 Tableau Public vs. Tableau Cloud deployment
- 7.8 LEAD to access next row values
- 7.9 FIRST_VALUE and LAST_VALUE in a window
- 7.10 Running totals & moving averages (ROWS BETWEEN)

TRACK C: Specialised & Enterprise BI

Unit 8 Looker Studio (Lightweight / Marketing BI) 182 – 206

- 8.1 Native Google Connectors: Sheets, Ads, GA4, BigQuery
- 8.2 Data Blending: Joining sources without a warehouse
- 8.3 Calculated Fields in Looker Studio
- 8.4 Building Interactive Controls (Dropdowns, Date ranges)
- 8.5 Report Sharing and Automated Email Scheduling
- 8.6 String searching: CHARINDEX, LIKE, REGEX
- 8.7 Splitting and replacing strings
- 8.8 Building dynamic labels and categories
- 8.9 Handling time zones in analytics
- 8.10 Formatting data for final reports

Note: This is usually for “Senior” or “Product” Data Analysts.

Unit 9 Looker & LookML (Modern Enterprise BI) 207 – 236


- 9.1 Looker’s unique architecture: Why it’s “Code-First”
- 9.2 LookML Basics: Dimensions, Measures, and Views
- 9.3 The Model File: Scoping explores and joins
- 9.4 Version Control: Using Git with Looker
- 9.5 Liquid Parameters for dynamic SQL generation
- 9.6 Persistent Derived Tables (PDTs) for performance
- 9.7 Cost management: bytes billed & dry runs
- 9.8 Distribution keys and sort keys
- 9.9 Loading data: GCS/S3 to Cloud SQL
- 9.10 Scheduled queries & materialized views

Unit 10 KPI Tracking & The Metrics Layer 237 – 262

- 10.1 Building a “Data Dictionary” for stakeholders
- 10.2 Metric Consistency: Ensuring “Revenue” means the same thing everywhere
- 10.3 Alerting: Setting up “Threshold Alerts” for business owners

- 10.4** User Acceptance Testing (UAT): How to verify data with users
- 10.5** Maintenance: Handling “Schema Drift” when source data changes
- 10.6** Normalization (1NF, 2NF, 3NF)
- 10.7** Denormalization for analytics performance
- 10.8** Star schema: fact & dimension tables
- 10.9** Entity-Relationship (ER) diagrams
- 10.10** Choosing data types for storage efficiency

Each unit includes a Quick Reference Summary at the end



Learnlytics

.handbook

LEARN SMART. ANALYZE BETTER. GROW FASTER.