

Siren Marketplace API Specification

This document provides a detailed specification for the core marketplace API endpoints: **Catches**, **Offers**, and **Orders**.

1. Global Configuration

- **Base URL:** `https://api.marketplace.dev.siren.dhi-cm.com/api/v1`
- **Content-Type:** `application/json`

2. Resources & Endpoints

2.1 Catches (`/catches`)

Method	Endpoint	Description	Query Params
GET	<code>/catches</code>	List catches with filtering	<code>fisher_id</code> (optional), <code>status</code> (optional)
POST	<code>/catches</code>	Create a new catch	-
GET	<code>/catches/:id</code>	Get single catch details	-
PUT	<code>/catches/:id</code>	Update a catch	-
DELETE	<code>/catches/:id</code>	Delete a catch	-

Create Request Body

Use the **Catch Model**. The `id` should be generated by the backend if not provided (for POST).

```
{
  "name": "Tiger Shrimp"
  // ... all required fields (see Detailed Data Models)
}
```

Update Request Body

Only specific fields can be updated.

```
{
  "name": "Tiger Shrimp",
  "initial_weight_grams": 5000,
  "available_weight_grams": 5000,
  "price_per_kg_amount": 2000,
  "total_price_amount": 10000,
  "images": ["url1", "url2"],
  "status": "available",
  "location_name": "Douala Port",
  "latitude": 4.05,
  "longitude": 9.76
}
```

2.2 Offers (/offers)

Method	Endpoint	Description	Query Params
GET	/offers	List offers with filtering	catch_id, buyer_id, fisher_id, status
POST	/offers	Submit an offer	-
GET	/offers/:id	Get offer details	-
PUT	/offers/:id	Update offer (Status / Counter)	-
DELETE	/offers/:id	Withdraw/Delete offer	-

Create Request Body

```
{
  "catch_id": "uuid-catch",
  "fisher_id": "uuid-fisher",
  "buyer_id": "uuid-buyer",
  "current_price_amount": 4500,
  "current_weight_grams": 2000,
  "status": "pending",
  "waiting_for": "fisher" // 'fisher' or 'buyer' depending on who sent it
}
```

Update Request Body

Scenario A: Counter-Offer Update price/weight. This automatically sets `status = pending` and toggles `waiting_for` .

```
{
  "current_price_amount": 4800,
  "current_weight_grams": 2000,
  "waiting_for": "buyer"
}
```

Scenario B: Status Change Accept or Reject an offer.

```
{
  "status": "accepted" // or 'rejected'
}
```

2.3 Orders (/orders)

Method	Endpoint	Description	Query Params
GET	/orders	List orders with filtering	buyer_id, fisher_id, status, offer_id
POST	/orders	Create finalized order	-

GET	/orders/:id	Get order details	-
PUT	/orders/:id	Update order	-
DELETE	/orders/:id	Cancel/Delete order	-

Create Request Body

Usually created when an Offer enters `accepted` status.

```
{
  "offer_id": "uuid-offer",
  "catch_id": "uuid-catch",
  "fisher_id": "uuid-fisher",
  "buyer_id": "uuid-buyer",
  "terms_price": 4500,
  "terms_weight": 2000,
  "status": "active"
}
```

Update Request Body

Primarily for status updates.

```
{
  "status": "completed", // or 'cancelled'
  "cancellation_reason": "Buyer did not show up" // required if cancelled
}
```

3. Detailed Data Models

The API **MUST** return JSON objects matching these structures.

Catch Model (`CatchModel`)

Field	Type	Required	Description
id	String	Yes	Unique Identifier (UUID)
name	String	Yes	Name of the catch (e.g., "Tiger Shrimp")
date_posted	String	Yes	ISO8601 Timestamp
initial_weight_grams	Integer	Yes	Total weight caught in grams
available_weight_grams	Integer	Yes	weight remaining for sale in grams
price_per_kg_amount	Integer	Yes	Cost per kg in currency smallest unit
total_price_amount	Integer	Yes	Total cost in currency smallest unit
size	String	Yes	Size classification (e.g., "Large", "00", "L")

market	String	Yes	Market name/location origin
images	List	Yes	Array of image URLs
species	Object	Yes	{ "id": "...", "name": "...", "image": "...", "scientific_name": "..." }
fisher_id	String	Yes	User ID of the fisher
status	String	Yes	available, soldOut, expired, removed
observation_id	String	Yes	Related observation ID
location_name	String	Yes	Human readable location
latitude	Double	Yes	GPS Latitude
longitude	Double	Yes	GPS Longitude
mesh_size	Double	No	Mesh size in mm
gear_length	Double	No	Gear length in m
gear_width	Double	No	Gear width in m
gear_nature	String	No	Description of gear nature
water_depth	Double	No	Depth in meters
fishing_time	Double	No	Duration/Time of fishing
number_of_shrimps	Integer	No	Count of individual shrimps if applicable

Offer Model (OfferModel)

Field	Type	Required	Description
id	String	Yes	Unique Identifier
catch_id	String	Yes	ID of the related catch
fisher_id	String	Yes	ID of the fisher
buyer_id	String	Yes	ID of the buyer
current_price_amount	Integer	Yes	Proposed price (total)
current_weight_grams	Integer	Yes	Proposed weight (total)
current_price_per_kg_amount	Integer	Yes	Calculated price per kg
previous_price_amount	Integer	No	Previous offer price (for history)
previous_weight_grams	Integer	No	Previous offer weight
previous_price_per_kg_amount	Integer	No	Previous price per kg
status	String	Yes	pending, accepted, rejected, expired

date_created	String	Yes	ISO8601 Timestamp
date_updated	String	Yes	ISO8601 Timestamp
waiting_for	String	No	fisher or buyer (whose turn to act)
has_update_for_fisher	Boolean	Yes	Unread flag for fisher
has_update_for_buyer	Boolean	Yes	Unread flag for buyer

Order Model (OrderModel)

Field	Type	Required	Description
id	String	Yes	Unique Identifier
offer_id	String	Yes	ID of the accepted offer
catch_id	String	Yes	ID of the catch
fisher_id	String	Yes	ID of the fisher
buyer_id	String	Yes	ID of the buyer
terms_price	Integer	Yes	Final price agreed upon
terms_weight	Integer	Yes	Final weight agreed upon
terms_price_per_kg	Integer	Yes	Final price per kg
status	String	Yes	accepted, completed, cancelled
date_created	String	Yes	ISO8601 Timestamp
date_updated	String	Yes	ISO8601 Timestamp
has_review_from_fisher	Boolean	Yes	If fisher reviewed this order
has_review_from_buyer	Boolean	Yes	If buyer reviewed this order
cancellation_reason	String	No	Reason if status is cancelled