

Laboratory work 5

1)

Will the conversion to BCNF be dependency preserving in any case?

Proof

your statement and give a reasoning for choosing BCNF design.

Answer:

No, a table is said to be in BCNF if and only if, for each nontrivial dependence of the form $A \rightarrow B$, A is a superkey of R . BCNF is a stricter version of 3NF, in which 3NF decomposition occurs to reduce redundancy, but with the loss of dependencies

Proof:

Let's say we have abc and $c \rightarrow b$

It's not in BCNF

ac and cb

in BCNF, but we lost $ab \rightarrow c$

2) 3NF

| UnitID | StudentID | Date | Tutor ID | Topic | Room | Grade | Book | TutEmail |
|--------|-----------|----------|----------|-------|------|-------|-----------|--------------|
| U1 | St1 | 23.02.03 | Tut1 | GMT | 629 | 4.7 | Deumlich | tut1@fhbb.ch |
| U2 | St1 | 18.11.02 | Tut3 | Gln | 631 | 5.1 | Zehnder | tut3@fhbb.ch |
| U1 | St4 | 23.02.03 | Tut1 | GMT | 629 | 4.3 | Deumlich | tut1@fhbb.ch |
| U5 | St2 | 05.05.03 | Tut3 | PhF | 632 | 4.9 | Dümmmlers | tut3@fhbb.ch |
| U4 | St2 | 04.07.03 | Tut5 | AVQ | 621 | 5.0 | SwissTopo | tut5@fhbb.ch |

R

| <u>UnitID</u> | <u>StudentID</u> | Date | Tutor ID | Grade |
|---------------|------------------|----------|----------|-------|
| U1 | St1 | 23.02.03 | Tut1 | 4,7 |
| U2 | St1 | 18.11.02 | Tut3 | 5,1 |
| U1 | St4 | 23.02.03 | Tut1 | 4,3 |
| U5 | St2 | 05.05.03 | Tut3 | 4,9 |
| U4 | St2 | 04.07.03 | Tut5 | 5 |

R1

| <u>UnitID</u> | Topic |
|---------------|-------|
| U1 | GMT |
| U2 | Gln |
| U5 | PhF |
| U4 | AVQ |

R2

| <u>Tutor ID</u> | TutEmail |
|-----------------|--|
| Tut1 | tut1@fhbb.ch |
| Tut3 | tut3@fhbb.ch |
| Tut5 | tut5@fhbb.ch |

R3

| <u>Topic</u> | Room | Book |
|--------------|------|------------|
| GMT | 629 | Deumlich |
| Gln | 631 | Zehnder |
| PhF | 632 | Dummlers |
| AVQ | 621 | Swiss Topo |

R4

3) 2NF

R

| ProjectName | ProjectManager | Position | Budget | TeamSize |
|-------------|----------------|----------|-----------|----------|
| Project1 | Manager1 | CTO | 1 kk \$ | 15 |
| Project2 | Manager2 | CTO2 | 1.5 kk \$ | 12 |

R1

| <u>ProjectName</u> | <u>ProjectManager</u> |
|--------------------|-----------------------|
| Project1 | Manager1 |
| Project2 | Manager2 |

R2

| <u>ProjectName</u> | Budget | TeamSize |
|--------------------|-----------|----------|
| Project1 | 1 kk \$ | 15 |
| Project2 | 1.5 kk \$ | 12 |

R3

| <u>ProjectManager</u> | Position |
|-----------------------|----------|
| Manager1 | CTO |
| Manager2 | CTO2 |

4) 3NF

Faculties have a number of specialities, each speciality consists of a set of particular groups.

| Group | Faculty | Speciality |
|-------|---------|------------|
| g1 | f1 | s1 |
| g2 | f2 | s2 |

R

| <u>Group</u> | Faculty | Speciality | NumOfSpec | GroupsOfSpec |
|--------------|---------|------------|-----------|--------------|
| g1 | f1 | s1 | n1 | gs1 |
| g2 | f2 | s2 | n2 | gs2 |

R1

| <u>Group</u> | Faculty |
|--------------|---------|
| g1 | f1 |
| g2 | f2 |

R2

| <u>Faculty</u> | Speciality |
|----------------|------------|
| f1 | s1 |
| f2 | s2 |

R3

| <u>Speciality</u> | NumOfSpec |
|-------------------|-----------|
| s1 | n1 |
| s2 | n2 |

R4

| <u>NumOfSpec</u> | GroupsOfSpec |
|------------------|--------------|
| n1 | gs1 |
| n2 | gs2 |