src/pages/LabTestsPage.jsx JSX

```jsx
import { useState, useRef, useEffect } from 'react';
import { motion } from 'framer-motion';
import { Link, useNavigate } from 'react-router-dom';
import { useUser } from '../contexts/UserContext';
import api from '../api/axiosConfig';
import Card from '../components/Card';
import Button from '../components/Button';
import Toast from '../components/Toast';
import { Star, Zap, Shield, Clock, ChevronLeft, ChevronRight, Calendar, MapPin, Phone, Mail } from 'lucide-react';

export default function LabTestsPage() {
  const navigate = useNavigate();
  const { user } = useUser();
  const [currentSlide, setCurrentSlide] = useState(0);
  const [categories, setCategories] = useState([]);
  const [dailyOffers, setDailyOffers] = useState([]);
  const [packages, setPackages] = useState([]);
  const [selectedPackage, setSelectedPackage] = useState(null);
  const [showBookingForm, setShowBookingForm] = useState(false);
  const [loading, setLoading] = useState(true);
  const [toast, setToast] = useState({ message: '', type: 'info' });

  const [formData, setFormData] = useState({
    patient_name: '',
    patient_age: '',
    patient_gender: 'male',
    phone: '',
    email: '',
    address_line: '',
    city: '',
    pincode: '',
    preferred_date: '',
    preferred_slot: '08:00-10:00',
    amount: ''
  });

  const bannerSlides = [
    {
      url: 'https://images.unsplash.com/photo-1579154204601-01588f351e67?w=1200&h=200&fit=crop',
      link: '/lab-tests/full-body-checkup',
      alt: 'Full Body Checkup'
    },
    {
      url: 'https://images.unsplash.com/photo-1584362917165-526a968579e8?w=1200&h=200&fit=crop',
      link: '/lab-tests/packages',
      alt: 'Test Packages'
    },
    {
      url: 'https://images.unsplash.com/photo-1576091160399-112ba8d25d1d?w=1200&h=200&fit=crop',
      link: '/lab-tests/circle-offer',
      alt: 'Circle Offers'
    }
  ];

  const timeSlots = [
    { value: '06:00-08:00', label: '6:00 AM – 8:00 AM' },
    { value: '08:00-10:00', label: '8:00 AM – 10:00 AM' },
    { value: '10:00-12:00', label: '10:00 AM – 12:00 PM' },
    { value: '12:00-14:00', label: '12:00 PM – 2:00 PM' },
    { value: '14:00-16:00', label: '2:00 PM – 4:00 PM' },
    { value: '16:00-18:00', label: '4:00 PM – 6:00 PM' }
  ];

  useEffect(() => {
    fetchData();
    const timer = setInterval(() => {
      setCurrentSlide((prev) => (prev + 1) % bannerSlides.length);
    }, 5000);
    return () => clearInterval(timer);
  }, [bannerSlides.length]);

const fetchData = async () => {
    try {
      setLoading(true);

      // 1. Update Categories
      const categoriesResponse = await api.get('/lab/categories/');
      // Extract the array from the results key
      setCategories(categoriesResponse.data.results || []);

      // 2. Update Daily Offers
      const offersResponse = await api.get('/lab/tests/?daily_offer=true');
      setDailyOffers(offersResponse.data.results || []);

      // 3. Update Packages
      const packagesResponse = await api.get('/lab/packages/');
      setPackages(packagesResponse.data.results || []);

    } catch (error) {
```

```
      console.error('Failed to fetch lab data:', error);
      setToast({ message: 'Failed to load lab tests data', type: 'error' });
    } finally {
      setLoading(false);
    }
  };

  const handleInputChange = (e) => {
    const { name, value } = e.target;
    setFormData(prev => ({
      ...prev,
      [name]: value
    }));
  };

  const handleBookingSubmit = async (e) => {
    e.preventDefault();

    if (!user) {
      setToast({ message: 'Please login to book lab tests', type: 'error' });
      navigate('/login');
      return;
    }

    try {
      const bookingData = {
        ...formData,
        patient_age: parseInt(formData.patient_age),
        amount: selectedPackage ? selectedPackage.final_price : formData.amount
      };

      if (selectedPackage) {
        bookingData.package = selectedPackage.id;
      }

      const response = await api.post('/lab/bookings/', bookingData);

      setToast({
        message: `Booking confirmed! Booking ID: ${response.data.booking_id}`,
        type: 'success'
      });

      setShowBookingForm(false);
      setSelectedPackage(null);
      setFormData({
        patient_name: '',
        patient_age: '',
        patient_gender: 'male',
        phone: '',
        email: '',
        address_line: '',
        city: '',
        pincode: '',
        preferred_date: '',
        preferred_slot: '08:00-10:00',
        amount: ''
      });

    } catch (error) {
      console.error('Booking failed:', error);
      setToast({
        message: error.response?.data?.detail || 'Booking failed. Please try again.',
        type: 'error'
      });
    }
  };

  const handlePackageBooking = (pkg) => {
    setSelectedPackage(pkg);
    setFormData(prev => ({
      ...prev,
      amount: pkg.final_price
    }));
    setShowBookingForm(true);
  };

  if (loading) {
    return (
      <div className="min-h-screen bg-[#FFFDF5] flex items-center justify-center">
        <div className="bg-white border-4 border-black p-8 shadow-[8px_8px_0px_0px_#000]">
          <div className="w-16 h-16 border-4 border-black bg-[#FF6B6B] animate-spin mx-auto mb-4"></div>
          <p className="font-black uppercase tracking-widest text-sm">LOADING LAB TESTS...</p>
        </div>
      </div>
    );
  }

  return (
    <>
      <Toast message={toast.message} type={toast.type} />

      <motion.div
        initial={{ opacity: 0 }}
        animate={{ opacity: 1 }}
```

```
          className="bg-[#FFFDF5] min-h-screen relative overflow-hidden"
        >
          {/* Background Pattern */}
          <div
            className="absolute inset-0 opacity-10"
            style={{
              backgroundImage: 'radial-gradient(#000 1.5px, transparent 1.5px)',
              backgroundSize: '20px 20px'
            }}
          ></div>

          {/* Floating Decorative Elements */}
          <div className="absolute top-10 left-4 sm:top-20 sm:left-10 rotate-12">
            <Star className="w-6 h-6 sm:w-8 sm:h-8 fill-[#FF6B6B] text-[#FF6B6B] animate-spin-slow" />
          </div>
          <div className="absolute top-32 right-4 sm:top-40 sm:right-20 -rotate-12">
            <Zap className="w-8 h-8 sm:w-12 sm:h-12 fill-[#FFD93D] text-[#FFD93D] animate-bounce" />
          </div>
          <div className="absolute bottom-32 left-8 sm:bottom-32 sm:left-32 rotate-45">
            <Shield className="w-6 h-6 sm:w-10 sm:h-10 fill-[#C4B5FD] text-[#C4B5FD]" />
          </div>

          <div className="relative z-10 max-w-7xl mx-auto px-4 py-8">
            {/* Hero Section */}
            <div className="text-center mb-8 sm:mb-12">
              <motion.h1
                initial={{ opacity: 0, y: 20 }}
                animate={{ opacity: 1, y: 0 }}
                className="text-3xl sm:text-5xl md:text-7xl lg:text-8xl font-black uppercase tracking-tight mb-4 sm:mb-6"
              >
                <span className="block -rotate-1">DR DAS</span>
                <span className="block rotate-1" style={{ WebkitTextStroke: '2px black', color: 'transparent' }}>
                  PATHLABS
                </span>
              </motion.h1>
              <motion.p
                initial={{ opacity: 0, y: 20 }}
                animate={{ opacity: 1, y: 0 }}
                transition={{ delay: 0.2 }}
                className="text-sm sm:text-base md:text-lg font-bold max-w-3xl mx-auto uppercase tracking-wide"
              >
                TESTS YOU CAN TRUST — ADVANCED DIAGNOSTICS AT YOUR DOORSTEP
              </motion.p>
            </div>

            {/* Banner Carousel */}
            <div className="relative w-full h-32 sm:h-48 md:h-64 mb-8 sm:mb-12 border-4 border-black shadow-[8px_8px_0px_0px_#000] overflow-hidden">
              {bannerSlides.map((slide, index) => (
                <motion.div
                  key={index}
                  initial={{ opacity: 0 }}
                  animate={{ opacity: currentSlide === index ? 1 : 0 }}
                  transition={{ duration: 0.2 }}
                  className="absolute inset-0"
                  style={{ display: currentSlide === index ? 'block' : 'none' }}
                >
                  <Link to={slide.link}>
                    <img src={slide.url} alt={slide.alt} className="w-full h-full object-cover" />
                  </Link>
                </motion.div>
              ))}

              <div className="absolute bottom-4 left-1/2 transform -translate-x-1/2 flex gap-2">
                {bannerSlides.map((_, index) => (
                  <button
                    key={index}
                    onClick={() => setCurrentSlide(index)}
                    className={`w-3 h-3 border-2 border-black transition-all ${
                      currentSlide === index
                        ? 'bg-[#FFD93D] w-6'
                        : 'bg-white'
                    }`}
                  />
                ))}
              </div>
            </div>

            {/* Doctor Created Health Checks */}
            <div className="mb-8 sm:mb-12">
              <div className="bg-white border-4 border-black shadow-[8px_8px_0px_0px_#000] overflow-hidden">
                <div className="bg-[#C4B5FD] border-b-4 border-black p-4 sm:p-6">
                  <div className="flex flex-col sm:flex-row justify-between items-start sm:items-center gap-4">
                    <h2 className="text-xl sm:text-2xl md:text-3xl font-black uppercase tracking-tight -rotate-1">
                      DOCTOR CREATED HEALTH CHECKS ({categories.filter(c => c.category_type === 'doctor_created').length})
                    </h2>
                    <Link to="/lab-tests/all">
                      <Button variant="ghost" size="sm" className="rotate-1">
                        VIEW ALL →
                      </Button>
                    </Link>
                  </div>
                </div>
                <div className="p-4 sm:p-6">
                  <div className="grid grid-cols-2 sm:grid-cols-3 md:grid-cols-6 gap-4">
```

```
                    {categories
                      .filter(category => category.category_type === 'doctor_created')
                      .map((category, index) => (
                      <motion.div
                        key={category.id}
                        initial={{ opacity: 0, y: 20 }}
                        animate={{ opacity: 1, y: 0 }}
                        transition={{ delay: index * 0.1 }}
                      >
                        <Link
                          to={`/lab-tests/category/${category.slug}`}
                          className="block group"
                        >
                          <div className="bg-white border-4 border-black shadow-[4px_4px_0px_0px_#000] hover:shadow-[6px_6px_0px_0px_#000] hover:-translate-y-1 transition-all duration-200 p-4 text-center">
                            <div className="w-12 h-12 sm:w-16 sm:h-16 mb-3 mx-auto border-4 border-black bg-[#FFD93D] flex items-center justify-center">
                              {category.icon_url ? (
                                <img src={category.icon_url} alt={category.name} className="w-full h-full object-cover" />
                              ) : (
                                <span className="text-lg sm:text-xl font-black">🔬</span>
                              )}
                            </div>
                            <p className="text-xs sm:text-sm font-black uppercase tracking-wide leading-tight">
                              {category.name}
                            </p>
                          </div>
                        </Link>
                      </motion.div>
                    ))}
                  </div>
                </div>
              </div>

              {/* Daily Offers */}
              <div className="mb-8 sm:mb-12">
                <div className="bg-[#FFD93D] border-4 border-black shadow-[8px_8px_0px_0px_#000] overflow-hidden">
                  <div className="bg-black border-b-4 border-black p-4 sm:p-6">
                    <h2 className="text-xl sm:text-2xl md:text-3xl font-black uppercase tracking-tight text-white rotate-1">
                      🔥 DAILY OFFERS - LIMITED TIME!
                    </h2>
                  </div>
                  <div className="p-4 sm:p-6">
                    <div className="grid grid-cols-2 sm:grid-cols-3 md:grid-cols-4 gap-4">
                      {dailyOffers.map((offer, index) => (
                        <motion.div
                          key={offer.id}
                          initial={{ opacity: 0, y: 20 }}
                          animate={{ opacity: 1, y: 0 }}
                          transition={{ delay: index * 0.1 }}
                        >
                          <div className="bg-white border-4 border-black shadow-[4px_4px_0px_0px_#000] hover:shadow-[6px_6px_0px_0px_#000] hover:-translate-y-1 transition-all duration-200 p-4 text-center relative">
                            {offer.discount_percent > 0 && (
                              <span className="absolute -top-2 -right-2 bg-[#FF6B6B] border-2 border-black font-black uppercase tracking-widest text-xs px-2 py-1 shadow-[2px_2px_0px_0px_#000] rotate-12 z-10">
                                {offer.discount_percent}% OFF
                              </span>
                            )}
                            <h3 className="font-black text-sm sm:text-base mb-2 uppercase tracking-wide leading-tight">
                              {offer.short_name || offer.name}
                            </h3>
                            <div className="mb-3">
                              <p className="text-lg sm:text-xl font-black text-[#FF6B6B]">
                                ₹{parseFloat(offer.final_price).toFixed(0)}
                              </p>
                              {offer.discount_percent > 0 && (
                                <p className="text-xs font-bold line-through opacity-60">
                                  ₹{parseFloat(offer.price).toFixed(0)}
                                </p>
                              )}
                            </div>
                            <Button variant="primary" size="sm" className="w-full text-xs">
                              BOOK NOW
                            </Button>
                          </div>
                        </motion.div>
                      ))}
                    </div>
                  </div>
                </div>
              </div>

              {/* Vital Organs */}
              <div className="mb-8 sm:mb-12">
                <div className="bg-white border-4 border-black shadow-[8px_8px_0px_0px_#000] overflow-hidden">
                  <div className="bg-[#FF6B6B] border-b-4 border-black p-4 sm:p-6">
                    <div className="flex flex-col sm:flex-row justify-between items-start sm:items-center gap-4">
                      <h2 className="text-xl sm:text-2xl md:text-3xl font-black uppercase tracking-tight text-white -rotate-1">
                        VITAL ORGANS ({categories.filter(c => c.category_type === 'vital_organ').length})
                      </h2>
                      <Link to="/lab-tests/vital-organs">
                        <Button variant="ghost" size="sm" className="rotate-1 border-white text-white hover:bg-white hover:text-black">
                          VIEW ALL →
```

```
                      </Button>
                    </Link>
                  </div>
                </div>
                <div className="p-4 sm:p-6">
                  <div className="grid grid-cols-2 sm:grid-cols-3 md:grid-cols-6 gap-4">
                    {categories
                      .filter(category => category.category_type === 'vital_organ')
                      .map((category, index) => (
                      <motion.div
                        key={category.id}
                        initial={{ opacity: 0, y: 20 }}
                        animate={{ opacity: 1, y: 0 }}
                        transition={{ delay: index * 0.1 }}
                      >
                        <Link
                          to={`/lab-tests/category/${category.slug}`}
                          className="block group"
                        >
                          <div className="bg-white border-4 border-black shadow-[4px_4px_0px_0px_#000] hover:shadow-[6px_6px_0px_0px_#000] hover:-translate-y-1 transition-all duration-200 p-4 text-center">
                            <div className="w-12 h-12 sm:w-16 sm:h-16 mb-3 mx-auto border-4 border-black bg-[#C4B5FD] flex items-center justify-center">
                              {category.icon_url ? (
                                <img src={category.icon_url} alt={category.name} className="w-full h-full object-cover" />
                              ) : (
                                <span className="text-lg sm:text-xl font-black">❤️</span>
                              )}
                            </div>
                            <p className="text-xs sm:text-sm font-black uppercase tracking-wide leading-tight">
                              {category.name}
                            </p>
                          </div>
                        </Link>
                      </motion.div>
                    ))}
                  </div>
                </div>
              </div>
            </div>

            {/* Health Packages */}
            <div className="mb-8 sm:mb-12">
              <div class="text-center mb-6 sm:mb-8">
                <h2 class="text-2xl sm:text-3xl md:text-5xl font-black uppercase tracking-tight mb-4 rotate-1">
                  HEALTH CHECKUP PACKAGES
                </h2>
                <p class="text-sm sm:text-base font-bold uppercase tracking-wide">
                  COMPREHENSIVE HEALTH SCREENING AT UNBEATABLE PRICES
                </p>
              </div>

              <div class="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-3 xl:grid-cols-4 gap-6">
                {packages.map((pkg, index) => (
                  <motion.div
                    key={pkg.id}
                    initial={{ opacity: 0, y: 20 }}
                    animate={{ opacity: 1, y: 0 }}
                    transition={{ delay: index * 0.1 }}
                  >
                    <div class="bg-white border-4 border-black shadow-[6px_6px_0px_0px_#000] hover:shadow-[8px_8px_0px_0px_#000] hover:-translate-y-1 transition-all duration-200 overflow-hidden relative">
                      {pkg.badge && (
                        <span class="absolute -top-2 -right-2 bg-[#FF6B6B] border-2 border-black font-black uppercase tracking-widest text-xs px-2 py-1 shadow-[2px_2px_0px_0px_#000] rotate-12 z-10">
                          {pkg.badge}
                        </span>
                      )}

                      <div class="bg-[#FFD93D] border-b-4 border-black p-4">
                        <h3 class="text-lg sm:text-xl font-black uppercase tracking-tight leading-tight">
                          {pkg.name}
                        </h3>
                        <p class="text-xs sm:text-sm font-bold mt-1">
                          {pkg.tagline}
                        </p>
                      </div>

                      <div class="p-4 sm:p-6">
                        <div class="text-center mb-4">
                          <div class="text-2xl sm:text-3xl font-black text-[#FF6B6B] mb-1">
                            ₹{parseFloat(pkg.final_price).toFixed(0)}
                          </div>
                          {pkg.discount_percent > 0 && (
                            <div class="flex items-center justify-center gap-2">
                              <p class="text-sm font-bold line-through opacity-60">
                                ₹{parseFloat(pkg.price).toFixed(0)}
                              </p>
                              <span class="bg-[#FF6B6B] border-2 border-black font-black uppercase tracking-widest text-xs px-2 py-1 text-white">
                                {pkg.discount_percent}% OFF
                              </span>
                            </div>
                          )}
                          <p class="text-xs font-bold mt-2 uppercase tracking-wide">
                            {pkg.total_tests} TESTS INCLUDED
```

```
                        </p>
                      </div>

                      <div className="space-y-2 mb-4">
                        <div className="flex items-center justify-between text-xs font-bold">
                          <span>🏠 HOME COLLECTION:</span>
                          <span className={pkg.home_collection ? 'text-green-600' : 'text-red-600'}>
                            {pkg.home_collection ? 'YES' : 'NO'}
                          </span>
                        </div>
                        <div className="flex items-center justify-between text-xs font-bold">
                          <span>⏰ REPORT DELIVERY:</span>
                          <span>{pkg.report_delivery_hours}H</span>
                        </div>
                        {pkg.fasting_required && (
                          <div className="flex items-center justify-between text-xs font-bold">
                            <span>🍽️ FASTING:</span>
                            <span className="text-orange-600">REQUIRED</span>
                          </div>
                        )}
                      </div>

                      <div className="flex gap-2">
                        <Button
                          variant="primary"
                          size="sm"
                          className="flex-1 text-xs"
                          onClick={() => handlePackageBooking(pkg)}
                        >
                          BOOK NOW
                        </Button>
                        <Button
                          variant="ghost"
                          size="sm"
                          className="flex-1 text-xs"
                          onClick={() => navigate(`/lab/package/${pkg.slug}`)}
                        >
                          DETAILS
                        </Button>
                      </div>
                    </div>
                  </div>
                </</motion.div>
              ))}
            </div>
          </div>

          {/* How to Book Section */}
          <div className="mb-8 sm:mb-12">
            <div className="bg-black border-4 border-black shadow-[8px_8px_0px_0px_#000] text-white p-6 sm:p-8">
              <h2 className="text-xl sm:text-2xl md:text-3xl font-black text-center mb-6 sm:mb-8 uppercase rotate-1">
                HOW TO BOOK A LAB TEST IN 3 SIMPLE STEPS
              </h2>
              <div className="grid grid-cols-1 md:grid-cols-3 gap-6">
                <div className="text-center">
                  <div className="w-12 h-12 sm:w-16 sm:h-16 bg-[#FFD93D] border-4 border-white mx-auto mb-4 flex items-center justify-center">
                    <span className="text-xl sm:text-2xl font-black text-black">1</span>
                  </div>
                  <h3 className="font-black mb-2 uppercase text-sm sm:text-base">CHOOSE TEST</h3>
                  <p className="text-xs sm:text-sm font-bold opacity-90 uppercase">
                    SELECT FROM OUR WIDE RANGE OF TESTS
                  </p>
                </div>
                <div className="text-center">
                  <div className="w-12 h-12 sm:w-16 sm:h-16 bg-[#FF6B6B] border-4 border-white mx-auto mb-4 flex items-center justify-center">
                    <span className="text-xl sm:text-2xl font-black text-white">2</span>
                  </div>
                  <h3 className="font-black mb-2 uppercase text-sm sm:text-base">BOOK SLOT</h3>
                  <p className="text-xs sm:text-sm font-bold opacity-90 uppercase">
                    PICK YOUR CONVENIENT TIME
                  </p>
                </div>
                <div className="text-center">
                  <div className="w-12 h-12 sm:w-16 sm:h-16 bg-[#C4B5FD] border-4 border-white mx-auto mb-4 flex items-center justify-center">
                    <span className="text-xl sm:text-2xl font-black text-black">3</span>
                  </div>
                  <h3 className="font-black mb-2 uppercase text-sm sm:text-base">GET RESULTS</h3>
                  <p className="text-xs sm:text-sm font-bold opacity-90 uppercase">
                    RECEIVE REPORTS ONLINE
                  </p>
                </div>
              </div>
            </div>
          </div>
        </div>

        {/* Booking Form Modal */}
        {showBookingForm && (
          <div className="fixed inset-0 bg-black/60 flex items-center justify-center p-4 z-50">
            <motion.div
              initial={{ opacity: 0, scale: 0.9 }}
              animate={{ opacity: 1, scale: 1 }}
              className="bg-white border-4 border-black shadow-[12px_12px_0px_0px_#000] w-full max-w-2xl max-h-[90vh] overflow-y-auto"
            >
```

```
                <div className="bg-[#FFD93D] border-b-4 border-black p-4 sm:p-6 flex justify-between items-center">
                  <h3 className="text-lg sm:text-xl font-black uppercase tracking-tight">
                    BOOK {selectedPackage ? selectedPackage.name : 'LAB TEST'}
                  </h3>
                  <button
                    onClick={() => setShowBookingForm(false)}
                    className="w-8 h-8 bg-[#FF6B6B] border-2 border-black font-black text-white hover:bg-red-600 transition-colors"
                  >
                    ×
                  </button>
                </div>

                <form onSubmit={handleBookingSubmit} className="p-4 sm:p-6 space-y-4">
                  <div className="grid grid-cols-1 sm:grid-cols-2 gap-4">
                    <div>
                      <label className="block text-xs font-black uppercase tracking-widest mb-2">
                        PATIENT NAME *
                      </label>
                      <input
                        type="text"
                        name="patient_name"
                        required
                        value={formData.patient_name}
                        onChange={handleInputChange}
                        className="w-full border-4 border-black bg-white font-bold text-sm sm:text-base h-12 px-4 placeholder:text-black/40 placeholder:
font-bold focus-visible:bg-[#FFD93D] focus-visible:shadow-[4px_4px_0px_0px_#000] focus-visible:outline-none focus-visible:ring-0 transition-all duration-100"
                        placeholder="ENTER PATIENT NAME"
                      />
                    </div>

                    <div>
                      <label className="block text-xs font-black uppercase tracking-widest mb-2">
                        AGE *
                      </label>
                      <input
                        type="number"
                        name="patient_age"
                        required
                        min="1"
                        max="120"
                        value={formData.patient_age}
                        onChange={handleInputChange}
                        className="w-full border-4 border-black bg-white font-bold text-sm sm:text-base h-12 px-4 placeholder:text-black/40 placeholder:
font-bold focus-visible:bg-[#FFD93D] focus-visible:shadow-[4px_4px_0px_0px_#000] focus-visible:outline-none focus-visible:ring-0 transition-all duration-100"
                        placeholder="AGE"
                      />
                    </div>
                  </div>

                  <div>
                    <label className="block text-xs font-black uppercase tracking-widest mb-2">
                      GENDER *
                    </label>
                    <div className="grid grid-cols-2 gap-2">
                      <label className={`border-4 border-black p-3 cursor-pointer font-bold text-center transition-all ${
                        formData.patient_gender === 'male' ? 'bg-[#FFD93D]' : 'bg-white hover:bg-gray-50'
                      }`}>
                        <input
                          type="radio"
                          name="patient_gender"
                          value="male"
                          checked={formData.patient_gender === 'male'}
                          onChange={handleInputChange}
                          className="sr-only"
                        />
                        MALE
                      </label>
                      <label className={`border-4 border-black p-3 cursor-pointer font-bold text-center transition-all ${
                        formData.patient_gender === 'female' ? 'bg-[#FFD93D]' : 'bg-white hover:bg-gray-50'
                      }`}>
                        <input
                          type="radio"
                          name="patient_gender"
                          value="female"
                          checked={formData.patient_gender === 'female'}
                          onChange={handleInputChange}
                          className="sr-only"
                        />
                        FEMALE
                      </label>
                    </div>
                  </div>

                  <div>
                    <label className="block text-xs font-black uppercase tracking-widest mb-2">
                      PHONE *
                    </label>
                    <input
                      type="tel"
                      name="phone"
                      required
                      value={formData.phone}
                      onChange={handleInputChange}
```

```
                        className="w-full border-4 border-black bg-white font-bold text-sm sm:text-base h-12 px-4 placeholder:text-black/40 placeholder:
font-bold focus-visible:bg-[#FFD93D] focus-visible:shadow-[4px_4px_0px_0px_#000] focus-visible:outline-none focus-visible:ring-0 transition-all duration-100"
                        placeholder="PHONE NUMBER"
                      />
                    </div>

                    <div>
                      <label className="block text-xs font-black uppercase tracking-widest mb-2">
                        EMAIL *
                      </label>
                      <input
                        type="email"
                        name="email"
                        required
                        value={formData.email}
                        onChange={handleInputChange}
                        className="w-full border-4 border-black bg-white font-bold text-sm sm:text-base h-12 px-4 placeholder:text-black/40 placeholder:
font-bold focus-visible:bg-[#FFD93D] focus-visible:shadow-[4px_4px_0px_0px_#000] focus-visible:outline-none focus-visible:ring-0 transition-all duration-100"
                        placeholder="EMAIL ADDRESS"
                      />
                    </div>
                  </div>

                  <div>
                    <label className="block text-xs font-black uppercase tracking-widest mb-2">
                      ADDRESS *
                    </label>
                    <input
                      type="text"
                      name="address_line"
                      required
                      value={formData.address_line}
                      onChange={handleInputChange}
                      className="w-full border-4 border-black bg-white font-bold text-sm sm:text-base h-12 px-4 placeholder:text-black/40 placeholder:fo
nt-bold focus-visible:bg-[#FFD93D] focus-visible:shadow-[4px_4px_0px_0px_#000] focus-visible:outline-none focus-visible:ring-0 transition-all duration-100"
                      placeholder="FULL ADDRESS"
                    />
                  </div>

                  <div className="grid grid-cols-1 sm:grid-cols-2 gap-4">
                    <div>
                      <label className="block text-xs font-black uppercase tracking-widest mb-2">
                        CITY *
                      </label>
                      <input
                        type="text"
                        name="city"
                        required
                        value={formData.city}
                        onChange={handleInputChange}
                        className="w-full border-4 border-black bg-white font-bold text-sm sm:text-base h-12 px-4 placeholder:text-black/40 placeholder:
font-bold focus-visible:bg-[#FFD93D] focus-visible:shadow-[4px_4px_0px_0px_#000] focus-visible:outline-none focus-visible:ring-0 transition-all duration-100"
                        placeholder="CITY"
                      />
                    </div>

                    <div>
                      <label className="block text-xs font-black uppercase tracking-widest mb-2">
                        PINCODE *
                      </label>
                      <input
                        type="text"
                        name="pincode"
                        required
                        pattern="[0-9]{6}"
                        value={formData.pincode}
                        onChange={handleInputChange}
                        className="w-full border-4 border-black bg-white font-bold text-sm sm:text-base h-12 px-4 placeholder:text-black/40 placeholder:
font-bold focus-visible:bg-[#FFD93D] focus-visible:shadow-[4px_4px_0px_0px_#000] focus-visible:outline-none focus-visible:ring-0 transition-all duration-100"
                        placeholder="PINCODE"
                      />
                    </div>
                  </div>

                  <div className="grid grid-cols-1 sm:grid-cols-2 gap-4">
                    <div>
                      <label className="block text-xs font-black uppercase tracking-widest mb-2">
                        PREFERRED DATE *
                      </label>
                      <input
                        type="date"
                        name="preferred_date"
                        required
                        min={new Date().toISOString().split('T')[0]}
                        value={formData.preferred_date}
                        onChange={handleInputChange}
                        className="w-full border-4 border-black bg-white font-bold text-sm sm:text-base h-12 px-4 focus-visible:bg-[#FFD93D] focus-visib
le:shadow-[4px_4px_0px_0px_#000] focus-visible:outline-none focus-visible:ring-0 transition-all duration-100"
                      />
                    </div>

                    <div>
                      <label className="block text-xs font-black uppercase tracking-widest mb-2">
                        TIME SLOT *
```

```
                      </label>
                      <select
                        name="preferred_slot"
                        required
                        value={formData.preferred_slot}
                        onChange={handleInputChange}
                        className="w-full border-4 border-black bg-white font-bold text-sm sm:text-base h-12 px-4 focus-visible:bg-[#FFD93D] focus-visib
le:shadow-[4px_4px_0px_0px_#000] focus-visible:outline-none focus-visible:ring-0 transition-all duration-100"
                      >
                        {timeSlots.map(slot => (
                          <option key={slot.value} value={slot.value}>
                            {slot.label}
                          </option>
                        ))}
                      </select>
                    </div>
                  </div>

                  {selectedPackage && (
                    <div className="bg-[#C4B5FD] border-4 border-black p-4">
                      <h4 className="font-black uppercase text-sm mb-2">PACKAGE DETAILS:</h4>
                      <p className="font-bold text-sm">{selectedPackage.name}</p>
                      <p className="font-bold text-lg text-[#FF6B6B]">₹{selectedPackage.final_price}</p>
                    </div>
                  )}

                  <div className="flex gap-4 pt-4">
                    <Button
                      type="button"
                      variant="ghost"
                      className="flex-1"
                      onClick={() => setShowBookingForm(false)}
                    >
                      CANCEL
                    </Button>
                    <Button
                      type="submit"
                      variant="primary"
                      className="flex-1"
                    >
                      CONFIRM BOOKING
                    </Button>
                  </div>
                </form>
              </motion.div>
            </div>
          )}
        </motion.div>
      </>
    );
  }
```