

```
# a.Use .describe(), .info(), .value_counts()
import pandas as pd
df = pd.read_csv(r"C:\Users\Admin\Downloads\train.csv")
df
```

	PassengerId	Survived	Pclass	\
0	1	0	3	
1	2	1	1	
2	3	1	3	
3	4	1	1	
4	5	0	3	
..	
886	887	0	2	
887	888	1	1	
888	889	0	3	
889	890	1	1	
890	891	0	3	

		Name	Sex	Age
SibSp	\			
0		Braund, Mr. Owen Harris	male	22.0
1				
1		Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0
1				
2		Heikkinen, Miss. Laina	female	26.0
0				
3		Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0
1				
4		Allen, Mr. William Henry	male	35.0
0				
..	
...				
886		Montvila, Rev. Juozas	male	27.0
0				
887		Graham, Miss. Margaret Edith	female	19.0
0				
888		Johnston, Miss. Catherine Helen "Carrie"	female	NaN
1				
889		Behr, Mr. Karl Howell	male	26.0
0				
890		Dooley, Mr. Patrick	male	32.0
0				

	Parch		Ticket	Fare	Cabin	Embarked
0	0		A/5 21171	7.2500	NaN	S
1	0		PC 17599	71.2833	C85	C
2	0	STON/O2.	3101282	7.9250	NaN	S
3	0		113803	53.1000	C123	S
4	0		373450	8.0500	NaN	S
..

886	0	211536	13.0000	NaN	S
887	0	112053	30.0000	B42	S
888	2	W./C. 6607	23.4500	NaN	S
889	0	111369	30.0000	C148	C
890	0	370376	7.7500	NaN	Q

[891 rows x 12 columns]

df.head()

	PassengerId	Survived	Pclass	\
0	1	0	3	
1	2	1	1	
2	3	1	3	
3	4	1	1	
4	5	0	3	

		Name	Sex	Age
SibSp	\			
0		Braund, Mr. Owen Harris	male	22.0
1				
1	Cummings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	
1				
2		Heikkinen, Miss. Laina	female	26.0
0				
3		Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0
1				
4		Allen, Mr. William Henry	male	35.0
0				

	Parch		Ticket	Fare	Cabin	Embarked
0	0		A/5 21171	7.2500	NaN	S
1	0		PC 17599	71.2833	C85	C
2	0	STON/O2.	3101282	7.9250	NaN	S
3	0		113803	53.1000	C123	S
4	0		373450	8.0500	NaN	S

df.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 891 entries, 0 to 890
Data columns (total 12 columns):
#   Column      Non-Null Count  Dtype
---  -
0   PassengerId  891 non-null    int64
1   Survived     891 non-null    int64
2   Pclass       891 non-null    int64
3   Name         891 non-null    object
4   Sex          891 non-null    object
5   Age         714 non-null    float64
```

```

6   SibSp      891 non-null   int64
7   Parch      891 non-null   int64
8   Ticket     891 non-null   object
9   Fare       891 non-null   float64
10  Cabin      204 non-null   object
11  Embarked   889 non-null   object
dtypes: float64(2), int64(5), object(5)
memory usage: 83.7+ KB

```

```
df.describe()
```

	PassengerId	Survived	Pclass	Age	SibSp \
count	891.000000	891.000000	891.000000	714.000000	891.000000
mean	446.000000	0.383838	2.308642	29.699118	0.523008
std	257.353842	0.486592	0.836071	14.526497	1.102743
min	1.000000	0.000000	1.000000	0.420000	0.000000
25%	223.500000	0.000000	2.000000	20.125000	0.000000
50%	446.000000	0.000000	3.000000	28.000000	0.000000
75%	668.500000	1.000000	3.000000	38.000000	1.000000
max	891.000000	1.000000	3.000000	80.000000	8.000000

	Parch	Fare
count	891.000000	891.000000
mean	0.381594	32.204208
std	0.806057	49.693429
min	0.000000	0.000000
25%	0.000000	7.910400
50%	0.000000	14.454200
75%	0.000000	31.000000
max	6.000000	512.329200

```
df['Survived'].value_counts()
```

```

Survived
0      549
1      342
Name: count, dtype: int64

```

```
df['Pclass'].value_counts()
```

```

Pclass
3      491
1      216
2      184
Name: count, dtype: int64

```

```
df['Sex'].value_counts()
```

```

Sex
male      577

```

```

female      314
Name: count, dtype: int64

df['Embarked'].value_counts

<bound method IndexOpsMixin.value_counts of 0      S
1         C
2         S
3         S
4         S
..
886        S
887        S
888        S
889        C
890        Q
Name: Embarked, Length: 891, dtype: object>


df.isnull().sum()
PassengerId      0
Survived          0
Pclass           0
Name             0
Sex              0
Age            177
SibSp           0
Parch           0
Ticket           0
Fare            0
Cabin          687
Embarked         2
dtype: int64

import seaborn as sns


import matplotlib.pyplot as plt

#b.Use sns.pairplot(), sns.heatmap() for visualization
sns.pairplot(df[['Age', 'Fare', 'Pclass', 'Survived']],
hue='Survived')
plt.show()


```




```
plt.figure(figsize=(8,5))
sns.heatmap(df[['Age', 'Fare', 'Pclass', 'SibSp', 'Parch',
'Survived']].corr(), annot=True)
plt.title("Correlation Heatmap")
plt.show()
```




```
#c. Identify Relationships & Trends
sns.countplot(x='Sex', hue='Survived', data=df)
plt.title("Survival Rate by Gender")
plt.show()
```




```
sns.countplot(x='Pclass', hue='Survived', data=df)  
plt.title("Survival Rate by Passenger Class")  
plt.show()
```




```
sns.countplot(x='Embarked', hue='Survived', data=df)
plt.title("Survival Rate by Embarked Location")
plt.show()
```

```
#d. Plot Histograms, Boxplots & Scatterplots
# Histogram -- Age
sns.histplot(df['Age'], kde=True)
plt.title("Age Distribution")
plt.show()
```



```
# Box plot -- fare vs survival
sns.boxplot(x='Survived', y='Fare', data=df)
plt.title("Fare vs Survival")
plt.show()
```



```
# scatter plot -- Age vs fare
sns.scatterplot(x='Age', y='Fare', hue='Survived', data=df)
plt.title("Age vs Fare (by survival)")
plt.show()
```

