

An overview of the WOPR API for developers

Doug Leasure and Maksym Bondarenko

WorldPop Research Group
University of Southampton

22 February 2020

Introduction

The WOPR REST API provides a way for web servers and other computers to communicate with the WorldPop Open Population Repository to submit requests for data and to retrieve results. This can be used to:

1. Automate the process of downloading the latest WorldPop population data sets and documentation,
2. Submit spatial queries (points or polygons) to the WorldPop server to retrieve population estimates within user-defined geographic areas,
3. Get estimates of population sizes for specific demographic groups (i.e. age and sex), and
4. Get probabilistic estimates of uncertainty for all population estimates.

This document provides instructions how to utilize each of the following API endpoints:

Data Catalogue

<https://wopr.worldpop.org/api/v1.0/data>

Spatial Queries

<https://api.worldpop.org/v1/wopr/pointtotal>

<https://api.worldpop.org/v1/wopr/pointagesex>

<https://api.worldpop.org/v1/wopr/polytotal>

<https://api.worldpop.org/v1/wopr/polyagesex>

Retrieve Results

<https://api.worldpop.org/v1/tasks>

Data Download

API Endpoint:

<https://wopr.worldpop.org/api/v1.0/data>

This API endpoint will return the WOPR data catalogue in JSON format. The JSON is organized with the following hierarchical levels:

country A three letter code to identify the country that the dataset represents. WOPR uses ISO country codes to abbreviate country names. For example 'NGA' refers to Nigeria.

category The category describes the types of data available for a given country. For example, 'Population' refers to population estimates.

version The version of a data release for a given country and data type. For example, 'v1.2'.

file_type The `file_type` describes the category of individual files. For example, `'gridded'` refers to gridded population estimates, and `'sql'` refers to the SQL database used on the WOPR backend to support the spatial queries described below.

Each file has the following attributes:

title is a short descriptive name of the data set.

desc is a longer description of the data set.

citation is the recommended citation.

doi is the official published DOI (digital object identifier) that can be used for citations. The DOI refers to a stable and permanent version of the file that is stored at `ftp://ftp.worldpop.org/repo/wopr`. These files may differ slightly from the files stored at `wopr.worldpop.org` if minor changes were made since the time of the DOI publication.

file is the file name.

file_size is the size of the file on the hard disk (MB).

url is the URL for downloading the file.

date is the date the file was released.


hash is the MD5 hash that can be used to compare files to ensure their contents are identical.

git is the URL for the GitHub repository containing code that is relevant to the data set (e.g. the code used to create the data).

Spatial Queries

Spatial queries can be submitted to WOPR as points or polygon locations in a GeoJSON format using several different WOPR API endpoints that will be described below. Spatial requests are supported for any data releases in the category `'Population'` that contain an SQL database `file_type='sql'` (see Data Download above).

Before describing the API endpoints, a note about the format of the results. WOPR will return population estimates for the queried location and demographic group as a JSON that contains a vector of numbers representing the population estimate for a given location: `122,88,108,119,98,92,98,101,121,103,127,122,103,118,...`. A histogram of these numbers will graphically illustrate the population estimate and its uncertainty as a probability distribution:



The most likely population estimate is the mean of this distribution (e.g. 100 people, in this case).

```
summary(x)
```

```
##      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
##      63.0   93.0   100.0   100.2  107.0   142.0
```

The 95% confidence intervals for the population estimate can be calculated as the 0.025 and 0.975 quantiles:

```
quantile(x, probs=c(0.025, 0.975))
```

```
##  2.5% 97.5%
##    81   120
```

Point-based total population

API Endpoint:

<https://api.worldpop.org/v1/wopr/pointtotal>

This endpoint accepts coordinates for a point location and returns the total population. Requests to this API endpoint require the following arguments:

iso3 The ISO country code of the country to query (e.g. **NGA**).

ver The version of the population estimates to query (e.g. **1.2**).

lat The latitude of the location to query using the WGS84 coordinate system (e.g. **11.53579**).

lon The longitude of the location to query using the WGS84 coordinate system (e.g. 4.850808).

An example of an API request:

<https://api.worldpop.org/v1/wopr/pointtotal?iso3=NGA&ver=1.2&lat=11.53579&lon=4.850808>

This request returns a task identification number **2a6a2883-3fd7-5fbf-832c-86e5f35e7c5e** that can be used to query the result:

<https://api.worldpop.org/v1/tasks/2a6a2883-3fd7-5fbf-832c-86e5f35e7c5e>

Results for any task id from WOPR can be retrieved in this way, regardless of the endpoint used to submit the request.

Point-based population for specific age-sex group

API Endpoint:

<https://api.worldpop.org/v1/wopr/pointagesex>

This endpoint accepts coordinates for a point location and returns the population size for a specified age-sex group. Requests to this API endpoint require the following arguments:

iso3 The ISO country code of the country to query (e.g. **NGA**).

ver The version of the population estimates to query (e.g. **1.2**).

lat The latitude of the location to query using the WGS84 coordinate system (e.g. **11.53579**).

lon The longitude of the location to query using the WGS84 coordinate system (e.g. **4.850808**).

agesex The age-sex groups for which a population estimate is required. This argument accepts a comma-separated vector of age-sex group identifiers. **f0** represents females less than one year old; **f1** represents females from age one to four; **f5** represents females from five to nine; **f10** represents females from 10 to 14; and so on. **m0** represents males less than one, etc. The full list of acceptable values: **m0, m1, m5, m10, m15, m20, m25, m30, m35, m40, m45, m50, m55, m60, m65, m70, m75, m80, f0, f1, f5, f10, f15, f20, f25, f30, f35, f40, f45, f50, f55, f60, f65, f70, f75, f80**.

An example of an API request:

<https://api.worldpop.org/v1/wopr/pointagesex?iso3=NGA&ver=1.2&lat=11.53579&lon=4.850808&agesex=m0,m1,f0,f1>

This request will return the population of children under five at the specified point location. The task id was **38f18d6e-d7d8-5886-828a-45c29da7f766**. This can be used to retrieve the result:

<https://api.worldpop.org/v1/tasks/38f18d6e-d7d8-5886-828a-45c29da7f766>

Polygon-based total population

API Endpoint:

<https://api.worldpop.org/v1/wopr/polytotal>

This endpoint accepts a GeoJSON representing a polygon location and returns the total population. Requests to this API endpoint require the following arguments:

iso3 The ISO country code of the country to query (e.g. **NGA**).

ver The version of the population estimates to query (e.g. **1.2**).

geojson A GeoJSON representing the polygon location to query (see example below).

```
{
  "type": "FeatureCollection",
  "features": [
    {
      "type": "Feature",
      "properties": {},
      "geometry": {
        "type": "Polygon",
        "coordinates": [
          [
            [
              3.2080078125,
              7.0027636819827475
            ],
            [
              3.7902832031250004,
              7.0027636819827475
            ],
            [
              3.7902832031250004,
              7.612997502224103
            ],
            [
              3.2080078125,
              7.612997502224103
            ],
            [
              3.2080078125,
              7.0027636819827475
            ]
          ]
        ]
      }
    }
  ]
}
```

An example of an API request:

[https://api.worldpop.org/v1/wopr/polytotal?iso3=NGA&ver=1.2&geojson={\"type\": \"FeatureCollection\", \"features\": \[{\"type\": \"Feature\", \"properties\": {}, \"geometry\": {\"type\": \"Polygon\", \"coordinates\": \[\[\[\[3.2080078125, 7.0027636819827475\], \[3.7902832031250004, 7.0027636819827475\], \[3.7902832031250004, 7.612997502224103\], \[3.2080078125, 7.612997502224103\], \[3.2080078125, 7.0027636819827475\]\]\]\]}}\]}](https://api.worldpop.org/v1/wopr/polytotal?iso3=NGA&ver=1.2&geojson={\)

This request returns a task identification number **06b50b9f-d94d-50b9-916a-1d34b767d00a** that can be used to query the result:

<https://api.worldpop.org/v1/tasks/06b50b9f-d94d-50b9-916a-1d34b767d00a>

Polygon-based population for specific age-sex group

API Endpoint:

<https://api.worldpop.org/v1/wopr/polyagesex>

This endpoint accepts a GeoJSON representing a polygon location and returns the population size within a specified age-sex group. Requests to this API endpoint require the following arguments:

iso3 The ISO country code of the country to query (e.g. **NGA**).

ver The version of the population estimates to query (e.g. **1.2**).

geojson A GeoJSON representing the polygon location to query (see example above).

agesex The age-sex groups for which a population estimate is required. This argument accepts a comma-separated vector of age-sex group identifiers. The full list of acceptable values: **m0, m1, m5, m10, m15, m20, m25, m30, m35, m40, m45, m50, m55, m60, m65, m70, m75, m80, f0, f1, f5, f10, f15, f20, f25, f30, f35, f40, f45, f50, f55, f60, f65, f70, f75, f80**.

An example of an API request:

[https://api.worldpop.org/v1/wopr/polyagesex?iso3=NGA&ver=1.2&agesex=m0,m1,f0,f1&geojson={“type”:“FeatureCollection](https://api.worldpop.org/v1/wopr/polyagesex?iso3=NGA&ver=1.2&agesex=m0,m1,f0,f1&geojson={\)

This request returns a task identification number **b6418707-d795-56ef-9d06-c469e3697782** that can be used to query the result:

<https://api.worldpop.org/v1/tasks/b6418707-d795-56ef-9d06-c469e3697782>