

Full Stack Development Summary

TODAY COVERED TOPICS

- ✓ PACKAGES.
- ✓ TYPES OF PACKAGES.
- ✓ STATIC IMPORT.
- ✓ ENCAPSULATION.
- ✓ GETTERS.
- ✓ SETTERS.

PACKAGES

- A Package is a collection of related classes, interfaces, and sub packages.
- It is used to organize the code, avoid naming conflicts and provide access protection.

BUILT IN PACKAGES

- They contain ready made classes and interfaces.
- These packages are provided by java.

USER DEFINED PACKAGES

- These are created by the programmer.
- They help organize related classes.

STATIC IMPORT

- Static import allows you to use static methods and variables without writing the class name.
- Uses the import static keyword.

SYNTAX

Import static

Package name.classname,*;

ENCAPSULATION

- Encapsulation is the process of wrapping data and methods into a single unit.
- Increases the flexibility and reusability.
- Makes the code easy to maintain.

GETTER

- A Getter is a method used to set the value of a private variable.

- It returns the value of the variable.

SYNTAX

```
Public dataType getVariableName() {  
Return variableName;  
}
```

SETTER

- A setter is a method used to set the value of a private variable.
- It does not return a value.

SYNTAX

```
Public void setVariableName(DataType value) {  
variableName=value;
```