Special Topics in Computational Fluid Dynamics (CFD)

Introduction – DAY 1

Kumaresh

Contents

- > Introduction
- > CFD fundamentals
- > Mathematical operations
- Basic Governing Equations
- > Installations
- \triangleright Exercise -1

Introduction – About this course


- Course duration per session: 3hrs
- Requirements:
 - Virtual box and installing OS & softwares.
 - Interest to learn CFD using OpenFOAM & Octave
 - Interest to ask questions in discussion forum (GitHub)
 - Work as a team
- Evaluation:
 - Exercises (OpenFOAM and ANSYS Fluent to some extent) (40%)
 - Project Reports (30%)
 - 1 seminar (10%)
 - Attendance (20%)

References

- Ferziger and Peric; Computational Methods for Fluid Dynamics.
- S. Patankar; Numerical Heat Transfer and Fluid Flow.
- Tannehill et al.; Computational Fluid Mechanics and Heat Transfer.
- Versteeg, Malalasekera; An Introduction to Computational Fluid Dynamics.
- C.J. Greenshields, H.G. Weller; Notes on CFD: General Principles (OpenFOAM)


CFD fundamentals – Fluid

• A substance whose molecular structure offers no resistance to external forces - Ferziger, Peric




CFD fundamentals – Fluid

• A substance whose molecular structure offers no resistance to external forces - Ferziger, Peric




CFD fundamentals – Fluid

• A substance whose molecular structure offers no resistance to external forces - Ferziger, Peric




$$\boldsymbol{u}_p = \frac{\sum_{i=1}^{N_{mol}} \boldsymbol{u}_{mol}}{N_{mol}}$$



Fluid velocity: u(x, t)

CFD fundamentals – Continuum

Knudsen number:
$$Kn = \frac{\lambda}{L} = \frac{molecular\ mean\ free\ path\ length}{physical\ length}$$



In physics, mean free path is the average distance over which a moving particle


Kn < 0.01	Continuum flow
0.01 < Kn < 0.1	Slip flow
0.1 < Kn < 10	Transitional flow
Kn > 10	Free molecular flow

Mathematical operations

 $\frac{\partial}{\partial t}(\rho u) + \nabla \bullet (\rho u u) = \nabla \bullet (\mu \nabla u) - \nabla p + S_u$

Gradient:

$$\nabla \rho = \left(\frac{\partial}{\partial x} \boldsymbol{e}_x + \frac{\partial}{\partial y} \boldsymbol{e}_y + \frac{\partial}{\partial z} \boldsymbol{e}_z\right) \rho = \left(\frac{\partial \rho}{\partial x} \boldsymbol{e}_x + \frac{\partial \rho}{\partial y} \boldsymbol{e}_y + \frac{\partial \rho}{\partial z} \boldsymbol{e}_z\right)$$







$$\frac{\partial}{\partial t} (\rho u) + \nabla \bullet (\rho u u) = \nabla \bullet (\mu \nabla u) - \nabla p + S_u$$


Mathematical operations

Gradient:

$$\nabla \rho = \left(\frac{\partial}{\partial x} \boldsymbol{e}_x + \frac{\partial}{\partial y} \boldsymbol{e}_y + \frac{\partial}{\partial z} \boldsymbol{e}_z\right) \rho = \left(\frac{\partial \rho}{\partial x} \boldsymbol{e}_x + \frac{\partial \rho}{\partial y} \boldsymbol{e}_y + \frac{\partial \rho}{\partial z} \boldsymbol{e}_z\right)$$

$$\nabla \boldsymbol{u} = \begin{bmatrix} \frac{\partial u}{\partial x} & \frac{\partial v}{\partial x} & \frac{\partial w}{\partial x} \\ \frac{\partial u}{\partial y} & \frac{\partial v}{\partial y} & \frac{\partial w}{\partial y} \\ \frac{\partial u}{\partial z} & \frac{\partial v}{\partial z} & \frac{\partial w}{\partial z} \end{bmatrix}$$

$$\frac{\partial \rho}{\partial x} = \frac{d\rho}{dx} (in \ 1D)$$



$$\frac{\partial}{\partial t} (\rho u) + \nabla \bullet (\rho u u) = \nabla \bullet (\mu \nabla u) - \nabla p + S_u$$

Mathematical operations

Divergence:

- In vector calculus, divergence is a vector operator that operates on a vector field, producing a scalar field giving the quantity of the vector field's source at each point.
- More technically, the divergence represents the volume density of the outward flux of a vector field from an infinitesimal volume around a given point.
- As an example, consider air as it is heated or cooled. The velocity of the air at each point defines a vector field. While air is heated in a region, it expands in all directions, and thus the velocity field points outward from that region. The divergence of the velocity field in that region would thus have a positive value. While the air is cooled and thus contracting, the divergence of the velocity has a negative value.

$$\nabla \cdot \boldsymbol{u} = \left(\frac{\partial}{\partial x}\boldsymbol{e}_x + \frac{\partial}{\partial y}\boldsymbol{e}_y + \frac{\partial}{\partial z}\boldsymbol{e}_z\right) \left(u\boldsymbol{e}_x + v\boldsymbol{e}_y + w\boldsymbol{e}_z\right) = \left(\frac{\partial u}{\partial x} + \frac{\partial v}{\partial y} + \frac{\partial w}{\partial z}\right)$$

Governing Equations

• The general equation can be written in the form as:

$$\frac{\partial}{\partial t} (\rho \phi) + \nabla \bullet (\rho u \phi) = \nabla \bullet (\Gamma \nabla \phi) + S$$

$$\left| \frac{\partial}{\partial t} (\rho \phi) + \frac{\partial}{\partial x_j} (\rho u_j \phi) = \frac{\partial}{\partial x_j} \left(\Gamma \frac{\partial \phi}{\partial x_j} \right) + S \right|$$

$$\frac{\partial}{\partial t} \iiint \rho \phi dV + \iint \rho \phi (u.dA) = \iint \Gamma \nabla \phi. dA + \iiint S dV$$

1 — Unsteady/Transient term

3 → Diffusion term

2 Advection/Convection term

4 → Source term

Governing Equations

$$\frac{\partial}{\partial t} (\rho \phi) + \nabla \cdot (\rho u \phi) = \nabla \cdot (\Gamma \nabla \phi) + S$$

Continuity equation:
$$\phi = 1, S = 0 \implies \left| \frac{\partial}{\partial t} (\rho) + \nabla \cdot (\rho u) = 0 \right|$$

Momentum equation:
$$\phi = u, \Gamma = \mu, S = S_u$$
 $\Rightarrow \left[\frac{\partial}{\partial t} (\rho u) + \nabla \cdot (\rho u u) = \nabla \cdot (\mu \nabla u) - \nabla p + S_u \right]$

Energy equation:
$$\phi = h, \Gamma = k / C_p, S = S_h$$
 $\Rightarrow \left| \frac{\partial}{\partial t} (\rho h) + \nabla \cdot (\rho u h) = \nabla \cdot \left(\frac{k}{C_p} \nabla h \right) + S_h \right|$

Species equation:
$$\phi = h, \Gamma = \Gamma_l, S = S_m$$
 $\Rightarrow \left| \frac{\partial}{\partial t} (\rho m_l) + \nabla \cdot (\rho u m_l) = \nabla \cdot (\Gamma_l \nabla m_l) + S_m \right|$


Turbulence equation:
$$\phi = k(\text{or})\varepsilon$$
, $\Gamma = \Gamma_k(\text{or})\Gamma_\varepsilon$, $S = S_k(\text{or})S_\varepsilon$ \Rightarrow $\left|\frac{\partial}{\partial t}(\rho k) + \nabla \cdot (\rho u k)\right| = \nabla \cdot (\Gamma_k \nabla k) + S_k$

Ideal Gas equation:
$$p = \rho RT$$

Finite Difference – Finite Volume


Differential form

$$\frac{\partial \rho}{\partial t} + \nabla \cdot (\rho \boldsymbol{u}) = 0$$



Integral form

$$\frac{\partial}{\partial t} \int_{V} \rho dV + \oint_{S} \rho \boldsymbol{u} \cdot d\boldsymbol{S} = 0$$




Installations

- Preconfiguration packages:
 - https://onedrive.live.com/?redeem=aHR0cHM6Ly8xZHJ2Lm1zL2Yvcy FBcVQyWUVCOTctMVJnUDhNdHNNUHFvT0dzcTRkZGc%5FZT1J b2NYdjA&id=51EDEF7D4060F6A4%2116268&cid=51EDEF7D4060 F6A4



- Virtual Box [to create virtual machines]
- Operating System: Ubuntu 24.04.1 [Install OpenFOAMv2412 & Octave]
- AnyDesk [For remote access]
- Create a github account:
 - https://github.com/Kumaresh0402/SpecialTopicsinComputationalFluidDynamics
 - Discussion forum:
 - https://github.com/Kumaresh0402/SpecialTopicsinComputationalFluidDyna mics/discussions







ANSYS Student version installation



Home > Students & Academic > Students > Ansys Student Software: Ansys Student

Ansys Student - Free Software Download

Ansys Student offers free access to our Ansys Workbench-based bundle. This bundle includes Ansys Mechanical, Ansys CFD, Ansys Discovery, Ansys SPEOS, Ansys Autodyn, Ansys DesignXplorer, and Ansys SpaceClaim. Used by students across the globe, Ansys Student can be leveraged to enhance your skill set with some of our most-used products.

From 2023R1 on, Ansys Discovery is now included in Ansys Student. Ansys Discovery offers free access to our simulation-driven design tool that combines instant physics simulation, proven Ansys high-fidelity simulation and interactive geometry modelling in a single user experience. This is the perfect product for a student just getting started with simulation—it lets students learn about physics without the time investment required to learn how to use a complex simulation tool.

Terms of Use: Free student downloads are for educational use only and may only be used for self-learning, student instruction, student projects, and student demonstrations.


DOWNLOAD ANSYS STUDENT 2024 R1 >

QUICK LINKS

Learning Forum	•
Innovation Courses	•
Learning Resources	•
Student Teams	•


Presentation and Records

https://github.com/Kumaresh0402/SpecialTopicsinComputationalFluidDynamics



Discussions Forum

https://github.com/Kumaresh0402/SpecialTopicsin ComputationalFluidDynamics/discussions




Introduce yourself here please!

https://github.com/Kumaresh0402/ SpecialTopicsinComputationalFlui dDynamics/discussions/1

Welcome to SpecialTopicsinComputationalFluidDynamics Discussions! #1

Edit

Kumaresh0402 announced in Announcements



[Exercise-1] Package installations (ANSYS and OpenFOAM) #2

Kumaresh0402 started this conversation in General

