

Hosting a Basic Website with Docker Desktop

My-website

```
MINGW64~/Users/kumar/OneDrive/Desktop/my-website
kumar@LAPTOP-A03119VB MINGW64 ~/OneDrive/Desktop/my-website (main)
$ touch index.html
kumar@LAPTOP-A03119VB MINGW64 ~/OneDrive/Desktop/my-website (main)
$ touch Dockerfile
kumar@LAPTOP-A03119VB MINGW64 ~/OneDrive/Desktop/my-website (main)
$ |
```


```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.


Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\kumar\OneDrive\Desktop\my-website> docker build -t my-website .
[*] Building 11.4s (8/8) FINISHED
=> [internal] load build definition from Dockerfile
=> => transferring dockerfile: 335B
=> [internal] load metadata for docker.io/library/nginx:alpine
=> [auth] library/nginx:pull token for registry-1.docker.io
=> [internal] load .dockerignore
=> => transferring context: 2B
=> [internal] load build context
=> => transferring context: 526B
=> [1/2] FROM docker.io/library/nginx:alpine@sha256:65645c7bb6a0661892a8b03b89d0743208a18dd2f3f17a54ef4b76fb8e2f
=> resolve docker.io/library/nginx:alpine@sha256:65645c7bb6a0661892a8b03b89d0743208a18dd2f3f17a54ef4b76fb8e2f
=> sha256:65645c7bb6a0661892a8b03b89d0743208a18dd2f3f17a54ef4b76fb8e2f2a10 10.33kB / 10.33kB
=> sha256:62223d644fa264c3a1cc785ee14242ec47a77364226f1c811d2f669f96dc2ac8 2.50kB / 2.50kB
=> sha256:61ca4f733c802afd9e05a32f0de0361b6d713b8b53292dc15fb093229f648674 1.79MB / 1.79MB
=> sha256:6769dc3a703c719c1d2756bdal13659be28ae16cf0da58dd5fd823d6b9a050ea 10.79kB / 10.79kB
=> sha256:b464cfdcf2a6319875aeb27359ec549790ce14d8214fcb16ef915e4530e5ed235 629B / 629B
=> sha256:d7e5078248863957ebb0b5a44a5729963c3462666baa2947d00628cb5f2d5773 955B / 955B
=> extracting sha256:61ca4f733c802afd9e05a32f0de0361b6d713b8b53292dc15fb093229f648674
=> sha256:81bd8ed7ec6789b0cb7f1b47ee731c522f6dba83201ec73cd6bca1350f582948 402B / 402B
=> sha256:197eb75867ef4fccc4724f17b0972ab0489436860a594a9445f8eaff8155053 1.21kB / 1.21kB
=> extracting sha256:b464cfdcf2a6319875aeb27359ec549790ce14d8214fcb16ef915e4530e5ed235
=> extracting sha256:d7e5078248863957ebb0b5a44a5729963c3462666baa2947d00628cb5f2d5773
=> sha256:34a64644b756511a2e217f0508e11d1a572885d66cd6dc9a555a082ad49a3102 1.40kB / 1.40kB
=> extracting sha256:81bd8ed7ec6789b0cb7f1b47ee731c522f6dba83201ec73cd6bca1350f582948
=> extracting sha256:197eb75867ef4fccc4724f17b0972ab0489436860a594a9445f8eaff8155053
=> sha256:39c2ddfd6010082a4a646e7ca44e95aca9bf3eae00f17f7ccc2954004f2a7d 15.52MB / 15.52MB
=> extracting sha256:34a64644b756511a2e217f0508e11d1a572885d66cd6dc9a555a082ad49a3102
=> extracting sha256:39c2ddfd6010082a4a646e7ca44e95aca9bf3eae00f17f7ccc2954004f2a7d
=> [2/2] COPY index.html /usr/share/nginx/html/index.html
=> exporting to image
=> exporting layers
=> writing image sha256:2389fcab2f6cb8776e85935ddfbb73e07355f48bc2d1ea410f5fef76934249e
=> naming to docker.io/library/my-website
View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/bgr94bg0pn5tkwx4gqx22xsle
```

```
Windows PowerShell
> ==> transferring context: 2B 0.0s
> ==> [internal] load build context 0.1s
> ==> transferring context: 526B 0.0s
> ==> [1/2] FROM docker.io/library/nginx:alpine@sha256:65645c7bb6a0661892a8b03b89d0743208a18dd2f3f17a54ef4b76fb8e2f 2.5s
> ==> resolve docker.io/library/nginx:alpine@sha256:65645c7bb6a0661892a8b03b89d0743208a18dd2f3f17a54ef4b76fb8e2f 0.0s
> ==> sha256:65645c7bb6a0661892a8b03b89d0743208a18dd2f3f17a54ef4b76fb8e2f2a10 10.33kB / 10.33kB 0.0s
> ==> sha256:62223d644fa234c3a1cc785ee14242ec47a77364226f1c811d2f669f96dc2ac8 2.50kB / 2.50kB 0.0s
> ==> sha256:61ca4f733c802af9d9e05a32f0de0361b6d713b8b53292dc15fb093229f648674 1.79MB / 1.79MB 0.6s
> ==> sha256:6769dc3a703c719c1d2756bdal13659be28ae16cf0da58dd5fd823d6b9a050ea 10.79kB / 10.79kB 0.0s
> ==> sha256:b464cfdcf2a6319875aeb27359ec549790ce14d8214fcb16ef915e4530e5ed235 629B / 629B 0.0s
> ==> sha256:d7e5070248863957ebb0b5a44a5729963c3462666baa2947d00628cb5f2d5773 955B / 955B 0.9s
> ==> extracting sha256:61ca4f733c802af9d9e05a32f0de0361b6d713b8b53292dc15fb093229f648674 0.1s
> ==> sha256:81bd8ed7ec6789b0cb7f1b47ee731c522f6dba83201ec73cd6bca1350f582948 409B / 402B 1.0s
> ==> sha256:197eb75867ef4fccc4d724f17b0972ab089436860a594a945f8eaff8155053 1.21kB / 1.21kB 0.0s
> ==> extracting sha256:b464cfdcf2a6319875aeb27359ec549790ce14d8214fcb16ef915e4530e5ed235 0.0s
> ==> extracting sha256:d7e5070248863957ebb0b5a44a5729963c3462666baa2947d00628cb5f2d5773 0.0s
> ==> sha256:34a64644b756511a2e217f8508e11d1a572085d66cd6dc9a555a082ad49a3102 1.40kB / 1.40kB 1.3s
> ==> extracting sha256:81bd8ed7ec6789b0cb7f1b47ee731c522f6dba83201ec73cd6bca1350f582948 0.0s
> ==> extracting sha256:197eb75867ef4fccc4d724f17b0972ab089436860a594a945f8eaff8155053 0.0s
> ==> sha256:39c2ddf6010082a4a646e7ca44e95aca9bf3eae00f17f7ccc2954004f2a7d 15.52MB / 15.52MB 7.0s
> ==> extracting sha256:34a64644b756511a2e217f8508e11d1a572085d66cd6dc9a555a082ad49a3102 0.0s
> ==> extracting sha256:39c2ddf6010082a4a646e7ca44e95aca9bf3eae00f17f7ccc2954004f2a7d 0.0s
> ==> [2/2] COPY index.html /usr/share/nginx/html/index.html 0.1s
> ==> exporting to image 0.1s
> ==> exporting layers 0.1s
> ==> writing image sha256:2389fcab2f6cb8776e85935ddfb73e07355f48bc2d1ea410f5fef76932429e 0.0s
> ==> naming to docker.io/library/my-website 0.0s


View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/bgr94bg0pn5tkwx4gqx22xsle
PS C:\Users\kumar\OneDrive\Desktop\my-website> docker run -d -p 8080:80 --name my-website-container my-website
dd64e54eaae47a28cab8b62a3e55af77f211707103373e40a9c6b33a4e587f07
PS C:\Users\kumar\OneDrive\Desktop\my-website> |
```





Hosting a Basic Website with CSS, jQuery, and Bootstrap using Docker Desktop

My-bootstrap-website



Windows PowerShell

Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\kumar\OneDrive\Desktop\my-bootstrap-website> docker build -t my-bootstrap-website .
[+] Building 22.1s (10/10) FINISHED docker:desktop-linux
=> [internal] load build definition from Dockerfile 0.0s
=> => transferring dockerfile: 400B 0.0s
=> [internal] load metadata for docker.io/library/nginx:alpine 21.9s
=> [auth] library/nginx:pull token for registry-1.docker.io 0.0s
=> [internal] load .dockerignore 0.0s
=> => transferring context: 2B 0.0s
=> [1/4] FROM docker.io/library/nginx:alpine@sha256:65645c7bb6a06618 0.0s
=> [internal] load build context 0.0s
=> => transferring context: 98B 0.0s
=> CACHED [2/4] COPY index.html /usr/share/nginx/html/ 0.0s
=> CACHED [3/4] COPY styles.css /usr/share/nginx/html/ 0.0s
=> CACHED [4/4] COPY script.js /usr/share/nginx/html/ 0.0s
=> exporting to image 0.0s
=> => exporting layers 0.0s
=> writing image sha256:6f8e4072c39978aeldf9cf71c17c597ef17a0b811 0.0s
=> naming to docker.io/library/my-bootstrap-website 0.0s

View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/rvcf7frmx1g58p57rblqozpq1
PS C:\Users\kumar\OneDrive\Desktop\my-bootstrap-website> docker run -d -p 8080:80 --name my-bootstrap-website-container my-bootstrap-website
docker: Error response from daemon: Conflict. The container name "/my-bootstrap-website-container" is already in use by container "a9de33e3387e35a8f99ec99852fde7465ad9498e52ae7d1bc0bc8b201722209e". You have to remove (or rename) that container to be able to reuse that name.

Run 'docker run --help' for more information
PS C:\Users\kumar\OneDrive\Desktop\my-bootstrap-website> |

Heat warning
In effect

Search

21:44
24-04-2025

docker desktop PERSONAL

Search

Ctrl+K

🔔

⚙️

⋮

K

—

🗖

×

Ask Gordon BETA

Containers

Images

Volumes

Builds

Docker Hub

Docker Scout

Extensions

Containers [Give feedback](#)

View all your running containers and applications. [Learn more](#)

Container CPU usage 0.00% / 1200% (12 CPUs available)

Container memory usage 23.16MB / 5.52GB [Show charts](#)

☐ Only show running containers

<input type="checkbox"/>	Name	Container ID	Image	Port(s)	CPU (%)	Last started	Actions
<input type="checkbox"/>	client-run-ef91f3f3ae32	2840227df3e4	cdockerfile-client		0%	14 days ago	▶ ⋮ 🗑
<input type="checkbox"/>	server-run-1949a1c0ac04	118473cd4292	cdockerfile-server		0%	14 days ago	▶ ⋮ 🗑
<input type="checkbox"/>	adoring_liskov	0e31875fd62b	hello-world:latest		0%	15 days ago	▶ ⋮ 🗑
<input checked="" type="checkbox"/>	confident_antonelli	0e1b6b4ec746	nginx:stable-alpine3.21-on		0%	24 minutes ago	▶ ⋮ 🗑
<input checked="" type="checkbox"/>	my-website-container	dd64e54aae4	my-website	8080:80	0%	21 minutes ago	▶ ⋮ 🗑
<input type="checkbox"/>	my-bootstrap-website-cont	a9de33e3387e	my-bootstrap-website	8080:80	0%		▶ ⋮ 🗑
<input type="checkbox"/>	vigilant_proskuriakova	ba55ecf332f2	alpine:latest		0%	4 minutes ago	▶ ⋮ 🗑
<input type="checkbox"/>	> python	-	-	-	0%	14 days ago	▶ ⋮ 🗑

Showing 8 items

Engine running


RAM 1.14 GB CPU 0.59% Disk: 2.83 GB used (limit 1006.85 GB)

Terminal v4.40.0

Heat warning
In effect

Search

21:45
24-04-2025



Welcome to My Docker Website!

This website uses Bootstrap, jQuery, and custom CSS, hosted with Nginx and Docker.

[Toggle Message](#)

Hello! This message was toggled using jQuery.

