

Rahasya — Design Document

Sep 21, 2026 · @Kumar

This document defines how Rahasya (रहस्य, "secret") looks, behaves and is built, and is written so a designer or Claude can generate screens directly from it. Requirements live in the PRD; this covers the how.

1. Design principles

Rahasya should feel personal, secure and friendly: a warm, private place for your secrets that stays calm and fast, never flashy.

1. **Secrets stay hidden by default.** Every password, PIN and TOTP secret is masked until the user asks; copying never requires revealing.
2. **Two taps to anything.** Search is always one tap away; copy is on the list row, not buried in detail.
3. **One design, two platforms.** Same components and tokens on Android and web; layout adapts, behaviour does not.
4. **Visible security.** Lock state, last sync and weak-password warnings are always visible but never alarming.
5. **Forgiving.** Deletes go to Trash for 30 days; unsaved edits prompt before leaving.

Brand direction (final): three themes the user can switch between, sharing one layout system and one motion language: **D10 Daylight glass bento** (light, pastel aurora, frosted white glass tiles), **D9 Glass wallet** (dark, indigo aurora, stacked glass cards on home) and **D14 Holographic bento** (black, tiles with shifting holographic edges). Every theme uses the keyhole logomark in its accent gradient and the SP14 splash (section 10). Tone of voice stays warm and reassuring ("Kept safe", "Copied, clears in 30 s"), never jokey or alarming. Recommended default: D10 by day, with an Auto option that switches to the user's chosen dark theme (D9 or D14) at night.

2. Information architecture

The app has four top-level destinations: Vault, Generator, Security and Settings. Groups and labels are filters inside Vault, not separate tabs.

```

flowchart TD
    A[Unlock] --> B[Vault]
    A --> G[Generator]
    A --> S[Security]
    A --> T[Settings]
    B --> B1[Entry detail]
    B --> B2[Add / Edit entry]
    B --> B3[Groups manager]
    B --> B4[Label filter]
    B2 --> G

```

The Generator is reachable both as a tab and as a sheet from inside Add/Edit.

#	Screen	Purpose	Phase
01	Welcome / Register	Create account, set master password, download recovery kit	MVP
02	Unlock	Master password or biometric unlock	MVP
03	Vault list	Search, filter by group/label, copy from row	MVP
04	Entry detail	View fields, show/hide, copy, open URL	MVP
05	Add / Edit entry	Template picker, fields, group, labels, extra secrets	MVP
06	Groups manager	Create, rename, nest, reorder, delete groups	MVP
07	Generator	Generate password or passphrase	MVP
08	Settings	Auto-lock, clipboard timer, theme, export, account	MVP
09	Security dashboard	Weak, reused, old, breached counts and lists	Phase 2
10	Import	Choose source, map fields, preview, confirm	Phase 2
11	Trash	Restore or permanently delete, 30-day retention	MVP
12	Admin login	Hardware-key sign-in for super admins, separate from user login	Phase 2
13	Admin console	Users, account actions, recovery requests, urgent decrypt viewer, audit log	Phase 2

3. Responsive layouts

One component tree renders three layouts, switched by width breakpoints.

Breakpoint	Width	Layout	Navigation
Compact (Android phone, narrow web)	< 640 px	Single pane; detail and edit push as full screens	Floating pill navigation bar (Vault, Generator, Add, Security, Settings) with Add in the centre; menu button opens the group drawer
Medium (tablet, small laptop)	640–1023 px	Two panes: list (360 px) + detail	Left navigation rail, 72 px
Expanded (desktop web)	≥ 1024 px	Three panes: sidebar (240 px, groups + labels) + list (360 px) + detail (fluid, max 720 px)	Sidebar; keyboard shortcuts

Desktop keyboard shortcuts: `/` focus search, `N` new entry, `Ctrl/Cmd+C` copy password of selected entry, `Ctrl/Cmd+Shift+C` copy username, `Ctrl/Cmd+L` lock, arrow keys move through list.

Android specifics: system back closes sheets before screens; edge-to-edge with safe-area insets; `FLAG_SECURE` hides content in the app switcher.

4. Design tokens

Tokens are defined once in `packages/ui/tokens.ts` and consumed by NativeWind on both platforms; dark mode follows the system by default.

Colour

Token	D9 Glass wallet (dark)	D10 Daylight glass (light)	D14 Holographic (dark)	Use
<code>bg</code>	#0B0A1A with drifting aurora #6B4CFF, #14B8A6, #F472B6	#F5F3FA with drifting aurora #B9A6FF, #FFB38A, #8EE3C8	#07070A with a soft #B388FF glow	App background
<code>surface</code>	White glass 20% to 6%, 1 px white 22% border, 20 px blur	White glass 55%, 1 px white 85% border, 20 px blur, lilac shadow	#121217 with a 1.5 px holographic border	Tiles, cards, sheets

Token	D9 Glass wallet (dark)	D10 Daylight glass (light)	D14 Holographic (dark)	Use
text	#F4F2FF	#1E1B2E	#F4F4F6	Primary text
text-muted	#C9C4E8	#6B6780	#9A9AA6	Secondary text, captions
accent	Gradient #6B4CFF to #F472B6	Gradient #8B6CFF to #FF9A6B	Holographic #7CF7FF, #B388FF, #FF8AD8, #FFE08A	Primary buttons, rings, Add button
accent-solid	#C4B5FD	#6B4CFF	#7CF7FF	Icons, links, highlighted text
on-accent	#FFFFFF	#FFFFFF	#07070A	Text and icons on accent
soft	White 14%	White 85%	#1E1E26	Icon buttons, chips, tracks
warning	#FBBF24	#B45309	#FFE08A	Weak, reused, old
danger	#F9A8D4	#BE185D	#FF8AD8	Breached, delete, Critical label
success	#6EE7B7	#15803D	#7CF7FF	Strong, synced, verified

Typography (one geometric sans per theme; DM Mono for revealed secrets and technical labels so 0/O and l/1 are distinguishable; D14 headings use an animated holographic gradient fill)

Style	D9 and D14	D10	Size / line height	Weight
Display	Outfit	Sora	36 / 44	600
Title	Outfit	Sora	28 / 34	600
Body	Outfit	Sora	16 / 24	400
Label	Outfit	Sora	14 / 20	600
Caption	Outfit	Sora	13 / 18	400

Style	D9 and D14	D10	Size / line height	Weight
Secret and technical	DM Mono	DM Mono	18-20 / 26	500, letter-spacing 1-3 px

Spacing, radius, elevation, motion

- Spacing scale (4 px base): 4, 8, 12, 16, 20, 24, 32, 48; screen side padding 20 px.
- Radius: 24 px tiles and cards, 28 px wallet cards and sheets, 32 px drawer outer edge, full (pill) for buttons, search, chips, icon buttons and the floating nav.
- Material: glass surfaces use a 20-24 px backdrop blur with 1.6 saturation; D10 adds a soft lilac shadow; D14 uses holographic borders that shift on a 6 s loop instead of shadows.
- Motion: see section 10 for the splash and the motion language used on every screen.

Light and dark theme

The app ships Light, Dark and System (default); switching is instant and never requires a reload or re-unlock.

Aspect	Decision
Where to switch	Settings → Appearance: 3-option segmented control (System, Light, Dark) with a live preview card. Desktop web also gets a sun/moon icon toggle in the sidebar footer
How it works	Colour tokens above are the only source of colour; components use <code>NativeWind dark:</code> variants, and web exposes tokens as CSS variables under <code>[data-theme]</code>
State	<code>useColorScheme()</code> for the OS value + a small Zustand theme store; System mode listens for OS changes and updates live
Persistence	Stored per device in <code>AsyncStorage</code> (Android) / <code>localStorage</code> (web), not in the vault, because it must apply on the Unlock screen before any key exists
No flash on web	A tiny inline script in the page head (<code>Expo Router +html.tsx</code>) reads the saved choice and sets <code>data-theme</code> before first paint

Aspect	Decision
Android system UI	Status and navigation bar icons flip with the theme (expo-status-bar style auto); splash screen has light and dark variants
Motion	Instant swap, no cross-fade, to avoid flicker on low-end phones
Design deliverable	Every screen and state is designed in both themes; contrast is checked in both ($\geq 4.5:1$ text), and danger/warning colours use their dark-tuned tokens

5. Component specs

Eight shared components carry most of the UI; each is built once and reused on every screen.

Component	Anatomy	States and behaviour
SecretField (show/hide)	Label (caption, muted) · value row on surface-alt , 48 px tall · masked as 12 dots regardless of real length · trailing icon pair, right-aligned: eye (show/hide) then copy, directly beside each other, 44 × 44 px each, 4 px gap	Masked → Revealed (mono font, 20 s countdown ring around eye icon) → auto Masked. Re-auth sheet first if group is protected. Copy works in both states: while Masked it copies the real value without revealing it (dots stay on screen, copy icon turns into a check for 1.5 s), then toast "Copied, clears in 30 s". Long values wrap, never truncate when revealed
EntryRow (list item)	40 px favicon/initial avatar · name (body, 600) · username (caption, muted) · up to 2 label chips + "+N" · trailing copy-password button	Default, hover (web), pressed, selected (primary-soft). Long-press (Android) or right-click (web) opens menu: copy username, copy password, move to group, add label, delete

Component	Anatomy	States and behaviour
GroupTree	Folder icon · name · count badge · chevron for children; indentation 16 px per level, max 3 levels	Expand/collapse, selected, drag to reorder or nest (web), "Move to..." picker (Android). Protected groups show a small lock icon
LabelChip	28 px tall, full radius, colour dot + text, optional ×	Filter chips toggle on/off; in edit mode, × removes. 8 preset label colours derived from the palette
LabelInput	Text field with autocomplete dropdown of existing labels	Enter or comma creates chip; "Create 'xyz'" row when no match
CustomFieldRow	Drag handle · editable label · type dropdown (Text, Hidden, URL, TOTP) · value input · delete	Hidden type renders as SecretField; TOTP type shows live 6-digit code with 30 s ring
GeneratorPanel	Large mono preview with regenerate button · mode toggle (Password / Passphrase) · length slider 8–128 · character toggles · "Use this password" button	Every change regenerates instantly; strength meter under preview. Opens as bottom sheet on Android, popover on desktop
StrengthMeter	4-segment bar + text label + crack-time hint	0–1 danger "Weak", 2 warning "Fair", 3 success "Strong", 4 success "Very strong"; reuse warning line appears below in warning colour

6. Screen specs

Each spec lists content top to bottom for the compact (phone) layout; wider layouts place the same blocks into panes.

02 Unlock. Centered logomark · "Welcome back" + account email · master password field with show/hide · "Unlock" primary button (full width) · fingerprint button (Android, Phase 2) · "Log out" text link. Wrong password shakes field and shows "Incorrect master password"; after 5 attempts, 30 s cooldown with countdown.

03 Vault list (home). Top row: menu button (opens the group drawer) and lock button · greeting in Fraunces ("Good evening, Priya") with item count and sync status · pill search field · toolbar: filter chips (All, Favourites, pinned labels) and a Sort button on the right showing the current order ("A to Z"), which opens a sort sheet (Name A to Z, Name Z to A,

Newest created, Oldest created) · entry cards (avatar, name, username, labels, Copy pill) in that order · floating navigation bar. Groups never appear on this screen; they live only in the group drawer. When a group is selected in the drawer, the greeting is replaced by the group name and a breadcrumb. Desktop: the drawer becomes the left sidebar, with list and detail panes to its right.

03a Group drawer (side navigation). The only place groups appear. Slides in from the left, 316 px wide with a 28 px rounded outer edge, over a dimmed scrim; tapping the scrim or × closes it. On desktop the same content is the always-visible sidebar. Top to bottom: "Your secrets" heading · All items and Favourites with counts · "Groups" heading with + New group · group tree with folder icons, counts and subgroups indented 36 px, ordered by the list page's sort setting · Unsorted, always last · Labels as chips · Manage groups link. The drawer has no sort control of its own. The selected group is highlighted with `primary-soft` and primary text.

04 Entry detail. Header: avatar, name, group breadcrumb ("Work › AWS"), star, edit, more menu · label chips · fields card: Username (copy), Password (SecretField), URL (open + copy) · "More credentials" card listing each extra secret (e.g. "Transaction PIN", "Security answer") as SecretFields · TOTP card with live code · Notes · footer: created, modified, password age.

05 Add / Edit entry. Step 1 (add only): template grid of 5 tiles (Login, Bank, Card, Wi-Fi, Secure Note). Step 2 form: name* · username · password field with "Generate" button opening GeneratorPanel and StrengthMeter beneath · URL(s) with "+ Add URL" · Group picker (defaults to current filter or "Unsorted") · LabelInput · "+ Add field" button (adds CustomFieldRow; hidden type pre-selected for Bank template) · Notes · sticky footer: Cancel, Save. Duplicate warning banner appears above the form when URL + username match.

06 Groups manager. GroupTree with inline rename · "+ New group" and "+ Subgroup" actions · per-group toggle "Require re-auth to reveal" · delete asks where to move contained entries.

07 Generator. Full-screen version of GeneratorPanel plus history of last 10 generated values (masked, copyable, session only).

08 Settings. Sections: Security (auto-lock time, clipboard clear time, biometrics, re-auth rules) · Appearance (System / Light / Dark) · Data (import, export, trash) · Account (email, change master password, 2FA, recovery kit, delete account) · About (version, open-source licences).

12 Admin login. Web only, at /admin, visually distinct: slate header bar with "Admin" badge so it can never be mistaken for the user app · email · "Sign in with security key" primary button · no password-only fallback, no "forgot password" link.

13 Admin console. Sidebar: Users, Recovery requests, Audit log, Settings. **Users** table: email, status, last login, devices, recovery (Off / Opted in), escrow (On / Off) · row actions menu. **User detail:** metadata card · action buttons (Disable, Log out everywhere, Reset 2FA, Wipe vault) each with a confirm dialog that requires a typed reason · "Request recovery" (Option B, shows countdown once filed) · "Urgent decrypt" danger button (Option C). **Decrypt viewer:** full-width red banner "Viewing priya@example.com's vault — this session is logged" · read-only vault list and entry detail reusing SecretField (masked, eye + copy) · "Export encrypted" button · auto-closes after 10 min. **Audit log:** filterable table (admin, action, user, reason, time, IP), newest first, CSV export.

7. States, microcopy and accessibility

Every screen is designed in five states: default, empty, loading, error and locked.

State	Visual	Copy
Empty vault	Illustration of a closed vault, primary button	"Your vault is empty. Add your first password."
Empty search	Muted icon	"No matches for 'xyz'. Try a label or group."
Loading	Skeleton rows (never spinners on lists)	—
Offline	Slate banner under top bar	"Offline. Changes will sync when you're back."
Sync conflict	Warning banner on entry	"This entry changed on another device. Review both versions."
Copied	Toast, bottom, 3 s	"Password copied. Clears in 30 s."
Auto-locked	Unlock screen with note	"Locked after 5 minutes of inactivity."
Delete	Confirm dialog, danger button	"Move 'Netflix' to Trash? You can restore it for 30 days."

Accessibility

- Contrast $\geq 4.5:1$ for text, $\geq 3:1$ for icons and borders, in both themes.
- Touch targets $\geq 44 \times 44$ px; focus ring 2 px `primary` with 2 px offset on web.

- Eye button announces "Show password" / "Hide password" and its pressed state; revealed values are not read aloud automatically. The copy button announces "Copy password" and then "Copied", never the value itself.
- Colour is never the only signal: strength meter and label colours always have text.
- Full keyboard navigation on web; Dynamic Type / font scaling up to 200% on Android.

8. Technical design

All encryption and decryption happens on the client; the API is a store-and-sync service for ciphertext.

Architecture

```

flowchart LR
    A[Expo app<br/>Android APK] --> C[NestJS API]
    B[Expo app<br/>Web via RN Web] --> C
    C --> D[(PostgreSQL)]
    A -. -> E[packages/crypto<br/>libsodium]
    B -. -> E
  
```

Both clients import the same `packages/crypto` and `packages/types`, so encryption behaviour cannot drift between platforms.

Key hierarchy and login

```

sequenceDiagram
    participant U as User
    participant C as Client
    participant S as API
    U->>C: email + master password
    C->>S: prelogin(email)
    S-->>C: salt, KDF params
    C->>C: Argon2id → masterKey
    C->>C: derive authKey + wrapKey
    C->>S: login(email, authKey)
    S-->>C: tokens + wrapped vaultKey
    C->>C: unwrap vaultKey with wrapKey
    C->>S: GET /sync
    S-->>C: encrypted items + groups
    C->>C: decrypt with vaultKey
  
```

A random 256-bit vaultKey encrypts all items and is itself wrapped by the master password, so changing the master password re-wraps one key instead of re-encrypting the vault. The server stores only an Argon2 hash of authKey.

Data model (PostgreSQL)

Table	Columns	Notes
users	id, email, kdf_salt, kdf_params, auth_hash, wrapped_vault_key, wrap_nonce, totp_secret_enc, revision, created_at	revision = latest change counter for sync
groups	id, user_id, parent_id, enc_name, nonce, sort_order, revision, deleted_at	Name encrypted; hierarchy via parent_id
items	id, user_id, group_id, ciphertext, nonce, revision, updated_at, deleted_at	Payload holds name, fields, labels, history, favourite
refresh_tokens	id, user_id, token_hash, device_name, expires_at, revoked_at	Rotated on every refresh

API (REST, JSON)

Method	Path	Purpose
POST	/auth/prelogin	Return salt and KDF params for an email
POST	/auth/register	Create user with auth hash and wrapped vault key
POST	/auth/login	Verify authKey (+ TOTP if enabled), issue tokens
POST	/auth/refresh	Rotate refresh token
POST	/auth/logout	Revoke current device token
GET	/sync?since={rev}	Items and groups changed since revision
POST / PUT / DELETE	/items, /items/{id}	Create, update (with baseRevision), soft delete
POST / PUT / DELETE	/groups, /groups/{id}	Same for groups
POST	/account/rotate-key	Replace wrapped vault key after master password change

Sync. Every write bumps the user's revision and stamps it on the row. Clients pull with `since`, and send `baseRevision` on updates; a mismatch returns 409, and the client keeps both versions and shows the conflict banner. Android caches the encrypted vault in SQLite (expo-sqlite) for offline reads.

Admin and recovery (Options A, B, C)

All three coexist: A is always available, B is a per-user opt-in, and C is a deployment flag. They differ in who holds an extra copy of the vault key and where decryption happens.

	A: Admin console	B: Emergency recovery	C: Server escrow
Admin can read vaults	No	Yes, after the waiting period	Yes, immediately
Extra copy of vault key	None	Sealed to the recovery public key	Sealed to the escrow public key
Private key kept	—	Offline (hardware key or paper), never on the server	On the server, encrypted by a cloud KMS key
Where decryption happens	—	Offline admin tool on the admin's machine	Inside the API's decrypt endpoint; results sent over TLS
User consent	Not needed	Opt-in per user, revocable	Disclosed at signup; applies to all users on that deployment
User notified	Yes	Yes, before (can deny)	Yes, right after
Zero knowledge kept	Yes	Yes, except for opted-in users	No

Key handling. Both B and C use libsodium sealed boxes (`crypto_box_seal`, X25519), so the client needs only a public key to create the extra copy. For C, the escrow private key is stored encrypted by a KMS key and decrypted in memory only for the duration of one decrypt request, then zeroed. Rotating the escrow key re-seals copies as users next unlock.

Urgent decrypt flow (Option C)

```
sequenceDiagram
    participant A as Admin
    participant C as Admin console
    participant S as API
    participant K as Cloud KMS
    participant U as User
    A->>C: pick user + reason
    C->>S: POST /admin/decrypt + security key
    S->>S: write audit entry first
    S->>K: decrypt escrow private key
    K-->>S: key (memory only)
    S->>S: open vault key, decrypt items
    S-->>C: records over TLS
    S->>U: email "your vault was accessed"
```

The audit entry is written before any decryption, so a crash or abort can never leave an access unlogged.

Admin data model and API

Admin data lives in the same PostgreSQL database but in separate tables, and the API role used by the user app has no access to them.

Table / column	Purpose
users.recovery_sealed_key	Vault key sealed to the recovery public key (B); null when not opted in
users.escrow_sealed_key	Vault key sealed to the escrow public key (C); null when escrow mode is off
admins	id, email, webauthn_credentials, role, created_at
admin_audit_log	id, admin_id, action, target_user_id, reason, ip, created_at; append-only (no UPDATE or DELETE grants)
recovery_requests	id, user_id, admin_id, reason, status (pending, denied, approved, used), available_at, created_at
admin_roles	id, name, permissions (list), built_in, created_by, created_at; only the super admin or Owners can create or change roles; each admin links to one role; the super admin is a separate protected flag on the admin account, so no role change or delete can remove it

Method	Path	Purpose
POST	/admin/auth/webauthn	Admin sign-in with hardware key
GET	/admin/users	Users with metadata only
POST	/admin/users/{id}/disable, /logout-all, /reset-2fa, /wipe	Option A actions (reason required)
POST	/admin/recovery-requests	File an Option B request
POST	/recovery-requests/{id}/deny	User denies a request during the waiting period
GET	/admin/recovery-requests/{id}/package	After the waiting period: sealed vault key + encrypted items for the offline tool
POST	/admin/decrypt	Option C: decrypt one user, or all users after typing the organisation name to confirm
GET	/admin/audit-log	Filterable audit entries

9. Prompt for generating designs

Paste this into Claude Design (or any Claude design canvas) together with this document; generate one screen at a time, starting with 03 Vault list, and iterate before moving on.

Design the "Vault list" screen for Rahasya, a zero-knowledge password manager.

Follow the attached design document exactly: tokens (section 4), components (section 5), screen spec 03 (section 6).

Produce 3 frames side by side:

1. Android phone, 412 x 915, light theme
2. Android phone, 412 x 915, dark theme
3. Desktop web, 1440 x 900, light theme, three-pane layout (sidebar with groups + labels, list, detail)

Must show:

- Sticky search, filter chips (All, Favourites, 2 label chips) and a Sort button; groups appear only in the side drawer
- 8 realistic entries (Gmail, GitHub, HDFC Bank, Netflix, AWS, Wi-Fi Home, Amazon, LinkedIn) with label chips
- One selected entry in the desktop detail pane with a password field in the Revealed state (mono font, countdown ring) and a Bank entry's extra "Transaction PIN" field masked, with its eye and copy icons side by side
- Copy buttons, lock icon, sync status, floating + button on mobile

Style: produce each frame in all three themes from section 4 – D10 Daylight glass bento (light), D9 Glass wallet (dark) and D14 Holographic bento (dark) – with frosted glass tiles, drifting aurora light, gradient accents, Outfit or Sora plus DM Mono, 24 px radius, pill buttons and a floating glass nav bar, no stock illustrations.

Use fake data only; never real passwords.

Reuse the same prompt for each screen by swapping the screen number, the frame list and the "Must show" items.

10. Splash screen and motion

One splash, **SP14 Decode inside orbit**, is used in all three themes; its colours, glass and font come from the active theme.

Time	What happens	Easing
0–0.7 s	Background and aurora fade in; the glass name plate condenses out of a blur (scale 1.2 to 1)	ease-out

Time	What happens	Easing
0.1–0.8 s	Three gradient orbit rings (at 0°, 60° and 120°) draw themselves around the plate	ease-out
0.3–0.8 s	The plate shows scrambled cipher characters in DM Mono; status reads "decrypting 0%"	—
0.8–1.9 s	Letters lock one by one, every 180 ms, into "Rahasya" in the theme font, each settling with a small scale-and-blur	spring
0.1–2.1 s	The rings keep turning, then flatten and slide down into one glowing underline beneath the name	cubic-bezier(.45, 0, .3, 1)
2.0 s	The keyhole emblem pops in above the plate; status reads "decrypted"	spring (.3, 1.3, .5, 1)
2.3 s	Tagline "Decrypted, just for you." rises in	ease-out

- **First launch and after updates:** the full 2.6 s version.
- **Everyday opens:** a 1.2 s version — rings already flat, letters lock every 70 ms, no tagline.
- **Never add delay:** the splash ends as soon as the app is ready, even mid-animation (it cross-fades to the unlock screen).
- **Reduce motion:** show the final frame (name, underline, keyhole) with a 200 ms fade.
- **Build:** one component driven by theme tokens; rings and plate with React Native Reanimated, the decode as a timed text update.

Motion language (every screen)

Moment	Animation	Duration
Screen entrance	Tiles and cards rise 24 px and fade in, staggered 60–90 ms	600–800 ms, spring
Press	Scale to 0.95 and spring back	350 ms
Copy	Button morphs into a check; a toast slides up with a bar counting down to clipboard clear	450 ms, then 30 s bar
Reveal password	Dots fade, characters come into focus one by one (55 ms apart); a ring around the eye counts down to auto-hide	1 s, then 20 s ring

Moment	Animation	Duration
Save entry	A11 "Stream to sealed card": fields scramble into cipher and stream into one glass orb with orbit rings and an "encrypting %" counter; the orb morphs into the sealed card, which flies into the list (timeline below)	4 s
Open entry	The card expands into the full detail screen (shared element)	650 ms
Drawer	Slides in from the left with a spring over a dimmed scrim	600 ms
Fingerprint unlock	Pulsing rings and a scan line, then the fingerprint turns into the keyhole	1.6 s
Ambient	Aurora light drifts (D9, D10); holographic borders shift (D14)	6–13 s loops

Add entry: A11 Stream to sealed card (all three themes)

Time	What happens
0.5 s	The user taps "Save to vault" (touch ripple)
0.55–1.1 s	Each field gets an accent outline and its value scrambles into DM Mono cipher, field by field (60 ms apart)
1.05 s	Header, template chips and the Save button fade out
1.1 s	One glass orb pops in at the centre; three gradient orbit rings draw and start turning
1.15–1.9 s	The fields shrink and stream into the orb (70 ms apart)
1.2–2.1 s	"encrypting 0%" counts to 100% under the orb, then reads "encrypted ✓"
2.05 s	The keyhole pops into the orb as the rings close into a circle
2.45–2.9 s	The orb morphs into the new entry's card (circle to rounded rectangle) and its details fade in

Time	What happens
2.85–3.4 s	One shockwave ring, the "Sealed" badge, and "Encrypted and sealed · XChaCha20-Poly1305 · on this device"
3.45–4 s	The card shrinks and flies up into the list, where the new entry appears at the top with a "New" badge and a soft glow

- Tap anywhere to skip to the final list.
- After the first three saves, play a quicker version at about 60% speed (roughly 2.5 s).
- Reduce motion: skip straight to the list with the new entry highlighted, plus a "Saved" toast.

Update entry: U4 Orb returns as card (all three themes)

The same language as A11, applied only to what changed.

Time	What happens
0.6 s	The user taps "Save changes"; unchanged fields dim to 22%
0.7–1.0 s	Changed and new fields glow and scramble into cipher; removed fields are struck through and dissolve without entering the orb
1.1 s	One glass orb pops in with orbit rings; "re-encrypting N changes · %" counts up
1.15 s + 90 ms each	Changed and new fields stream into the orb top to bottom (gap capped at 5 fields)
~2.1 s	The keyhole appears as the rings close
~2.5–2.9 s	The orb morphs into the entry card, listing change chips (pencil = updated, plus = added, minus = removed; max 3 chips, then "+ N more") and a version badge such as "v4 · 3 changes"
~3.5 s	The card flies into the entry's detail screen; updated fields show "Updated", new fields unfold with "Added", each glowing in turn; a toast summarises ("1 updated · 1 added · 1 removed")

- Only removals: skip the orb; removed fields dissolve and the card appears straight away with "v4 · N removed".
- A field changed back to its original value is not counted as a change.
- Tap to skip, a quicker version after the first three saves, and the reduced-motion fallback all follow A11.

Edit screen rules (S9, S10)

- Tap a value to edit it; it is marked "Edited" with an accent outline.
- The red minus button marks a field "Will be removed" (tinted, struck through) with an Undo button; nothing is deleted until Save.
- Name, Username and Password show "Required" instead of a minus button.
- "Add field" opens a sheet with 8 types, each labelled Hidden or Visible, plus one-tap suggestions for the entry type (for banking: Transaction PIN, Customer ID, Security answer, Recovery code). New fields unfold into the list with a dashed outline and a "New" tag.
- The header counts unsaved changes; Save with nothing changed shows "Nothing to save yet".

Approved micro-animations (all three themes; these replace the matching rows in the motion table above)

Play every one live in the [Rahasya motion library](#).

Rules for every animation: one hero moment; only the brand elements (glass orb or pill, three orbit rings, cipher that decrypts letter by letter, gradient underline, keyhole); soft fades and gentle scaling, springs only for small moments; everyday actions finish in under 1 second.

Code	Moment	What happens	Duration
M1	Fingerprint unlock	Orbit rings draw around the keyhole orb and close into one ring; the keyhole flashes as the key turns; the vault opens outward from it	~2 s
M7	Auto-lock	The reverse of M1: the vault closes inward into the keyhole orb and the rings close around it	~2 s
M3	Copy a password	Copy icon becomes a check; dots flicker into cipher and back; a glass pill slides down with a gradient underline counting down to "Clipboard cleared"	0.5 s + 30 s pill

Code	Moment	What happens	Duration
M4	Reveal and auto-hide	Characters decrypt left to right like the splash; a gradient underline counts down 20 s; characters scramble back into dots right to left	1 s + 20 s
M5a	Open an entry	The card lifts slightly and grows into the page; icon and name glide into the header; the rest of the list fades	0.6 s
M6	Delete an entry	Swipe reveals Delete; the card's text turns to cipher as it fades; the list closes the gap; toast with Undo and a 5 s underline countdown	1.2 s
M8	Switch theme	The new theme spreads across the screen in a circle from the tapped swatch	0.75 s
M9	Regenerate a password	The new password decrypts into place like the splash; the gradient underline redraws	1 s
M10	Pull to sync	Pull reveals the orb, rings draw with the pull; encrypted packets pass between devices; a check appears, then the indicator fades as the list springs back and updated items shimmer	~2.8 s

All 13 animations (SP14, A11, U4, M1 to M10) are approved in all three themes.

M2o · Wrong master password ("Key won't turn"): the mirror of M1. The three orbit rings draw and spin exactly like the unlock, strain and stretch slightly at the moment they should close, then spring back and fade as the keyhole flashes soft red. The field clears, a red underline grows and "Incorrect master password, 4 tries left" appears. About 1.5 s, with a double-tap vibration. After 5 wrong tries, the red underline becomes a 30-second countdown before the next attempt.

Glass orb material (applies to the unlock orb, M1, M2o and M7): a soft theme-coloured glow behind the orb; a specular highlight at the top left (ellipse 62% by 42% at 34%, 20%; white at 50% in D9, 90% in D10, 20% in D14); an inner shadow at the bottom for depth; a 1 px light rim at the top; and the keyhole engraved with a 2 px drop shadow. In the app, render it with the platform graphics engine (Skia) for true refraction at 120 fps.

11. Desktop web layout

Three panes on one screen (1440 by 900 reference), in all three themes, using the same tokens as the phone:

Pane	Width	Contents
Sidebar	264 px	Logo orb and name; search (Ctrl K); All items, Favourites, Security health, Generator, Trash; groups tree (3 levels, colour dot, count); labels; profile and lock button
List	400 px	Title and count; New button; type filters; sort control (Name A-Z); rows with icon, name, username and label; selected row has a tinted background and a 3 px accent bar
Detail	Remaining width	Group path; Edit, favourite and more actions; icon, name, change date and version; field rows with label column, value, and eye, copy or open actions; live one-time code with a 30 s ring; security summary with password history

- Below 1200 px wide, the sidebar collapses to icons; below 900 px, the web app switches to the phone layout.
- Keyboard: Ctrl K search, up and down to move through the list, Enter to open, C to copy the password, E to edit.
- All approved animations apply; M5a becomes the detail pane cross-fading in place rather than a full-page grow.

Web versions of every screen and animation (all playable under Web in the [motion library](#)). Each approved animation keeps its look and timing; only the gesture changes.

Moment	On the phone	On the web
Unlock (M1)	Fingerprint	"Use passkey" (Windows Hello, Touch ID or a security key); the vault opens from the orb into all three panes
Open an entry (M5a)	Card grows into a page	Selection glides to the clicked row; the icon lifts out of the list and lands in the detail header

Moment	On the phone	On the web
Groups (S3)	Side drawer	Always-visible sidebar; clicking a group moves the highlight and the matching entries rise into the list
Copy (M3)	Pill at the top of the phone	Same pill, centred at the top of the window
Add (A11)	Full-screen form	The detail pane becomes the form; the sealed card flies from the pane into its place in the list
Edit and add field (S9, S10)	Full screen and bottom sheet	Detail pane in edit mode; a popover anchored to "Add field"
Update (U4)	Card flies into the entry page	Card settles into the detail header of the updated entry
Delete (M6)	Swipe	Hover reveals the delete button on the row; the pane shows "Nothing selected"
Sync (M10)	Pull down	Sync button in the list header; the status chip fades when done
Auto-lock (M7)	After 5 minutes or switching apps	After 5 minutes or when the tab is hidden
Generator, health, settings (M9, S7, M8)	Full screens	Open in the main area next to the sidebar

12. Admin console

A separate web tool at its own address, in one fixed light theme (Daylight tokens) so it is never confused with a personal vault. Amber is reserved for privileged actions such as emergency access.

Screen	Purpose	Key details
A1 Sign in	Admin sign-in	Work email, master password, hardware security key (required); states that admins can never read a vault

Screen	Purpose	Key details
A2 Users	Account management (Option A)	Summary tiles (users, active today, two-step coverage, recovery requests); table with status, two-step sign-in, emergency access status, last active, vault item count; invite, lock, suspend, reset two-step
A3 Audit log	Every sign-in and admin action	Time, who, action, target, device, result; filters; emergency events highlighted in amber; hash-chained and shown as "Log chain verified"; export
A4 Emergency access	Recovery (Option B, and Option C for escrow orgs)	Timeline: request with written reason, confirmation with the admin's security key or passkey (one admin is enough), 48-hour waiting period with countdown, recovery with the offline key, user sets a new master password; the user is notified on every device and can cancel; the recover button stays disabled until the wait ends; a panel states the server cannot decrypt
A5 Admins and roles	Manage admins (Owners only)	Admins list with role and security-key status; "Add admin" (Owners only) invites by email with a role; built-in roles Owner, Admin and Auditor, plus custom roles with a permissions checklist; the super admin row shows a Super admin badge and a lock instead of edit or remove controls, and can never be removed; every change is logged and all Owners are notified

Admin console on the phone (same fixed light theme; all four screens play under Phone and Web in the [motion library](#)):

- **Navigation:** a floating bottom bar (Users, Recovery with a count badge, Audit, Settings) replaces the sidebar.

- **A1 Sign in:** email, master password and security key; touching the key plays the unlock rings and the console opens outward from the orb.
- **A2 Users:** 2 by 2 summary tiles that count up, filter chips (All, Locked, Invited, No 2FA), and user cards; a pending recovery gets an amber edge.
- **A3 Audit log:** "Log chain verified" at the top, then events grouped by day, emergency events with an amber edge.
- **A4 Confirm a recovery:** the main reason admins use the phone. The request, reason and steps are on one screen; "Confirm with passkey" spins the rings inside the button, step 2 turns green and the 48-hour countdown starts live. Cancel stays available until the wait ends.
- **A5 Admins and roles:** under Settings; the super admin and Owners see "Add admin", which opens a sheet with email and role; the super admin row shows a lock; other admins see the list without edit controls.

On the web, the same four screens use the sidebar layout, with the countdown ticking live on the emergency access screen.