

Feature Flow Diagrams

Every feature as a navigation flowchart — what happens, in what order, and the value each step adds.

Read any page left to right. Black boxes are where a flow starts, green edges are good outcomes, amber is a pause or conditional path, red is an exit, and dashed purple boxes are governance gates the server enforces (not conventions someone can skip). The green line inside each box answers the question a buyer always asks: *why is this step here?* Every flow page ends with a numbered test script and the real screens, so you can walk each flow yourself against the running platform.

12

PAGES

1

END-TO-END LIFECYCLE

7

FEATURE FLOWS

5

ROLE NAVIGATION MAPS

The student lifecycle — applicant to alumni, one unbroken thread

One person record carries the whole journey: the applicant who becomes a student keeps the same `person_id`, so nothing is ever reconciled between systems. This is the flow the Journey tracker at the top of every student record visualises live.

PHASE 1 — ATTRACT & ASSESS (RECRUITMENT / ADMISSIONS SCREENS)

Research demand

a department names a need

Value: supply is planned, not accidental — positions trace to strategy

Opportunity

advertised position, linked to an award

Value: funding lineage starts at the advert, not after arrival

Application

person created once

Value: the identity thread starts here and never breaks

Assess & shortlist

stage-by-stage with reasons

Value: every rejection carries a recorded rationale

Offer + conditions

issued, each condition tracked

Value: "who has unmet conditions?" is a filter, not an inbox search

PHASE 2 — ADMIT (ONE TRANSACTION)

Accept offer

server creates the student

Same person_id

student identity opens on the applicant's person

Value: no applicant/student matching exercise — ever

Registered

start date, programme, expected end agreed

Value: the expected end becomes an immutable baseline for every later change

Opening tasks raised

induction workflow fires

Value: day-one work is queued automatically, nobody keeps a checklist

PHASE 3 — STUDY LOOP (YEARS 1-4: SUPERVISION / PROGRESSION / FUNDING SCREENS WATCH THIS)

Supervise

meetings logged, cadence checked vs the 90-day policy

Value: quiet students surface by silence alone

Progression reviews

milestones generated from programme rules

Value: review dates are computed, not remembered

Panel decides

progress / conditions / appeal

Value: decisions carry rationale + letter, appeal path built in

Funding runs

arrangements, payments, 9 integrity rules

Value: money problems found ~18 months before the student finds them

PAUSES (ANY TIME IN THE LOOP)

Suspension / extension / mode change

requested → approved by a different person

Value: requester and approver recorded separately

Timeline recomputed

expected end = baseline + approved events

Value: the end date can always be explained; approving twice cannot corrupt it

EXIT

Withdrawal

journey stops where it stands

Value: closed honestly with dates — cohort statistics stay true

PHASE 4 — EXAMINE & COMPLETE (THESIS / COMPLETION SCREENS)

Thesis intention

title declared

Value: examiner search starts early

Submit

document reference recorded

Value: the clock on examination starts from evidence

Examiners + viva

conflicts of interest declared

Value: independence is recorded before the exam, not asserted after

Outcome

pass / corrections / resubmission

Value: corrections get deadlines that are tracked, not emailed

Classification

chair proposes → board confirms → Registry publishes; confirmer ≠ proposer

Value: no single person can award a degree

Graduate

funding closed, student completed

Value: one click closes every open thread consistently

Alumni

identity closes, person remains

Value: the relationship survives the studentship


■ entry point □ step □ successful outcome □ pause / conditional path □ exit / refusal □ governance gate (enforced by the server) → the order things happen · every box carries the value it adds

The student lifecycle — see it and test it


The Journey tracker at the top of every student record renders the previous page live: done stages carry dates, the current stage is ringed, suspensions show as a pause, completion turns the whole line green. Every screenshot below is the exact UI element its flowchart box describes, captured live from the running build.



The Journey tracker, live (Jonas Grigsby): Applicant + Registered done with dates, Progression ringed as current — “2 of 3 decided”.



The same tracker on a suspended student: amber “paused since ...” badge, current stage ringed amber.



And on a finished student: the whole line green, 🎓 complete.

Lifecycle changes + Request...

Suspensions, extensions and mode changes — and what they did to the timeline.

active Expected end 2029-03-10 — unchanged from the date agreed at registration.

No suspensions, extensions or mode changes have been requested for this student.

Phase 3 “Pauses” box → the Lifecycle changes panel: request, approval, and what each event did to the timeline.

Progression milestones

> Induction Review **decided** due 2025-10-09

> Confirmation Review **decided** due 2026-06-06

> Annual Progress Review **due** due 2027-03-03

Submit Panel outcome... **Decide**

Rationale Conditions Outcome letter

Phase 3 “Progression reviews” box → the Milestones panel: generated due dates, Submit, panel decision.

Thesis & completion

Thesis **approved**

Thesis approved — ready for completion.

Completion **pending**

Confirm completion **Graduate**

Phase 4 boxes → the Thesis & completion panel: intention → submit → outcome → confirm → graduate.

TEST IT YOURSELF — SIGN IN AS `ADMIN@EXAMPLE.COM` / `ADMIN123`

1. Open `/students` and click **Dara Hartley** (SCALE-99-0063). The **Journey** band on top should show Applicant → Registered done with dates, **Progression ringed as current**, and “expected end 2027-04-23”.
2. Open a suspended student (e.g. SCALE-99-0038): the Journey band shows an amber “**paused since ...**” badge and the current stage ringed amber.
3. Open **UAT-42-0021** (Noor Rahman, completed): the whole line is green with a 🎓 **complete** badge.
4. Scroll one record top to bottom — every panel below the tracker is a phase from the previous page: Lifecycle changes (pauses), Supervision (loop), Milestones (reviews), Funding (money), Thesis & completion (finish).
5. Sign out, sign in as `marcus.bell@example.ac.uk` / `student123` — the portal shows the same journey from the student's side, and only theirs.

FEATURE FLOW

POSITION & PIPELINE

```
graph LR; A[Raise demand  
Research screen  
Value: hiring is a plan with an owner, not an email thread] --> B[Record award ref  
the money's reference, never the money  
Value: honest boundary: finance stays the authority]; B --> C[Create opportunity  
linked to demand + award  
Value: every advert answers "paid by what?" from day one]; C --> D[Applications arrive  
one person record per applicant  
Value: duplicate people are a merge, not a mystery]; D --> E[Pipeline view  
counts by stage  
Value: bottlenecks visible at a glance];
```

Raise demand
Research screen
Value: hiring is a plan with an owner, not an email thread

→

Record award ref
the money's reference, never the money
Value: honest boundary: finance stays the authority

→

Create opportunity
linked to demand + award
Value: every advert answers "paid by what?" from day one

→

Applications arrive
one person record per applicant
Value: duplicate people are a merge, not a mystery

→

Pipeline view
counts by stage
Value: bottlenecks visible at a glance

PER APPLICATION

```
graph LR; A[Advance stage  
with a reason  
Value: an auditable funnel — why every candidate moved or didn't] --> B[References + interviews  
tokened external reference links  
Value: referees answer without accounts or attachments]; B --> C[Assessment  
recommend / reject with rationale  
Value: defensible decisions if ever challenged]; C --> D[Offer  
draft → issued  
Value: conditions attach to the offer, each one tracked to met/waived]; D --> E[Accept  
requires student.write — an admissions act, not a recruitment act  
Value: the exact moment a student exists is controlled and audited]; E --> F[Student created  
same person_id  
Value: zero-reconciliation admissions];
```

Advance stage
with a reason
Value: an auditable funnel — why every candidate moved or didn't

→

References + interviews
tokened external reference links
Value: referees answer without accounts or attachments

→

Assessment
recommend / reject with rationale
Value: defensible decisions if ever challenged

→

Offer
draft → issued
Value: conditions attach to the offer, each one tracked to met/waived

→


Accept
requires student.write — an admissions act, not a recruitment act
Value: the exact moment a student exists is controlled and audited

→

Student created
same person_id
Value: zero-reconciliation admissions

TEST IT YOURSELF — SIGN IN AS [ADMIN@EXAMPLE.COM](#) / [ADMIN123](#)

- Open `/recruitment` — Opportunities tab: 26 positions, each linked to an award. The **New opportunity** button is the flow's entry.
- Switch to the Applications tab and open any application — the detail page has the **Advance stage**, **Record assessment** and **Offer** sections from this flow.
- On an issued offer, note **Accept** → **create student** — the gate step. (Don't click in the demo set unless you mean it.)
- Open `/admissions` — the queue view of the same applications.



The screenshot shows a table with 26 rows of opportunities. Each row includes columns for Title, Stipend, Places, Status, and Provenance. The 'Status' column shows various stages like 'Open', 'Closed', 'Interview', 'Offer', and 'Accept'. The 'Provenance' column shows the source of the opportunity, such as 'L1 course', 'L2 course', 'L3 course', 'L4 course', 'L5 course', 'L6 course', 'L7 course', 'L8 course', 'L9 course', 'L10 course', 'L11 course', 'L12 course', 'L13 course', 'L14 course', 'L15 course', 'L16 course', 'L17 course', 'L18 course', 'L19 course', 'L20 course', 'L21 course', 'L22 course', 'L23 course', 'L24 course', 'L25 course', 'L26 course'.

On the right, there is a sidebar with a 'New opportunity' button and a 'Filter' button. Below these are several tabs: 'All opportunities', 'Open', 'Closed', 'Interview', 'Offer', and 'Accept'. The 'Offer' tab is currently selected, showing a list of offers with columns for Title, Stipend, Places, Status, and Provenance. The 'Status' column shows 'Offer' for all entries. The 'Provenance' column shows the source of the offer, such as 'L1 course', 'L2 course', 'L3 course', 'L4 course', 'L5 course', 'L6 course', 'L7 course', 'L8 course', 'L9 course', 'L10 course', 'L11 course', 'L12 course', 'L13 course', 'L14 course', 'L15 course', 'L16 course', 'L17 course', 'L18 course', 'L19 course', 'L20 course', 'L21 course', 'L22 course', 'L23 course', 'L24 course', 'L25 course', 'L26 course'.

“Offer” + “Accept” boxes → the Offer section: draft → issue → accept-creates-student.

- ## PGR Platform — Feature Flows

Supervision — a caseload that prioritises itself

Navigation: supervisors land on [Supervision](#) (their home screen). Each row is a student; the columns answer “who needs me today?” Drill into a student for the full record (row-scoped: another supervisor’s student returns 404).

ASSIGNMENT (PGR OFFICE)

Suggest supervisors

scored: area 45 + topic 25 + capacity 20 + track record 10

Value: every point of the match is attributed — disputes end with arithmetic

Assign

capacity checked vs the max-supervisees policy (8)

Value: overload is warned at the moment it is created

Relationship dated

primary / co / additional

Value: history preserved when teams change

THE WORKING LOOP (SUPERVISOR)

Open caseload

13 students, one screen

Value: no opening 13 records to find the one in trouble

Read the flags

milestone due, meetings overdue, funding risk per row

Value: the platform reads the caseload so the human reads the student

Meet + log it

date, format, notes, actions

Value: contact evidence accumulates as a by-product of work

Student confirms

their acknowledgment, not the supervisor's

Value: two-sided record — protects both parties

Cadence check

vs expected interval (90 days, tunable)

Value: “up to date / overdue” computed, never claimed

⌚ repeats every cycle — the flags recompute on every page load

WHERE IT ESCALATES

Meetings overdue

flag on the caseload row

Value: silence becomes visible before it becomes a crisis

Panel duty

supervisor holds progression.decide

Value: the person who knows the student records the decision

Milestone decided

rationale + conditions + letter

Value: the paper trail writes itself

TEST IT YOURSELF — SIGN IN AS ROSA.GRIGSBY@EXAMPLE.COM / SUPER123

1. You land on [/supervision](#) (the supervisor home): 13 rows, each with milestone / funding / last-meeting / compliance flags — the self-prioritising caseload.
2. Open **Jonas Grigsby** from the caseload: the record is read-and-supervise (no funding sections, no admin buttons — try to find one).
3. Scroll to **Supervision meetings**: the log, the cadence verdict (“Up to date ... expected every 90 days”), and the **Record a meeting** form — your step in the loop.
4. As admin, open [/research](#) → Supervisor match: type a proposal, click Suggest — every point of the score is attributed.

My caseload

Student	Current milestone	Pending	Last meeting	Supervision status	Notes
Jonas Grigsby 107-02-0001	100%	100%	2024-09-02	100%	No action pending
Oliver Smith 107-02-0002	100%	100%	2024-09-02	100%	No action pending
Anna Lee 107-02-0003	100%	100%	2024-09-04	100%	No action pending
James Taylor 107-02-0004	100%	100%	2024-09-02	100%	No action pending
Emily White 107-02-0005	100%	100%	2024-09-02	100%	No action pending
Michael Brown 107-02-0006	100%	100%	2024-09-02	100%	No action pending
Sarah Green 107-02-0007	100%	100%	2024-09-02	100%	No action pending
David Black 107-02-0008	100%	100%	2024-09-02	100%	No action pending
Lisa Wilson 107-02-0009	100%	100%	2024-09-02	100%	No action pending
Kevin Moore 107-02-0010	100%	100%	2024-09-02	100%	No action pending
Michelle Davis 107-02-0011	100%	100%	2024-09-02	100%	No action pending
Chris Miller 107-02-0012	100%	100%	2024-09-02	100%	No action pending
Alex White 107-02-0013	100%	100%	2024-09-02	100%	No action pending

Supervision meetings

Last meeting: 2024-09-02 10:00 AM - 10:00 AM. Scheduled at least every 90 days.

Date	Supervisor	Status	Notes	Action taken	Next	Confirmed
2024-09-02	Rosa Grigsby	Completed	Continued as planned	Continued as planned	Continued as planned	Continued as planned
2024-09-02	Rosa Grigsby	Completed	Continued as planned	Continued as planned	Continued as planned	Continued as planned
2024-09-02	Rosa Grigsby	Completed	Continued as planned	Continued as planned	Continued as planned	Continued as planned

“Meet + log it” box → the Supervision meetings panel as Rosa sees it: log, cadence verdict, Record-a-meeting form.

“Open caseload / Read the flags” boxes → Rosa’s live caseload: milestone, funding, last meeting, compliance per row.

Supervisor match

Open a research area, score proposed based on both.

Research area	Proposed or published
Any research area	Proposed or published

“Suggest supervisors” box → the match panel on /research (Supervisor match tab).

■ entry point □ step □ successful outcome □ pause / conditional path □ exit / refusal □ governance gate (enforced by the server) → the order things happen · every box carries the value it adds

Navigation: `Progression` holds the programme rules; the work happens on each student's record (Milestones panel). Rules are per-programme offsets — +30d induction, +270d confirmation, +540d annual.

SETUP ONCE PER PROGRAMME

Define milestones

name + due offset from start

Value: policy lives as data — a rule change needs no release

Generation

due dates computed per student from their start date

Value: 994 milestones exist without anyone typing a date

PER MILESTONE

Due

appears on student + caseload + portal

Value: three audiences see the same deadline — no version drift

Student submits

submission reference recorded

Value: "did they hand it in?" has an answer with a date

Panel formed

members + independence flags

Value: who judged is part of the record

Decision

progress / conditions / no-progress + rationale + outcome letter

Value: the letter and the decision can never disagree — same source

Next generated

the following review appears automatically

Value: the cycle never depends on someone remembering

CONDITIONS PATH

Conditions recorded

written, with sign-off step

Value: "passed with conditions" cannot silently become "passed"

Sign-off

a decide-permission holder closes them

Value: closure is an act, not an assumption

APPEAL PATH

Appeal lodged

grounds recorded

Value: due process is a workflow, not a special case

Appeal decided


by a decide-permission holder, noted

Value: the full dispute history stays on the milestone


Suspensions interact here: approved pauses shift the expected end from its immutable baseline, and future milestones follow. Dates are recomputed, never edited.

TEST IT YOURSELF — SIGN IN AS `ADMIN@EXAMPLE.COM / ADMIN123`

1. Open `/progression`: pick **PhD Computer Science** — three milestone definitions with offsets (+30d, +270d, +540d). This is the "setup once" band.
2. Open any active student's record → **Progression milestones** panel: statuses and due dates were generated from those offsets.
3. On a milestone that is **due**: the Submit button, panel outcome picker and Decide button are the per-milestone flow. Rationale/conditions/letter fields sit beneath.
4. Expand a decided milestone — panel members, decision, and (if any) conditions and appeals history.



"Define milestones" box → the per-programme rules on `/progression`: PhD Computer Science, offsets +30/+270/+540 days.




"Due → Submit → Decision" boxes → the Milestones panel on a student record, with the decide controls.


■ entry point □ step □ successful outcome □ pause / conditional path □ exit / refusal □ governance gate (enforced by the server) → the order things happen · every box carries the value it adds

Navigation: [Funding](#) (sources) and each student's Funding panel for arrangements; [Funding integrity](#) runs the whole-cohort check. The platform holds the relationships; finance holds the money.

BUILDING THE CHAIN



THE INTEGRITY ENGINE — 9 NAMED RULES OVER THE WHOLE CHAIN, 266 STUDENTS IN ~0.155



re-run any time — the check is stateless and reads the live chain

The headline rule: `funding_ends_before_expected_end` — a student whose money runs out mid-study is found ~18 months early, while the fix is an email rather than a hardship case.


TEST IT YOURSELF — SIGN IN AS [ADMIN@EXAMPLE.COM](#) / [ADMIN123](#)

1. Open `/funding-integrity` : 266 checked, findings by severity. Toggle **errors only**.
2. Read one finding in full — e.g. Amara Abara (SCALE-99-0145): rule code + the exact dates ("124 days with no funding"). That is the explainability claim, on screen.
3. Open that student's record → **Funding** panel: arrangements with bitemporal history, payment schedule, fee waivers.
4. **Funding lineage** panel on the same record: the chain hop by hop — and whether it holds.


ERRORS

97

"Findings by severity" box → the live integrity findings on `/funding-integrity`, rule codes and dates included.



"Arrangement / Payment schedule / Fee waivers" boxes → the Funding panel on a student record.



"Fix upstream" context → the Funding lineage panel: the chain hop by hop.

entry point
 step
 successful outcome
 pause / conditional path
 exit / refusal
 governance gate (enforced by the server)
 → the order things happen · every box carries the value it adds

Navigation: the journey bar inside Pattern Lab mirrors this page: 1 Ask & analyse → 2 Approve → 3 Score students → 4 Keep it honest. Advisory throughout — no model ever changes a record.

1 — ASK & ANALYSE (DISCOVER TAB)

Pick a governed question

4 pre-approved targets; no "predict anything"

Value: AI scope is a policy decision, made in advance

Sufficiency gate

locked if history can't answer honestly (e.g. 1 completion, need 50)

Value: the platform refuses rather than guesses

Snapshot dataset

versioned, with exclusions + leakage report

Value: every analysis is repeatable and auditable

Run discovery

group comparisons, multiple-testing penalty

Value: findings are statistics with evidence, not anecdotes

Train candidates

4 model families vs a dummy baseline

Value: anything that can't beat guessing dies here

2 — APPROVE (MODELS TAB)

Candidate versions

metrics + auto-generated model card

Value: limitations are computed, not written by marketing

Human decision

approver must differ from the trainer

Value: no one grades their own homework

Production

one version live per model

Value: accountability points at a person and a date

3+4 — SCORE AND KEEP HONEST (PREDICTIONS / MONITORING TABS)

Score the cohort

per-student probability + named factors

Value: a conversation starter with reasons, never a verdict

Advisory display

sits beside deterministic indicators

Value: association, not causation — a human decides

Predictions mature

reality arrives

Self-grading

accuracy-in-reality vs the training promise + drift

Value: the model that stops working says so on screen

Flag REVIEW → retrain or retire

back to step 1 with fresh data

Value: the loop closes — no silent decay

U the honest loop: every production model is permanently on trial

TEST IT YOURSELF — SIGN IN AS ADMIN@EXAMPLE.COM / ADMIN123

1. Open /pattern-lab — the journey bar under the tabs mirrors this page; click the chips to move between stages.
2. **Discover tab:** pick "Funding Continuity Risk", note two questions are **locked** with honest reasons (1 completion recorded; conversion ~99.7%). Build/run to watch the working chatter.
3. **Models tab:** open a version — the model card computes its own limitations; approve/decline is disabled for whoever trained it.
4. **Monitoring tab:** the REVIEW flag and "accuracy in reality" vs "accuracy when trained" — the platform grading itself.


The journey bar itself — the four stages of this page, clickable, under the Pattern Lab tabs.

Completion Forecast

Which factors are associated with delayed completion?

Students with a recorded completion.
0 eligible - 0 positives - 0 negatives (needs ≥50 / ≥15 minority)
1 completion(s) recorded; at least 50 needed


"Sufficiency gate" box → a locked target card: Completion Forecast refusing with its honest reason.



"Self-grading" box → the monitoring card: accuracy in reality vs the training promise.

■ entry point □ step □ successful outcome □ pause / conditional path □ exit / refusal □ governance gate (enforced by the server) → the order things happen · every box carries the value it adds

Navigation: `/statutory` . A return is a profile: field mappings held as data, versioned by academic year, with a readiness gate before sign-off.



Who does what: mapping needs `admin.configure` ; sign-off needs `reports.signoff` — attestation belongs to Registry, not to whoever administers the system. Unsigning is possible, recorded, and reopens editing.

TEST IT YOURSELF — SIGN IN AS `ADMIN@EXAMPLE.COM / ADMIN123`

1. Open `/statutory` and select the **HESA Student Return** profile.

2. The field mappings table is the “map fields” step: target field ← source expression + transform, editable as data.

3. The readiness banner computes the validate step: **12/24 mandatory fields mapped — not ready**.

4. Try **Sign off** — refused until every mandatory field maps. That is the gate, enforced.

5. **Clone to new year** — the whole “next year” band in one dialog.

Sign-off & mandatory-field readiness
A profile can be signed off only when every mandatory field in the return's published spec is mapped and the current cohort validates. Signed-off profiles are immutable until unsigned.

Not ready — 15 mandatory fields unmapped 12 / 24 spec fields mapped

Missing field	Description	Coding frame
OWNSTU	Institution's own student identifier	free text
BIRTHDTE	Date of birth (YYYYMMDD)	free text
SEXID	Sex identifier	10, 11, 12, 13
ETHNIC	Ethnicity code	10, 15, 16, 17, 18, 19, 20, 21, 22, 29, 31, 32, 33, 34, 41, 42, 43, 49, 50, 98

“Validate / Sign-off” boxes → the readiness gate on `/statutory`: mandatory-field coverage computed, sign-off refused until complete.

■ entry point □ step ■ successful outcome ■ pause / conditional path ■ exit / refusal ■ governance gate (enforced by the server) → the order things happen · every box carries the value it adds

Workflow, tasks & integration — the plumbing that keeps humans in the loop

Two flows share this page because they meet in the middle: internal work becomes tasks; external systems hear about changes through the outbox.

TASKS & NOTIFICATIONS

Domain event
offer accepted, milestone due, funding expiring

Workflow rule fires
configurable definitions
Value: process changes are configuration, not code

Task raised
with owner + SLA where set
Value: work waits on a named person with a clock

SLA watched
escalation on breach
Value: nothing ages silently — 80% within-target is measured, not felt

Complete
outcome recorded
Value: the queue is the audit of what humans did

INTEGRATION (OUTBOX TO PARTNERS)

Change committed
event written in the same transaction
Value: no lost messages — the event exists iff the change does

Outbox dispatch
at-least-once to Finance / HR / Research adapters
Value: partners hear reliably without holding your transaction open

Signed webhooks in
idempotent inbound
Value: replays are harmless by design

Reconciliation
pending / dispatched / dead-letter counts
Value: integration health is one honest screen: 0 pending, 0 dead-lettered

Replay dead letters
one click, per event or bulk
Value: failures are recoverable work, not incidents

Value of the pairing: every meaningful change either becomes a human task, a partner message, or both — and both paths are observable, so “did anyone act on it?” always has an answer.


TEST IT YOURSELF — SIGN IN AS ADMIN@EXAMPLE.COM / ADMIN123

1. Open `/tasks` : the SLA snapshot strip (5 with SLA, 1 breached, 80% within target) + the task list with per-task SLA pills.
2. Complete a task — that is the human end of the loop.
3. Open `/integration` : **Reconciliation** first (0 pending / 5 dispatched / 0 dead-lettered), then the outbox dispatcher and scheduled jobs.
4. Click **Dispatch pending** — events route to the Finance/HR/Research adapters and the counters move.

SLA snapshot (FS)
Turnaround against institutional service levels — the platform's own promise back to the department.

TASKS WITH SLA	OPEN WITH SLA	BREACHED	WITHIN-TARGET RATE
5	5	1	80%

“SLA watched” box → the SLA snapshot on `/tasks`: totals, breaches, within-target rate.



“Reconciliation” box → the live panel on `/integration`: pending / dispatched / dead-lettered.


■ entry point □ step □ successful outcome □ pause / conditional path □ exit / refusal □ governance gate (enforced by the server) → the order things happen · every box carries the value it adds

Governance — what a request passes through before anything happens


CROSS-CUTTING FLOW

Every click follows this path. It is why the demo can say “enforced, not documented”.


THE REQUEST PATH



ROLE LANDING PAGES (HOMEROUTE)




THE SEPARATIONS THAT HOLD



TEST IT YOURSELF — SIGN IN AS TWO LOGINS

1. Sign in as `exec@example.com` / `exec123` : sidebar = Dashboard, Analytics, Settings. Type `/students/<any id>` in the URL — a clean “not available for your role” card, not an error page.
2. Sign in as `pgr.admin@example.com` / `pgr123` : Workflows/Integration are gone from the nav, Settings shows only My preferences, and on a student record there is no funding edit, no Decide, no Record-award anywhere.
3. As Rosa, fetch another supervisor's student by URL — the server returns 404, not 403: existence is not leaked.
4. As admin, open `/audit` after any of the above — every write attempt is in the trail.




“RouteGuard” box → the actual refusal card an executive gets on a student URL.



“Nav is shaped” box → Settings as PGR Admin: only My preferences — the admin tabs are simply not there.

■ entry point □ step □ successful outcome □ pause / conditional path □ exit / refusal □ governance gate (enforced by the server) → the order things happen · every box carries the value it adds

What each login sees in the sidebar, and where each screen sits in the flows on the previous pages.



Reading this with the lifecycle page: the student's journey runs left to right through Phase 1–4; each role's navigation is a different window onto the same single record. That is the product in one sentence: one thread, many governed windows.

TEST IT YOURSELF — SIGN IN AS EACH OF THE FIVE DEMO LOGINS IN TURN

- admin@example.com / admin123 → lands on Dashboard, full sidebar (22 entries incl. Administration + Pattern Lab).
- pgr.admin@example.com / pgr123 → Dashboard; no Workflows/Integration.
- rosa.grigsby@example.com / super123 → lands on **Supervision**; 6 entries.
- marcus.bell@example.ac.uk / student123 → lands on **My journey**; 3 entries.
- exec@example.com / exec123 → Dashboard; 3 entries.

PGR Platform
RESEARCH LIFECYCLE

WORKSPACE

- My journey
- Tasks
- Supervision**
- Progression

Rosa's actual sidebar: My journey, Tasks, Supervision, Progression, Thesis, Settings — nothing else.

PGR Platform
RESEARCH LIFECYCLE

WORKSPACE

- My journey**
- Tasks

ADMINISTRATION

Marcus's actual sidebar: My journey, Tasks, Settings.

The student's window → My supervision on /portal: their team and meetings, read-only.

entry point step successful outcome pause / conditional path exit / refusal governance gate (enforced by the server) → the order things happen · every box carries the value it adds