Experiment No: 2

1.Aim: creating list in html.

2. Source code:

```
<html>
 <head><title>list</title>
 </head>
 <body>
   >
    <h1><center><b><font size="10">Nested List in
HTML</font></b></center></h1>
    <hr>
    type="1"><font size="5">
      <font color="lightblue">Input Devices</font>
       type="a">
        <font color="orange">Pointng Devices</font>
          <font color="purple">Mouse</font>
            <font color="green">
             Opitical Mouse
             Mechanical Mouse
             Wireless Mouse</font>
              <font color="yellow">
              Rf Mouse
                Bluetooth Mouse</font>
              <font color="purple">
          Trackball
          Touchpad
          Pointing Stick</font>
         <font color="orange">
        Touch Screen
        Video Input & Audio Input Devices</font>
```

```
<font color="purple">
        Digital Video Camera
        Web cams</font>
       <font color="lightblue">
    Output Devices</font>
      <font color="purple">
       Printers
        Impact Printer
         Non-Impact printer</font>
        </font>
   </body>
</html>
```

3.Output:

Nested List in HTML

- 1. Input Devices
 - a. Pointng Devices
 - Mouse
 - o Opitical Mouse
 - o Mechanical Mouse
 - o Wireless Mouse
 - Rf Mouse
 - Bluetooth Mouse
 - Trackball
 - Touchpad
 - · Pointing Stick
 - b. Touch Screen
 - c. Video Input & Audio Input Devices
 - · Digital Video Camera
 - · Web cams
- 2. Output Devices
 - a. Printers
 - Impact Printer
 - · Non-Impact printer