Experiment No: 3

1.Aim: creating table in html.

2.Source code:

```
<html>
<head><title>table in html </title>
</head>
<body> <p>
<h1><center>Using Table in HTML</center></h1>
<hr color="red">  <br><br>
<table border="4" width="1000" height="500" cellspacing="10px" bgcolor="yellow"
align="center">
<tr>
<th rowspan="3">day</td>
<th colspan="3">seminar</th>
</tr>  <tr>
   <th colspan="2">schedule</th>
   <th rowspan="2">topic</th>
</tr>  <tr>
   <th>begin</th>
   <th>end</th>
</tr>  <tr>
   <td rowspan="2">monday</td>
   <td rowspan="2">8:00 a.m</td>
   <td rowspan="2">5:00 p.m</td>
   <td align="center">introduction to xml</td>
</tr>  <tr>
   <td>validity: DTD and Relac NG</td>
</tr>  <tr>
   <td rowspan="3">tuesday</td>
   <td>8:00 a.m</td>
   <td>11:00 a.m</td>
   <td rowspan="2" align="center">XPATH</td>
</tr>  <tr>
   <td>11:00 a.m</td>
   <td>12:00 a.m</td>
</tr>  <tr>
   <td>2:00 p.m</td>
   <td>5:00 p.m</td>
   <td rowspan="1">XSL Transformations</td>
</tr>  <tr>
   <td>wednesday</td>
   <td>8:00 a.m</td>
   <td>12:00 p.m</td>
```

```
   <td>XSL Formatting Objects</td>
</tr>  </table> </p>
</body>
</html>
```

3.Output:

Using Table in HTML

day	seminar		
	schedule		topic
	begin	end	
monday	8:00 a.m	5:00 p.m	introduction to xml
			validity: DTD and Relac NG
tuesday	8:00 a.m	11:00 a.m	XPATH
	11:00 a.m	12:00 a.m	
	2:00 p.m	5:00 p.m	XSL Transformations
wednesday	8:00 a.m	12:00 p.m	XSL Formatting Objects