

What is the input to the first phase of compiler?

- (A) Token stream
- (B) Character stream
- (C) Syntax tree
- (D) None of these



☐ Mark for Review

1	A	☐
2	B	☐
3	C	☐
4	D	☐

Select the functionality of lexical analyzer

- (A) Lexical analyzer produces syntax error and line number.
- (B) It matches the longest prefix of the identifier.
- (C) It recognizes tokens and produces a stream of lexeme.
- (D) It recognizes white space, comments, and ignore them.



☐ Mark for Review

1	A	☐
2	B	☐
3	C	☐
4	D	☐

Consider the following program:

```
int main ()  
  
{  
  
printf("%d + %d = %d", 5, 2, 7); /*sum*/  
  
return 0;  
  
}
```

How many numbers of tokens are there in program after preprocessing?

Match the following phases of the compiler in List I with the input required in List II.

List I	List II
(1) Lexical analyzer	(i) Token stream
(2) Syntax analyzer	(ii) Intermediate representation.
(3) Semantic analyzer	(iii) Character stream
(4) Code generator	(iv) Syntax tree.

- (A) 1 – (i); 2 – (ii); 3 – (iv); 4 – (iii)
(B) 1 – (iii); 2 – (i); 3 – (ii); 4 – (iv)
(C) 1 – (i); 2 – (ii); 3 – (iii); 4 – (iv)
(D) 1 – (iii); 2 – (i); 3 – (iv); 4 – (ii)

Calculate the token in the following C program using lexical analyzer.

```
int main ()  
{  
    int a, * b;  
    a = 20;  
    b = & a;  
    printf("%d%d", a, * b);  
}
```

- (A) 28
- (B) 31
- (C) 34
- (D) 30

Which of the following is lexical error

(A) 123gate

(B) gate123

(C) gate_123

(D) None of these



☐ Mark for Review

1	A	☐
2	B	☐
3	C	☐
4	D	☐

Consider following C code:

```
main ( )
```

```
{
```

```
int /*pw */ t x;
```

```
float comment * / y;
```

```
}
```

Number of tokens in the above C code is/are_____.

