

Mission audit and build roadmap

Every screen, tab, drawer, dialog and link of the Notices module, the Chrome extension and portal sync, the reply workflow — and a phased plan for minimum human intervention, the easiest portal fetching, the fastest reply and a dashboard you can read at a glance.

78

screens captured (desktop + phone)

38

critical / high findings (of 370)

0 / 35

September roadmap items complete (30 partial)

7 phases

≈ 20 weeks · ≈ 182 person-days

The mission, in the words of the brief: minimum human intervention · the easiest fetching of reports and data from the portal through the extension · minimum time to furnish a notice reply · the highest level of UI/UX, with a dashboard to see everything at a glance and a view for every notice.

≈ 3 h → 20 min

daily human time to keep portal data fresh

≈ 10 h → 1¾ h

staff time per ASMT-10 / DRC-01A reply

≤ 1 day

target: portal issue to first draft

100%

target: dashboard numbers that match their lists

Notices & Litigation

Autopilot on · portal sweep today 06:12 IST (11 min) · 90 of 92 GSTINs fresh · 9 new notices read & classified · **2 need you** ...

Search GSTIN, client, ARN, DIN, case ID... Ctrl K + Add notice MIS pack Sync now

Owner: Everyone Type: All FY: All Officer: All

Command centre Work queue 31 All notices 473 Matters 64 Hearings 4 Calendar Clients Reports

Overdue & still open 7
₹ 18.4 L at risk · oldest 12 d · Open ...

Due in next 7 days 12
5 replies · 4 hearings · 3 appeal clocks

New since yesterday 9
all 9 PDFs read · 3 with demand

Drafts ready for review 6
auto-built from GSTR-1 / 3B / 2B data

Ready to file on portal 4
packs checked against portal limits

Exposure under dispute ₹ 2.86 cr
tax 1.72 · interest 0.81 · penalty 0.33

Today's plan — next best action
Ranked by statutory deadline × exposure × readiness. One click does the next step; the row leaves the list when done.

Client	Notice · what the system read	Due	Readiness	Next action	Owner
Demo Textiles Pvt Ltd 24AAAAA0801A125	ASMT-10 · FY 2023-24 · 3 issues · ₹ 4.82 L ITC 3B > 2B ₹3.42 L · GSTR-1 vs 3B ₹0.97 L · Interest ₹0.44 L	-2 d 03 Oct	evidence 92% draft v2	Approve & file or request 1-day extension	AD
Sample Pharma LLP 27AAAAA0802A123	DRC-01C · Aug 2026 · ITC 3B > 2B by ₹1.26 L system: ₹1.18 L timing (2B of Sep) · ₹0.08 L genuine excess	2 d 07 Oct	Part B reply auto-built	Review draft	AT
Example Foods Pvt Ltd 24AAAAA0803A121	DRC-01 u/s 73 · FY 2021-22 · ₹ 21.6 L s.16(4) time-bar ₹9.1 L · cancelled suppliers ₹12.5 L	4 d 09 Oct	waiting: 2 client docs	Chase client (2) reminder 2 auto-sent 04 Oct	PD
Test Engineering Works 33AAAAA0804A128	Personal hearing · DRC-01 FY 2020-21 Fri 09 Oct 11:30 · Asst. Commr., Range III · 6 docs to carry	4 d 09 Oct	hearing kit 5/6	Print hearing kit	PD
Gamma Test Exports 24AAAAA0805A126	RFD-08 · refund ARN AA240926... · ₹ 6.40 L deficiency: BRC for 3 invoices · system matched 3/3 shipping bills	6 d 11 Oct	RFD-08 pack ready	File on portal extension permits · you sign EVC	AT
Delta Demo Traders 24AAAAA0806A124	DRC-07 order · FY 2019-20 · ₹ 38.2 L confirmed (tax ₹ 19.0 L) appeal clock (s.107): 3 m from 14 Aug → 13 Nov · pre-deposit 10% of tax ₹ 1.9 L	39 d 13 Nov	APL-01 not started	Create appeal matter	?
Beta Sample Infra LLP 24AAAAA0807A122	REG-17 · SCN for cancellation · non-filing 6 months system: GSTR-3B Apr-Sep pending; returns can be filed today	7 d 12 Oct	REG-18 template ready	Assign	?

Showing 7 of 31 · 4 notices closed automatically this morning (order dropped proceedings / refund sanctioned) — see why

Next 14 days
Reply due · hearing · appeal / limitation clocks

MON 5	TUE 6	WED 7	THU 8	FRI 9	SAT 10	SUN 11
2 due		3	1	PH 2		1
MON 12	TUE 13	WED 14	THU 15	FRI 16	SAT 17	SUN 18
2		PH	appeal			

Click a day for its list · ICS feed for Outlook / Google Calendar

Exposure by stage
₹ lakh · open matters

SCN / reply	121.4
Order passed	58.6
First appeal	80.2
GSTAT	17.5
Recovery	8.3

Pre-deposits paid ₹ 9.6 L · DRC-03 linked to 41 of 44 payments

Reply pipeline
Where every open notice sits · median days in stage

Captured & read	9	0.1 d
Triaged / owner set	14	0.6 d
Evidence built	21	1.8 d
Waiting on client	12	5.2 d
Draft ready	6	0.9 d
Partner approved	4	0.3 d
Filed · awaiting order	21	34 d

Median portal-issue → filed reply this month: **6.5 days** (last month 14).
Bottleneck: **waiting on client**.

Autopilot health
Runs on its own · tells you only what needs a person

Healthy

Portal sweep (notices, case folders, refunds, DRC-03, ledgers) 06:12 ✓

New notice PDFs downloaded, read & classified 9 / 9 ✓

Due dates / hearing dates extracted 7 · 2 ✓

Auto-closed with reason (reviewable) 4

Login failed — password changed · Delta Demo Traders Update

Portal asked for a person (CAPTCHA) · 1 GSTIN Solve once

Next sweep 13:00 IST · extension v3.2 on 6 PCs log →

Clients needing attention
open · overdue · exposure

Example Foods Pvt Ltd	6 · 2	₹ 41.9 L
Delta Demo Traders	4 · 0	₹ 38.2 L
Demo Textiles Pvt Ltd	5 · 1	₹ 22.7 L
Test Engineering Works	3 · 0	₹ 17.1 L
Gamma Test Exports	2 · 0	₹ 6.4 L

Target: the Notices Command centre (mock-up, fictional data) — §8

Prepared 5 October 2026 · branch claude/kind-cerf-jbqu8m (main @ 100b5b1) · all client names, GSTINs and figures in screenshots and mock-ups are fictional · statements of law marked “verify” must be confirmed against current text before they are encoded.

Contents

- 1. Executive summary
- 2. Mission scorecard
- 3. Method and how to read this report
- 4. Where the September roadmap stands
- 5. Pillar 1 — Minimum human intervention
- 6. Pillar 2 — Easiest fetching from the portal (target: Portal Autopilot)
- 7. Pillar 3 — Minimum time to furnish a reply (target: Reply Factory and Notice workspace)
- 8. Pillar 4 — Dashboard at a glance (target: Command centre)
- 9. Pillar 5 — Per-notice view
- 10. Foundations — data trust and security
- 11. Screen-by-screen audit with suggested fixes
- 12. Build roadmap — phases, tasks, acceptance tests, Gantt, decisions, KPIs
- 13. Appendix — full findings register

If you read one page: §1. **If you are building it:** §12, then the findings each task cites. **If you are reviewing a screen:** §11.

1 • Executive summary

Bottom line. The Notices & Litigation module has the right skeleton. The Chrome extension already reaches almost every portal data set a CA firm needs, and the September redesign put a dashboard, work queue, notice drawer, alert rules and litigation tables in place. But very little of the automation actually runs, the dashboard’s numbers do not agree with the lists behind them, and the reply itself — the slowest and most expensive part — still happens entirely outside the app. **Of the 35 items in the September roadmap, none is complete: 30 are partly built and 5 have not started.**

What the audit found.

- **Built but not running.** The notice drawer, the alert e-mails and the closing sweep fail at runtime because the code asks for database columns that do not exist (`hearing_date`, `notice_id`, `contact_person`, `last_name`). The drawer shows “Notice not found” for every notice; no alert e-mail can be queued; nothing has ever been auto-closed or given a due date by the sweep. The TypeScript checker reports every one of these — but the commit gate (`vite build`) does not run it.
- **People do the machine’s work.** About 3 staff-hours a day go into keeping portal data current: a serial run, one typed CAPTCHA per client, a tab that must stay open. Each ASMT-10 or DRC-01A then costs about 9–11 staff-hours, most of it re-keying and hunting for figures the app already holds (filed GSTR-1 / 3B, 2B reconciliation, ITC and RCM ledgers, DRC-03).
- **The screens disagree with each other.** On one fictional test data set, the Overdue tile says 14 while the list it opens shows 69; “22 matters” on the dashboard are notices with a demand, while Litigation MIS shows 9 open matters; a matter created from the list offers “Reopen” because one screen writes “open” and another checks for “Open”. Across 78 screens the average score is **3.3 / 10**, and none of them uses the house style the rest of the app adopted this month.
- **Data can be lost.** A pull that returns zero rows or partly fails soft-deletes the client’s notices; one failed PDF download blanks a link that worked yesterday; an outdated extension copy still hard-deletes notices and staff work; Add Notice cannot save at all.
- **Security needs attention before any automation or AI.** Notice PDFs are in a public bucket that anyone can overwrite or delete; portal passwords are stored in plain text and readable with the public key that ships in the extension; the extension obeys any `*.vercel.app` page; a third-party token is committed to the repository and should be rotated now.

The plan. Seven phases over about 20 weeks with two developers working with Claude Code (≈ 150 person-days plus slack). It first makes the module safe and truthful, then lets the database turn every portal change into work, then builds the Command centre and a Notice workspace, puts fetching on autopilot, and finally builds a **Reply Factory** that reads each notice, computes the firm’s position from the app’s own data, drafts the reply under hard numeric gates and helps file it.

What changes for the team

Measure	Today	Target	Delivered by
Human time to keep portal data current	≈ 3 h / day	≤ 20 min / day	Phase 3
Portal issue → notice in the app	2–7 days (whenever someone syncs)	< 24 h; < 4 h for 7-day forms	Phase 1–3
Staff time per ASMT-10 / DRC-01A reply	≈ 9–11 h	≈ 1 h 45 min	Phase 4–5
Time to first draft	7–14 days	≤ 1 working day (DRC-01B/01C ≤ 2 h)	Phase 5
Re-keyed fields per notice	15–25	≤ 2	Phase 4–5
Dashboard numbers that match their lists	some	all (tested)	Phase 1
Filings recorded without re-keying	0%	≥ 95% within 24 h	Phase 5

Do these in the first ten working days

#	Action	Findings
1	Rotate the token committed in <code>supabase/functions/gst-push/README.md</code> ; keep it only in Supabase secrets.	R-02
2	Make the <code>return-pdfs</code> bucket private and serve signed URLs; remove anonymous upload / update / delete policies.	R-01
3	Restrict the extension bridge to the app’s own origin.	S-12
4	Fix the four broken queries (<code>hearing_date</code> , <code>notice_id</code> , <code>contact_person</code> , <code>last_name</code>) and seed the missing alert templates.	L-01, L-02, L-03, L-08
5	Add <code>tsc --noEmit</code> to the commit gate.	L-20
6	Guard the soft-delete against zero-row and failed pulls; never send portal-owned columns as NULL.	L-05, L-06
7	Fix Add Notice (manual <code>portal_key</code> , never soft-deleted by sync).	L-07
8	Enforce a minimum extension version and block hard deletes with a trigger.	S-04
9	Remove the hard-coded “06:00 IST” and “0 e-mails” lines from the sync card.	S-13
10	Fix the top-nav labels (“Matters” and “Hearings” open the wrong pages).	L-40

2 • Mission scorecard

Maturity on a 1–5 scale: 1 = not working or absent, 3 = works with manual effort, 5 = automatic, reliable and measured. Bars: today (colour) against target (outline).

Minimum human intervention		today 1 / target 4 • 12 findings
Today Nothing runs unless someone clicks. Sweep errors on every run, alert e-mails cannot be produced, and a newly captured notice creates no event, owner or reminder.	Next Database triggers turn every portal change into an owner, a clock and an alert; the sweep runs after each sync; the agent runs on a schedule.	
Easiest fetching from the portal		today 2 / target 4 • 8 findings
Today The extension already reaches 22 portal data sets through the portal's own JSON calls — a strong base. But every refresh is a serial 2–4 hour run with one typed CAPTCHA per client, everything is re-downloaded each time, and about 3 staff-hours a day go into keeping data current.	Next Incremental, identity-checked runs through one server door; an office agent on a 05:30 / 13:00 schedule; all CAPTCHAs on one screen; portal e-mails trigger targeted syncs.	
Minimum time to furnish a reply		today 1 / target 4 • 12 findings
Today The reply happens outside the app — Excel workings, Word drafts, e-mail review, manual filing. A typical ASMT-10 / DRC-01A takes about 9–11 staff-hours over 12–25 days although the app already holds most of the evidence.	Next Read the notice automatically, split it into issues, compute the firm's position from GSTR-1 / 3B / 2B data, draft with AI under hard numeric gates, file with the extension's help and record the ARN automatically.	
Dashboard at a glance		today 2 / target 5 • 12 findings
Today The redesigned dashboard looks right, but its numbers do not reconcile with the lists they open — on one fictional test data set the Overdue tile says 14 while the list it opens shows 69 — exposure is computed three ways, the work queue reads an arbitrary 1,000-row slice sorted newest-first, and the sync card shows hard-coded text. The all-notices “work queue” is a 23-column export, not a queue.	Next One canonical notice view feeds every tile, list, report and e-mail; the Command centre shows today's plan with one next action per row.	
Per-notice view		today 1 / target 5 • 8 findings
Today The only per-notice view (the drawer) queries a column that does not exist and shows “Notice not found”; even when fixed it is read-only and cannot be opened by URL. Due dates, hearings and demand by head stay trapped inside folder JSON.	Next A Notice workspace at /notices/:id with issues, evidence, draft, documents, clocks, payments and the next action — the page every e-mail links to.	
Foundation — data you can trust		today 2 / target 5 • 24 findings
Today A zero-row or partly failed pull soft-deletes a client's notices; failed PDF downloads blank good links; an old extension copy still hard-deletes; Add Notice cannot save; the build does not type-check, which is how several broken queries shipped.	Next Safety rails on every write, a run ledger, a type-check gate and one definition of every metric.	
Foundation — security		today 1 / target 4 • 6 findings
Today Notice PDFs sit in a public bucket anyone can overwrite or delete; client portal passwords are plaintext and readable with the public key; the extension obeys any *.vercel.app page; a third-party token is committed to the repository.	Next Private storage with signed links, a locked-down bridge, rotated secrets, then the project-wide move to server-side sessions and encrypted credentials.	

3 · Method and how to read this report

Scope. Every route, tab, drawer, dialog, popover and link of the Notices & Litigation module (dashboard, work queue, all-notices list, notice drawer, company list and profile, case folder, Notice Summary, GSTIN-wise count, refunds, DRC-03, litigation matters, matter detail, MIS), the Chrome extension and its popup, the Playwright agent, the alert e-mails, and the database objects behind them.

How. The production build was run in Chromium and every screen was captured at desktop (1440 px) and phone (390 px) width. The backend was replaced by an in-memory mock filled with **fictional** clients, notices, case folders, refunds, DRC-03 payments and matters, so no real client data appears anywhere in this report and nothing touched the live database or the GST portal. Four specialist reviews then read the code behind each screen: the extension and sync pipeline, the logic and data layer, the reply workflow, and the screens themselves. Severe findings were re-checked by hand against the code and the TypeScript compiler before inclusion.

Limits. Because the data is mocked, a screen can look healthy here and still fail live where its query names a missing column — such cases are called out from the code. Counts quoted from the live database (for example “reply_date logged on 0 rows”) come from the 13 September 2026 live check recorded in docs/notices-roadmap/review-record.json. Statements of law are marked **verify** wherever the current text should be confirmed before it is encoded.

Reading the IDs. S- = extension and sync, L- = logic and data, R- = reply workflow and per-notice, U- = a finding on a specific screen. Severity: **Critical** data loss, security exposure or a core feature that cannot work; **High** wrong numbers or a large time cost; **Medium** friction or inconsistency; **Low** polish.

Findings at a glance

Source	Critical	High	Medium	Low	Total
Domain reviews (sync, logic, reply), duplicates merged	8	30	35	9	82
Screen reviews (U-)	0	72	149	67	288

Findings by mission pillar

Pillar	Critical	High	Medium	Low
Minimum human intervention	3	4	4	1
Easiest fetching from the portal	0	3	5	0
Minimum time to furnish a reply	0	6	6	0
Dashboard at a glance	0	5	5	2
Per-notice view	1	1	4	2
Foundation — data you can trust	1	9	11	3
Foundation — security	3	2	0	1

4 · Where the September roadmap stands

The September 2026 roadmap (docs/NOTICES_LITIGATION_ROADMAP.pdf) planned 35 items in Phases 0–5. Much of it has been started — the redesigned dashboard components, alert tables, litigation schema and upsert sync all exist — but **no item is finished**, and several “done-looking” pieces fail at runtime. 30 items are partial and 5 have not started.

Item	Status	What remains
0.1 Upsert sync	Partial	Zero-row / failed-sub-fetch guard (L-05); send portal-owned non-null columns only (L-06); dedupe case-task rows by ARN (L-24); batch key dedupe (L-39); portal_hash not added. Sync review: Zero-row and partial-failure guards; write only portal-owned columns (never null pdf_url or due_date); portal_hash for change detection; in-batch dedupe; move into a transactional server RPC that uses server time. supabase/migrations/20260914100000_notices_upsert_sync.sql (portal_key, first/last_seen_at, deleted_at, unique keys); extension/background.js:108-176 (upserts + soft-delete PATCH)
0.2 Failure path and job lifecycle	Partial	Acting user not carried on bridge messages; refund/DRC-03 save errors swallowed without a log (content.js:3118,3397); case/task failure unlogged; no structured reason class. Sync review: Run ledger with reason classes, a resumable queue and watchdog, an enforced minimum version, removal of every sentinel write, and the actor id on all bridge messages. extension/content.js:156-158 (10-min idle / 3-h expiry), 294 (top-level catch logs and advances), 336-350 (logSyncAttEmpty, login_failed log), 208-216 (PULL FAILED goes to client_sync_log only); src/pages/NoticesDashboardPage.tsx:118-120 (minimum extension version)
0.3 One canonical notice set	Partial	All-clients list, Company Profile, work queue and alert functions re-implement definitions (L-04, L-08, L-21, L-16); GSTIN-wise not deduped (L-12); refunds/DRC-03 unpaginated, errors ignored; no fixture (no test runner configured). src/hooks/useNoticeSet.ts:34-73; src/utils/noticeDefinitions.ts:19-45; used by NoticesDashboardPage.tsx:60,196-200, NoticeSummaryReportPage.tsx:31, GstinWiseNoticeCountPage.tsx:48
0.4 Closing sweep and due dates	Partial	Fix the join (L-02); DRC-03 acknowledgement and safe refund rules (L-11); correct JSON paths and latest-date logic (L-10); hearing dates; automatic run after sync. Sync review: Fix the join, separate portal from derived due dates, run the sweep server-side after ingest, and promote hearing dates and RFD-08 reply dates. src/lib/noticeAutoClose.ts:26-201 (implemented but queries non-existent notice_id); bulk close with reason in NoticeWorkflowListView.tsx:463-485 and NoticeWorkQueue.tsx:262-283
0.5 Security stop-gaps	Partial	return-pdfs bucket still public with anon upload/update/delete (L-15); bridge still accepts any *.vercel.app origin; portal passwords still copied into job creds (extension/background.js:304,475); /clients guards not assessed by this lens. Sync review: Exact-origin bridge with a signed request token; private bucket with signed URLs; credential vault with just-in-time fetch; mask passwords. extension/manifest.json content_scripts include https://gst.vjdesai.com/*; extension/appbridge.js:12-20 origin allow-list; src/context/AuthContext.tsx:205-218 role re-read from user_roles on restore
0.6 Quick fixes	Partial	Hooks still after early returns (L-43); always-empty 'Additional Notices and Orders' report still present (src/utils/noticeRefundDrc03Reports.ts:24-49); error states elsewhere (L-38); nav destinations wrong (L-40). src/components/notices/NoticesTopNav.tsx:25-40 (active state from route); error banner NoticesDashboardPage.tsx:296-300
0.7 Write it down	Partial	Category taxonomy, refund/DRC-03 dedupe and closed rules, sync constants, CAPTCHA posture, failed-login runbook; correct section 4 extraction paths (L-44). docs/NOTICES_LITIGATION_POSITIONS.md; docs/NOTICES_STAFF_SOP.md; CLAUDE.md 'Notices module' section
1.1 Event source	Partial	DB trigger for captured/changed/removed; bulk actions and queue actions do not log; actor names null (L-28). Sync review: DB triggers on gst_notices and gst_case_folder_items, plus a 15-minute event drain. supabase/migrations/20260914140000_notice_alerts_phase1.sql:8-25 (notice_events); src/lib/noticeEvents.ts; writes from NoticeWorkflowListView.tsx:428-441,571-581 and noticeAutoClose.ts:106-113
1.2 Rules, queue and outbox	Partial	Function cannot run (L-01); no 15-minute event run; E1/E6/E9/E10 handlers missing; to/cc arrays, attachments, 'preview' status and UNIQUE dedupe_key not added; send-gst-email has no attachments (L-42). Tables and seeds in 20260914140000_notice_alerts_phase1.sql:43-86,162-233; supabase/functions/queue-notice-alerts/index.ts; daily cron 20260915100000_notice_alerts_cron.sql:12-22; outbox drain every 15 min (same file:26-36)
1.3 A named owner	Partial	No back-fill; edit dialog still free text; assignee list empty due to profiles.last_name (L-08); no escalation ladder (L-18). assign_to_user_id column (20260914140000_notice_alerts_phase1.sql:112-120); queue bulk assign and Mine tab (NoticeWorkQueue.tsx:186-188,230-245)
1.4 Early statutory clocks	Partial	Seed/compute s.107, s.112, s.161, RFD-08 and DRC-22 rows from order dates and folder items; E5 (L-09). matter_deadlines table only (20260914140000_notice_alerts_phase1.sql:88-110); no writer anywhere in src/ or supabase/functions
1.5 Templates and a fatigue-safe rollout	Partial	Preview/dry-run status, per-client batching, repeat cap, quiet hours, critical-only exception (L-16). E1-E13 templates seeded (20260914140000_notice_alerts_phase1.sql:179-233); Notice Alerts section with rule toggles and manual run (src/pages/RemindersPage.tsx:302-370); notice group in EmailTemplatesEditor.tsx:149,192
1.6 Client-facing	Partial	No 'Request documents from client' action, no client-contact resolution (clients.contact_person does not exist), no reuse of the client reminder ladder. Templates notice_client_docs / notice_client_update seeded (20260914140000_notice_alerts_phase1.sql:225-232)
1.7 Visibility	Partial	Per-row 'last alert' on the all-clients list; dashboard surfacing of failures ('Emails sent today' is hard-coded, L-17); deep links in templates. Outbox log shows kind 'notice_alert' (src/pages/RemindersPage.tsx:104,272-273)
2.1 Shell	Partial	Search filters only client name/GSTIN despite the 'ARN' placeholder and has no shortcut handler (NoticesDashboardPage.tsx:84-88,329-331); filters not URL-persisted; tab destinations wrong (L-40); no single RPC/view (L-35). Header with sync line and actions (src/pages/NoticesDashboardPage.tsx:303-344); route-aware tabs (NoticesTopNav.tsx)

Item	Status	What remains
2.2 Needs-attention strip	Partial	Drill-downs do not reconcile (L-04); exposure definition (L-13); tax/interest/penalty split and pre-deposit never passed; replies/appeals/hearings split not real (L-25). src/components/notices/NeedsAttentionStrip.tsx:37-197; NoticesDashboardPage.tsx:350-370
2.3 Work queue and permissions	Partial	L-08 defects; audit events for bulk actions; export confirmation; permission keys manage_notices/close_matters/partner_review/view_exposure absent (only edit_notice_status, AuthContext.tsx:38,526-529); SECURITY DEFINER RPCs. src/components/notices/NoticeWorkQueue.tsx (Team/Mine/Unassigned/Hearings tabs, bulk assign/priority/stage, email, CSV export)
2.4 Charts	Partial	Ageing buckets, demand-by-stage donut and top exposure by client on the dashboard with click-to-filter. CategorySummaryBars on the dashboard (NoticesDashboardPage.tsx:378-384); ageing/stage charts on LitigationMISPage.tsx:630-670; ageing panel removed from the dashboard in #96
2.5 Next 14 days and Sync & alerts cards	Partial	Feed hearings and appeal limitations from matter_hearings/matter_deadlines (L-33); real email counts and no fabricated 06:00 claim (L-17); run_id and row counts. src/components/notices/Next14DaysStrip.tsx; src/components/notices/SyncHealthCard.tsx; NoticesDashboardPage.tsx:268-285,387-406
2.6 Matter drawer v1	Partial	Fix the hearing_date select (L-03); actions for reply/order/submission, close-with-reason, reopen, notes; case-folder attachments and uploads via signed URLs; replace the edit dialog; /notices/:id route (none in src/App.tsx:110-121). src/components/notices/NoticeDrawer.tsx (badges, fact tiles, Activity/Details/Deadlines/Docs tabs, Create Matter)
2.7 Refunds and DRC-03 as typed, rupee-bearing data	Partial	sanctioned_amount always null (content.js:3112); DRC-03 to SCN linkage not captured; a single refund 'closed' definition (L-37). DRC-03 head-wise amounts, section and FY captured (supabase/migrations/20260818140000_drc03_full_detail.sql; extension/content.js parseDrc03Case); refund documents jsonb (20260819030000_refund_documents_jsonb.sql)
2.8 Responsive and accessible	Partial	Card list on phones, no text below 12 px, focus/contrast audit (not assessed in depth by this logic lens). Grid breakpoints (NeedsAttentionStrip.tsx:77; NoticesDashboardPage.tsx:376); widespread 9-11 px text (NeedsAttentionStrip.tsx:85-90; NoticeWorkQueue.tsx:378-388)
3a.1 Schema and back-fill	Partial	Suggested-matters review page (suggestMatters is never called); back-fill grouping by case ARN; deadlines re-parenting. supabase/migrations/20260914160000_litigation_core_phase3.sql (matters, history, events, documents, hearings, payment s, litigation_rules seed); suggestMatters() in src/Lib/LitigationData.ts:623-662
3a.2 Matters page	Partial	Board view; officer/FY filters; link notices to an existing matter (L-30); computed next step and deadline; typed entry for appeal/GSTAT/recovery lifecycles beyond a free lifecycle select; numbering/status fixes (L-34). src/pages/LitigationMattersPage.tsx (list, lifecycle/stage/owner/status/client filters, create dialog); stage dialog writes matter_stage_history (LitigationMatterDetailPage.tsx:281-304)
3a.3 Deadline engine and hearings	Partial	Computed vs overriding deadlines (L-09); Hearings page, calendar and ICS; documents-to-carry; E4 on hearing rows; automatic clocks on DRC-07/APL-04 capture (L-33). Hearings add and outcome on the matter page (src/pages/LitigationMatterDetailPage.tsx:364-458)
3b.1 Demand, payments and outcomes	Partial	Per-Act demand split; DRC-03 linkage; pre-deposit calculator; recovery/stay status; outcome column, win-rate and time-to-close; payment accounting fix (L-31). Demand heads editable (LitigationMatterDetailPage.tsx:482-490); payments with kind (390-418); close with outcome select (912-920)
3b.2 Documents, reply workspace and review	Partial	Uploads to a private bucket with storage_path; unified list including portal and case-folder PDFs; reply drafting with templates and precedents; partner-review event; authority and counsel masters. matter_documents rows inserted as metadata only, no file (src/pages/LitigationMatterDetailPage.tsx:461-480)
3b.3 Client view	Not started	Read-only client page with stage, next date and requested documents; E12/E13 wired to it. All notices and litigation pages redirect non-staff (LitigationMattersPage.tsx:153; NoticesDashboardPage.tsx:183); no client-portal route in src/App.tsx:110-121
4.1 Agent handler	Not started	PULL_NOTICES_BUNDLE handler on the same upsert path; portal_jobs writable only via RPC. Sync review: Port the bundle to Playwright (same JSON calls inside the logged-in context), add an atomic claim RPC and RPC-only writes to portal_jobs, and verify the migration on the live project. agent/src/handlers.ts has no notices handler (no 'notices' references under agent/src)
4.2 Scheduling	Not started	pg_cron enqueue at 06:00 IST, retries with backoff, needs_human CAPTCHA queue on the card, run summaries. Sync review: Cron enqueue at 05:30 IST, retries with backoff, an in-app CAPTCHA wall for needs_human jobs, and run summaries. Only alert/email crons exist (20260915100000_notice_alerts_cron.sql, 20260726130000_gst_email_cron.sql); SyncHealthCard.tsx:214 nevertheless claims a 06:00 IST run
4.3 Guardrails	Not started	Anomaly detection raising E9; skip inactive clients; per-client credential health; session expiry and rotation. Sync review: Portal-change detection with E9, the active flag respected, a per-client credential-health view, and expiring encrypted session cookies. No zero-row/shape anomaly checks (extension/background.js:114-121); inactive flag not respected (background.js:455-456 filters only notices_sync_excluded)
4.4 Retention and recovery	Not started	Archive-with-audit; soft delete on litigation tables; orphaned-PDF cleanup; tested backup/PITR runbook; legal hold. Sync review: Archive instead of delete, a block on hard deletes, PDF lifecycle management, a legal-hold flag and a tested restore runbook. Hard client delete cascades through all module tables (src/pages/CompanyListPage.tsx:197-213; FKs listed in L-14); no deleted_at or legal hold on litigation tables
5.1 MIS	Partial	Officer/section breakdowns, opened vs closed, outcomes and time-to-close, ageing basis (L-41), Monday email (E10), consistency with dashboard exposure (L-13). src/pages/LitigationMISPage.tsx (exposure, by client/stage/lifecycle, ageing, per staff, upcoming hearings; Excel and PDF export)

Item	Status	What remains
5.2 Client litigation status report	Partial	Not reachable from any screen (only exportLitigationMIS is imported, LitigationMISPage.tsx:15); one-click entry from client profile and drawer; correct paid/pre-deposit figures (L-31). exportClientLitigationReport in src/Utils/LitigationPdfExport.ts:152
5.3 Polish and options	Partial	GSTIN-wise on the deduped canonical set (L-12); bell must include system events (L-29); WhatsApp channel, PDF-to-fields extraction and AI first-draft replies not started. GSTIN-wise page reads useNoticeSet (GstinWiseNoticeCountPage.tsx:48); NotificationBell over notice_events and matter_events (NotificationBell.tsx:70-122)

5 • Pillar 1 — Minimum human intervention

What good looks like. Portal data arrives on a schedule; every new notice, due date, hearing or order becomes an owner, a clock and an alert by itself; staff spend their time deciding and signing, not clicking, re-keying or chasing.

Where it stands. Every step from “a notice appears on the portal” to “it is correct in the app” needs a person. The review counted 16 recurring human touchpoints adding up to about **173 minutes a day** for a ~90-client practice — before any reply work starts.

Human step today	Who	How often	Min/day	Automatable	How
Install and keep updating the unpacked extension on each syncing PC (Developer mode → Load unpacked → reload after each change; dismiss Chrome's developer-mode warning)	Each staff member who syncs (assume 3 PCs)	Every extension release (20 commits touching extension/ since 15 Aug 2026) plus occasional 'Extension not detected' troubleshooting	2	Yes	Publish as an unlisted/private Chrome Web Store item or force-install via Chrome policy (ExtensionInstallForcelist) for auto-update; server-side minimum-version gate.
Keep portal credentials correct (enter on onboarding; chase the client after a password change or logout; re-enter in Edit Client)	GST staff + client	A few clients per week across ~90	8	Partly	Credential-health list from login_failed rows; automatic client email with a secure update link; the client contact itself cannot be removed.
Start the sync: open the app (gst.vjdesai.com) in the Chrome profile with the extension, click Sync All or tick companies in Company List	Sync operator	Daily (when anyone remembers)	2	Yes	pg_cron enqueue at 05:30 IST for the agent (Stage 4).
Type one CAPTCHA per client and press Login (auto-submit only for scripted fills)	Sync operator	~90 per full run, one at a time as each client finishes; elapsed 2-4 h	45	Partly	Batched 'CAPTCHA wall' (agent, per-client contexts) → ~5-8 min/day; targeted/rotated syncs cut the count to ~20-30; full automation only with a solver, which needs a written legal/ToS decision.
Keep the sync tab open and avoid any other portal use or extension action in that Chrome profile during the run (they switch the session or overwrite the job)	Sync operator and anyone sharing the PC	Every run (2-4 h)	20	Yes	Isolated Playwright contexts on an agent box; meanwhile a dedicated Chrome profile and a queued (not overwritten) job store.
Notice and restart stalled or silently dropped runs (idle >10 min, 3-h cap, portal down, hung request)	Sync operator	Several times a week	10	Yes	Service-worker watchdog, resumable queue, timeouts, 'abandoned/portal_down' log rows, automatic retry with backoff.
Review failures (Company List vs dashboard disagree) and re-run Sync for failed clients by ticking rows page by page	Sync operator / GST manager	Daily	10	Partly	Run ledger + client_sync_status view; 'Retry failed' and 'Sync stale' actions; automatic retries; a human only for credential problems.
Click Sweep after sync (auto-close + due dates) - currently errors every time	GST staff	Daily (per SOP)	1	Yes	Server-side sweep after each client ingest.
Click 'Send digest' or rely on the 09:30 IST cron (currently returns 'no notices' if hearing_date is absent)	GST manager	Daily	1	Yes	Fix the select/rule keys; 15-minute event cron.
Triage each new notice: open the PDF, read it, key amount of demand, FY, due date (case rows), hearing date, assign an owner, set status	GST staff / manager	Per new notice (assume ~5/day across 90 clients)	25	Partly	Promote folder JSON facts, PDF text extraction with confidence flags, auto-assign to clients.assigned_accountant; a human verifies.
Run the separate per-client 'refund documents' pull to see refund memos/SCNs/orders	GST staff	Weekly per client with open refunds	5	Yes	Incremental refund-folder capture inside the bundle for open refund cases.
Re-key reply ARN/date and order number/date after acting on the portal	GST staff	Per reply/order (~3/day)	8	Yes	Map REPLY/ORDRS folder items to reply_* / order_* fields (flagged 'from portal') after a targeted re-sync.
Open the notice on the portal to reply: Portal icon - > CAPTCHA → search the reference → navigate to the case	GST staff	Per reply (~3/day)	9	Partly	Deep-link into the case folder and reuse a live session; the reply submission itself stays human (DSC/EVC).
Record notices that are not on the portal list (physical notices, summons, e-way-bill matters) via Add Notice - currently fails	GST staff	~1/day	5	Partly	Fix the insert; email/scan intake with text extraction.
Monthly per-client pulls for 2B, ledgers and filed returns - each a separate login + CAPTCHA, page kept open	GST staff	Return season: ~90 clients x 3 pulls per month (~10 CAPTCHAs/day averaged)	20	Yes	One-login bundle per client (notices + 2B + ledgers + filing status) on the agent, or GSP/ASP APIs for returns and ledgers.

Human step today	Who	How often	Min/day	Automatable	How
Check the extension is the right version / connected before syncing	Sync operator	Weekly	2	Yes	Version gate enforced by both app and extension; auto-update channel.
Total			173	Target after Phase 3: ≈ 20 min / day (CAPTCHA wall + exceptions only)	

Company	Document Type	Status	Date	Value	Action
Fictional Exports Pvt Ltd 27AAAAA0007A1ZV	Order	Captured	—	—	Assign >
Illustrative Software Services Pvt Ltd 36AAAAA0019A1ZZ	Notice	Captured	11 Oct 2026	27,300	Assign >
Example Foods Pvt Ltd 29AAAAA0009A1ZV	Letter Of Undertaking	Captured	—	—	Assign >
Placeholder Logistics Pvt Ltd 07AAAAA0008A1ZZ	Notice	Hearing	10 Oct 2026	—	Open >
Sample Pharma LLP 27AAAAA0002A1ZB	Notice	Captured	10 Oct 2026	67,200	Assign >
Sandbox Auto Components Pvt Ltd 06AAAAA0011A1Z3	Notice	Captured	09 Oct 2026	—	Assign >

Showing 50 of 51 - 19 open rows have no due date or stage — [run the closing sweep](#)

Notice summary by category

Click a row to filter this dashboard - click its count to open the list

Category	Count
Appeal	1
ASMT 10	2
Audit	1
DRC 01	2
DRC 03	27
Enforcement	1
LUT	5
Order Rectification	1
Others	1
Refund	21
Demand Notice	28
Notice	28

+ 8 categories with no data

Next 14 days

Statutory due dates & hearings

MON	TUE	WED	THU	FRI	SAT	SUN
5	6	7	8	9	10	11
1	1	1	1	2	3	3
12	13	14	15	16	17	18

Legend: Appeal limitation (red), Reply due (orange), Issued (blue), Hearing (dark blue)

Mon, 5 Oct: Notice

All deadlines →

Sync & alerts

Portal pulls, failed logins, emails sent

Last Sync All (notices + refunds + DRC-03) Today 07:55

Clients synced / with credentials 5 / 11

Failed logins (latest attempt) 2 - fix →

New rows this sync - changed 6 - 74

Emails sent today (digest + alerts) 0

Extension Not detected

[Sync one or more clients](#)

Error Log:

- Sweep errors: column `gst_case_folder_items.notice_id` does not exist: column `gst_case_folder_items.notice_id` does not exist

Evidence (fictional data, same code as production): clicking "run the closing sweep" returns "column gst_case_folder_items.notice_id does not exist"; the Sync card shows a hard-coded "Next scheduled unattended sync: 06:00 IST" and "Emails sent today 0"; every owner is "9" because the assignee query names profiles.last_name, which does not exist.

Critical and high findings

ID	Severity	Issue and evidence	Fix
L-01 = S-02	Critical	Neither implementation can produce an alert. The edge function selects <code>gst_notices.hearing_date</code>, which no migration creates and <code>types.ts</code> lacks, so PostgREST rejects the select, <code>allNotices</code> is null and the function returns <code>{queued:0, message:'no notices'}</code> with HTTP 200 on every cron run. Behind that: it selects <code>clients.contact_person</code> (column does not exist); it inserts <code>email_outbox.template_key = 'notice_alert' / 'notice_alert_critical'</code>, which violates the FK to <code>email_templates(key)</code> because no such template rows are seeded; it looks for rule keys <code>'E4_hearing' / 'E5_limitation'</code> while the seed uses <code>'E4_hearing_reminder' / 'E5_limitation_alert'</code>; only a daily 04:00 UTC cron exists although the header promises a 15-minute run; and nothing writes <code>captured/changed/removed notice_events</code> (no trigger), so E1/E6/E9 have no source. The browser copy selects the same two missing columns, so <code>runScheduledAlerts</code> and <code>processEventAlert</code> also return 0 without an error. Impact: Phase 1's promise (nobody has to open the app to learn that a notice arrived, is due or was missed) is not met, and because cron and buttons report success the team believes alerts are running. <code>supabase/functions/queue-notice-alerts/index.ts:3-6,102-106,170-182,204-206,299,325; supabase/migrations/20260725120000_gst_reminders.sql:48; supabase/migrations/20260914140000_notice_alerts_phase1.sql:163-177,180-233; supabase/migrations/20260915100000_notice_alerts_cron.sql:12-22; src/lib/noticeAlertQueue.ts:95-101,244-252,319-324; src/integrations/supabase/types.ts:4831-4869</code>	Remove <code>hearing_date/contact_person</code> from the selects (hearings from <code>matter_hearings</code>, contact from <code>clients.name/email</code>); seed <code>'notice_alert'</code> and <code>'notice_alert_critical'</code> rows in <code>email_templates</code> or stop storing the shell key in <code>template_key</code>; align rule keys; add an AFTER INSERT/UPDATE trigger on <code>gst_notices</code> that writes <code>captured/changed/removed</code> events; schedule the 15-minute run; check every {error} and write a failure row instead of returning 'nothing due'; delete the browser duplicate so one implementation remains.

ID	Severity	Issue and evidence	Fix
L-02 = S-06, R-04	Critical	runAutoClose and runDueDateSweep both query <code>gst_case_folder_items.notice_id</code>, a column that does not exist (folder items are keyed by <code>client_id + case_id</code>). Each pass returns an error before doing any work, so no notice has ever been auto-closed and no due date has ever been extracted; the toast shows 'Sweep errors: column ... does not exist'. The sweep is also manual-only, is silently capped at 1,000 candidates by PostgREST despite <code>.limit(2000)</code>, and once fixed would send up to 1,000 UUIDs in a <code>GET .in()</code> list, beyond URL limits. The footer offers it as the remedy for stale rows and the SOP tells staff to click it after every sync. Impact: LUT, refund and closure cases stay open forever, inflating Open and filling any deadline-sorted list with 2017-era rows (the reason the queue was switched to newest-first in #96); case rows never receive due dates, so DRC-01/ASMT-10 items never reach Overdue or Due-in-7. <code>src/lib/noticeAutoClose.ts:29-46,149-166,194-201; supabase/migrations/20260828160000_gst_case_folder_items.sql:14-24; supabase/migrations/20260914100000_notices_upsert_sync.sql:113-140; src/pages/NoticesDashboardPage.tsx:140-152; src/components/notices/NoticeWorkQueue.tsx:520-530; docs/NOTICES_STAFF_SOP.md:16-18</code>	Re-implement as a SQL function that joins <code>gst_case_folder_items</code> on (<code>client_id</code> , <code>case_id</code>); call it automatically after each client's notices pull and nightly via <code>pg_cron</code> ; return counts and log a sweep-run row.
S-01 = S-23, R-26	Critical	There is no unattended path. Every refresh is a human-driven serial run: one Chrome tab, one client at a time, a person types each CAPTCHA (auto-submit only for a scripted fill), and the next CAPTCHA appears only after the previous client finishes. The agent has no notices handler, the GitHub Actions schedule is disabled and no app screen enqueues agent jobs. Impact: For ~90 clients one person is tied to the tab for 2-4 hours per refresh (~45 min of CAPTCHA attention plus babysitting). Freshness depends on someone having that time, so new notices can sit unseen for days. <code>extension/content.js:563-588; extension/background.js:445-482; agent/src/handlers.ts:494-503; .github/workflows/portal-agent.yml:19-23; commit 90cad45 (agent UI removed)</code>	Interim: incremental runs plus CAPTCHA-ready desktop notifications (Stage 2). Target: office-IP Playwright agent with per-client contexts, a 05:30 IST <code>pg_cron</code> enqueue and a batched in-app CAPTCHA wall, so the human step is ~5-8 minutes (Stage 4); targeted syncs to shrink the daily count (Stage 5).
L-11	High	(a) <code>notice_type</code> matching <code>/refund/</code> plus any ORDRS item closes the case, but refund ORDRS items include RFD-06 orders that may be rejections (<code>sancordervo</code>) and start an appeal clock — closing them hides it; (b) no rule for 'Voluntary Payment' (DRC-03 acknowledgement) rows, so about 146 such rows stay open and inflate Open (roadmap 0.4 named the 131 acknowledgements); (c) LUT closes only if an ORDRS item exists; (d) nothing closes a GSTR-3A notice once the return is filed although <code>gst_filed_returns</code> holds that fact, nor REG-20 drop, ASMT-12 acceptance or DRC-05 conclusion; (e) a DRC-07 should not close but move to 'Order received' with an appeal deadline; (f) rows without <code>case_id</code> (all <code>get/notices</code> rows) are never candidates. Impact: Either stale open rows that staff must close by hand, or — once the sweep works — appealable rejections closed silently. <code>src/lib/noticeAutoClose.ts:17-20,29-35,62-78; src/pages/AdditionalNoticeFolderPage.tsx:107-116; src/utils/noticeSummaryReport.ts:76-77,114-121</code>	Read the order sub-type from <code>raw_json</code> and close only on <code>sanction/payment/closure</code> ; on rejection or DRC-07 set stage 'Order received' and create the appeal deadline; add a Voluntary Payment rule (status Acknowledged); auto-close GSTR-3A by matching its return period to <code>gst_filed_returns</code> ; record <code>close_reason</code> <code>auto:*</code> and an event for each.
L-16	High	E3 has a 168-hour cooldown, so a notice gets one reminder near T-7 and none at T-3, T-1, T0 or while overdue; E3/E4 include notices already replied to; unassigned notices fall back to every staff member individually (N notices × M staff emails); the event-alert dedupe key omits the recipient, so only the first team member ever receives an event alert; E2 counts notices due today as overdue (instant comparison at 09:30) unlike the dashboard; E11 uses <code>issue_date</code> rather than <code>first_seen_at</code> and goes to partners in the edge function but to the whole team in the browser copy; <code>quiet_hours</code>, <code>max_repeats</code> and <code>staff_notification_prefs</code> are never read; the 'mode' body is ignored; <code>email_outbox.dedupe_key</code> has only a non-unique index, so the 23505 branch is dead and concurrent runs can double-send; <code>notice_alert_log</code> records 'sent' at enqueue time. Impact: Alert fatigue for some, silence for others, and no escalation as a deadline approaches. <code>supabase/functions/queue-notice-alerts/index.ts:86-90,128-152,190-198,236-242,272-296,357-390; src/lib/noticeAlertQueue.ts:268-281,288-304,455-482; supabase/migrations/20260914140000_notice_alerts_phase1.sql:159,166,174</code>	One server implementation; offsets 7/3/1/0 then daily while overdue capped by <code>max_repeats</code> ; skip replied/closed; recipients owner, then team list, then partner; dedupe key per <code>rule+notice+offset+date+recipient</code> with a UNIQUE index and <code>insert-on-conflict-do-nothing</code> ; honour quiet hours; log 'queued' and update on send.
R-06	High	Filing is never recorded automatically. Reply ref, date and ARN are typed in the list dialog, so in practice they are not: <code>reply_date</code> was set on 0 rows while 121 REPLY items across 68 cases had been synced, and replied notices stay Overdue. <code>src/components/reports/views/NoticeWorkflowListView.tsx:1124-1147; src/pages/AdditionalNoticeFolderPage.tsx:138-152 (replyFields already parses reply type, against, date and filed-by); docs/notices-roadmap/review-record.json</code>	Add a REPLY-item reconciler that runs on every sync. Match <code>reply.ntcno</code> or <code>refld</code> to the notice; set <code>reply_date</code> , <code>reply_ref_number</code> and <code>submission_arn</code> with source = 'portal'; move the stage to Filed; mark the deadline met; log <code>reply_logged</code> . The filing-assist ack capture writes through the same RPC.
S-05	High	Nothing turns a newly synced notice into work. The E1 'New notice captured' rule waits for <code>notice_events</code> of type 'captured', but no DB trigger exists and the extension never writes events. Event alerts are processed only when staff edit rows in the app, there is no 15-minute event cron (only the daily digest), and Sweep and 'Send digest' are manual buttons. Impact: A new DRC-01 or ASMT-10 surfaces only when someone opens the dashboard, with no owner, no deadline and no email. <code>supabase/migrations/20260914140000_notice_alerts_phase1.sql:164; src/lib/noticeEvents.ts:19-28; src/components/reports/views/NoticeWorkflowListView.tsx:434-437; supabase/migrations/20260915100000_notice_alerts_cron.sql:11-22; src/pages/NoticesDashboardPage.tsx:140-170</code>	Add AFTER INSERT/UPDATE triggers on <code>gst_notices</code> and <code>gst_case_folder_items</code> that write <code>notice_events</code> (captured, due_changed, and reply/order/hearing item added). A 15-minute cron then drains the events into E1 and E6-E9 with signed PDF links. Auto-assign new notices to <code>clients.assigned_accountant</code> and run the sweep server-side after each client's ingest.

What good looks like. One schedule fetches every data set the firm needs for every active GSTIN; only new or changed documents are downloaded; each run proves which GSTIN it is in, never deletes on a failed pull, and records what it did; any report can be fetched for any set of clients from one screen; the portal's own notice e-mails trigger a targeted refresh.

GST Keeper — Portal Sync

Client

All clients with credentials (11)

Return period (MM/YYYY)

09/2026

Start sync in this browser

Stop / clear current sync

Opens the GST portal in a new tab, logs in (you type the CAPTCHA once), and pulls filing status + ledger opening into GST Keeper. Keep that tab open until it shows "done". Runs on your own connection, so the portal treats it as a normal user.

Today: the extension popup — starts a filing-status / ledger pull; notices are synced from the app instead

Company List

Total Downloaded: 5 Total Pending: 6

Dashboard Work Queue Matters Hearings Clients **Reports**

Active/Inactive: All Status: Failed

Companies

Delete Company Sync Log Bulk Update Import Fetch Company Sync

☐	GSTIN	TRADE NAME	USER NAME	LAST DOWNLOAD DATE	STATUS	STATUS MESSAGE	ACTION
☐	29AAAAA08083A2V	Example Foods Pvt Ltd	examplefoods_gst	5/10/2026, 7:51:00 am	●	Invalid Username or Password. Please try again.	
☐	27AAAAA0807A2V	Fictional Exports Pvt Ltd	fictionexports_gst	5/10/2026, 7:57:00 am	●	PULL FAILED: HTTP 503 from caselsearch	
☐	36AAAAA0818A2Z	Illustrative Software Services Pvt Ltd	illussoft_gst	5/10/2026, 7:58:00 am	●	Read 15 rows but the save failed: duplicate key value violates uniq ...	
☐	98AAAAA081A2Z	Sandbox Auto Components Pvt Ltd	sandboxauto	5/10/2026, 8:10:00 am	●	CAPTCHA was not solved within 120 seconds — login abandoned.	
☐	93AAAAA0804A2Z	Test Engineering Works	testeng_gst	5/10/2026, 8:02:00 am	●	Session kept dropping (bounced to login/error page 3x) while readi...	

Rows per page: 10

1-5 of 5

Today: the extension popup — starts a filing-status / ledger pull; notices are synced from the app instead

Today: Company List after a run with failures (fictional data)

Portal data set	Fetch	Captured / stored	Gap
View Notices and Orders (services/auth/api/get/notices)	Partial	noticeOrderId → reference_number/portal_key, type, descr, dtOfIssue, dueDate, status (always null from the portal per migration 20260824100700:4-6), issuedBy (content.js:2723-2731). gst_notices (source='notices'); storage bucket return-pdfs (public)	Keep raw payload + doc ids; skip already-captured PDFs; extract text (demand by head, section, period, due/hearing dates); change detection (portal_hash).
GSTR-3A return-defaulter notices (u/s 46) inside the notices feed	Partial	Same row fields as other notices. gst_notices.pdf_url; return-pdfs	Store the summary JSON, link the defaulted period to filing status and auto-close when the return is filed (s.46 notice deemed withdrawn); label the PDF as reconstructed.
Case tasks / 'Additional Notices & Orders' feed (litserv/auth/api/case/task/get)	Partial	refId, caseTypeName → notice_type, taskDesc, assignmentDt -> issue_date, arn → case_id (content.js:2802-2809). gst_notices (same source 'notices')	Keep caseld; never skip folder capture for overlapping refs; do not soft-delete these rows when case/task/get fails; promote due/hearing/reply/order facts.
Case folders: INTIM / NOTCE / REPLY / ORDRS / DRC7A (case/folder + case/folder/items)	Partial	Verbatim parsed itemJson as raw_json, folder code, refId/crn, attachment list (content.js:2900-2909). gst_case_folder_items (attachments jsonb, raw_json)	Incremental attachment fetch; typed extraction into notice fields; per-folder failures must not soft-delete; non-unique keys (content.js:2899-2903).
Refund applications (litserv case/search, caseTypeCd RFUND)	Partial	ARN, refundRsn → refund_type, source_ledger (ITC if the reason mentions ITC), caseCreationDate, ttlRfdAmt, statusDesc (content.js:3104-3115). gst_refund_applications (+documents jsonb); gst_case_folder_items for refund folders	Incremental refund-folder capture for open cases inside the bundle (RFD-03 deficiency memos, RFD-08 SCNs with short reply windows); sanctioned/rejected amounts from RFD-06/RFD-04.
DRC-03 voluntary payments (litserv case/search, caseTypeCd ADJVP)	Yes	ARN, cause, payment date, period from/to, section, FY, per-head tax, interest, late fee, penalty, cash vs credit, status (content.js:4276-4321). gst_drc03_filings	Keep raw JSON, fix taxable_value, link payments to the notice/demand.
LUT applications (RFD-11)	Partial	Task description, ARN (case_id), assignment date. gst_notices + gst_case_folder_items	Typed LUT register (FY, ARN, date) with a renewal reminder before 31 March.
Taxpayer profile + registration certificate (services/auth/profile/detail, api/get/regcert)	Partial	Legal name, trade name, constitution, registration date, state/centre jurisdiction, principal address, Aadhaar-authentication flag (content.js:3431-3436). gst_taxpayer_profile	Capture status + raw JSON daily and alert on Suspended/Cancelled (REG-31 / REG-17 exposure).
Electronic Liability Register Part I - return liabilities (returns/auth/api/retdtl)	Partial	Date, description, Dr/Cr, IGST/CGST/SGST/Cess tax, running balance (content.js:4330-4342). gst_liability_ledger_entries (delete-then-insert per period; failure writes a 'PULL FAILED' sentinel)	Read all sub-heads; never delete on failure.

Portal data set	Fetch	Captured / stored	Gap
Electronic Liability Register Part II - demands other than returns (orders, DRC-07 / ASMT-13 etc.)	No	- -	The most direct source of 'demand outstanding' and order dates for appeal clocks (verify endpoint name before building).
Electronic Cash Ledger (payment/auth/api/cashdetls)	Partial	Deposit date, description, Dr/Cr, per-head tax, running balance. gst_cash_ledger_entries (delete-then-insert)	Incremental and failure-safe writes.
Electronic Credit Ledger (returns/auth/ledger/detaileddledger - DOM scrape)	Partial	Opening balance per head, Dr/Cr rows (IGST/CGST/SGST), derived ITC-utilised and DRC-03 debits. gst_credit_ledger_transactions, gst_receivable_reco, suspended_reco	Rule 86A blocking is a notice-like event that is never surfaced; DOM heuristics are fragile.
Credit-reversal & re-claimed statement and RCM liability/ITC statement (returns/auth/internalapi)	Yes	Per GSTR-3B period: 4A(5)/4B(2)/4D(1) or 3.1(d)/4A(2)/4A(3) per head and closing balances. gst_credit_reversal_reclaim_entries, gst_rcm_liability_itc_entries	Not scheduled.
Challan history (payment/auth/challan/getlist)	Partial	CPIN, date, mode, per-head and total amount, status. gst_challans (delete-all-then-insert; failed windows silently lose rows)	Incremental window + upsert by CPIN.
Filed returns: GSTR-3B/GSTR-1 summaries, GSTR-1 filed JSON, GSTR-9 system-computed, filed-return PDFs	Partial	Summary JSON, ARN, filing date, status; full GSTR-1 JSON; GSTR-9 calc JSON; return PDF + ARN into filing_status. gst_filed_returns, filing_status, return-pdfs	Each pull is a separate login + CAPTCHA; not bundled with the notices session.
Return filing status across all returns (Track Return Status / formdetails sweep)	No	- -	Non-filing is the trigger for GSTR-3A/ASMT notices and for their deemed withdrawal; a daily status sweep in the same session would close that loop.
GSTR-2B (gstr2b getdata JSON and Excel download) / GSTR-2A	Partial	Full 2B document JSON (incl. ITC eligibility / IMS status per the code comment); 2A B2B invoices. gst_filed_returns (GSTR2B/GSTR2A summaries); twob_import_docs via the app's importer	Requires the app page to stay open on the same client/month; not scheduled; IMS pending actions not surfaced.
DRC-01B / DRC-01C intimations (Rule 88C / 88D) and their Part-B replies	Partial	Notice row fields only. gst_notices	7-day reply windows with no structured status; verify the portal endpoint for Part-B status.
Appeals (APL-01/02/04), rectification applications, pre-deposits	No	- -	Litigation module needs these for limitation and hearing tracking (verify case-type codes).
Personal hearings and reply acknowledgements	Partial	Raw JSON (reply type, against, date, personal-hearing option). gst_case_folder_items.raw_json	Promote hearing and reply facts so E4 reminders and Overdue logic can use them.
E-way bill / MOV notices (ewaybillgst.gov.in)	No	- -	Needs EWB API or manual intake - and manual Add Notice is currently broken (see S-15).
GST portal notification emails / SMS to the registered contact	No	- -	Could trigger a targeted sync of just that client (zero-touch Stage 5).

Target design — Portal Autopilot

Portal Autopilot

● On · office agent (headless Chrome on the office network) · runs 05:30 and 13:00 IST · extension is the fallback on any staff PC · every run writes through one server-side path with a run ledger

● GSTINs fresh (< 24 h)
86 / 92
05:30 run · 41 min · 0 errors

● Waiting for a person
6
CAPTCHA wall · about 1 minute of typing

● Need fixing
2
password changed · portal account locked

● New / changed today
9 · 14
only new PDFs downloaded (37 skipped)

● Read automatically
9 PDFs
form, section, period, ₹ by head, due & hearing dates

● Triggered by portal emails
3
notice e-mail arrived → that client synced in 12 min

CAPTCHA wall — 6 logins waiting

The agent holds each login open and shows every CAPTCHA here at once. Type them one after another (Tab moves on); the agent finishes the rest. CAPTCHAs are never solved by software — a firm decision, see §5.

Demo Textiles Pvt Ltd
24AAAAA0001A1Z5 · session expired

7Kq4mP

7Kq4mP

Omega Sample Steel
24AAAAA0009A1Z8 · new client · first run

x2B9

x2B9

Kappa Demo Polymers
24AAAAA0001A1Z9 · e-mail-triggered

type the 6 characters

Gamma Test Exports
24AAAAA0005A1Z6 · session expired

pW5zK8

type the 6 characters

Beta Sample Infra LLP
24AAAAA0007A1Z2 · session expired

type the 6 characters

Alpha Demo Chemicals
24AAAAA0008A1Z0 · session expired

type the 6 characters

Images expire after a few minutes (confirm on the portal), so the wall refreshes any that age out. Sessions are reused while still valid, so most days only a handful of GSTINs need a CAPTCHA at all.

Freshness by client

One row per GSTIN · reason class on every failure · one-click fix

Needs attention 8 All 92

Client	Last good pull	New · changed	Notices	Case folders	Refunds · DRC-03	Ledgers · status	Action
Delta Demo Traders 24AAAAA0006A1Z4	3 d ago	—	Login failed · password changed on portal (02 Oct)	client e-mailed			Update password
Test Engineering Works 33AAAAA0004A1Z8	2 d ago	—	Portal account locked after 3 failed attempts	unlock via "Forgot username/password" with the client's OTP			Ask client for OTP
Demo Textiles Pvt Ltd 24AAAAA0001A1Z5	yesterday 13:04	—	Waiting for CAPTCHA (wall)				Open wall
Sample Pharma LLP 27AAAAA0002A1Z3	today 05:41	1 · 2	✓ 61 ✓ 12	✓ 4 · 9	✓ Active		—
Example Foods Pvt Ltd 24AAAAA0003A1Z1	today 05:44	2 · 3	✓ 88 1 folder retried	✓ 0 · 3	✓ Active		—
Gamma Test Exports 24AAAAA0005A1Z6	today 05:47	0 · 1	✓ 17 ✓ 5	✓ 6 · 0	Rule 86A block found	Create notice	

What the autopilot fetches

Per data set: on/off, how often, and what happens with documents

Data set	When	Documents	
Notices & orders · GSTR-3A	2× daily	new PDFs only · text read	✓
Additional notices / case folders	2× daily	incremental attachments	✓
Refunds (RFD) · DRC-03	daily	new memos / SCNs / orders	✓
Liability ledger Part II (demands)	daily	order dates → appeal clocks	✓
Return filing status (all returns)	daily	closes GSTR-3A on filing	✓
Registration status · Rule 86A blocks	daily	alert on suspension / block	✓
GSTR-2B · ledgers · filed returns	monthly, 15th	feeds reply evidence	✓
Portal notice e-mails → targeted sync	on arrival	links the e-mail to the notice	✓
E-way bill (MOV) notices	—	needs EWB API · manual for now	⚙

Fetch a report now

Queue any data set for any set of clients; results land in the app

Report Liability ledger Part II Clients With open matters (31) Period FY 2025-26 Format In app · Excel Queue

Today's run log

full log →

05:30 Run started · 92 GSTINs · 86 sessions still valid

05:41 Sample Pharma LLP · 1 new DRC-01C · PDF read · owner auto-set (Associate Two) · alert sent

05:44 Example Foods · case folder NOTCE retry 1 of 3 succeeded · nothing deleted

06:11 Run finished · 41 min · 9 new · 14 changed · 0 rows removed by mistake (zero-row guard held for 2 clients)

09:52 Portal e-mail for Example Foods → targeted sync queued → done 10:04

Target mock-up (fictional data). An office agent runs at 05:30 and 13:00 IST; the CAPTCHA wall collects every login that needs a person onto one screen; failures carry a reason and a one-click fix; every data set has an on/off and a schedule; any report can be queued for any clients.

Staged path to zero-touch fetching

Stage	What	Days	Risks
0 - Safety rails before any automation None. Migrations applied to gcquafqxbkxbexcdpy and verified with the anon key (CLAUDE.md).	Make the write path safe first: zero-row and partial-failure guards on soft-delete; never send pdf_url or due_date as null; dedupe batch keys; a BEFORE DELETE trigger on gst_notices that blocks hard deletes (neutralises stale extension copies); a minimum-version row checked by app and extension. Also fix Add Notice (source 'manual', portal_key 'manual:'+uuid), the Sweep join (client_id + case_id), and hearing_date plus the E4/E5 keys; remove the hard-coded health text. Why: Automation multiplies whatever the write path does. Today one bad response can erase visible data and nothing tells anyone, so scheduling it first would make things worse.	3	Low; keep RLS open-to-public per the project convention and gate in triggers/RPCs instead.
1 - One server-side ingest path, run ledger and freshness view Stage 0.	A SECURITY DEFINER RPC sync_ingest(client_id, run_id, step, rows jsonb, ext_version) that upserts portal-owned columns using server now() and GREATEST(last_seen_at), takes a per-client advisory lock, soft-deletes only keys from validated non-empty sources, and computes portal_hash to record rows_new/changed/removed in sync_run_items. A client_sync_status view (last success per step, stale over 24 h, failure reason class) feeds the dashboard and Company List. E9 fires when counts drop to zero or by more than 50%. Why: Gives one definition of 'fresh', removes the client-clock and race problems, enables real change detection, and is what both the extension and the agent will call.	4	The RPC is callable with the anon key, so inputs must be validated; chunk large case-folder payloads per case.
2 - Faster, identity-checked extension runs (interim, still human CAPTCHA) Stage 1.	Incremental fetch: skip PDFs and attachments with known doc ids, fetch folders only for new, changed or open cases, read only recent challan windows, and do a full re-verify weekly. Check the session GSTIN before every write and log out before the first client. Queue jobs instead of overwriting them. A chrome.alarms watchdog logs 'abandoned' or 'portal_down' and resumes. A desktop notification plus tab focus when a CAPTCHA is waiting. Skip inactive clients and order by risk (open matters due within 7 days, stalest first). Trigger the server-side sweep and events after each client. Why: Cuts per-client work after login from minutes to roughly 15-30 seconds, so a 90-client run finishes in about an hour and the operator only reacts to notifications rather than watching the tab.	5	Undocumented portal APIs can change; keep raw JSON so data can be re-parsed. Verify whether the portal ends other sessions when a client's own staff log in.

Notices & Litigation — mission audit and build roadmap · fictional data in all screenshots

Page 14 of 136

Stage	What	Days	Risks
3 - New notice → work automatically Stage 1 (events from the ingest RPC); Stage 0 alert fixes; private bucket for signed links.	AFTER INSERT/UPDATE triggers on <code>gst_notices</code> and <code>gst_case_folder_items</code> emit <code>notice_events</code> (captured, <code>due_changed</code>, <code>reply/order/hearing</code> item added). <code>queue-notice-alerts</code> runs every 15 minutes for E1 and E6-E9 with signed PDF links. New notices are auto-assigned to <code>clients.assigned_accountant.matter_deadlines</code> rows are created for reply due, hearing, and appeal clocks from order dates (statutory periods to be confirmed by the firm). The sweep runs after ingest. Why: The owner learns of a new show-cause or scrutiny notice within about 15 minutes of it landing, with a deadline attached and no dashboard visit needed.	4	Alert fatigue: use a preview week, batching and quiet hours (roadmap 1.5).
4 - Unattended engine on an office IP with a batched CAPTCHA wall Stages 1-3. A written partner decision and client authorisations for automated access with stored credentials (agent/README.md:28-33).	Revive agent/ as the scheduled engine: <code>PULL_NOTICES_BUNDLE</code> (optionally profile, liability ledger and 2B) runs the same JSON calls inside a logged-in Playwright context (<code>page.evaluate(fetch)</code>) and writes through the Stage 1 RPC. Per-client browser contexts, an atomic claim RPC (<code>FOR UPDATE SKIP LOCKED</code>), and retries with backoff. <code>storageState</code> is re-saved after every run, encrypted with an expiry, and reused while valid. <code>pg_cron</code> enqueues active clients at 05:30 IST. Jobs that need a CAPTCHA park as <code>needs_human</code>, and the app shows them together in a 'CAPTCHA wall' (10-20 images, Tab between inputs), with a 09:00 email or push nudge. Deploy on an always-on office mini-PC, because the extension README reports the portal rejected datacenter IPs. Why: The human step shrinks to about 5-8 minutes of focused typing each morning instead of a 2-4 hour babysat run, and the data is in place before the team arrives.	12	GSTN terms and IT Act exposure for automated access, which a human-typed CAPTCHA reduces but does not remove. CAPTCHA-image expiry and session lifetime are unknown (verify; batch size depends on them). Any GSTN login MFA/OTP rollout reaching these clients would break unattended login (verify current status). Throttling: cap at 2-3 concurrent contexts per IP.
5 - Targeted syncs triggered by portal notification emails Stage 4 (or Stage 2 for flag-only mode); client consent to forward emails.	A firm inbox (e.g. a <code>notices@</code> alias) receives GSTN notice/order emails forwarded by clients, or receives them directly where the firm is legitimately the registered contact. An inbound-mail webhook or Gmail-watch edge function parses GSTIN, form and reference, then enqueues a high-priority job for that client (agent) or flags 'sync needed' (extension), and links the email to the notice once it lands. A full rotation still runs weekly (about 18 clients per day), plus daily syncs for clients with matters due within 7 days. Why: On most days only a handful of clients change. Daily CAPTCHAs fall from ~90 to ~20-30, and a new notice is picked up within an hour of the portal email.	5	Not every notice type triggers an email (verify), so keep the rotation as a safety net. Email templates change, so store the raw email.
6 - Notice document intelligence Stage 0 private bucket and signed access; Stage 3 events.	For every new PDF (notice, order or folder attachment): extract text (<code>pdf.js</code> text layer, with OCR for scans) and parse DIN, form type, section, FY/tax period, tax/interest/penalty by head, reply due date, hearing date/time/venue and officer. Store the results in <code>extracted_fields</code> with a confidence score, and pre-fill <code>amount_of_demand</code>, <code>financial_year</code>, <code>due</code> and <code>hearing</code> fields with an 'auto - verify' chip. Generate a reply workpack: facts table, document checklist, an E12 client request, and a first-draft reply from firm templates (LLM-assisted, always human-reviewed). Why: Removes most re-keying and gives the drafter a largely complete starting point - the biggest lever on the time taken to furnish a reply.	8	OCR errors on scanned notices: never auto-close or auto-file from extracted values. Use an approved LLM provider under a data-processing agreement for client documents.
7 - Coverage extension inside the same session Stage 2 or Stage 4 runner; Stage 1 RPC.	Add Liability Register Part II, GSTIN status, a bulk filing-status sweep (<code>formdetails / Track Return Status</code>), appeal case types via <code>case/search</code> (verify codes), <code>DRC-01B/01C</code> Part-B status, Rule 86A blocked credit, incremental refund folders and IMS pending counts, storing raw JSON for each. Why: These are the triggers and context for most notices: non-filing leads to <code>GSTR-3A</code>, mismatches to <code>DRC-01B/C</code>, and orders start appeal clocks.	6	Each endpoint must be discovered from the portal's own scripts and confirmed live before shipping.
8 - Official API route where it fits Commercial decision; client cooperation on OTP consent.	Evaluate a GSP/ASP for returns, 2A/2B, ledgers, filing status and payments (the taxpayer enables API access and consents by OTP for each validity window; verify the current maximum duration and how often OTP is needed). Move monthly return and ledger pulls there. Keep portal sessions for notices and case folders unless the GSP confirms APIs for them, which to my knowledge the standard taxpayer API set does not include (verify). Use the separate E-way Bill API for EWB matters. Ask Humonex whether it offers notice retrieval, since it already holds credentials for the <code>GSTR-1</code> push. Why: A sanctioned channel with no CAPTCHA for those data sets, which removes most monthly per-client logins.	8	Per-GSTIN fees; OTP consent is still a human step (by the client); likely no notices coverage.
9 - CAPTCHA automation (decision-gated; default: do not build) Legal sign-off; Stage 4.	Only after a written partner decision and client authorisations: implement the existing <code>autoSolveCaptcha</code> seam (agent/src/captchaSolver.ts:18) with strict rate limits, a kill switch and an audit log. Otherwise, remove the <code>fastcaptcha.org</code> permission now. Why: Would make the morning run fully zero-touch.	3	The repo's own agent README says GSTN terms treat automated access as unauthorised, with IT Act s.43/66 exposure. A lock or IP block would hit all ~90 clients at once. Reputational risk for a CA firm. A batched human CAPTCHA wall (Stage 4) gets close to zero-touch without this.

CAPTCHA posture. The agent's code deliberately leaves the CAPTCHA solver unimplemented, citing GSTN's terms and the IT Act. This report keeps that position: people type CAPTCHAs, but all of them at once on one screen, and session reuse means most days only a handful are needed. Automating CAPTCHAs is listed as a decision-gated option that should not be built without written legal sign-off and client authorisations.

Critical and high findings

ID	Severity	Issue and evidence	Fix
L-07 = S-15	High	AddNoticeDialog inserts into <code>gst_notices</code> without <code>portal_key</code>, which the upsert migration made NOT NULL with no default, so the insert fails (tsc: 'portal_key is missing', AddNoticeDialog.tsx:73). Fixed naively, the row would still carry <code>source='notices'</code> and default <code>last_seen_at</code>, so the next Sync All for that client soft-deletes it because the portal did not return it. Impact: Notices the portal does not list (summons, inspections, MOV, offline orders, appeals) cannot be tracked — the lifecycles the roadmap says need typed manual entry. src/components/notices/AddNoticeDialog.tsx:73-86; supabase/migrations/20260914100000_notices_upsert_sync.sql:16-27; extension/background.js:117-120	Insert with <code>source='manual'</code> and <code>portal_key='manual:' + uuid;</code> include 'manual' in <code>useNoticeSet</code> and <code>AllClientsNoticesPage</code> filters (the soft-delete PATCH already filters <code>source='notices'</code>).
S-08	High	Every notice row is sent with <code>pdf_url:null</code> and overwritten only when a download succeeds; merge-duplicates writes the null, so one transient failure erases a link that worked yesterday. Nothing checks what is already stored: every notice PDF, every case-folder attachment and every DRC-03 PDF is downloaded and re-uploaded on every run. Impact: Broken document links on the per-notice view. Runs take minutes per client instead of seconds, and the thousands of repeat requests from one profile raise the risk of portal WAF blocks. extension/content.js:2729, 2732-2742, 2813-2849, 2882-2897, 3377-3392; extension/background.js:61-69, 267-289	Omit <code>pdf_url</code> unless a PDF was captured (or COALESCE it in the ingest RPC). Store doc ids and attachment ids and skip ones already captured, with a full re-download only on a weekly verification pass.
S-09	High	Each run re-reads full history (notices and cases since 2017, challans in ~22 windows) and every document, while the job is dropped when it has been idle for over 10 minutes or is older than 3 hours. The check runs only on the next page load, so a CAPTCHA left for more than 10 minutes, or a long run, silently clears the job and the remaining clients get no log row. Impact: A 90-client Sync All can stop part-way with no record, while the header still shows 'Last sync' from whichever client finished. extension/content.js:155-158, 585-588, 2654, 2682, 3084, 3354, 3498-3505	Fetch incrementally; make the queue resumable (persist the next index and log 'abandoned' for unprocessed clients); add a <code>chrome.alarms</code> watchdog in the service worker; notify the operator when a CAPTCHA is waiting.
L-39	Medium	Rows without <code>noticeOrderId/refId</code> get 'hash:' (description date) or 'case:' + arn keys. Two rows with the same key in one batch make PostgreSQL reject the whole upsert ('ON CONFLICT DO UPDATE command cannot affect row a second time'), so nothing is saved for that client; when the portal edits a description the hash changes, the old row with staff work is soft-deleted and a 'new' row appears with a fresh <code>first_seen_at</code>. Frequency should be verified on live data. Impact: Whole-client sync failures and spurious 'New' notices that lose workflow data. extension/content.js:2725,2800-2808; extension/background.js:61-68,114-117	Dedupe the batch by <code>portal_key</code> before upserting; prefer stable identifiers (<code>docId/applId</code> , <code>task id</code>) in keys.
S-16	Medium	Several portal calls have no timeout: <code>get/notices</code>, the notice PDF, the refunds and DRC-03 case searches, DRC-03 <code>getEncrypDocIds/downloadhb</code> and the challan windows. When the login form does not load, the step returns without logging or advancing. Impact: A slow or down portal freezes the queue on one client with only an on-screen banner, and the remaining clients are never attempted or logged. extension/content.js:543, 2652, 2734, 3082, 3198, 3352, 3380-3382, 3511	Use <code>withTimeout + AbortController</code> on every fetch, with bounded retries and backoff; log 'portal_down' and advance; add a service-worker alarm watchdog.
S-19	Medium	When a case task's <code>refId</code> equals a notice reference already returned by <code>get/notices</code>, the loop continues before setting <code>case_id</code> and before the case-folder capture, so those notices never get their replies, orders or attachments. Verify how often references overlap. Impact: The matters listed in both feeds, possibly the most important ones, may have no folder history, no auto-close and no due-date extraction. extension/content.js:2790-2801, 2864	Merge the task data into the existing row (set <code>case_id</code>) and always run the folder capture.
S-21	Medium	Refund case folders and documents are fetched only by a separate per-client 'refund_docs' pull; Sync All reads only the refund list. <code>sanctioned_amount</code> is always null. Impact: Refund deficiency memos (RFD-03) and refund show-cause notices (RFD-08), which carry short reply windows, can go unseen unless they also appear in <code>get/notices</code> (verify). extension/content.js:3112, 3129-3139, 3193-3315; src/lib/reportsCatalog.ts:660	Capture refund folders incrementally for open refund cases inside the bundle, and parse sanctioned and rejected amounts from the RFD-06/RFD-04 items.
S-22	Medium	Not fetched: Electronic Liability Register Part II (demands from orders and payments against them), GSTIN status from the profile payload, appeal cases, DRC-01B/DRC-01C Part-B reply status, Rule 86A blocked credit, bulk filing status, and GSTR-2A sections other than B2B. <code>case/search</code> is called only with <code>RFUND</code> and <code>ADJVP</code>. Impact: The data that predicts notices and gives them context (non-filing, mismatches, confirmed demands, appeal clocks) still has to be checked by hand on the portal. extension/content.js:2519-2548, 3431-3436, 3084, 3354, 3784-3786; extension/README.md:15 (claims a filing-status pull that does not exist)	Add these calls inside the same logged-in session and store raw JSON; confirm each endpoint live before building (verify endpoint names).

7 • Pillar 3 — Minimum time to furnish a reply

What good looks like. By the time a person first looks at a notice, the system has read it, split it into issues with amounts, started the statutory clocks, computed the firm's position on each issue from the client's own returns and reconciliations, asked the client only for what is genuinely missing, and prepared a first draft whose every figure traces to a row of evidence. The person reviews, the partner approves, the extension files, the ARN comes back by itself.

The reply journey today

Step	Who	Where	Min	Pain
1. Notice issued on the portal (View Notices & Orders, or an Additional Notices & Orders case folder)	Proper officer / GSTN → client's registered email and mobile	GST portal; client inbox	0	The firm is not the addressee. It learns at the next Sync All or when the client forwards the email. Short-clock forms (DRC-01B/01C 7 days, REG-17/REG-23 7 working days, RFD-08 15 days, MOV-07) can lose most of their window before anyone in the firm sees them.
2. Run Sync All through the Chrome extension	Article/junior (attended)	App → Chrome extension - > portal APIs (get/notices, litserv case/task/get, case/folder/items, document downloads)	5	Manual and serial, with a human CAPTCHA per client login. A full run for about 121 clients takes hours; the review record noted 92 clients could not finish inside the old 20-minute job window. Case/task rows (DRC-01, ASMT-10, Enforcement, Appeal) are saved with due_date, status and issued_by = null (extension/content.js:2807). The structured folder JSON is stored but never parsed into fields. The 5 minutes shown is each notice's share of the run.
3. Run the Sweep (auto-close and due-date extraction)	Junior	App - Notices Dashboard / work queue	1	Both passes select and filter gst_case_folder_items.notice_id, a column no migration or generated type defines (src/lib/noticeAutoClose.ts:44-45,164-165), so the sweep errors out. Even if fixed, extractDueDate reads sdtls.duedate, dtscn.duedate and duedate (lines 139-142), but the live-confirmed fields are duedt, sdtls.<dtscn srcscn remnd>.duedt and replyDuedt (AdditionalNoticeFolderPage.tsx:168,176). Review record, 13-Sep-2026: 0 of 403 case rows had a due date.
4. Triage: open the notice, read the PDF, set status, priority, owner, due date and amount	Senior / manager	App drawer or list 'Log reply / order / submission' dialog + PDF viewer	25	The drawer query selects the non-existent gst_notices.hearing_date and drops the error, so it shows 'Notice not found' (NoticeDrawer.tsx:144,200-201). FY, amount, extended due date, free-text assign_to and remarks are re-keyed by hand (NoticeWorkflowListView.tsx:541-555). Section, DIN, tax periods, the issue list and head-wise demand have no field at all. Four different status vocabularies are in use.
5. Create a litigation matter and type the demand	Senior	App - drawer 'Create Matter' or Litigation Matters page	10	Tax, interest, penalty and cess are typed by hand from DRC-01/DRC-02 (LitigationMatterDetailPage.tsx:482-490, no event logged), although dmddtIs in the folder JSON already carries them. The matter gets the original rather than the extended due date, no actor, and lifecycle 'demand' whatever the form.
6. Tell the client and request documents	Senior / junior	Email, WhatsApp, phone (outside the app)	30	There is no request list, status or reminder ladder (roadmap item 1.6 is unbuilt). Files come back over email/WhatsApp into local folders, not onto the notice. Typically 3-10 elapsed days, often the longest wait in the journey (estimate).
7. Hunt for data: pull and export returns, 2A/2B and ledgers; fetch e-way bills and supplier status elsewhere	Junior	App Reports (client + month), extension pulls, GST portal, e-way bill portal, taxpayer search	90	Every comparison report takes one client and one month (src/lib/reportsCatalog.ts:251-300, 845-891), so an FY notice needs 12 runs of several reports, plus chasing NOT PULLED gaps. E-way bills, supplier cancellation dates, e-invoices and client documents are not in the app at all.
8. Build the reconciliation working in Excel	Junior / senior	Excel (copy-paste from app exports and Tally books)	120	Re-keys numbers the app already computes: GSTR-1 vs 3B, 3B vs 2B/2A, RCM vs ITC, interest, Rule 42. Figures carry no provenance and formula errors creep in. The GSTR-9 'Notice reply format' (src/components/gstr9/steps/NoticeStep.tsx:166-171) sits unused in another module.
9. Find a precedent reply and the law	Senior	Shared drive, old emails, CBIC website, case-law databases	30	No template or precedent library. 121 past REPLY items with attachments across 68 cases (review record) are captured in the case folders but are unindexed and unsearchable.
10. Draft the reply in Word	Senior	MS Word	90	Boilerplate is retyped for every notice, figures are transcribed from Excel, and issue coverage is checked by eye. Estimates: an s.73/74/74A SCN takes 2-4 h; a DRC-01B/01C explanation 20-40 min.
11. Partner review and redlines	Partner + senior	Email + Word track changes	45	No review queue or version history in the app, and approvals are not recorded. One to three cycles add 1-4 elapsed days.
12. Finalise the pack: letterhead, client signature or authorisation, PDF merge, compress or split for the portal	Junior + client	Word/PDF tools; courier or email for the signature	35	Files are juggled by hand to fit the portal's attachment limits (verify the current limits). The client signature round-trip adds 1-2 days.
13. File on the portal	Junior + client (EVC OTP) or partner (DSC)	GST portal: case folder → Notices → Reply (ASMT-11 / DRC-06 / DRC-01A Part B / RFD-09) or Return Compliance (DRC-01B/01C)	30	A fresh login with CAPTCHA. The extension's 'Portal' icon lands only on the generic Notices & Orders list (extension/content.js:514-523). Reply text is pasted and files attached one at a time. The OTP has to be coordinated with the client's authorised signatory.

Step	Who	Where	Min	Pain
14. Record the filing in the app	Junior	App - list view edit dialog	8	Reply Ref No., Reply Date and Submission ARN are typed by hand (NoticeWorkflowListView.tsx:1124-1147). In practice this is skipped: reply_date was set on 0 rows while 121 REPLY items existed (review record), so replied notices stay 'Overdue'. Saving the dialog also wipes close_reason (lines 522, 554) and writes a free-text assign_to instead of the user id.
15. Personal hearing and written submissions (when opted or fixed)	Partner / senior	Officer's office or video; matter page	120	The PH date sits in the folder JSON (pershrng and related fields) and is never parsed; hearings are entered by hand on the matter. There is no carry-list, and post-hearing submissions repeat steps 7-13.
16. Order received: decide on appeal, compute limitation and pre-deposit	Partner / senior	App (sync) + Excel	30	No code writes matter_deadlines, so there is no appeal or rectification clock and E5 limitation alerts never fire. Pre-deposit is computed by hand, with no orders-vs-reply comparison to build the grounds.
Total staff minutes (a notice with a hearing)			669	≈ 11.2 h; ≈ 520 min without the hearing and order steps. Target: ≈ 105 min for an ASMT-10.

Target design — the Notice workspace with the Reply Factory

Notices & Litigation > Work queue > Demo Textiles Pvt Ltd · 24AAAAA0001A1Z5 > ASMT-10 / FY 2023-24

ASMT-10 · Scrutiny of returns u/s 61 · FY 2023-24

Ref ZD24092600XXXX · DIN 2026XXXXXXX · Issued 25 Sep 2026 by Superintendent, Range II (State) · captured by autopilot 26 Sep 06:12 · PDF read automatically

Overdue 2 days · due 03 Oct · Priority: High · Owner: Associate One · Reviewer: Partner Demo · 3 issues · ₹ 4.82 L · Draft v2 ready · every figure traced 14 / 14

Assign · Ask client · Request extension

Reply pack (PDF + DOCX) · Approve & file on portal --

Captured
auto · 26 Sep 06:12

Read & classified
auto · 3 issues, ₹ 4.82 L, due 03 Oct

Evidence built
auto · 2B reco, GSTR-1 v 3B, interest

Draft
AI v1 26 Sep · v2 edited by AO 02 Oct

Partner review
pending since 02 Oct 17:40

Filed on portal
ASMT-11 · ARN captured back

Outcome
ASMT-12 / proceed to s.73

Amount in notice
₹ 4,82,690
CGST 1.99 · SGST 1.99 · interest 0.44 · IGST 0.40 (₹ L)

Explained by your own data
₹ 4,38,830 · 91%
timing 3.10 L · amendments 0.97 L · RCM 0.32 L

Genuine short-payment
₹ 43,860
interest u/s 50 — DRC-03 draft ready to pay

Client documents
3 of 4 in
bank statement Mar-24 pending · reminder 2 auto-sent

Issues raised and the system's position

Read from the notice PDF · positions computed from GSTR-1, GSTR-3B, GSTR-2B and books already in the app · click a row to see the working

Issues · Draft reply · Documents 9 · Activity · Payments

#	Issue as read from notice	Per notice ₹	System position (computed)	Explained ₹	Annexure	Status
1	ITC claimed in GSTR-3B exceeds GSTR-2B Table 4A(5) v 2B · Apr-23 – Mar-24	3,42,180	₹ 3,10,400 = invoices dated Mar-24 that appear in 2B of Apr-May-24 (timing; firm position: eligible within the year — s.16(2)(aa) verify) · ₹ 31,780 = RCM self-invoices (never in 2B by design)	3,42,180	A-1 2B reco A-2 RCM	Explained
2	Outward supply in GSTR-1 exceeds GSTR-3B Table 4 v 3.1(a)	96,650	Credit notes issued in GSTR-1 Table 9B (Mar-24 amendments) not netted by the officer · difference after amendments: ₹ 0	96,650	A-3 GSTR-1 v 3B	Explained
3	Interest on delayed payment of tax s.50(1) · cash portion only	43,860	Recomputed on net cash liability with the actual payment dates from the cash ledger: ₹ 43,860 agrees · recommend payment via DRC-03 before filing	0	A-4 interest	Pay - DRC-03 drafted

Positions are firm-elected defaults for this issue type (see [Reply rules](#)). The reviewer can override any row; the draft and annexures update on save.

Draft reply (ASMT-11) · v2

First draft by AI from the firm's template + the computed positions · edited by Associate One · every figure links to its source row

Compare v1 ↔ v2 · Regenerate section · Open in Word

Subject: Reply to notice in Form GST ASMT-10 dated 25.09.2026 for FY 2023-24 — Demo Textiles Pvt Ltd (GSTIN 24AAAAA0001A1Z5)

Issue 1 — ITC claimed in GSTR-3B in excess of GSTR-2B (₹ 3,42,180). Of this amount, ₹ 3,10,400 relates to 14 invoices dated March 2024 that the suppliers reported in their GSTR-1 for April-May 2024 and that appear in our GSTR-2B for those months [A-1:r.1-14](#). The difference is therefore one of timing, and the conditions of section 16(2), including clause (aa), stand satisfied for these invoices [verify](#). The balance ₹ 31,780 is tax paid under reverse charge on self-invoices, which by design does not appear in GSTR-2B [A-2](#)...

... 4 more paragraphs · prayer · list of annexures A-1 to A-4 · authorised signatory block

Figures traced 14 / 14 · No case law cited without a source · 1 legal point marked "verify" for the reviewer · Tone: firm standard

File on portal (assisted) · waiting for approval

Reply pack built: reply PDF + 4 annexures · 2.1 MB · all files within the portal's size and type limits [verify](#)

DRC-03 for interest ₹ 43,860 drafted (cash ledger balance OK)

☐ Partner approval

☐ Extension opens ASMT-11 for this notice, fills the reply text and attaches the pack

☐ You verify and sign with EVC / DSC (always a person)

☐ ARN and acknowledgement saved back automatically; notice moves to "Filed"

Documents

Upload

PDF ASMT-10 notice (portal) auto-downloaded · text extracted 25 Sep

XLS A-1 GSTR-2B reconciliation generated from 2B Reco module 26 Sep

XLS A-3 GSTR-1 v 3B with amendments 26 Sep

DOC Draft reply v2 edited by AO 02 Oct

IMG Client: purchase register Q4 received via client portal 30 Sep

Key facts

Client Demo Textiles Pvt Ltd

Portal login OK · synced 06:12

Section s.61 · Rule 99

Reply window 30 days from service [verify](#)

If not satisfied s.73 / 74 proceedings

Related 2 earlier notices · 1 matter

Target mock-up (fictional data). Issues read from the notice PDF, each with the system's computed position and its annexure; an AI first draft in which every figure is traced; assisted filing that stops before EVC / DSC and records the ARN automatically.

The evidence the app already holds

Module	Tables	Notice issues it answers
Notices & case folders (extension sync)	gst_notices; gst_case_folder_items.raw_json: sdtls.<dtscn srscn remnd dtorder>.{type, sec, fy, duedt, pershrng, facts/reason/grounds}, tottlds.{nm, dg}, dmdtlds, pymtdtlds, gdssvcdtlds, reply.{replyty, ntcno, decdtls}; attachments (PDFs in storage)	Form, section, FY, reply due date, PH, officer and issue-wise demand without OCR; which notices were already replied and when (REPLY items); orders that start appeal clocks; the firm's own past replies as a precedent and eval corpus.
Filed returns (as-filed portal JSON)	gst_filed_returns (return_type GSTR1/GSTR3B: full_json, summary, arn, filed_date); filing_status.return_pdf_url	GSTR-1 vs GSTR-3B liability (DRC-01B, ASMT-10, REG-31); 3B Table 4A/4B/4D ITC (DRC-01C); cash vs ITC discharge (interest base); filing dates for late fee, s.16(4) availment date and GSTR-3A; ARN-backed proof.
GSTR-1 workspace & reports	gstr1_data.raw_json, gstr1_manual_entries, gstr1_upload_versions, portal_gstr1_category_figures; reports: rate-wise, HSN, customer-wise, P.Y invoices in C.Y (src/utis/gstr1Reports.ts)	Invoice-level timing differences, amendments and credit notes, advances (AT/TXPD), export/SEZ with or without payment, HSN/rate disputes, the invoice side of e-way bill matching, next-FY amendments for ASMT-10.

Notices & Litigation — mission audit and build roadmap · fictional data in all screenshots

Page 18 of 136

Module	Tables	Notice issues it answers
Import 2B / 2B Reconciliation	twob_import_docs (itc_action, itc_reason, gstr1_filing_date, gstr1_period, irn, reverse_charge), books_register, bills_not_in_2b (reversal_month, reclaim_month, reclaimed_via_doc_id), bills_not_in_books, twob_versions	DRC-01C attribution (reclaims, prior-period 2B), ITC claimed above 2B (ASMT-10/DRC-01), s.16(2)(aa) compliance, s.16(4) time-bar inputs, INELIGIBLE / ITC_OF_OTHERS items, supplier-wise annexures.
GSTR-2A (periods up to Dec-2021)	gstr2a_import_docs; GSTR-2A rate-wise / supplier-wise / P.Y-in-C.Y reports; 'GSTR 3B vs GSTR 2A ITC' report	2A vs 3B mismatches for FY 2017-18 to 2021-22, where the Circular 183/15/2022 and 193/05/2023 procedure applies (verify); suppliers who filed late or never filed.
ITC Summary	itc_summaries.data (monthly), itc_versions, itc_reversal_lines (Rule 42/43 by FY)	Month-wise availed / reversed / reclaimed narrative; Table 4B(1)/(2) explanations; Rule 42/43 reversal workings.
Suspended Reco & ECRRS	suspended_reco; gst_credit_reversal_reclaim_entries (portal Electronic Credit Reversal and Re-claimed Statement)	Proof that ITC reversed (Rule 37A / 4B(2)) was re-claimed only after it appeared in 2B, plus the opening balance of reversed ITC. Defends DRC-01C and 'excess ITC' charges.
RCM Summary	rcm_data, rcm_masters, rcm_versions, gstr_rcm_liability_itc_entries (portal RCM liability/ITC statement), rcm_annual_return_lines	RCM liability determined vs paid (3.1(d)); ITC 4A(2)/(3) not exceeding RCM paid; category-wise RCM (GTA, legal, security, rent from unregistered persons, import of services); revenue-neutrality facts.
GSTR-3B workspace	gstr3b_adjustments (label, reason, table_ref), gstr3b_push_versions; computeItcOffset() in src/utils/gstr3bReports.ts:312	Why a month's 3B differs from GSTR-1 or 2B (documented adjustments with reasons); the cash vs credit set-off that drives interest.
GST Running Update	gst_running_updates (matter_brief, update_type, update_in_return, effect_month, itc_section, interest)	The documented 'adjusted in the return of month X' trail, which is the core evidence for timing-difference paragraphs in DRC-01B/ASMT-10 replies.
Filing Status	filing_status (status, filed_date, arn, is_nil, return_pdf_url); clients.target_date_group1/2	Non-filing grounds for GSTR-3A and REG-17, late-fee and interest day counts, acknowledgement PDFs.
Electronic ledgers & challans	gst_cash_ledger_entries, gst_credit_ledger_transactions, gst_liability_ledger_entries, gst_challans, portal_tax_payment_entries	Payment dates and amounts for s.50(1) interest; the ECL balance trail for s.50(3) / Rule 88B(3) (ITC wrongly availed but never utilised means no interest, verify); proof of discharge; pre-deposit debits.
DRC-03 voluntary payments	gst_drc03_filings (igst/cgst/sgst/cess, interest, penalty, cause_of_payment, section, period_from/to, arn, pdf_url)	Payments before or after the SCN (s.73(5)/(8), s.74(5)/(8), s.74A windows; verify), ARNs for the 'paid' option in DRC-01A/01B/01C Part B, matter paid_total, DRC-03A linkage.
Refunds	gst_refund_applications; refund case folders (APLCN, NOTAC incl. RFD-08 rsnoticeother/duedate, REPLY, ORDRS)	RFD-08 / RFD-09 reply facts and amounts, deficiency history, appeals against RFD-06 rejection.
Annual Return GSTR-9/9C	annual_return_docs (incl. the 'notice' doc behind NoticeStep's Notice reply format with PDF export), gstr9_table14_differential_tax, gstr9_table15_demands_refunds, gstr9c_table5_turnover_reco, gstr9c_table7_taxable_turnover_reco, gstr9c_table12_net_itc, client_annual_turnover	FY outward-liability and ITC reconciliation 'in the format officers ask for'; Table 8A vs 3B; Table 14 differential tax paid; turnover per books vs returns (ASMT-10/DRC-01 for FY 2019-20 onwards); the late-fee turnover tier.
Books (Tally-derived) data	duties_taxes_output_monthly, duties_taxes_input_monthly, books_turnover_lines, books_purchase_lines, pl_input_lines, pl_output_lines, expense_head_mappings	Books vs returns turnover and ITC; s.17(5) candidates by expense head; the Rule 42 common-credit base; ITR/26AS comparisons once that data is loaded.
Client master & taxpayer profile	clients (name, gstin, registration/cancellation dates, regular_sub_type, assigned_accountant), gst_taxpayer_profile (legal/trade name, address, constitution, jurisdiction), client_scheme_history	Reply header and addressee, automatic owner assignment, CMP-05 eligibility history (composition/QRMP), registration cases (REG-17/23/31). Never include gst_password or client_password in AI context.
Interest, late fee & scrutiny engines	src/utils/interestLateFee.ts, src/utils/interestScrutinyReports.ts (interest scrutiny, Rule 42 short reversal), docs/INTEREST_LATE_FEE_POSITIONS.md	Interest and late-fee issues in ASMT-10/DRC-01, computed on the firm's elected basis; Rule 42 short-reversal issues.
Advances	AdvancesPage + src/lib/advanceRegister.ts, advanceBalance.ts, advanceSetoffCheck.ts; GSTR-1 AT/TXPD sections	Tax on advances (services) and its adjustment. Explains GSTR-1 vs 3B timing and 'tax not paid on advances' charges.
Builder module	builder_* (projects, units, bookings, receipts, BU events, FSI workings, RCM postings, period postings)	Real-estate SCN issues: rate (1%/5%/12%/18%), land deduction, ITC reversal at the BU/CC cut-off, TDR/FSI RCM, procurement-shortfall RCM, with numbers per unit and project (positions in docs/BUILDER_GST_POSITIONS.md).
GST receivable reco	gst_receivable_reco	Reconciliation of books to the electronic credit ledger, including DRC adjustments, for ITC-balance disputes.
Litigation & communications	litigation_matters, matter_hearings, matter_payments, matter_documents, matter_events, notice_events, email_outbox, email_templates	Hearing history, payments, positions already taken for the same client or issue, communications to cite.
GAPS - not in the app today	none (would need ewb_documents, supplier_registration_status, einvoice_docs, client document store)	E-way bill vs GSTR-1, ITC from cancelled suppliers (cancellation dates), e-invoice vs GSTR-1, ITR/26AS turnover, and the documentary proof every contested issue needs (invoices, GRNs, bank UTRs, contracts).

Notice taxonomy — what can be automated

Form	Basis · reply	Window	Typical issues → automatic source	Level	Min saved
ASMT-10	s.61 CGST Act; Rule 99 (scrutiny of returns). Outcome: ASMT-12 acceptance, or action under s.65/66/67/73/74/74A. <i>ASMT-11 (accept and pay via DRC-03, or explain), filed in the 'Scrutiny Of Returns' case folder → Notices → Reply, with text and attachments</i>	30 days from service, or the further period the officer permits (Rule 99(2))	GSTR-1 vs 3B liability; 2A/2B vs 3B ITC; RCM liability vs ITC; ITC from cancelled or non-filing suppliers; s.16(4) time-bar; s.17(5) blocked credit; Rule 42/43 reversal; s.50 interest on delayed payment; late fee; e-way bill vs GSTR-1; GSTR-9/9C vs 3B; ITR/26AS turnover vs GST; HSN/rate. → <code>gst_return_returns</code> (GSTR1/GSTR3B full_json), <code>twob_import_docs</code> / <code>gstr2a_import_docs</code> , <code>books_register</code> , <code>bills_not_in_2b</code> , <code>itc_summaries</code> , <code>rcm_data</code> + <code>gst_rcm_liability_its_entries</code> , <code>gst_credit_reversal_reclaim_entries</code> , <code>gst_drc03_filings</code> , <code>annual_return_docs</code> (Notice reply format), <code>interestLateFee.ts</code> Verify: Portal path and attachment limits (file count and size); whether the officer used 2A or 2B for the ITC test; reply character limit.	Assisted	300
DRC-01A	Rule 142(1A): pre-SCN intimation of tax, interest and penalty ascertained under s.73/74 (and s.74A from FY 2024-25) <i>DRC-01A Part B (accept / partly accept / disagree, with reasons) and/or DRC-03 payment quoting the intimation; filed in the 'Determination Of Tax' case folder → Intimations - > Reply</i>	Date stated in Part A (commonly 15-30 days; verify for each notice)	Same issue set as the proposed SCN (see ASMT-10), usually after a scrutiny or audit; arithmetic or head-wise errors; double counting across periods. → Case-folder INTIM items (<code>sdtls.dtsn.sec/fy/duedt</code> , <code>dmddtls</code>) + the ASMT-10 sources; <code>gst_drc03_filings</code> for 'paid' responses Verify: Rule 142(1A) reads 'may' since Notification 79/2020-CT; some High Courts have treated pre-SCN consultation as mandatory for some periods. Extension to s.74A by Notification 12/2024-CT. Part B options on the current portal.	Assisted	300
DRC-01 (SCN u/s 73)	s.73 (non-fraud demand, tax periods up to FY 2023-24); Rule 142(1) (DRC-01 summary + DRC-02 statement); s.75(4) PH; s.75(7) order cannot exceed the notice <i>DRC-06 (reply + PH option) in the case folder → Notices → Reply; payment via DRC-03 with DRC-03A linkage to the demand</i>	As specified in the SCN (commonly 30 days). s.73(8): tax + interest paid within 30 days of the SCN means no penalty and the proceedings are concluded.	Merits on each issue; limitation (s.73(2)/(10) and the notified extensions for FY 2017-18 to 2019-20); missing DIN or jurisdiction; quantification errors; tax demanded on both CGST and IGST; non-consideration of the DRC-01A/ASMT-11 reply; natural justice. → All ASMT-10 sources + <code>notice_issues</code> (<code>dmddtls</code>) + prior replies (REPLY items) + <code>litigation_rules</code> (limitation) Verify: s.73(10) time limits and the extensions (Notifications 13/2022, 9/2023, 56/2023); s.73(12) sunset after FY 2023-24 (Finance (No. 2) Act 2024); DIN requirement for state officers; usual SCN reply period.	Assisted	360
DRC-01 (SCN u/s 74)	s.74 (fraud, wilful misstatement or suppression; tax periods up to FY 2023-24); Rule 142 <i>DRC-06 in the case folder - > Notices → Reply</i>	As specified in the SCN (commonly 30 days). s.74(8): tax + interest + 25% penalty paid within 30 days of the SCN concludes the proceedings.	The s.73 issues, plus rebutting the fraud/suppression ingredients (data was on the portal, so nothing was suppressed), the extended 5-year limitation (s.74(10)), and penalty quantum. → As s.73 + filing history (<code>filing_status</code> / <code>gst_return_returns</code>) to show disclosure in returns Verify: Reduced-penalty slabs under s.74(5)/(8)/(11); s.74(12) sunset; case law on invoking the extended period (from the verified library only).	Assisted	300
DRC-01 (SCN u/s 74A)	s.74A, inserted by Finance (No. 2) Act 2024 w.e.f. 01-11-2024, for tax periods from FY 2024-25 (fraud and non-fraud in one section); Rule 142 as amended <i>DRC-06 in the case folder - > Notices → Reply</i>	As specified in the SCN. Reduced-penalty window: tax + interest within 60 days of the SCN (verify).	Same issue set as s.73/74; classification as fraud vs non-fraud; time limits (SCN within 42 months of the annual-return due date; order within 12 months of the SCN, extendable by 6 months); penalty (non-fraud: higher of 10% of tax or Rs 10,000). → As s.73 Verify: All s.74A figures (42 / 12+6 months, penalty rates, 60-day windows) and the Rule 142 amendments notified with it.	Assisted	360
DRC-01B	Rule 88C (GSTR-1/IFF liability exceeds GSTR-3B beyond the notified limit); Rule 59(6)(e) blocks the next GSTR-1 if not answered <i>DRC-01B Part B on the portal ('Return Compliance' → liability mismatch GSTR-1 vs 3B; verify path): paid via DRC-03 (enter ARN), explanation, or both</i>	7 days from the intimation	Timing (invoice in GSTR-1 of month M, tax paid in 3B of M+1); amendments and credit notes netted in other months; advances (AT/TPD); RCM or zero-rated supplies tagged wrongly in GSTR-1; 3B errors corrected in a later 3B; DRC-03 payments. → <code>gst_return_returns</code> (GSTR1 sec_sum TTL_LIAB, GSTR3B 3.1), <code>gstr3b_adjustments</code> , <code>gst_running_updates</code> , <code>gst_drc03_filings</code> , <code>gst_liability_ledger_entries</code> Verify: Threshold (reported as Rs 25 lakh and 20%; confirm the notified figure); menu path and reason-code list on the current portal.	Full	90

Form	Basis - reply	Window	Typical issues → automatic source	Level	Min saved
DRC-01C	Rule 88D (ITC availed in GSTR-3B exceeds GSTR-2B beyond the notified limit); Rule 59(6)(f) blocks the next GSTR-1 if not answered <i>DRC-01C Part B on the portal ('Return Compliance' → ITC mismatch GSTR-2B vs 3B; verify path): paid or reversed via DRC-03 (ARN), explanation, or both</i>	7 days from the intimation	Reclaim of ITC reversed earlier (Rule 37A / 4B(2) → 4D(1)/4A(5)); ITC from an earlier 2B claimed now; ITC on invoices not yet in 2B (s.16(2)(aa) exposure); import/ISD/RCM rows outside the comparison; 2B amendments and credit-note netting. → twob_import_docs, books_register, bills_not_in_2b (reversal/reclaim months), bills_not_in_books, gst_credit_reversal_reclaim_entries, itc_summaries, gst_filed_returns (3B Table 4) Verify: Threshold (reported as Rs 25 lakh and 20%); which Table 4A rows the portal compares with 2B; menu path.	Full	100
GSTR-3A	s.46; Rule 68 (return-defaulter notice); s.62 best-judgement assessment (ASMT-13); s.47 late fee; s.50 interest <i>No reply form: file the pending return. The notice is deemed withdrawn if the return is filed before the assessment order.</i>	15 days	GSTR-3B / GSTR-1 / GSTR-4 / GSTR-9 / GSTR-10 not filed; the return was in fact filed (portal lag). → filing_status, gst_filed_returns (filed_date, ARN), client_scheme_history, interestLateFee.ts Verify: s.62(2) withdrawal window after an ASMT-13 order (60 days, extendable by 60 days with additional late fee per Finance Act 2023).	Full	15
REG-03	s.25; Rule 9(2) (clarification on a registration or amendment application) <i>REG-04 (clarification and documents) via the registration clarification screen (verify path)</i>	7 working days from receipt	Proof of principal place (rent agreement, NOC, electricity bill), signatory or partner documents, constitution documents, photographs, Aadhaar authentication or physical verification queries. → clients, gst_taxpayer_profile; client uploads Verify: Current screen path and permitted file types.	Assisted	20
REG-17	s.29(2); Rule 22(1) (SCN for cancellation); suspension under Rule 21A <i>REG-18 (reply to the cancellation SCN), on the portal (verify path)</i>	7 working days from service	Returns not filed for the specified period; business not functioning at the principal place; registration obtained by fraud; ITC availed in breach of s.16; Rule 21 grounds. → filing_status, gst_filed_returns, gst_challans, gst_taxpayer_profile Verify: Reply route and the REG-20 dropping mechanism on the current portal.	Assisted	40
REG-23	s.30; Rule 23(3) (SCN on an application for revocation of cancellation) <i>REG-24</i>	7 working days from service	Revocation application deficient; returns and dues up to the cancellation date not filed or paid; late application. → filing_status, gst_filed_returns, ledgers Verify: Time limit for REG-21 revocation (90 days from the cancellation order, extendable per Rule 23 as amended in 2023).	Assisted	30
REG-31	Rule 21A(2A) (intimation of suspension and notice for cancellation on significant return differences or anomalies) <i>Reply or explanation on the portal against the REG-31 (verify path); suspension can be revoked on a satisfactory reply</i>	30 days	GSTR-1 vs 3B liability gap, 2B vs 3B ITC gap, non-filing, other anomalies flagged by the system. → Same recipes as DRC-01B / DRC-01C, plus filing_status Verify: Reply route; effect of the reply on suspension (Rule 21A(4)).	Assisted	90
RFD-08	s.54; Rule 92(3) (SCN proposing rejection of a refund) <i>RFD-09, in the refund case folder → Reply</i>	15 days from receipt	Inverted-duty formula (Rule 89(5)); export realisation (BRC/FIRC); shipping-bill vs invoice mismatch; ITC not in 2B; capital goods / input services in Net ITC; unjust enrichment (s.54(8)); 2-year limitation; deficiencies. → gst_refund_applications, refund case folders (APLCN/NOTAC/REPLY), twob_import_docs, gst_filed_returns, gst_credit_ledger_transactions Verify: Current Rule 89(5) formula; RFD-06 order within 60 days (s.54(7)); attachment limits.	Assisted	120
ADT-01	s.65; Rule 101 (audit by tax authorities) <i>Produce books and records on the date and at the place stated; written replies to discrepancies raised during the audit (usually letters, not a portal form)</i>	Notice at least 15 working days before the audit; audit to finish within 3 months of commencement (extendable to 6)	Full-scope audit: every ASMT-10 issue plus documentation, valuation, classification, RCM and ITC eligibility. → Everything: returns, recon packs, GSTR-9/9C workings, ledgers, DRC-03 Verify: Rule 101 periods; whether ADT forms are exchanged on the portal in the client's state.	Assisted	240
ADT-02	s.65(6) (audit findings); s.65(7) → s.73/74/74A <i>Accept and pay via DRC-03, or contest in writing; an SCN follows on unpaid observations</i>	Report within 30 days of the audit's conclusion; taxpayer action as stated in the report	Audit observations, para by para. → As ADT-01 + notice_issues from the report Verify: Whether state audit wings issue observations before ADT-02, and the response window they allow.	Assisted	120

Form	Basis · reply	Window	Typical issues → automatic source	Level	Min saved
DRC-07 → APL-01	Rule 142(5) (summary of order); s.107 and Rules 108/109 (first appeal); s.107(6)–(7) pre-deposit and stay of recovery; s.161 rectification <i>APL-01 with statement of facts and grounds, filed on the portal (My Applications → Appeal to Appellate Authority; verify) after the pre-deposit; APL-02 acknowledgement. Or a rectification application under s.161.</i>	3 months from communication of the order, plus a condonable 1 month (s.107(1), (4)); rectification within 3 months	Natural justice (no PH, reply ignored); order going beyond the SCN (s.75(7)); limitation; quantification; merits on each issue; stay of recovery. → Order rows and ORDRS/DRC7A folder items, the filed reply and notice_issues (reply vs findings diff), gst_drc03_filings / ledgers (pre-deposit), litigation_rules Verify: Pre-deposit (full admitted amount + 10% of disputed tax; cap Rs 20 crore per Act after Finance (No. 2) Act 2024); 10% of penalty for penalty-only orders and s.129 appeals (Finance Act 2025).	Assisted	300
APL-04 → GSTAT (APL-05)	s.112; GSTAT procedure rules (verify current rules) <i>APL-05 on the GSTAT e-filing portal (separate from the GST common portal; verify), paper book, additional pre-deposit</i>	3 months from communication of the order (condonable by 3 months); a special start date applies to orders passed before GSTAT became operational (verify)	Questions of fact and law from the APL-04 order; pre-deposit; recovery stay. → Matter file: notice, reply, orders, hearing notes, payments; reply_drafts as the base for grounds Verify: Pre-deposit (additional 10%, cap Rs 20 crore per Act after Finance (No. 2) Act 2024); the notified filing window for legacy orders; e-filing procedure.	Assisted	240
INS-01 / Summons u/s 70	s.67 (inspection / search; INS-01 authorisation, INS-02 seizure, INS-03 prohibition); s.70 (summons to give evidence or produce documents) <i>Appearance and statement; letter producing documents (no portal reply form)</i>	Date stated in the summons; inspection is immediate	Investigation of fake-invoice ITC, undervaluation, clandestine removal, RCM; requests for specified documents. → Document pack built from returns, 2B, ledgers and books; matter history Verify: CBIC instruction on issuing summons (Instruction 03/2022-23); state practice.	Manual	60
DRC-13 / DRC-22	s.79(1)(c) garnishee notice (Rule 145, DRC-13/14); s.83 provisional attachment (Rule 159, DRC-22), which lapses after 1 year (s.83(2)) <i>Pay; seek a stay by filing an appeal with pre-deposit (s.107(7)); instalments (DRC-20, s.80); objection to attachment (Rule 159(5)); release order</i>	Immediate; objection to provisional attachment within 7 days (Rule 159(5))	Recovery started while an appeal or rectification is pending; attachment of bank accounts; partial payments not credited. → Matter: order, appeal status, pre-deposit (gst_drc03_filings / ledgers), payments Verify: Current Rule 159 forms and objection procedure; recovery-start rule (3 months after service of the order unless recorded otherwise).	Manual	30
CMP-05	s.10; Rule 6(4) (SCN denying the composition option) <i>CMP-06 reply; order in CMP-07</i>	15 days of receipt	Inter-state outward supply, e-commerce supplies, turnover above the limit, notified goods, service-supplier limits, tax collected on invoices. → client_scheme_history, client_annual_turnover, gst_filed_returns (GSTR-4/CMP-08), books turnover Verify: Current s.10 limits and exclusions.	Assisted	40
MOV-07 / MOV-09	s.129 (detention, penalty); s.130 (confiscation); e-way bill rules and the MOV-series forms <i>Reply to MOV-07 before the officer; release on payment; appeal against MOV-09 by APL-01 with penalty pre-deposit</i>	Notice within 7 days of detention; order within 7 days of service of the notice (s.129(3) as amended by Finance Act 2021)	E-way bill missing or expired, Part-B not updated, invoice or quantity discrepancy, valuation, minor technical lapses. → No e-way bill data in the app; invoice from GSTR-1 / books; uploaded e-way bill and transport documents Verify: Penalty quantum under s.129(1) and pre-deposit for s.129 appeals (25% under Finance Act 2021; 10% under Finance Act 2025).	Manual	30

Auto-computation recipes

Issue	Inputs	Computation	Annexure produced
DRC-01B: GSTR-1 vs GSTR-3B liability (Rule 88C)	gst_filed_returns GSTR1 (summary sec_sum TTL_LIAB per head; full_json B2B/B2CL/B2CS/EXP/SEZ/CDNR/CDNUR/AT/TPXD and amendment sections) and GSTR3B (3.1(a)+(b), plus 3.1(c)/(e) for context) per month with ARN and filed_date; gstr3b_adjustments (reason, table_ref); gst_running_updates (effect_month, update_in_return); gst_drc03_filings; gst_liability_ledger_entries; intimation period and amounts from the DRC-01B (portal JSON or extraction).	For every month m in the intimation period and the FY to date: D(m,head) = GSTR-1 liability - 3B liability, plus the cumulative C(m,head). Attribute the difference in order: (1) timing - GSTR-1 documents of m whose tax appears in 3B of m+k, matched by doc no/date from the GSTR-1 JSON and running-update notes; the cumulative difference should revert to about 0; (2) amendments and credit notes booked in other months; (3) advances AT/TPXD; (4) mis-tagging - RCM invoices or WOPAY exports in GSTR-1 that carry no 3.1(a) tax; (5) DRC-03 paid (ARN, date, head). Residual R(head) = cumulative minus everything explained. If R > 0: tax payable plus s.50 interest on the cash portion via interestLateFee.computeInterest, from the 3B due date to the payment date. Check R against the Rule 88C threshold (verify). Paragraph pattern: "The difference of Rs {A1.diff_total} between the liability declared in GSTR-1 and GSTR-3B for {period} arises because {n} invoices carrying tax of Rs {A2.timing_total}, reported in GSTR-1 for {month}, were offered to tax in GSTR-3B for {next_month} (Annexure A-2, rows {rows}). Taken over {range}, the tax paid through GSTR-3B is not less than the liability in GSTR-1 (Annexure A-1, cumulative column). [If residual:] The balance of Rs {A4.residual} has been paid vide DRC-03 ARN {arn} dated {date} with interest of Rs {A4.interest}. There is therefore no short payment, and we request that the intimation be dropped."	A-1 Month-wise GSTR-1 vs GSTR-3B by head (IGST/CGST/SGST/Cess) with ARNs, filing dates, difference and cumulative. A-2 Reconciling items: doc no, date, GSTIN, taxable value, tax, GSTR-1 month, 3B month, reason code. A-3 DRC-03 payments: ARN, date, head-wise. A-4 Residual and interest computation. Part B: prefilled values (reason, amount, ARN).
DRC-01C: ITC in GSTR-3B vs GSTR-2B (Rule 88D)	gst_filed_returns GSTR3B Table 4A(1)-(5), 4B(1)/(2), 4D(1) per month; twob_import_docs per period (MATCHED / MISMATCHED / INELIGIBLE / ITC_OF_OTHERS, itc_available, invoice_type incl. ISD/IMPG/CDN, gstr1_filing_date); books_register; bills_not_in_2b (reversal_month, reclaim_month, reclaimed_via_doc_id); bills_not_in_books (bill_in_2b_month, book_entry_month); gst_credit_reversal_reclaim_entries (ECRRS); itc_summaries; gst_credit_ledger_transactions (balance trail); gst_drc03_filings.	Per month and head: E = ITC availed in the 3B rows the portal compares (verify) - ITC available in 2B. Attribute: (1) reclaims of earlier reversals - 4D(1)/4A(5) reclaim tied to bills_not_in_2b.reclaim_month and the ECRRS reclaim entries; (2) earlier-period 2B ITC availed now - bills_not_in_books where the 2B month precedes the claim month; (3) rows outside the comparison basis (imports, ISD, RCM); (4) 2B credit-note netting and amendments; (5) genuine excess - NOT_IN_2B items claimed and not reversed. For (5), s.50(3) interest arises only if utilised: test the daily ECL balance against the excess (Rule 88B(3); verify). Paragraph pattern: "The ITC of Rs {B1.excess} availed over GSTR-2B for {month} comprises (i) Rs {B2.total}, being re-claim of ITC reversed in Table 4B(2) of GSTR-3B for {reversal_months} on invoices that have since appeared in GSTR-2B for {months}, as shown in the Electronic Credit Reversal and Re-claimed Statement (Annexure B-2); and (ii) Rs {B3.total} on invoices that appeared in GSTR-2B for {earlier_months} and were availed in this period, within the time limit of s.16(4) (Annexure B-3). [If residual:] ITC of Rs {B4.amount} has been reversed vide {DRC-03 ARN / Table 4B(2) of {month}}; the balance in the electronic credit ledger never fell below this amount, so no interest is payable (Annexure B-4). No ITC has been availed beyond the entitlement under s.16(2)(aa) read with Rule 36(4)."	B-1 Month-wise 3B ITC vs 2B ITC by head. B-2 Reclaims: ECRRS reference, reversal month, reclaim month, amount, invoice list. B-3 Earlier-2B invoices availed this period: supplier GSTIN, invoice no/date, 2B month, ITC. B-4 Excess (if any): action taken (DRC-03 / 4B(2) reversal), ECL balance trail, interest.
ASMT-10: GSTR-1 vs GSTR-3B for the FY	As DRC-01B for all 12 months; GSTR-1 of the next FY (Apr-Nov) for current-FY documents (buildGstr1PyInCyReport); GSTR-9 / 9C (annual_return_docs tables 4/5/9/10/11/14; gstr9_table14_differential_tax); books (duties_taxes_output_monthly, books_turnover_lines); the officer's figures per head from the notice.	First reproduce the officer's arithmetic (which GSTR-1 figure and which 3B rows) so the reply speaks to the same numbers. Then the month table and FY totals. Add next-FY amendments and additions for current-FY supplies, and tax paid in the next FY's 3B or via GSTR-9 Table 14. Subtract DRC-03 payments. Residual, with interest on the cash portion. Paragraph pattern: "The notice compares GSTR-1 (Rs {X}) with GSTR-3B (Rs {Y}) for FY {fy}. The difference is fully explained by (a) supplies of FY {fy} declared and paid in GSTR-3B for {next_fy_months} (Rs {A}); Annexures C-2/C-4, also disclosed in Tables 10/11/14 of GSTR-9), and (b) (other reasons). The outward-liability reconciliation in Annexure C-3 shows net tax payable of Rs {C3.r11}, which [has been paid vide ... / is nil]."	C-1 Month-wise GSTR-1 vs 3B (as A-1). C-2 Next-FY amendments and additions for current-FY documents. C-3 'Notice reply format' outward rows 1-11 from the GSTR-9 workspace (NoticeStep, PDF export exists). C-4 Payments (next-FY 3B, Table 14, DRC-03). C-5 Residual and interest.

Issue	Inputs	Computation	Annexure produced
ASMT-10 / DRC-01: GSTR-2A/2B vs GSTR-3B ITC for the FY	GSTR-3B Table 4A/4B/4D for 12 months (gst_filed_returns); gstr2a_import_docs (periods to Dec-2021) or twob_import_docs (2B), incl. gstr1_filing_date; books_register; bills_not_in_2b / bills_not_in_books; itc_summaries; annual_return_docs (8A-8D; inward 'notice format' rows 1-9); the officer's basis from the notice (2A or 2B; which table).	Supplier-wise: ITC per books vs 2A/2B vs 3B claimed. FY-level: 3B net ITC (4A - 4B + reclaims) vs 2A/2B, including 2A of later periods up to the s.16(4) cut-off. Categorise: (i) supplier filed late - the invoice appears in a later 2A/2B; (ii) supplier never filed - for periods up to 31-12-2021 use the Circular 183/15/2022 and 193/05/2023 procedure (CA certificate above the threshold, supplier certificate below; verify thresholds); from 01-01-2022 s.16(2)(aa) requires 2B; (iii) wrong GSTIN / POS / ITC_OF_OTHERS; (iv) IMPG, ISD, RCM not populated in 2A; (v) ITC already reversed or never availed. Paragraph pattern: "For FY {fy}, ITC availed in GSTR-3B (net Rs {X}) exceeds the ITC auto-populated in GSTR-2A/2B (Rs {Y}) by Rs {Z}. Of this, Rs {A} relates to invoices whose suppliers furnished GSTR-1 late and which appear in GSTR-2A for {months} (Annexure D-3); Rs {B} relates to imports, ISD and reverse-charge ITC that do not populate GSTR-2A (Annexure D-1); for the balance of Rs {C}, the supplier-wise details and certificates contemplated by Circular 183/15/2022-GST, made applicable to 01-04-2019 to 31-12-2021 by Circular 193/05/2023-GST [verify], are enclosed (Annexure D-4)."	D-1 FY reconciliation (3B vs 2A/2B vs books) by head. D-2 Supplier-wise differences with category and evidence pointer. D-3 Invoices appearing in 2A/2B of later periods (with month). D-4 Certificates required or enclosed (supplier/CA) for periods up to Dec-2021. D-5 Items reversed or paid.
RCM liability and ITC	rcm_data (month, particulars, supply_type, rate-wise tax), rcm_masters (notified categories), books_purchase_lines / expense_head_mappings (GTA, legal, security, director fees, rent from unregistered persons, import of services), twob_import_docs with reverse_charge = Y, gst_rcm_liability_itc_entries (portal RCM liability/ITC statement), GSTR-3B 3.1(d), 4A(2), 4A(3); gst_cash_ledger_entries.	(i) RCM liability determined from the books by notified category x rate, minus 3.1(d) declared, per month. (ii) ITC in 4A(2)+4A(3) must not exceed cumulative RCM paid; the statement's closing balance must never go negative. (iii) Supplier-declared RCM invoices in 2B vs 3.1(d). (iv) Short-paid RCM: tax plus s.50 interest; ITC is available in the same period unless blocked under s.17(5), so present the revenue-neutrality facts (the legal weight of that argument; verify from the library). Paragraph pattern: "RCM liability on {categories} for FY {fy} of Rs {X} was discharged in cash in Table 3.1(d) of GSTR-3B (Annexures E-1, E-3). ITC of Rs {Y} was taken in Table 4A(3) only after payment; the RCM Liability/ITC Statement shows a non-negative closing balance in every month. The difference pointed out arises because {e.g. the notice treats freight paid to GTAs who charged tax at 12% under forward charge as RCM supplies (Annexure E-2)}."	E-1 RCM register vs 3.1(d), month-wise. E-2 Category-wise RCM (GTA / legal / rent / import of services) with ledger references. E-3 Portal RCM liability/ITC statement with running balance. E-4 Short payment, DRC-03 and interest.
E-way bill value vs GSTR-1	E-way bill data, which is NOT in the app: import the e-way bill portal's 'generated by me / by others' reports, or pull them through a GSP, into a new ewb_documents table. GSTR-1 invoice-level JSON (gst_filed_returns full_json / gstr1_data.raw_json); delivery challans from the books, if available.	Match e-way bills to GSTR-1 documents on doc no (normalised), date (+/- 1 month) and recipient GSTIN. Classify the unmatched: cancelled within 24 h; non-supply movements (job work, same-GSTIN transfers, SKD/line sales, exhibitions, returns - from supply type and sub-type); rejected by the recipient; invoice reported in another month; value basis (e-way bill value includes tax and charges, GSTR-1 shows taxable value); several e-way bills for one invoice; e-way bills generated by the transporter. Paragraph pattern: "The aggregate value of e-way bills (Rs {X}) differs from the outward supplies in GSTR-1 (Rs {Y}) because (a) e-way bills of Rs {A} were cancelled within 24 hours; (b) Rs {B} relates to movement of goods for job work under delivery challans, which are not supplies; (c) Rs {C} is the difference between e-way bill value, which includes GST, and taxable value reported in GSTR-1 (Annexure F-3)."	F-1 Summary of e-way bill value vs GSTR-1 value, by month. F-2 Matched list. F-3 Unmatched e-way bills with reason code and supporting document. F-4 Residual and tax.
Interest (s.50) and late fee (s.47)	filing_status / gst_filed_returns.filed_date per return and period; statutory due dates and extensions (needs a due-date-extension table; verify notifications) or clients.target_date_group1/2; GSTR-3B full_json (tax payable, paid in cash / ITC per head, interest and late fee paid); gst_cash_ledger_entries (debit dates); gst_credit_ledger_transactions (ECL balance trail); client_annual_turnover (late-fee tier); gst_drc03_filings (interest paid); gst_running_updates.interest.	s.50(1): cash-portion tax x 18% x days late / 365 (proviso to s.50(1) and Rule 88B(1); firm positions in docs/INTEREST_LATE_FEE_POSITIONS.md). s.50(3): interest on wrongly availed ITC only for days it was utilised - daily ECL balance vs the wrongly availed amount (Rule 88B(3); verify). Late fee: per return, per day, per head, with tier and nil caps (interestLateFee.computeLateFee). Then reconcile with the department's figure, which is often on gross tax, and deduct interest and late fee already paid. Paragraph pattern: "Interest under s.50(1) is leviable only on the portion of tax paid by debiting the electronic cash ledger (proviso to s.50(1) read with Rule 88B(1)) [verify]; the notice computes interest on the gross liability of Rs {X}. Correctly computed, interest is Rs {Y} (Annexure G-1), of which Rs {Z} was paid with GSTR-3B / DRC-03 ARN {arn}. The ITC of Rs {W} treated as wrongly availed was never utilised - the credit-ledger balance never fell below that amount (Annexure G-3) - so no interest arises under s.50(3)."	G-1 Return-wise: due date, filed date, days late, cash portion by head, interest at 18%, paid, balance. G-2 Late fee per return with tier and cap. G-3 ECL balance trail for s.50(3). G-4 Reconciliation with the notice's computation.

Issue	Inputs	Computation	Annexure produced
Ineligible ITC u/s 17(5)	books_purchase_lines (expense_head, ledger_head, taxes) and expense_head_mappings; pl_input_lines; duties_taxes_input_monthly; twob_import_docs (portal INELIGIBLE flag, supplier, taxable value, ITC); GSTR-3B 4B(1) and 4D; builder module for construction cases; the list of items the notice treats as blocked.	Map expense heads to s.17(5) clauses: motor vehicles/vessels/aircraft (a, aa, ab); food, catering, beauty, health, insurance, club and fitness membership, employee travel benefits (b); works contract or construction of immovable property on own account (c, d); composition supplies (e); non-residents (f); CSR (fa; verify effective date); personal consumption (g); goods lost, stolen, written off, gifted or given as free samples (h); tax paid under s.74/129/130 (i). Compute ITC claimed per clause vs reversed in 4B(1) or not availed (4D). Test the exceptions: vehicles for transporting goods, more than 13 seats, further supply of the same category, services obligatory for employers under law. Paragraph pattern: "ITC of Rs {X} on {head} was not availed, or was reversed in Table 4B(1) of GSTR-3B for {months} (Annexure H-3). ITC of Rs {Y} on {motor vehicles used for transportation of goods} falls outside s.17(5)(a) by virtue of {clause}; registration certificates and usage records are enclosed (Annexure H-2)."	H-1 Expense-head ITC with s.17(5) clause and treatment. H-2 Items claimed under an exception, with justification and evidence. H-3 Items reversed (3B month, row). H-4 Residual payable with interest.
ITC from cancelled or non-existent suppliers	twob_import_docs / gstr2a_import_docs (supplier GSTIN, invoice, gstr1_filing_date, irn); books_register; supplier registration status with effective cancellation date and order date, which is NOT in the app (new supplier_registration_status table filled through a GSP taxpayer-search API; check the permitted method); e-way bills (not in app); bank proof and GRNs from client uploads.	For each cancelled supplier, bucket invoices by date against (a) the effective date of cancellation and (b) the date of the cancellation order. (i) Before the effective date: registration was valid at the time of supply. (ii) Between a retrospective effective date and the order date: contestable - show every s.16(2) condition met (tax invoice, receipt of goods via e-way bill/GRN, invoice in 2A/2B, payment including tax through banking channels, plus Rule 37 180-day payment). (iii) After the order date: not admissible - reverse with interest. Amounts by head. Paragraph pattern: "The registration of {supplier} was cancelled on {order_date} with retrospective effect from {effective_date}. All {n} invoices, carrying ITC of Rs {X}, were issued while the supplier's registration was active on the portal; they are reflected in our GSTR-2A/2B for {months}; the goods were received under e-way bills {...}; and the consideration including tax was paid through banking channels (Annexure I-2). Every condition of s.16(2) is satisfied. [Authority from the firm's verified library only; the legal position on retrospective cancellation must be checked: verify.]"	I-1 Supplier list: GSTIN, name, effective date, order date, invoice count, value and ITC per bucket. I-2 Invoice-level evidence matrix: in 2A/2B? (month), e-way bill no., GRN, payment UTR and date. I-3 Reversals made and interest.
Time-barred ITC u/s 16(4)	twob_import_docs / gstr2a_import_docs (invoice date, 2B/2A period, gstr1_filing_date); books_register.period_month and bills_not_in_2b.reclaim_month (the month ITC was actually availed); gst_filed_returns GSTR3B.filed_date for that month; GSTR-9 filing date for the FY (if pulled); cutoff.ts; s.16(5)/(6) flags (FY 2017-18 to 2020-21; revoked registrations); the invoice list from the notice.	For each invoice: FY of the invoice date; deadline = the earlier of 30 November after the FY and the date the GSTR-9 for that FY was furnished (s.16(4) as amended by Finance Act 2022; verify - the app's cutoff.ts uses 30 November only); availment date = filing date of the 3B in which the ITC was claimed. Time-barred if availment date > deadline, unless s.16(5) (returns filed up to 30-11-2021 for FY 2017-18 to 2020-21) or s.16(6) applies. Show the supplier's GSTR-1 filing date alongside, because officers often apply that date instead. Paragraph pattern: "ITC on the {n} invoices in Annexure J-1 was availed in GSTR-3B for {month}, filed on {date}, before the time limit of {deadline} under s.16(4). The notice appears to apply the date on which the supplier furnished GSTR-1, which is not the test under s.16(4). [For FY 2017-18 to 2020-21:] s.16(5), inserted by the Finance (No. 2) Act, 2024 with retrospective effect from 01-07-2017, allows ITC availed in any return filed up to 30-11-2021 [and Circular 237/31/2024-GST deals with pending demands: verify]."	J-1 Invoice-wise: supplier GSTIN, invoice no/date, FY, 2A/2B period, supplier GSTR-1 filing date, 3B period claimed, 3B filing date, deadline, s.16(5)/(6) flag, status. J-2 Summary by status and head. J-3 Reversal or payment for genuinely late items.
Rule 42/43 reversal on exempt or non-business supplies	itc_reversal_lines (rule, FY); buildRule42ShortReversalReport (src/utis/interestScrutinyReports.ts:304); GSTR-3B 3.1(c)/(e) and 4B(1); books_turnover (exempt / taxable); itc_summaries (common credit).	Rule 42: compute D1 and D2 monthly, then the annual true-up (verify the true-up deadline). Compare with 4B(1) reversals by month. The difference is reversed with interest, or explained (e.g. exempt turnover in the notice includes no-supply items such as interest or securities valued per the Rule 45 explanation; verify). Paragraph pattern: "Common credit was reversed each month under Rule 42 and trued up for the year in GSTR-3B for {month} (Annexures K-1 to K-3). The notice's figure treats {item} as exempt turnover, whereas {explanation}. No further reversal is required."	K-1 Monthly Rule 42 computation (T, T1-T4, C1, C2, D1, D2). K-2 Annual true-up. K-3 Reversals in 3B by month. K-4 Residual and interest.

AI-assisted drafting pipeline

Stage	What	Where in the code	Model	Guardrails
0. Preconditions (block AI until done)	Private storage with signed URLs (R-01); secrets out of git (R-02); schema drift fixed (R-03, R-04); a server-validated staff session for edge functions (R-15); credential columns excluded (R-16); client consent clause in engagement letters; ai_audit_log table.	supabase/migrations/<ts>_reply_factory_preconditions.sql; supabase/functions/_shared/auth.ts; supabase/functions/_shared/ai/redact.ts	none	A feature flag per client (clients.ai_consent_at / ai_opt_out); every AI endpoint refuses to run when consent or a session is missing.
1. Trigger and intake	Enqueue ai_jobs(kind='extract') when a gst_notices row is first seen, when a NOTICE/INTIM/ORDRS/NOTAC folder item arrives, or when a PDF is uploaded manually. Skip LUT and DRC-03 acknowledgement rows. De-duplicate on the PDF's sha256.	Postgres trigger on gst_notices / gst_case_folder_items - > ai_jobs table; worker = supabase/functions/notice-ai-worker on pg_cron, or the agent runner (agent/src) for long jobs	none	Idempotent on (notice_id, doc sha256, pipeline_version); retries with backoff; a per-day spend cap.
2. Document text and page map	Fetch the PDF from private storage with the service role. Upload it once through the Files API so extraction, drafting and QA reuse the same file_id; delete it after filing or the retention period. Classify pages (notice body, DRC-02 summary, annexure tables, relied-upon documents, Gujarati/Hindi pages). Store page_count, sha256 and per-page text in notice_documents.	notice-ai-worker → notice_documents	claude-haiku-4-5-20251001 for page classification on PDFs up to 100 pages (200K context, 100-page PDF limit); claude-sonnet-5 for longer PDFs (1M context, 600 pages / 32 MB per request)	Originals are never altered; bilingual or low-quality scans are flagged for a human check; files over the size limit are split by page range, never truncated silently.
3. Structured extraction	Extract to a JSON schema: form_code, sections, act(s), FY and tax periods, reference no., DIN, issue date, reply due date, PH, date/time/mode/venue, officer name/designation/jurisdiction, demand by head, and issues[] (issue_code from the firm taxonomy, title, period, tax/interest/penalty per head, para no., page, source_quote), plus documents asked for and relied-upon documents.	notice-ai-worker → notice_extractions (status 'proposed') + notice_issues (status 'proposed')	claude-haiku-4-5-20251001 with structured outputs (output_config.format JSON schema); escalate to claude-sonnet-5 when validators fail or the PDF exceeds 100 pages; Message Batches API (50% cost) to backfill the existing ~1,060 notices	(a) Every field carries page + verbatim source_quote, checked by substring match against the page text; the Citations API cannot be combined with structured outputs, so verification happens in code. (b) Arithmetic: issue amounts must sum to the DRC-02 / total demand per head. (c) Cross-check against portal JSON (sdtls.dtscn.sec/fy/duedt/pershnrng, dmdtdtis): the portal value wins and conflicts are flagged. (d) Enumerated codes only, with 'OTHER' + free text allowed. (e) The due date and demand always need one-click human confirmation.
4. Apply to the notice and start the clocks	On confirmation, or automatically when the portal JSON agrees: fill form_code, section, period, DIN, officer, due_date (with source), amount_of_demand and financial_year. Create matter_deadlines from litigation_rules (reply due, PH, order time limit under s.73(10)/74(10)/74A, appeal clock on orders). Set priority (short-clock forms = High), owner = clients.assigned_accountant, reviewer by rule, and SLA milestones (documents requested D+1, first draft at 40% of the window, partner review at 70%).	RPC apply_notice_extraction(); notice_events ('extracted', 'confirmed'); matter_deadlines	none	Never overwrite staff-entered values (fill nulls or propose only); every write carries source='ai:extract@vN'; one-click undo from the event log.

Stage	What	Where in the code	Model	Guardrails
5. Evidence and annexures (deterministic)	For each issue_code, run its recipe across the notice's periods. A data-readiness check lists missing pulls (e.g. GSTR-3B for Jul-Sep 2021 NOT PULLED) and queues extension pull jobs. Output annexure JSON whose rows carry provenance (table, primary key, ARN, pulled_at), plus XLSX and PDF tables.	src/lib/reply/recipes/*.ts (pure; reuse src/utils/gstr3bReports.ts, interestLateFee.ts, interestScrutinyReports.ts, gstr9/notice/cutoff.ts, the NoticeStep notice format) → reply_annexures (versioned)	none	Numbers come only from code. A rerun invalidates downstream drafts and shows a diff. Annexures are locked once the draft is approved.
6. Client document requests	Generate the list of documents the app cannot produce for each issue (invoices, e-way bills, GRNs, bank UTRs, supplier or CA certificates under Circular 183/193 - verify), with due dates, an E12 email and reminders, and a signed client upload link; received files land on the notice.	notice_doc_requests; email_outbox + send-gst-email; NoticeDetailPage 'Client requests' tab	Deterministic list from issue codes; claude-haiku-4-5-20251001 only to phrase the covering email	The AI only rephrases and never adds items; nothing from other clients appears in a request; uploads are virus-scanned and size-checked.
7. Precedent and authority retrieval	Candidates: firm templates for (form, issue_code); past approved replies (121 REPLY items across 68 cases already synced, plus partner-final drafts going forward) with outcomes (ASMT-12 / DRC-07: dropped, confirmed, partly); and a curated legal_authorities table (statute sections, rules, circulars, judgments with verified citation, holding and date). Retrieve by issue_code / section / FY filters plus Postgres full-text search. Precedent cards are generated in batch.	reply_templates, precedent_cards, legal_authorities (partner-maintained); batch job in the agent runner	claude-sonnet-5 via the Message Batches API for precedent cards (claude-sonnet-5-5 costs the same; compare on the eval set before switching)	Only partner-approved templates and precedents are used. Other clients' names and GSTINs are pseudonymised in precedent text. legal_authorities is the only citation source; anything else is stripped and flagged.
8. Draft the reply	Structure: preliminary objections where applicable (limitation, DIN, jurisdiction, natural justice, notice beyond DRC-01A), facts, then issue-wise replies (stance, computation by annexure reference, law), then the prayer (drop proceedings, PH request). Output carries citations to notice pages and annexure rows, with placeholders where data is missing.	supabase/functions/notice-ai-draft (streaming; long runs go to the worker, verify Edge Function wall-clock limits) → reply_drafts (version, markdown, citations JSON, prompt hash, input hashes, model, usage)	claude-opus-5-5. Adaptive thinking is always on and cannot be disabled; set output_config.effort 'high' explicitly (the default is medium); stream; enable the server-side refusal fallback (fallbacks:'default', beta). Prompt caching: frozen system prompt + style guide + statute/circular pack + form template, cached with cache_control (1h TTL for morning batches; 512-token minimum on Opus 5.5), with volatile notice content after the last breakpoint. Citations enabled on the notice PDF and annexure documents. No forced tool_choice (400 on Opus 5.5): use auto + strict tools.	Figures are written as annexure cell references ({{A2.r5.cgst}}) and filled in by code; a post-check regex requires every rupee figure in the text to equal an annexure cell or a cited notice span, else the draft is blocked. Authorities only by legal_authorities id. No facts beyond the notice, annexures and client documents. Never assert a payment or ARN that is not in the database.

Stage	What	Where in the code	Model	Guardrails
9. Automated QA	Check against a rubric: every notice_issue answered; amounts consistent; PH requested when an adverse finding is contemplated; limitation/DIN objections considered; reduced-penalty window flagged (s.73(8)/74(8)/74A; verify); tone and format; prohibited content. Results are written onto the draft as a checklist.	supabase/functions/notice-ai-qa → reply_draft_checks	claude-sonnet-5 as judge (claude-opus-5-5 at effort 'low' for SCNs)	The code gates (numeric trace = 100%, authority whitelist, issue coverage = 100%) block hard; the LLM judge is advisory only.
10. Human review and redlines	Staff edit in the Draft tab (versioned, diff against AI v1), then the partner review queue, comments and approval. Approval writes a partner_approved event (permission key partner_review). Edit distance is stored for the KPI and the eval set. Optional 'revise per comments' action.	NoticeDetailPage Draft tab; reply_drafts, reply_reviews; notice_events	claude-opus-5-5 (revision on request only)	Nothing renders or files without approval. Approval is tied to the version hash; any edit after approval resets it.
11. Render the upload pack	DOCX (docx library) and PDF on the firm letterhead (reportTheme.drawHeader), or the taxpayer letterhead template for client-signed replies; annexures as PDF/XLSX; a document index. Merge, split and compress to the portal limits (verify current limits: types, MB per file, file count), with a checksum manifest.	Client-side docx/jsPDF (move docx from devDependencies) + agent runner (qpdf/ghostscript) → filing_packs	none	A pack is built only from the approved version; a size and format validator runs; file names carry the notice reference.
12. Evaluation and learning loop	Eval set from the firm's past notices and replies (seed: the 121 REPLY items / 68 cases plus their notices), labelled by a partner with issue list, due date, demand by head and the final reply. Graders: exact match for extraction fields; issue recall; numeric trace; authority whitelist; an LLM-judge rubric against the partner-final reply; a monthly blind A/B by the partner. Run on every prompt or model change.	scripts/evals/* (Node) using Message Batches; results in ai_eval_runs	Each candidate model under test (claude-haiku-4-5-20251001 / claude-sonnet-5 / claude-opus-5-5; claude-sonnet-5-5 as a challenger)	Held-out test split. No prompt or model change ships if a hard gate regresses. Outcomes (dropped / confirmed) feed precedent ranking.
13. Data protection and audit	DPDP Act 2023: the firm is the Data Fiduciary and Anthropic a processor under the commercial terms / DPA. Client consent (engagement-letter clause) for AI processing and cross-border transfer; inference_geo offers only 'us' or 'global', with no India pin (verify s.16 restricted-country notifications and the DPDP Rules 2025 timelines). ICAI confidentiality duties. Minimisation and redaction: never send gst_password, client_password, gst_user_id or profiles.password; mask PAN, Aadhaar and bank account numbers unless they are in issue. Delete Files API objects after filing. ZDR or retention terms per contract (verify). An ai_audit_log row per call: user, notice, model, file hashes, tokens, cost, output id.	supabase/functions/_shared/ai/redact.ts (deny-list test), ai_audit_log, clients.ai_consent_at; signed URLs only	n/a	Calls are blocked without consent; quarterly access review; an incident runbook (DPDP breach intimation; verify timelines); AI never files or signs anything.

Filing assist through the extension

Step	Automation	Risk
1. Gate: 'File on portal' button on the notice page	Full (app). Enabled only when the draft is partner-approved, the pack passes the size/format validator and no REPLY item already exists for this notice.	Stale sync data could hide an existing reply, so step 3 re-checks live through litserv before any field is touched.
2. Launch and log in as the client	Assisted. The app posts __gstkPrepareReply {noticeId, clientId, caseArn, refNo, formCode, packId}; the background worker fetches the pack through short-lived signed URLs and reuses handleLogin (a human types the CAPTCHA).	Today the portal password is copied into chrome.storage job objects (extension/background.js:304,516); fetch it at login time or have the user type it. GSTN treats automated access as unauthorised (agent/README.md 'Legal / risk'), so keep this user-initiated and attended, and never solve the CAPTCHA.
3. Navigate to the right reply screen	Full where selectors are known, via a versioned route map per form: case-folder notices (ASMT-10, DRC-01A, DRC-01, RFD-08) → litserv case folder for the case ARN → Notices/Intimations → item with refId → Reply; DRC-01B/01C → Return Compliance screens; REG-03/17/23/31 → registration reply screens (verify each path).	Selector fragility on an Angular SPA that changes with portal releases. Assert screen identity (the on-screen reference no. must equal the notice ref) before acting; otherwise fall back to 'stop and guide' mode with copy-to-clipboard.
4. Prefill the form fields	Full: reply text (a summary within the field's character limit, verify; the full reply goes as the PDF), reply type, PH option, DRC-03 ARN(s) for Part B 'paid' options, DRC-01B/01C reason codes.	Wrong field or wrong notice. Read back every filled value, highlight it, and leave the declaration and verification ticks to the human.
5. Attach the pack	Full (best effort): download the files, set input[type=file] through DataTransfer, dispatch input/change events, then confirm each filename and size appears on screen.	The portal may ignore programmatically set files or enforce type, size or count limits (verify). Fallback: save the pack to a local folder and let the user attach it.
6. Stop before submit	Manual by design: a banner says 'Check, then sign with DSC/EVC'. The extension never clicks Submit/File/Proceed-to-sign and never touches the OTP or DSC.	The EVC OTP goes to the authorised signatory (often the client), so the app should schedule a call slot. Users may expect auto-filing, so the UI copy must be explicit.
7. Capture the acknowledgement automatically	Full: the content script watches the submit response or acknowledgement page (reply ARN/ref, date, ack PDF), then __gstkReplyFiled → RPC log_reply_filed sets reply_date, reply_ref_number / submission_arn, stage 'Filed', deadline met, a reply_logged event and the matter stage; the ack PDF goes to private storage.	Ack page formats change. Fallback: the REPLY-folder reconciler on the next sync (reply.ntcno / decdtls.dt) marks the notice filed with no typing.
8. Post-filing automation	Full: create the PH deadline if one was opted for; send the client the filed copy (E13); watch for ASMT-12, DRC-07 or closure items to close the notice or open the appeal clock.	A misclassified folder item could close a notice wrongly, so closure requires an item-type match and orders need human confirmation.
9. Governance	Full: written client authorisation for portal access on file; every extension action logged with a screenshot (the agent already does screenshot audits); a per-portal-release kill switch with a canary run on a test GSTIN.	Legal exposure (GSTN advisory, IT Act) grows sharply if this ever runs unattended or auto-submits, so both are kept out of scope permanently.


Critical and high findings

ID	Severity	Issue and evidence	Fix
L-09 = R-07	High	No code writes matter_deadlines (only readers exist); nothing computes litigation_matters.limitation_date, and computed_due_date is only a copy of notice.due_date set by the drawer; litigation_rules is seeded but fetchLitigationRules is never called. No appeal clock is created when an order date is logged, when an ORDRS/DRC-07 item is captured or when a refund is rejected; no pre-deposit is computed anywhere. Impact: The highest-consequence date in GST litigation (the s.107 appeal limitation) lives only in staff memory; the roadmap's 3b check that a DRC-07 captured today shows an appeal last-date and pre-deposit fails. src/components/notices/NoticeDrawer.tsx:151-154,256; src/lib/litigationData.ts:576-590; src/pages/LitigationMatterDetailPage.tsx:265,554-555; supabase/migrations/20260914140000_notice_alerts_phase1.sql:88-110; supabase/migrations/20260914160000_litigation_core_phase3.sql:181-220	A SQL function driven by litigation_rules that inserts matter_deadlines rows (appeal + condonation, rectification, RFD-08 reply, DRC-22 expiry) when order_date is set or an ORDRS/rejection item is captured; keep computed and override dates separate and show the basis.
L-18 = R-12	High	Two owner fields that never reconcile. The workflow edit dialog writes free-text assign_to only and passes the old assign_to_user_id through, so no 'assigned' event; the work queue writes assign_to_user_id but logs no event, so E6 assignment emails cannot fire from either path; assign_to_user_id was added without a back-fill; dashboard 'Unassigned' and the queue ignore free-text owners while E11 treats them as assigned; clients.assigned_accountant, already used by Filing Status, is not used to default an owner for new notices. Impact: No dependable answer to 'who owns this', so no ladder, no 'Mine' view and no accountability. src/components/reports/views/NoticeWorkflowListView.tsx:553,560-569; src/components/notices/NoticeWorkQueue.tsx:230-245; src/pages/NoticesDashboardPage.tsx:224; supabase/functions/queue-notice-alerts/index.ts:361-363; supabase/migrations/20260914140000_notice_alerts_phase1.sql:112-120; src/pages/FilingStatusPage.tsx:120	Back-fill assign_to_user_id by name match; use the staff picker everywhere; default the owner from clients.assigned_accountant on capture; emit 'assigned' events from a DB trigger so every writer is covered.

ID	Severity	Issue and evidence	Fix
L-19	High	Even when it loads, the drawer is read-only: no log reply/order/submission, no close-with-reason or reopen, no assign, no notes. Documents shows only pdf_url although the case folder's notices, replies and orders with attachments are already stored in <code>gst_case_folder_items</code>. There is no 'request documents from client' (E12) action, no reply template or precedent, no link to the client's 2B reconciliation / GSTR-3B workings for ASMT-10 or DRC-01C as the design proposes, and no <code>/notices/:id</code> route. Impact: Preparing a reply still means hopping between the list, the folder page and the portal; nothing shortens time-to-reply. <code>src/components/notices/NoticeDrawer.tsx:363-497</code>; <code>src/pages/AdditionalNoticeFolderPage.tsx:375-376</code>; <code>src/App.tsx:110-121</code>	Drawer v1 per roadmap 2.6: reply/order/close/reopen/assign actions, folder attachments via signed URLs, an E12 request with a per-category document checklist, quick links to the client's 2B/3B workings for the notice period.
R-09	High	There is no reply workspace at all: no templates, precedents, drafts, versions or partner approval (roadmap 3b.2 and 5.3 are unbuilt). The reply is drafted in Word, and the app learns only a reference number afterwards. <code>docs/notices-roadmap/src/sec-roadmap.html (3b.2, 5.3)</code>; no <code>reply/template</code> tables in <code>src/integrations/supabase/types.ts</code>; <code>src/pages/LitigationMatterDetailPage.tsx:461-470</code>	Build the Reply Factory: <code>reply_templates</code> , <code>legal_authorities</code> , <code>reply_annexures</code> , <code>reply_drafts</code> (versioned), <code>reply_reviews</code> and <code>filing_packs</code> , plus a Draft tab on <code>/notices/:id</code> (see aiPipeline).
R-10	High	The evidence engines exist but are month-scoped and disconnected from notices: GSTR-3B vs GSTR-1, 3B vs 2B/2A, RCM vs ITC, interest scrutiny, Rule 42 short reversal and the GSTR-9 'Notice reply format'. Staff re-run them month by month and rebuild the results in Excel. <code>src/lib/reportsCatalog.ts:251-300,406-560,845-891</code>; <code>src/utils/gstr3bReports.ts:101-262</code>; <code>src/components/gstr9/steps/NoticeStep.tsx:166-171</code>	Add a recipe layer (<code>src/lib/reply/recipes/*</code>) that runs these builders over the notice's periods, checks data readiness (and queues missing pulls), and stores annexures with row provenance in <code>reply_annexures</code> .
R-11	High	Client document requests are not tracked (roadmap 1.6 is unbuilt). Requests and files travel by email and WhatsApp with no status, ageing or link to the notice, and this is usually the longest wait in the journey. No request table or UI in <code>src</code> or <code>supabase/migrations</code>; <code>docs/notices-roadmap/src/sec-roadmap.html (1.6)</code>	Add <code>notice_doc_requests</code> (item, <code>issue_id</code> , <code>requested_at</code> , <code>due</code> , <code>status</code> , <code>received_document_id</code>), E12/E13 emails through <code>email_outbox</code> , and a signed client upload link. Generate the list automatically from issue codes.

8 · Pillar 4 — Dashboard at a glance

What good looks like. In ten seconds a partner knows what is overdue, what is due this week, what is new, what is waiting for review or filing, what money is at stake and whether the data is fresh. Every number is a saved filter whose list has the same count. One row per piece of work, with the next action as a button.



One definition per number — today

Metric	Consistent?	Where computed and how they differ
Open	No	Same closed-prefix regex everywhere (copied, not imported, in the queue and alert code), but different row sets: dashboard counts all gst_notices rows incl. Refunds/Voluntary Payment/LUT case rows; Notice Summary ARN-dedupes refunds/DRC-03; GSTIN-wise adds refunds/DRC-03 un-deduped; Company Profile excludes synthesized refund/DRC-03 rows; work queue sees an unordered 1,000-row slice. <code>src/utls/noticeDefinitions.ts:19-21 · src/utls/noticeSummaryReport.ts:44-45,90 · src/pages/NoticesDashboardPage.tsx:196 · src/pages/AllClientsNoticesPage.tsx:175 · src/components/notices/NoticeWorkQueue.tsx:166-167 · src/pages/CompanyProfilePage.tsx:229-230 · src/pages/GstinWiseNoticeCountPage.tsx:106,114,120 · supabase/functions/queue-notice-alerts/index.ts:34,108 · src/lib/noticeAlertQueue.ts:326-327</code>
Overdue	No	Canonical = open, no reply_date, COALESCE(extended,due) < today IST. Drill-down list, in-list preset and Company Profile use original due_date only, any status, any reply, UTC-midnight minus now; alert digest counts due-today as overdue; queue/drawer day counts flip to overdue at 17:30 IST. <code>src/utls/noticeDefinitions.ts:23-29 · src/pages/NoticesDashboardPage.tsx:197 · src/pages/AllClientsNoticesPage.tsx:179 · src/components/reports/views/NoticeWorkflowListView.tsx:362-363 · src/pages/CompanyProfilePage.tsx:232 · supabase/functions/queue-notice-alerts/index.ts:237-242 · src/lib/noticeAlertQueue.ts:330-335 · src/components/notices/NoticeWorkQueue.tsx:64-72</code>
Due in 7 days	No	Canonical uses effective due and open status but not reply_date (unlike Overdue); drill-down/profile use original due_date, any status, and exclude notices due today after 05:30 IST. <code>src/utls/noticeDefinitions.ts:31-40 · src/pages/NoticesDashboardPage.tsx:199 · src/pages/AllClientsNoticesPage.tsx:178 · src/components/reports/views/NoticeWorkflowListView.tsx:360-361 · src/pages/CompanyProfilePage.tsx:231 · supabase/functions/queue-notice-alerts/index.ts:275-280 · src/lib/noticeAlertQueue.ts:369-375</code>
New (24h)	No	Dashboard tile and its drill-down both use first_seen_at (consistent pair). Company Profile 'Last 24 Hours' and /notices-all?filter=last24h use pulled_at (every row re-pulled); the in-list 'Last 24 Hours' preset uses issue date. Tile label says 'since last sync' but the window is a rolling 24 h. <code>src/utls/noticeDefinitions.ts:42-45 · src/pages/AllClientsNoticesPage.tsx:186 · src/pages/NoticesDashboardPage.tsx:200,257 · src/pages/CompanyProfilePage.tsx:221 · src/components/reports/views/NoticeWorkflowListView.tsx:356-357</code>
Exposure	No	Dashboard: Σ amount_of_demand on open notices (duplicated across a dispute's notices), count labelled 'matters'. GSTIN-wise/MIS/PDF: Σ demand heads on open matters (status-based). The tile's drill-down shows all open notices. <code>src/pages/NoticesDashboardPage.tsx:204-205,361 · src/pages/GstinWiseNoticeCountPage.tsx:60-70 · src/pages/LitigationMISPage.tsx:150-159 · src/utls/litigationPdfExport.ts:53-58</code>
Total	No	Summary: notices minus Refunds/Voluntary Payment case rows plus ARN-deduped refund/DRC-03 keys. GSTIN-wise: all notices + all refunds + all DRC-03. Company Profile: notices + refund + DRC-03 synthesized rows. All-notices list: gst_notices rows only. <code>src/utls/noticeSummaryReport.ts:79-139 · src/pages/GstinWiseNoticeCountPage.tsx:103-122 · src/pages/CompanyProfilePage.tsx:219 · src/pages/AllClientsNoticesPage.tsx:193-217</code>
Replied	Yes	All use reply_date IS NOT NULL. Refund/DRC-03 rows carry no replied concept. Queue stage 'Filed' does not set reply_date, so 'replied' undercounts work staff marked as filed. <code>src/utls/noticeSummaryReport.ts:91 · src/pages/AllClientsNoticesPage.tsx:182 · src/pages/GstinWiseNoticeCountPage.tsx:107 · src/components/reports/views/NoticeWorkflowListView.tsx:300-308,343-344</code>

Metric	Consistent?	Where computed and how they differ
Closed	No	Notices: closed-prefix regex (consistent). Refunds: Summary uses isRefundClosed, the drill-down uses isRefundClosed isClosed; duplicate ARNs resolve first-wins vs last-wins. Vocabulary misses sanction/payment-order states (verify). src/utils/noticeSummaryReport.ts:44-53,114-121 · src/pages/AllClientsRefundsPage.tsx:106 · src/pages/AllClientsDrc03Page.tsx:118 · src/lib/noticeEvents.ts:42-47
Unassigned	No	Dashboard/queue: assign_to_user_id IS NULL (ignores free-text owner the edit dialog writes). Alerts: both fields null AND issue_date older than 48 h. src/pages/NoticesDashboardPage.tsx:224 · src/components/notices/NoticeWorkQueue.tsx:189 · supabase/functions/queue-notice-alerts/index.ts:361-363 · src/lib/noticeAlertQueue.ts:457
Failed logins	No	Dashboard: latest action='notices' log per client is 'failed' (login failures are logged as action 'login_failed' and are missed). Company List (its drill-down): latest log of any action, including *_debug rows. src/pages/NoticesDashboardPage.tsx:100,251-253 · src/pages/CompanyListPage.tsx:114,151-166 · src/components/notices/SyncHealthCard.tsx:143-150
Hearings / upcoming hearings	No	Queue and tile breakdown: regex 'hearing' on staff_status. MIS: litigation_matters.hearing_at (last added hearing). E4: gst_notices.hearing_date, which does not exist. matter_hearings itself is not read by any summary. src/components/notices/NoticeWorkQueue.tsx:190 · src/pages/NoticesDashboardPage.tsx:230-232 · src/pages/LitigationMISPage.tsx:238-256 · supabase/functions/queue-notice-alerts/index.ts:298-305
Days remaining	No	Rounded instant arithmetic against UTC midnight; off by one from 17:30 IST compared with the string-date comparison in noticeDefinitions. src/components/notices/NoticeWorkQueue.tsx:64-72 · src/components/notices/NoticeDrawer.tsx:77-83 · supabase/functions/queue-notice-alerts/index.ts:42-44,213 · src/lib/noticeAlertQueue.ts:65-67,200-207
Matter open/closed	No	Matters list uses stage = 'Closed'; MIS, GSTIN-wise and PDF use status. The stage dialog can set stage 'Closed' without status, so screens disagree; status values mix 'open' and 'Open'. src/pages/LitigationMattersPage.tsx:180-181 · src/pages/LitigationMISPage.tsx:75-77 · src/pages/GstinWiseNoticeCountPage.tsx:65 · src/utils/litigationPdfExport.ts:53
DRC-03 open	Yes	All treat anything not 'Acknowledged' as open (drill-down additionally accepts the notice closed-prefix). Conceptually questionable: a DRC-03 is a payment already made, and Voluntary Payment case rows without a dedicated match count as open via null staff_status. src/utils/noticeSummaryReport.ts:53,123 · src/pages/AllClientsDrc03Page.tsx:118 · src/pages/GstinWiseNoticeCountPage.tsx:120



Critical and high findings

ID	Severity	Issue and evidence	Fix
L-04	High	Tiles use isOverdue/isDueln7 (open only, no reply, extended_due_date ?? due_date, IST calendar date) but the list they open re-implements them: overdue = due_date < now for any status, any reply, ignoring extensions; due7 = original due_date, any status, computed as UTC-midnight minus Date.now() (a notice due today drops out after 05:30 IST); the Exposure tile opens every open notice rather than open notices with demand; a day click matches original due_date or issue_date and includes closed rows while the strip plotted extended dates of open rows; an active category filter is not passed to any tile link. The Overdue list therefore includes every closed historic notice with a past due date. The in-list 'Over Due Notices' / 'Due in 7 Days' presets use the same wrong logic. Impact: Fails the roadmap's first acceptance check (tile counts equal their drill-down row counts); partners stop trusting the tiles. src/utils/noticeDefinitions.ts:23-40; src/pages/AllClientsNoticesPage.tsx:161-164,178-179,187; src/pages/NoticesDashboardPage.tsx:187-199,268-285,366-369,392; src/components/reports/views/NoticeWorkflowListView.tsx:360-363	Have AllClientsNoticesPage and the list presets import isOpen/isOverdue/isDueln7/isNew and use the useNoticeSet rows; add filter=exposure (open and amount_of_demand > 0); match date= on effective due for open rows; carry category into tile links.
L-08 = R-20	High	The queue does its own fetch: .limit(1000) with no ORDER BY and no source filter on a table already past 1,000 rows (arbitrary slice), then sorts by issue_date newest-first while the header pill says 'Open notices - earliest due first', and renders 50 rows. Its profiles query selects last_name, which does not exist, so the assignee list is empty and every owner shows '?' — bulk Assign cannot work. 'Hearings' is a regex on staff_status; 'Unassigned' ignores the free-text owner the edit dialog writes. The Team count does not equal the dashboard Open count. Impact: The list meant to answer 'what must we do today' drops rows nondeterministically, buries overdue work under new arrivals and cannot assign owners. src/components/notices/NoticeWorkQueue.tsx:58,64-80,145-182,186-197,396; src/integrations/supabase/types.ts:7208-7217	Feed it from useNoticeSet; order overdue first, then effective due ascending, then priority, with undated rows in a 'Needs triage' tab; select profiles(user_id, first_name) restricted to staff via user_roles; derive the Hearings tab from matter_hearings.
L-13	High	Three definitions. The dashboard sums amount_of_demand (free-entered, and repeated across the ASMT-10, DRC-01A, DRC-01 and DRC-07 notices of one dispute) over open notices and labels the notice count 'matters'; GSTIN-wise and MIS sum matter demand heads over open matters; the tile opens all open notices. The tax/interest/penalty split and pre-deposit props of the tile are never passed. Impact: The partner's key money figure differs by screen; the roadmap check 'exposure on the dashboard equals the sum over open matters' fails. src/pages/NoticesDashboardPage.tsx:204-205,350-370; src/components/notices/NeedsAttentionStrip.tsx:168-195; src/pages/GstinWiseNoticeCountPage.tsx:58-71; src/pages/LitigationMISPage.tsx:147-159	One SQL view: open matters' (tax+interest+penalty+cess – paid – pre-deposit) plus open unlinked notices with demand counted once per case; use it on all three screens with a matching drill-down.

ID	Severity	Issue and evidence	Fix
L-25 = R-13	High	Four vocabularies: list inline and bulk status = Open Closed; queue stages = Awaiting data, Reply drafted, Partner review, Filed, Hearing, Order, Appeal, Closed; the drawer maps by regex; the SOP tells staff to set 'Under Review' / 'Reply Drafted', which the list cannot set and shows as an empty select. Moving a notice to 'Filed' does not set reply_date, so it stays Overdue; 'Order' stays open with no appeal clock; closing never requires a reason; the tile's replies/appeals/hearings split is a regex on staff_status and is effectively always 0 for appeals and hearings. Impact: A notice staff marked as replied keeps showing as overdue; stage-based views cannot be trusted. src/components/reports/views/NoticeWorkflowListView.tsx:74,415-441,463-485; src/components/notices/NoticeWorkQueue.tsx:42-52,262-283; src/components/notices/NoticeDrawer.tsx:97-109; src/pages/NoticesDashboardPage.tsx:227-234; docs/NOTICES_STAFF_SOP.md:19-20	One stage enum (the section 7.2 list) for list, queue and drawer; 'Filed/submitted' requires reply date or ARN; 'Closed' requires a reason; derive the breakdown from deadline types.
S-13 = L-17	High	The card hard-codes 'Next scheduled unattended sync: 06:00 IST' (no such schedule exists) and 'Emails sent today: 0'. 'Healthy' only means the extension was detected and there are no failed 'notices' rows; it ignores staleness. 'Last sync' is the newest success of any single client. 'Changed' counts every re-pulled row because pulled_at is rewritten each sync. The 'with credentials' denominator counts every non-excluded client. Impact: Partners see a green 'Healthy' card while most clients may be days stale, which is false assurance on the at-a-glance view. src/components/notices/SyncHealthCard.tsx:126, 157-158, 214; src/pages/NoticesDashboardPage.tsx:253-264, 288; extension/content.js:2730	Derive per-client freshness from the run ledger: count of clients stale over 24 h, oldest sync, failures by reason class. Remove the hard-coded rows; compute 'changed' from a portal_hash; use active credentialed clients as the denominator.

9 • Pillar 5 — Per-notice view

What good looks like. One page per notice, reachable by URL from every e-mail and list, showing who owns it, when it is due, what it claims issue by issue, what the firm's position is, which documents exist and which are awaited, what was filed and when, and the next action — with the action one click away.



Target: the Notice workspace

Specification — what the page needs and what exists today

Section	Contents	Today	Gap
Route and shell	A full page at /notices/:id (deep link from alert emails, the queue and the matter), with a sticky header, tabs (Overview, Issues, Evidence, Documents, Draft, Checklist, Client requests, Timeline, Hearings, Payments, Matter) and a 'next action' button. The drawer becomes a peek with 'Open full page'.	Partly	NoticeDrawer is mounted only on NoticesDashboardPage (line 457) and there is no /notices/:id route (App.tsx:110-119). The drawer's query selects the non-existent gst_notices.hearing_date (NoticeDrawer.tsx:144), so per the repo it renders 'Notice not found'. LitigationMatterDetailPage is a matter view, not a notice view.
Header facts	Client (legal/trade name, GSTIN, jurisdiction); form + section (e.g. DRC-01 u/s 73); FY and tax periods; reference no.; DIN; issue date; officer name/designation/office; case ARN; demand by head (tax/interest/penalty x IGST/CGST/SGST/Cess); PH requested/date; a source badge per field (portal / AI / manual).	Partly	The drawer shows notice_type, reference, FY, a single demand figure and issued_by. There is no section, DIN, period, officer designation or head-wise demand. The case-folder JSON holds sec/fy/todtIs/dmddtIs, but the page hides the arrays (AdditionalNoticeFolderPage.tsx:181-185, 271). The matter page shows four hand-typed totals.
Clock and ownership	Countdown to the effective due date (portal / extended, with source), a bar showing the statutory window, internal milestones (documents requested, first draft, partner review, filing), owner and reviewer (user ids), next action, and risk flags (short clock, demand above a threshold, reduced-penalty window closing).	Partly	The banner appears only within 7 days and ignores reply_date (NoticeDrawer.tsx:275-287). The owner is free text in the edit dialog but a user id in the queue (R-12). There is no reviewer at notice level and no milestones.
Issues table	One row per issue: code (firm taxonomy), description, period, demand by head, the officer's basis with para/page link, the system-computed exposure, our stance (accept / contest / partly), evidence status (annexure ready / data missing / documents awaited), linked payment (DRC-03) and status.	No	There is no notice_issues table. The matter has four typed totals (LitigationMatterDetailPage.tsx:637-669) with no issue split, and dmddtIs is hidden.
Evidence and annexures	Per issue: the recipe output with data readiness (months pulled / missing, with one-click pulls), an annexure preview with provenance per row (table, ARN, pulled_at), regenerate, XLSX/PDF export, and a link to the GSTR-9 notice format.	No	The comparisons exist as client+month reports (reportsCatalog.ts:251-300, 845-891) and the FY notice format exists in GSTR-9 (NoticeStep.tsx:166-171), but nothing links them to a notice.
Documents	The portal notice PDF; every case-folder attachment (intimations, notices, replies, orders); client uploads; our drafts, final reply and acknowledgement; annexures. Each has a kind, version and sha256, is served by signed URL, and supports preview and bulk download.	Partly	The drawer shows only pdf_url (NoticeDrawer.tsx:483-497). Folder attachments appear only on the case-folder page. Matter 'Add Document' saves metadata without a file (LitigationMatterDetailPage.tsx:461-470). All URLs are public (R-01).
Draft reply	An editor holding AI draft v1..n with citations (hover to the notice page or annexure row), placeholders for missing data, version compare, comments and redlines, a QA checklist, partner approval, and DOCX/PDF generation on letterhead.	No	Nothing in the app; drafting happens in Word (roadmap 3b.2 / 5.3 unbuilt).
Checklist	A form-specific checklist (e.g. DRC-06: PH option chosen, DRC-03 ARNs linked, authorisation letter, DIN and limitation checks, annexure index, size check), ticked automatically wherever the system can verify an item.	No	Only a stage stepper inferred by regex from the free-text status (NoticeDrawer.tsx:98-109).
Client document requests	An item list per issue, with sent date, reminders, a signed client upload link, received / accepted status and ageing; one click to resend.	No	Roadmap 1.6 is unbuilt; requests go by email or WhatsApp with no status.

Section	Contents	Today	Gap
Timeline / activity	A complete DB-trigger event log: captured, extracted, confirmed, assigned, stage changes, draft versions, QA results, approvals, filing, ack, folder items arriving, alerts sent. Each entry shows actor and source.	Partly	notice_events is written only by some app paths: bulk operations and sync are not logged and 'captured' is never written (R-14). The drawer shows the last 30 events only (NoticeDrawer.tsx:150).
Hearings	PH date/time/mode/venue from the notice JSON (pershrng) or the officer's letter; adjournment count (s.75(5) limit, verify); attendees; written submissions due; outcome; a carry-list generated from the issues table.	Partly	matter_hearings exists on the matter page but is entered by hand. The PH fields in the folder JSON are not parsed, and gst_notices.hearing_date does not exist although the drawer and alerts query it (R-03).
Payments and DRC-03	Linked DRC-03s (auto-matched by ARN, period and cause), pre-deposits, reduced-penalty windows with amounts and last dates (s.73(8) / 74(8) / 74A; verify), and outstanding demand per head.	Partly	matter_payments is typed by hand and paid_total is updated read-modify-write (LitigationMatterDetailPage.tsx:390-416). The synced gst_drc03_filings are not linked to notices or matters.
Deadlines and statutory clocks	Reply due, PH, order time limit (s.73(10) / 74(10) / 74A), appeal (s.107: 3 months + 1), rectification (s.161), recovery start. Each date is computed, can be overridden, and shows its statutory basis.	Partly	The drawer has a Deadlines tab, but no code writes matter_deadlines (R-07).
Linked matter, related notices and precedents	Matter header (stage, lifecycle), sibling notices under the same case ARN, earlier notices on the same issue or FY, and the top precedent replies with their outcomes.	Partly	'Create Matter' exists (NoticeDrawer.tsx:247-266) but uses the original due date, no actor and lifecycle 'demand'. There are no related-notice or precedent links.
Portal actions	Open this notice's reply screen logged in; prepare and attach the pack; capture the ack; refresh this case folder now.	Partly	The 'Portal' icon exists only in the list view and lands on the generic Notices & Orders page (extension/content.js:514-523).
Outcome and learning	Outcome per issue (dropped / confirmed / partly), order reference, appeal decision, and partner feedback that flows into the precedent library and the eval set.	No	Only a free-text close_reason; the matter's closed_reason is coarse and not recorded per issue.

Critical and high findings

ID	Severity	Issue and evidence	Fix
L-03 = R-03	Critical	NoticeDrawer selects hearing_date from gst_notices. No migration creates it and types.ts does not have it (tsc: SelectQueryError 'column hearing_date does not exist' at NoticeDrawer.tsx:157). The query errors, data is null and the drawer renders 'Notice not found.' for every notice without showing the error. Verify with one anon-key select; if the column was added out-of-band, add the migration instead. Impact: The per-notice view that every deep link targets cannot open, and 'Create Matter' (only reachable from the drawer) is unreachable. src/components/notices/NoticeDrawer.tsx:142-157,223-224,416; src/integrations/supabase/types.ts:4831-4869	Remove hearing_date from the select, or add the column by migration and fill it from folder JSON (sdtls.*.pershrng); render query errors instead of 'not found'.
R-08	High	There is no issue-level model. A notice carries one amount_of_demand and a matter four hand-typed totals. The case-folder page hides the per-issue demand (dmddtls), goods/services and payment arrays the portal returns, so no screen can show, for example, 'Issue 3: 2B vs 3B ITC, Rs x CGST, our position'. src/pages/AdditionalNoticeFolderPage.tsx:270-271; src/pages/LitigationMatterDetailPage.tsx:482-490,637-669; src/integrations/supabase/types.ts (gst_notices Row)	Add a notice_issues table: issue_code from a firm taxonomy, period, head-wise tax/interest/penalty, para/page reference, stance, status and payment link. Populate it from dmddtls plus AI extraction, and make matter demand a SUM view over it.
L-30 = R-27	Medium	Create Matter makes one matter per notice with lifecycle hard-coded 'demand', no demand heads, FY, section, officer or reference, no deadline and no actor, and swallows errors. There is no UI to add a notice to an existing matter or to review suggested groupings — linkNoticesToMatter, suggestMatters, updateMatter, closeMatter and addPayment are dead code (only createMatter is imported) — so an ASMT-10, DRC-01A, DRC-01, DRC-07 chain becomes four matters. Closing a matter leaves its notices open and vice versa. Impact: The matter layer cannot represent a dispute's lifecycle, so MIS and per-matter exposure are unreliable. src/components/notices/NoticeDrawer.tsx:243-266; src/lib/LitigationData.ts:217-250,332-426,514-547,623-662	'Add to matter' picker (same client, same case_id or FY first) and a 'Suggested matters' review page built on suggestMatters; prefill lifecycle, demand and FY from the notice; on matter close offer to close linked notices with the same reason.
R-18	Medium	Documents are scattered and incomplete. The drawer shows only pdf_url, case-folder attachments appear only on the folder page, and the matter's 'Add Document' stores a title with no file, even though matter_documents has storage_path, mime and size_bytes columns. src/components/notices/NoticeDrawer.tsx:483-497; src/pages/AdditionalNoticeFolderPage.tsx:523-535; src/pages/LitigationMatterDetailPage.tsx:461-470	Build a unified documents panel (portal PDF, all folder attachments, uploads, drafts, acknowledgements) backed by notice_documents with kinds, versions, sha256 and signed URLs.
R-19	Medium	There is no deep-linkable notice page. The drawer mounts only on the dashboard and no /notices/:id route exists, so alert emails, the queue and teammates cannot link to a specific notice (roadmap 2.6). src/pages/NoticesDashboardPage.tsx:457; src/App.tsx:110-119	Add NoticeDetailPage at /notices/:id implementing perNoticeSpec, and reduce the drawer to a peek with 'Open full page'.
R-21	Medium	Payments are not linked. DRC-03 filings are synced with head-wise amounts, but matter payments are typed by hand (drc03_arn is never captured), and paid_total is updated read-modify-write from stale page state, so concurrent updates are lost. src/pages/LitigationMatterDetailPage.tsx:390-416; src/lib/LitigationData.ts:514-544; types.ts gst_drc03_filings	Auto-link gst_drc03_filings to notices and matters by ARN, period and cause (suggest, then confirm), and compute paid and pre-deposit totals in a SQL view.

10 · Foundations — data trust and security

Nothing in the mission works if the data is wrong or exposed. These findings are the reason Phase 0 comes first.

Data trust — critical and high

ID	Severity	Issue and evidence	Fix
S-04	Critical	The extension is distributed as an unpacked folder and the app does not enforce a minimum version: the Notices Dashboard only toasts below 0.3.0 and Company List's Sync never checks. A pre-0.3.0 copy still runs DELETE <code>gst_notices?client_id=...</code> and then INSERTs rows without <code>portal_key</code>, which is now NOT NULL, so the delete succeeds and the insert fails. Its failure path calls the same delete. Impact: One stale copy on any staff PC hard-deletes every synced client's notices and all staff work on them. The delete cascades to <code>notice_events</code>, <code>notice_alert_log</code> and <code>matter_deadlines</code> (ON DELETE CASCADE, 20260914140000:10, 70, 91) and cannot be undone without point-in-time recovery. <code>extension/README.md:25-31</code>; <code>extension/content.js:753-759</code> (OneDrive Desktop folder); <code>src/pages/NoticesDashboardPage.tsx:118, 172-179</code>; <code>src/pages/CompanyListPage.tsx:128, 232-245</code>; <code>git show 3d517e9^:extension/background.js:102-105</code>; <code>supabase/migrations/20260914100000_notices_upsert_sync.sql:28</code>	Block hard DELETE on <code>gst_notices</code> with a BEFORE DELETE trigger that raises or converts it to a soft delete. Keep <code>min_extension_version</code> in a settings row that both the app (disables Sync) and <code>background.js</code> (refuses to start) check. Ship the extension through an unlisted Web Store listing or a force-install policy so it auto-updates.
L-05 = S-07	High	<code>replaceNotices</code>, <code>replaceRefundApplications</code> and <code>replaceDrc03Filings</code> always run the <code>'last_seen_at < pullTs ⇒ deleted_at'</code> PATCH, including when the pull produced zero rows. A <code>get/notices</code> HTTP-200 error body is coerced to an empty list; a failed <code>case/task/get</code> call is swallowed to [], after which every case-task row of that client (DRC-01, ASMT-10, LUT, DRC-03 acknowledgements) is soft-deleted because it was not re-upserted; non-array <code>refund/DRC-03</code> responses become [] and soft-delete every <code>refund/DRC-03</code> row. The attempt is still logged as success with '0 entries'. Roadmap 0.1 required that a zero-row run never marks anything missing. Impact: A transient portal problem silently removes a client's notices from tiles, lists and alerts; any future 'removed' alert would fire falsely. <code>extension/background.js:114-121,124-133,146-155</code>; <code>extension/content.js:2656-2658,2678-2687,2921-2930,3087-3088,3359-3360</code>	Skip the soft-delete when <code>rows.length</code> is 0 or any sub-fetch failed; scope the PATCH to the sub-source actually read (separate source values for <code>get/notices</code> and <code>case/task</code> rows); treat non-array or error JSON as a failed pull and log it; block soft-deletes above a drop threshold (for example more than half of the client's rows).
L-06	High	The upsert payload sends portal-owned columns as explicit NULLs: <code>case-task.due_date:null</code>, <code>pdf_url:null</code> whenever a PDF download fails, <code>case_id:null</code> on <code>get/notices</code> rows, <code>refunds.sanctioned_amount:null</code>. PostgREST resolution=<code>merge-duplicates</code> updates every column present, so a transient download failure erases a previously captured PDF link, every due date the sweep writes for case rows is wiped on the next Sync All (the sweep only fills NULLs, so dates flap and need a manual re-sweep), and <code>sanctioned_amount</code> can never hold a value. Impact: Derived data is not durable; once L-02 is fixed, case-row deadlines disappear after every sync. <code>extension/content.js:2722-2731,2802-2808,3112</code>; <code>extension/background.js:61-68,114-117</code>	Strip null-valued keys per row or send derived columns never; keep sweep output in a separate <code>computed_due_date</code> column (as the data model proposed) and define effective due as <code>COALESCE(extended_due_date, due_date, computed_due_date)</code>; only write <code>pdf_url</code> after a successful upload.
L-10 = R-05, S-18	High	<code>extractDueDate</code> reads <code>raw.sdtls.duedate</code>, <code>raw.dtsn.duedate</code> and <code>raw.duedate</code>. The folder page, built against live JSON, reads notices at <code>sdtls</code>. <code>{dtsn srscn remnd dtorder}.duedt</code> and intimations at <code>raw.duedt</code> or <code>sdtls.*replyDuedt</code>; only the RFD-08 (NOTAC <code>sdtls.duedate</code>) path matches. Dash-separated dates (used by refund items) are rejected. With several notice items in a case it keeps the EARLIEST date — the first notice's long-past deadline — so a case with a fresh notice reads as overdue, and the value is never refreshed once set. Personal-hearing dates (<code>pershrng</code>) are ignored. Positions doc section 4 records the wrong paths. Impact: DRC-01/DRC-01A/ASMT-10 case rows get no due date (missed deadlines) or a stale one (false overdue). <code>src/lib/noticeAutoClose.ts:123-144,170-178</code>; <code>src/pages/AdditionalNoticeFolderPage.tsx:99-125,164-182,246-254</code>; <code>docs/NOTICES_LITIGATION_POSITIONS.md:74-83</code>	Move <code>subDetail()</code>/<code>replyFields()</code> into a shared util and use them; take the due date of the latest notice or intimation not yet replied to; accept DD/MM/YYYY and DD-MM-YYYY; extract <code>pershrng</code> into a hearing row; recompute on every sync.
L-12	High	The header comment asserts its grand total equals Notice Summary's, but it counts every <code>gst_notices</code> row (including the 'Refunds'/'Voluntary Payment' case rows <code>computeNoticeSummary</code> excludes) plus every refund and every DRC-03 row with no ARN dedupe, and keeps dedicated rows whose ARN is null, which Summary drops. Its Total/Open/Closed cells open <code>/notices-all?client=...</code>, which lists <code>gst_notices</code> only, so no client's count matches the list it opens. The Type filter drops <code>refunds/DRC-03</code> here but not on Notice Summary. Impact: Two report pages give different firm totals and per-client numbers do not match their drill-downs (roadmap 5.3 not met). <code>src/pages/GstinWiseNoticeCountPage.tsx:1-7,79-127,237-249</code>; <code>src/utils/noticeSummaryReport.ts:79-123</code>; <code>src/pages/NoticeSummaryReportPage.tsx:36-41</code>	Group the <code>useNoticeSet</code> rows by client and call <code>computeNoticeSummary</code> per client; link Total to a merged per-client list or show <code>refunds/DRC-03</code> as separate columns with their own links.

ID	Severity	Issue and evidence	Fix
L-14	High	Client delete is a hard DELETE and every module table cascades from clients: <code>gst_notices</code>, <code>refunds</code>, <code>DRC-03</code>, <code>case-folder items</code>, <code>client_sync_log</code>, <code>notice_events</code> (the audit trail), <code>notice_alert_log</code>, <code>matter_deadlines</code>, and <code>litigation_matters</code> with its stage history, events, documents, hearings and payments. Deleting a notice row also deletes its events. There is no archive flag, legal hold or <code>deleted_at</code> on litigation tables (roadmap 4.4). Impact: One click on a sync-admin page irreversibly destroys litigation history the firm needs as evidence. <code>src/pages/CompanyListPage.tsx:197-213</code>; <code>supabase/migrations/20260817180000_notices_refund_drc03.sql:14,31,48</code>; <code>supabase/migrations/20260828160000_gst_case_folder_items.sql:16</code>; <code>supabase/migrations/20260914140000_notice_alerts_phase1.sql:10-11,70-71,91-92</code>; <code>supabase/migrations/20260914160000_litigation_core_phase3.sql:9,66,86,108,133,159</code>	Archive instead of delete (<code>clients.archived_at</code>, filtered everywhere); ON DELETE RESTRICT on litigation FKs; ON DELETE SET NULL for event tables; <code>legal_hold</code> on matters; superadmin-only hard delete with typed confirmation.
L-20	High	The commit gate is 'vite build' with <code>strict:false</code>, so nothing type-checks. <code>tsc --noEmit</code> already reports the runtime-breaking mismatches: missing <code>portal_key</code> (<code>AddNoticeDialog.tsx:73</code>), non-existent <code>hearing_date</code> (<code>NoticeDrawer.tsx:157</code>; <code>noticeAlertQueue.ts:259</code> onward), <code>profiles.last_name</code> (<code>NoticeWorkQueue.tsx:163</code>), <code>clients.contact_person</code> (<code>noticeAlertQueue.ts:259</code>), <code>AppUser.name</code> (<code>NoticeWorkflowListView.tsx:432,571</code>). <code>types.ts</code> is hand-edited (<code>close_reason</code> inserted out of order) rather than regenerated, and the Deno edge function has no typing against the schema at all. Impact: Column-name bugs ship green and fail silently at runtime. <code>package.json:8</code>; <code>tsconfig.app.json:16,25</code>; <code>src/integrations/supabase/types.ts:4864</code>	Regenerate <code>types.ts</code> from project <code>gcquafqxbykxbexcdpy</code>; add <code>tsc --noEmit</code> (at least for the <code>notices/litigation</code> files) to the gate; add a smoke script that runs each module select once with the anon key from <code>.env</code>.
L-28 = R-14	High	Bulk status and priority (list), bulk assign, priority and stage (queue) and matter demand edits write no events. The edit dialog initialises <code>closeReason</code> to '' and saves <code>close_reason = null</code>, so every save wipes an existing reason, including <code>auto:*</code> tags. <code>actor_name</code> is always null from the list (<code>AppUser</code> has no 'name'). Sync-side changes produce no events (no trigger), and <code>notice_events</code> rows are deleted with their notice (ON DELETE CASCADE). Impact: Who closed what, when and why cannot be reconstructed for review or a client dispute. <code>src/components/reports/views/NoticeWorkflowListView.tsx:432,463-505,507-524,553-554,571</code>; <code>src/components/notices/NoticeWorkQueue.tsx:230-283</code>; <code>src/pages/LitigationMatterDetailPage.tsx:482-490</code>; <code>supabase/migrations/20260914140000_notice_alerts_phase1.sql:10</code>	Log from an AFTER UPDATE trigger on <code>gst_notices</code> (old/new diff, actor passed via RPC or a session setting); send <code>close_reason</code> only when edited and prefill it; use <code>user.firstName</code>.
S-10	High	Data is written under <code>cur.clientId</code> without confirming that the portal session belongs to that GSTIN. Every call uses the profile's shared portal cookies. A staff member logging into another client in a second tab, or any other extension action (every <code>start*</code> function overwrites the single <code>gstk_active_job</code> key and opens a fresh login), can switch the session mid-run, and the superseded run stops silently. Only multi-client queues log out between clients. A single pull started while the profile still holds another client's session — the 'Login' button deliberately leaves one open — skips login whenever the page already looks logged in (verify whether <code>services/login</code> redirects for an active session). Impact: Client B's notices, ledgers or 2B can be saved under client A, and runs are silently abandoned, in a firm where staff use the portal all day. <code>extension/content.js:144-148, 169-172, 312-325, 361-364, 509-513, 2652-2655, 2680-2683</code>; <code>extension/background.js:307-309, 478-480, 519-521</code>	Read the session GSTIN (profile/detail or page header) before each write and abort on mismatch. Always log out before the first client. Queue extension jobs instead of overwriting them. Run sync in a dedicated Chrome profile now and in isolated agent contexts later.
S-14	High	Login failures are logged as action 'login_failed', but the dashboard counts only action='notices'. Company List takes the newest row of any action, which after a bundle is usually the 'refunds_debug' success row, so a failed notices step is masked. Refunds and DRC-03 DB-write failures are swallowed, and refunds still logs success. Both pages read the log with no limit, so once the 1,000-row default cap is reached, active clients show as 'Never synced'. Impact: The dashboard and the Company List it links to disagree, and real failures are hidden, so nobody knows which clients need a re-sync. <code>extension/content.js:348-350, 2935-2938, 3118-3126, 3397</code>; <code>src/pages/NoticesDashboardPage.tsx:100, 253</code>; <code>src/pages/CompanyListPage.tsx:114, 152-156, 179-180</code>	Add <code>sync_runs / sync_run_items</code> tables (<code>run_id</code>, <code>client</code>, <code>step</code>, <code>status</code>, <code>reason</code> class, rows <code>new/changed/removed</code>, <code>duration</code>, <code>extension</code> version) and a <code>client_sync_status</code> view that both pages read. Send debug output to a separate table.

Security — all findings

ID	Severity	Issue and evidence	Fix
R-01 = L-15, S-11	Critical	Every notice PDF, case-folder attachment and manual upload sits in a public bucket with anon INSERT, SELECT, UPDATE and DELETE policies, and is stored as a permanent public URL. Anyone holding the bundle's anon key can list, download, overwrite or delete every client's SCNs and replies. This blocks emailing links, a client portal and any AI pipeline. <code>supabase/migrations/20260321093054_e19b7266-1b9c-47f9-9fab-9341156d37e0.sql:13-27</code>; <code>supabase/migrations/20260819010000_return_pdfs_update_policy.sql:10-13</code> (the <code>later public=false</code> insert in <code>20260713180000_portal_reco_opening_source.sql:24-26</code> is ON CONFLICT DO NOTHING); <code>extension/background.js:285</code>; <code>src/components/notices/AddNoticeDialog.tsx:64-70</code>	Make <code>return-pdfs</code> private and drop the four 'Anyone can ...' policies. Store storage paths, not URLs, in <code>gst_notices.pdf_url</code>, case-folder attachments and refund documents (one-off rewrite). Serve files through a signed-URL edge function that validates the staff session, and have the extension upload with an upload-token RPC instead of the anon key. Check the live bucket state first.
R-02 = S-27	Critical	A third-party bearer token for the GSP push API is committed in plain text in a README, so anyone with repo access can push returns through it. Fix secret hygiene before an Anthropic API key is introduced. <code>supabase/functions/gst-push/README.md:24</code> (value deliberately not reproduced)	Rotate the token with the provider and remove it from the README and git history. Keep secrets only in <code>supabase secrets</code>, add secret scanning to CI, and store <code>ANTHROPIC_API_KEY</code> the same way from day one.

ID	Severity	Issue and evidence	Fix
S-03 = R-16	Critical	Client GST portal usernames and passwords sit in plaintext columns on clients, which anyone holding the publishable anon key can read (open SELECT policy); that key ships in the extension and the web bundle. The extension fetches every client's password over REST and copies all of them into gstk_active_job in chrome.storage.local for the whole run (up to 3 h, or indefinitely if the run is abandoned); gst-push forwards them to a third party. Impact: Anyone who obtains the public key can read all ~90 clients' portal credentials, and the passwords also sit unencrypted in every staff Chrome profile. This is a confidentiality and liability exposure for a CA firm. supabase/migrations/20260121202445_2ad02815-f575-4969-8c45-53b628ee2956.sql:4; supabase/migrations/20260103121605_7c8f3446-794b-4b80-acda-298745141cb1.sql:8-11; extension/config.js:3-6; extension/background.js:72-73, 473-476; extension/popup.js:37-40, 64-69; supabase/functions/gst-push/index.ts:68, 114-115	Move credentials to a no-policy table encrypted with Vault or pgsodium, exposed only through an edge function or RPC that checks a firm-issued session token and returns one client's credentials just-in-time. The job should hold client ids only, never passwords in chrome.storage. Mask passwords in the UI and rotate all of them after the fix.
R-15	High	The existing edge-function pattern (verify_jwt = false, authorising on a caller-supplied actorId) must not be reused for AI. User ids are readable through the open profiles table, so an AI drafting endpoint built that way would let anyone with the anon key read any client's notice through the model and spend the firm's API budget. supabase/config.toml:7-8; supabase/functions/gst-push/README.md ('Authorization' section)	Use a server-validated staff session (a signed token issued at authenticate_staff and verified in a shared _shared/auth.ts), with per-user rate limits and an ai_audit_log. The client role gets no access to AI endpoints.
S-12	High	appbridge.js is injected on, and accepts messages from, any https://*.vercel.app origin. Any Vercel-hosted page a staff member visits can trigger portal logins, a firm-wide Sync All, a GSTR-1 upload, or a GSTR-3B push carrying attacker-chosen figures that the extension types into Tables 3.1 and 4 and saves (client UUIDs are readable with the public key). Impact: Anyone can remotely start portal sessions and modify draft returns without authenticating. extension/manifest.json:32; extension/appbridge.js:12, 20, 185-197; extension/background.js:573-594; extension/content.js:1261-1311, 1314-1369	Allow exact origins only (gst.vjdesai.com plus one named preview host). Require a short-lived signed token from the logged-in app, and show a confirmation prompt inside the extension for any write action.
S-29	Low	A declarativeNetRequest rule rewrites the Referer header to get past the portal WAF on the GSTR-3A summary API, and the manifest keeps a fastcaptcha.org host permission reserved for auto-solving. Neither is backed by a recorded firm decision; the agent README calls automated access against GSTN terms. Impact: Increases the legal and IP-blocking exposure of all of the firm's portal access. extension/background.js:15-39; extension/manifest.json:10; agent/README.md:28-33, 127-131	Record the partner's decision. Remove fastcaptcha.org until it is approved, and prefer reading data from the portal page that naturally carries the right context.

11 · Screen-by-screen audit with suggested fixes

Every screen, tab, drawer, dialog and link target of the module, in the order a user meets them. Each shows the desktop capture (and the phone capture for page-level screens), a verdict and score out of 10, and the findings for that screen with a suggested fix. Findings that share a root cause with a domain finding cite it (for example “L-04”).

Patterns seen across many screens — fix once, improve every screen

Pattern	What the screens show	Fix
The module ignores the house style the rest of the app adopted	Every notices and litigation screen uses its own NoticesPageHeader / NoticesCardHeader, 10 px uppercase headers and raw palette colours, while Filing Status, GSTR-1/3B, Builder, Annual Return and the reports moved to the 9/9C workspace theme this month.	PageHeader compact, WS_* table classes, KpiTile, SectionCard, the readable Badge and semantic tokens only (docs/UI-UX-REDESIGN.md).
Floating chrome covers the actions	The fixed notification bell (MainLayout.tsx:69) sits on the right-most header button on every page (Sync All, Add Notice, Create Matter, Export, PDF); the Quick-actions and Chat buttons cover table columns and form buttons.	Put the bell in the header row (or reserve md:pr-12), add bottom padding to <main>, merge the two floating buttons into one speed-dial on phones.
Phone layout breaks	The module tab bar widens every page to about 485 px at 390 px; the drawer’s close button goes off-screen; 8-column tables are cut; ₹ figures overflow their tiles.	Scrollable / wrapping tab bar, card lists below md, compact ₹ L / cr figures with the full value on hover.
Navigation is mislabelled and forgets context	“Matters” opens a filtered notice list and “Hearings” opens Litigation Matters; there is no hearings page; tabs and filters live in component state, so Back, e-mails and shared links lose them.	One nav (Command centre · Work queue · Notices · Matters · Hearings · Calendar · Clients · Reports) and URL-persisted tabs and filter chips with a clear-all.
One notice, three disconnected places	Stage and owner live in the drawer, portal items and hearings in the case folder, money and hearings in the matter — none links to the others, and the drawer fails in production.	The Notice workspace at /notices/:id pulling the folder, matter, documents, deadlines and payments into one page (target mock-up, §7).
Screens are read-only at the moment of decision	No Log reply, Assign, Request extension, Retry sync, Update password or Reopen where the user is looking at the problem; e-mails have no link back to the notice.	Give every status one primary next action, on the row and on the page; every e-mail gets an “Open notice” button.
Numbers disagree between sibling screens	On one fictional test data set: Overdue 14 (tile) vs 69 (its list); companies 11 vs 12; failed logins 2 vs 5; notices 182 vs 186; exposure ₹ 4.23 cr vs ₹ 3.68 cr; “closed” defined four ways and outstanding money computed four ways in litigation.	One notice_facts and one matter_facts view feeding every screen, with an “as of” time and a definition tooltip on every number.
Raw codes and four vocabularies	Portal types and codes become titles (“Notice”, “Voluntary_payment”, “auto:refund_order”, “Closed: paid”); four stage vocabularies; open stages shown green; filed refunds green while an RFD-08 show-cause is grey.	A display-title map per form code, one stage enum, one status-tone map (overdue / action = red, waiting = amber, filed = blue, closed = green / grey).
Six date formats and mixed money formats	05/10/2026, 09-09-2026, 2026-10-07, ‘5/10/2026, 7:43:00 am’, ‘20 Sept 2026’ and ‘18h ago’ side by side; hearing times captured but never shown.	One fmtDate (dd Mon yyyy, IST) with time where it matters, one fmtMoney, relative time only in activity feeds.
Machine text and silent failures	Postgres errors in toasts (“null value in column portal_key ...”), extension messages (“Receiving end does not exist”), raw key dumps; failed loads shown as empty tabs, “Matter not found” or ₹ 0.	A message catalogue (code → plain sentence + next step) and real error states with Retry; never render a failed query as zero.
Irreversible actions without confirmation, undo or permission	Bulk Close, inline Open/Closed, the sweep and Close Matter act at once; litigation screens ignore the permission keys the notice screens use.	useConfirm() with a reason, an Undo toast, preview counts for sweeps, and the existing can*() gates on every edit and export.
Keyboard and screen-reader access	KPI tiles, category rows, calendar days and count cells are clickable divs / <td> without focus; icon-only buttons have no labels.	Real buttons and links, aria-label on every icon button, visible focus rings, open-in-new-tab on counts.
Portal-parity clutter hides the key facts	The case folder shows 4–6 “There are no records to display” sections and raw key dumps, while the due date, hearing and DRC-07A recovery demand sit last.	Hide empty sections; typed fact cards first (due date, hearing, demand by head, reply status), raw portal JSON behind a disclosure.
E-mails are not actionable	Staff alerts greet the client and sign off as the recipient, show ISO dates and bare references, and carry no link; the limitation alert shows a stale due date beside the real deadline.	Separate internal and client templates, a deep-link button, formatted dates, client and notice named in the subject.
Automation is exposed as manual buttons	Sync All, Send digest and “run the closing sweep” are buttons a person must remember; the sweep errors in production.	Run them on schedule and after each sync; keep “Run now” on the Portal Autopilot page only.
Litigation writes bypass the shared library	Pages write matters directly, so no events are logged, matter numbers come from two generators, pre-deposits are dropped and lists sort by creation date.	Route every write through src/lib/LitigationData.ts; one numbering function; sort by next deadline.

Condensed from the 38 patterns reported by the three screen reviews.

Screens in this section

#	Screen	Group	Score	Findings
1	Notices & Litigation dashboard (landing)	Dashboard	5	6
2	Top-nav "Reports ▼" dropdown	Dashboard	4	3

#	Screen	Group	Score	Findings
3	Search Company dialog (⌘K pill)	Dashboard	3	4
4	Add Notice dialog — submit fails (portal_key NOT NULL)	Dashboard	2	5
5	"Sync All" without the browser extension	Dashboard	4	3
6	"Sync All" with a (simulated) connected extension v0.3.3	Dashboard	4	4
7	Work-queue footer "run the closing sweep"	Dashboard	2	3
8	"Send digest" button	Dashboard	2	3
9	Category row clicked → dashboard filtered; empty categories expanded	Dashboard	4	3
10	Deadline strip switched to "Month" (35 days)	Dashboard	5	4
11	Work queue → Unassigned tab, 3 rows selected, Assign dialog opened	Dashboard	2	4
12	Work queue bulk "Change stage" → Closed	Dashboard	4	3
13	Notification bell popover	Shell	3	4
14	Mobile navigation drawer	Shell	3	5
15	Notices — All Clients (Work Queue tab)	Work queue	3	6
16	Merged Notices tab (notices + refunds + DRC-03)	Work queue	3	5
17	Overdue tile drill-down (?filter=overdue)	Work queue	2	4
18	"Matters" tab (?filter=submitted)	Work queue	2	3
19	Exposure tile drill-down (?status=Open)	Work queue	3	2
20	Calendar day drill-down (?date=...)	Work queue	5	2
21	Company-scoped list (?client=...) from Company profile "View All"	Work queue	4	3
22	Single-notice deep link (?noticeId=...) from drawer "Open in list" / bell	Work queue	2	3
23	Inline Status select on a row whose stage is "Reply drafted"	Work queue	3	2
24	"Log reply / order / submission" edit dialog (auto-closed row)	Work queue	3	4
25	Bulk "Update Status" dialog	Work queue	4	3
26	Work queue right-hand columns; row "open on GST portal" without the extension	Work queue	4	3
27	Work queue as an employee without edit_notice_status	Work queue	4	4
28	Notice drawer as it actually loads (strict schema)	Per-notice	1	3
29	Drawer — DRC-01C due today, Activity tab (lenient schema)	Per-notice	4	4
30	Drawer — ASMT-10 with extended due date, Details tab (lenient)	Per-notice	4	4
31	Drawer — case-linked DRC-01 with matter, Deadlines tab (lenient)	Per-notice	5	3
32	Drawer — closed refund case (auto:refund_order), Docs tab (lenient)	Per-notice	2	5
33	Drawer — "Create Matter" clicked on an unlinked notice (lenient)	Per-notice	3	3
34	Company List & sync log	Companies	3	6
35	Company List filtered to failed syncs (?status=failed)	Companies	3	3
36	Sync Log dialog	Companies	3	3
37	Bulk Update dialog (Active/Inactive)	Companies	3	3
38	"Import" (Bulk Add Clients) dialog	Companies	3	4
39	Company profile (Company Dashboard)	Companies	4	6
40	Company profile with Type pill = "Refunds"	Companies	3	3
41	Additional Notice Folder — DRC-01 case (open)	Case folder	4	5
42	Refund Notice Folder — refund case with audit history	Case folder	5	3
43	Appeal case (APL-01) rendered by the folder page	Case folder	2	3
44	Enforcement case with an unmapped folder section (DRC7A)	Case folder	3	3
45	Notice Summary report	Reports	4	4
46	GSTIN-wise Notice Count ("Clients" tab)	Reports	4	4
47	Refund — All Clients	Refunds & DRC-03	5	5
48	Refund — All Clients, open only (?status=Open)	Refunds & DRC-03	4	3
49	DRC-03 — All Clients	Refunds & DRC-03	4	4

#	Screen	Group	Score	Findings
50	Litigation Matters list ("Hearings" tab)	Litigation	4	6
51	Matters list scoped to one client (?client=...)	Litigation	5	3
52	Create Litigation Matter dialog (filled)	Litigation	3	4
53	Matter detail — Notices tab	Litigation	4	5
54	Matter detail — Hearings tab	Litigation	4	4
55	Matter detail — Payments tab (appeal with pre-deposit)	Litigation	3	5
56	Matter detail — Documents tab	Litigation	3	3
57	Matter detail — Activity tab	Litigation	3	4
58	Change Stage dialog	Litigation	3	3
59	Close Matter dialog	Litigation	4	4
60	Schedule Hearing dialog	Litigation	4	4
61	Record Hearing Outcome dialog	Litigation	4	4
62	Record Payment dialog (kind list open)	Litigation	3	4
63	Add Document dialog	Litigation	2	3
64	Detail page of a matter just created through "Create Matter"	Litigation	3	4
65	Closed matter detail	Litigation	4	3
66	Litigation MIS — Exposure	Litigation	3	5
67	Litigation MIS — By Client	Litigation	5	4
68	Litigation MIS — By Stage	Litigation	3	3
69	Litigation MIS — By Lifecycle	Litigation	4	3
70	Litigation MIS — Ageing	Litigation	3	3
71	Litigation MIS — Per Staff	Litigation	4	3
72	Litigation MIS — Hearings	Litigation	4	3
73	Browser-extension popup (GST Keeper — Portal Sync)	Extension	2	5
74	Extension popup — background worker unreachable	Extension	2	2
75	Notice-alert email E3 "due soon" — in-app path	Emails	2	3
76	Notice-alert email E3 "due soon" — cron path	Emails	3	3
77	Notice-alert email E2 daily overdue digest — in-app path	Emails	2	3
78	Notice-alert email E5 limitation warning (critical) — cron path	Emails	2	3


Dashboard

DASHBOARD · SCREEN 1 OF 78

Notices & Litigation dashboard (landing)

/notices-dashboard · Sidebar → Notices Dashboard

The skeleton is right (tiles, queue, calendar, sync health), but nothing on it is yet trustworthy or actionable: the tile copy misleads and the 'work queue' is a newest-first list of 'Captured' rows whose only call to action ('Assign >') opens a drawer. It is far from the target command centre's ranked next-best-action table.



ID	Severity	Area	Issue	Suggested fix
U-01-1 L-08, L-48	High	Layout	The work queue cannot answer 'what do I do next'. Rows are ~75 px tall, so about 8 fit in the 620 px box, and 7 of the first 8 show stage 'Captured'. No line says what the notice is about (only 'Notice' plus a reference chip), and there is no readability or next action. Rows are ordered newest-issued first (19 Oct, 03 Nov, —, 11 Oct ...), the list stops at 50 of 51 with no paging, and 'View full work queue →' opens a different 141-row archive with other columns. src/components/notices/NoticeWorkQueue.tsx:58,77-80,180,411-537	Rebuild the card as the target's 'Today's plan'. Columns: Client (name + GSTIN font-mono text-xs) · Notice (form · FY · ₹, second line = description line-clamp-1) · Due ('~2 d' / '03 Oct', text-destructive when overdue) · Next action (one Button size='sm' whose label comes from the stage: Assign / Request data / Review draft / File) · Owner avatar. Use h-14 rows with py-2 (≈12 per screen). Order overdue first, then effective due ascending, then demand descending, with undated rows under a 'Needs triage' tab. Footer 'Showing 12 of 51 · View all →' should open the same queue (filter=open&sort=due), not the archive.
U-01-2 L-03	High	Interaction	The row call to action 'Assign >' / 'Open >' is a plain . It does not assign anything; the whole row just opens the notice drawer, which shows 'Notice not found' in production. Neither the row nor the CTA can take keyboard focus, so a keyboard user cannot open a notice from the dashboard at all. src/components/notices/NoticeWorkQueue.tsx:435-440,504-508	Make the CTA a real <Button variant='link'> that opens the assignee Popover in place on unassigned rows. Make the client/notice cell a <Link to={/notices/\${id}}> (or a <button> that opens the drawer) with focus-visible:ring-2 ring-ring. Keep the row hover only as a visual cue.
U-01-3 L-13	Medium	Content	The KPI tile copy misleads in several places. (1) '14 of 51 overdue' reads as if 51 were overdue; 51 is the open count. (2) '1 appeals · 1 hearings' has no singular form. (3) 'Next: Test Engineering Works · Notice · Mo...' truncates the date, which is the only useful part. (4) 'New since last sync' actually counts notices first seen in the last 24 h. (5) That tile's 'Unassigned 30' chip counts every open unassigned notice, not the 6 new ones. (6) The 'Act now' and 'This week' chips just restate the label. (7) The Exposure tile calls 22 notices '22 matters', its second line is empty because the tax/interest/penalty props are never passed, and 'Exposure report →' opens a plain list. The result is four tiles with uneven content. src/components/notices/NeedsAttentionStrip.tsx:96-98,120-133,147-162,176-192; src/pages/NoticesDashboardPage.tsx:224,350-370	Reword and restructure: '14 overdue · of 51 open'; add a plural() helper; lead with the date ('Mon 5 Oct · Test Engineering Works · DRC-01C'); rename to 'New in last 24 h' (or compute against the last successful run); make the chip count unassigned notices among newRows; replace the decorative chips with the money/oldest line; label '22 notices with demand' with 'Open list →' until a real exposure view exists. Give every tile the same three-line structure (label / value + qualifier / footer link), as in the target.
U-01-4 S-13	Medium	Data	The header status line always reassures. It shows a green dot and 'Last sync 05 Oct 2026, 07:55 IST · 11 GSTINs' whatever the state, while the Sync & alerts card on the same page says 'Offline' or 'Attention' and only 5 of 11 clients synced in 24 h. '11 GSTINs' counts all non-excluded clients, not the ones that synced. src/pages/NoticesDashboardPage.tsx:287-319	Derive one health state (share of fresh GSTINs, failures, extension) and use it in both places. Dot: bg-success, bg-warning or bg-destructive. Copy: '5 of 11 GSTINs synced in 24 h · 2 logins failed →'. Target wording: '● Autopilot on · portal sweep today 06:12 · 90 of 92 GSTINs fresh · 2 need you →'.

ID	Severity	Area	Issue	Suggested fix
U-01-5	Medium	Data	Each category bar is scaled to 100 % of its own total, so 'Appeal 1' draws the same full-width bar as 'Notice 28'. Rows follow a fixed taxonomy order rather than open work, so the card cannot show where the load is. Form codes read 'DRC 01' and 'ASMT 10' while the rest of the module writes 'DRC-01' and 'ASMT-10'. src/components/notices/CategorySummaryBars.tsx:73-127	Set bar width to cat.total / max(total), with the open/replied/closed split inside the bar. Sort by open count descending (ties by total) and show 'open n' as the figure. Hyphenate the form codes. Alternatively, replace the card with the target's 'Exposure by stage' and 'Clients needing attention' panels.
U-01-6	Low	Layout	The bottom row stretches three cards of very different length to one height (the grid's default align-items: stretch), which leaves ~130 px blank under the 2-week calendar. The calendar and sync health, the two things a partner scans first, sit below a 620 px table. src/pages/NoticesDashboardPage.tsx:372-376	Use the target layout: queue (2/3 width) beside a right column holding Reply pipeline and Autopilot health, via xl:grid-cols-[2fr_1fr]. Set items-start on the bottom row.


DASHBOARD · SCREEN 2 OF 78

Top-nav "Reports ▼" dropdown

/notices-dashboard · Click "Reports ▼" in the module tab bar

4/10

The module navigation sends people to the wrong places and hides the operational pages. One report appears twice, the page for syncing clients and fixing failed logins sits under 'Reports', and Refunds and DRC-03 have no entry at all.




ID	Severity	Area	Issue	Suggested fix
U-03-1 L-40	High	Content	'GSTIN Wise Notice Count' in Reports is the same page as the 'Clients' tab. 'Company List & sync log', where failed logins are fixed and clients are synced, is filed under Reports. The Refunds and DRC-03 lists have no nav entry and can only be reached through a category count on the dashboard. 'Matters' and 'Hearings' point to the wrong pages. src/components/notices/NoticesTopNav.tsx:7-13,56-77	Use the target's tabs: Command centre · Work queue (31) · All notices (473) · Matters (64) · Hearings (4) · Calendar · Clients (Company list + sync) · Reports ▼. The Reports menu then holds Notice summary, GSTIN-wise count, Litigation MIS, Refunds and DRC-03.
U-03-2	Medium	Consistency	The tab bar is a hand-rolled text-xs strip (~28 px tall, muted text), while the rest of the app moved to the WS_TABS_LIST / WS_TAB navy rail (h-9 text-sm) in #115. 'Reports ▼' uses a text glyph instead of an icon. The tabs carry no counts, so the nav gives no sense of load. src/components/notices/NoticesTopNav.tsx:20-23,43,53-55	Render the bar with WS_TABS_LIST, WS_TAB and WS_TAB_ACTIVE; use a ChevronDown h-3.5 w-3.5 icon on Reports; add a count Badge to each tab (open queue, all notices, matters, hearings) fed from the same summary hook as the tiles.
U-03-3	Medium	Accessibility	The <nav> has no accessible name, and the active tab is shown by colour only (no aria-current='page'). The Reports trigger does not announce when one of its pages is the current one. src/components/notices/NoticesTopNav.tsx:43-50	Add <nav aria-label='Notices & Litigation'> and aria-current={active ? 'page' : undefined} on each Link. When isReportActive, append the current page name to the Reports trigger label.

Search Company dialog (⌘K pill)

/notices-dashboard · Press Ctrl+K (nothing happens) then click the "Search GSTIN, trade name, ARN..." pill; type "pharma"

3/10

The search pill promises GSTIN, name and ARN search plus ⌘K. What it delivers is a GSTIN/name-only modal table that ⌘K cannot open, and it cannot find a notice, which is what staff search for most.




Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-04-1	High	Interaction	Ctrl/⌘K does nothing because there is no key handler. The placeholder promises ARN search, but only name and GSTIN are matched, and every result leads to the company profile. A reference no., ARN, DIN or case ID copied from an email or a call finds nothing. src/pages/NoticesDashboardPage.tsx:76-88,323-332,410-455	Replace the dialog with CommandDialog (src/components/ui/command.tsx), opened by a window keydown handler for ctrl/meta+K in MainLayout. Search clients (name, GSTIN) and gst_notices (reference_number, case_id, ARN, DIN), with grouped results Clients / Notices / Matters. Enter on a notice opens /notices/:id (or the drawer). Show 'Ctrl K' rather than '⌘K' for Windows users.
U-04-2	Medium	Interaction	Only the GSTIN text is a link; the row and trade name are not clickable, and arrow keys and Enter do nothing. Results carry no context (open or overdue counts) to show which client needs attention. src/pages/NoticesDashboardPage.tsx:439-446	Make each result a CommandItem: name (font-medium) + GSTIN (font-mono text-xs) + chips such as '3 open · 1 overdue'. The whole row is selectable by keyboard.
U-04-3	Medium	Empty/error state	Loading is inferred from an empty client list. If the query fails or returns no rows, the spinner turns forever and the error is never shown. src/pages/NoticesDashboardPage.tsx:76-83,434-435	Keep explicit loading and error state. On error render 'Couldn't load clients · Retry'; on zero rows render 'No clients are set up for notices'.
U-04-4	Low	Consistency	A quick lookup opens a full modal titled 'Search Company', with a table and a Close footer. The same thing is called 'Company' here, 'Client' in the queue and 'GSTIN' in the tiles. src/pages/NoticesDashboardPage.tsx:410-455	Use a palette with no footer, titled 'Search clients and notices', and standardise on 'Client'.

Add Notice dialog — submit fails (portal_key NOT NULL)

/notices-dashboard · Click "Add Notice", fill all fields, Submit

Manual entry is broken end to end: every submit is rejected. Even once fixed, it asks staff to retype what the attached PDF already says, and each failed attempt leaves an orphan file behind.



Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-05-1 L-07, R-01	High	Data	The attachment is uploaded to storage before the row is inserted. When the insert fails, which today is every submit, the PDF stays in the public bucket with no notice pointing at it, and each retry uploads another copy. src/components/notices/AddNoticeDialog.tsx:61-71,73-88	Insert first (.insert(...).select('id').single()), then upload to manual/<client>/<noticeId>/<file> and update pdf_url. If the upload fails, keep the row and show 'Attachment failed · Retry'. If the insert fails, never upload (or delete the object).
U-05-2 R-24	High	Interaction	The PDF is the seventh of eight fields. Staff type the GSTIN, reference, issuer, dates and demand by hand from the document they then attach. There is no form (ASMT-10, DRC-01 ...), section, FY, owner or priority field, so every manual notice lands in the queue as 'Captured · Unassigned' and needs two or three more edits. src/components/notices/AddNoticeDialog.tsx:109-159	Make the dialog upload-first: put a dropzone at the top (border-dashed, 'Drop the notice PDF') and extract GSTIN, reference, DIN, dates and demand into prefilled fields marked 'read from PDF — check'. Add a Form Select whose choice sets the default reply window, an FY Select, and an Owner field that defaults to the client's assigned accountant.
U-05-3	Medium	Data	There is no duplicate check. A reference number that already exists, or that will arrive with the next portal sync, is accepted silently, so the same notice can exist twice with different owners and stages. src/components/notices/AddNoticeDialog.tsx:52-86	Run a debounced lookup on reference_number and case_id while the user types. If a match is found, show a Note such as 'ZD0605... already captured for Sandbox Auto Components — open it' and disable Submit.
U-05-4	Medium	Consistency	The form departs from the house kit. Labels read 'GSTIN-Trade Name *', 'Ref/Notice Id *' and 'Amount Of Demand'; the asterisks are plain text. Validation is one toast listing four fields instead of inline messages. Amount is a number input with spinners, and Type offers only Notice or Order. src/components/notices/AddNoticeDialog.tsx:53-56,112-157	Use react-hook-form + zod with a FormMessage under each field. Use sentence-case labels ('Client (GSTIN)', 'Reference no.', 'Demand (₹)'), NumberInput from @/components/ui/number-input, and the required-field marker used on other forms.
U-05-5	Low	Consistency	The header trigger lacks text-xs, so 'Add Notice' renders at 14 px next to the 12 px 'Send digest' and 'Sync All', and the button row looks uneven. src/components/notices/AddNoticeDialog.tsx:99	Use className={WS_BTN} (h-8 gap-1 px-2.5 text-xs) like the other header actions.

ID	Severity	Area	Issue	Suggested fix
U-06-1	High	Empty/error state	When the extension is not detected, 'Sync All' stays an enabled navy primary button. Clicking it shows a 4-second toast ('...not detected. Install/enable it...') with no install link, no minimum version and no alternative. The card's badge says 'Offline', as if the portal or the system were down. src/pages/NoticesDashboardPage.tsx:172-176,338-341; src/components/notices/SyncHealthCard.tsx:187-191	When !extReady, render the button as an outline 'Connect extension' that opens a Popover: 'GST Keeper extension not found on this PC · Install (link to the packaged build / README) · Needs v0.3.0+ · Check again' (the last re-sends the ping). Badge text: 'Extension not on this PC' in the warning tone, not 'Offline'.
U-06-2 L-28, S-14	Medium	Content	The card is subtitled 'Portal pulls, failed logins, emails sent', but its feed lists notice workflow events ('Staff Reply drafted · Test Engineering Works', 'Staff Filed ...'), with 'Staff' as the actor because no name is ever written. It says nothing about which clients synced, failed or are waiting for a CAPTCHA. src/components/notices/SyncHealthCard.tsx:37-114,211	Feed the card from client_sync_log / run summaries, e.g. '07:41 Sample Pharma ✓ 2 new' and '07:43 Delta Demo ✗ password changed — Update'. Move notice activity to the bell and the queue.
U-06-3	Medium	Interaction	Four links in one card ('Clients synced 5 / 11', '2 · fix →', 'Sync one or more clients', 'Sync log →') all open the same unfiltered Company List. 'fix →' also drops the ?status=failed filter that the header's '2 logins failed' link uses. src/components/notices/SyncHealthCard.tsx:137,145,205-208,215	Point 'fix →' to /notices-company-list?status=failed and 'Sync log →' to a run-log view. List the failed clients inline with 'Update password' buttons, as in the target-sync 'Freshness by client — Needs attention' panel.

ID	Severity	Area	Issue	Suggested fix
U-07-1 S-01	High	Interaction	After the toast 'Sync started for 11 client(s)...', the dashboard shows nothing about the run. There is no 'n of 11 done', no indication of which client is waiting for a CAPTCHA, no failures as they happen and no Stop button. The tiles and the header ('Last sync 07:55') do not refresh when the run ends. src/pages/NoticesDashboardPage.tsx:122-129,172-179	Add a persistent run banner under the header: a Progress bar, 'Waiting for CAPTCHA: Demo Textiles · Open tab' and Stop, fed by extension progress messages over the existing postMessage bridge. Call refetch() and reload the sync logs on the completion message. Once the agent lands, this becomes the target-sync 'CAPTCHA wall'.
U-07-2 S-25	Medium	Interaction	One click queues 11 portal logins (≈11 CAPTCHAs). There is no confirmation of scope or time and no option to sync only stale or failed clients. The inactive Dummy Retail Traders is included in the run. src/pages/NoticesDashboardPage.tsx:172-179	Ask for confirmation in a Popover: 'Sync 10 active clients · ~10 CAPTCHAs · ~25 min · skips 1 inactive', with a radio choice 'All / Stale > 24 h (4) / Failed (2)'.
U-07-3	Medium	Empty/error state	The busy state clears only when the extension replies. If a detected extension never answers (an old build or a crash), 'Sync All' stays disabled with a spinner until the page is reloaded. src/pages/NoticesDashboardPage.tsx:122-124,177-178	Start a 15 s timer on click. On timeout, call setSyncing(false) and show a toast 'Extension didn't respond — reload the extension tab' with a Retry action.
U-07-4	Low	Content	The card badge says 'Attention' next to 'v0.3.3 · connected' without saying what needs attention; the 2 failed logins are three rows further down. src/components/notices/SyncHealthCard.tsx:126-127,182-186	Make the badge name its cause: '2 logins failed' (warning), 'Healthy' or 'Extension missing'.

Notice summary by category

Click a row to filter this dashboard - click its count to open the list

Category	Count
Appeal	1
ASMT 10	2
Audit	1
DRC 01	2
DRC 03	27
Enforcement	1
LUT	5

Next 14 days

Statutory due dates & hearings

[2 weeks](#) | [Month](#)

MON	TUE	WED	THU	FRI	SAT	SUN
5 1	6 1	7 1	8 1	9 2	10 3	11 3
12	13	14	15	16	17	18

Sync & alerts

Portal pulls, failed logins, emails sent

Last Sync All (notices + refunds + DRC-03) Today 07:55

Clients synced / with credentials 5 / 11

Failed logins (latest attempt) 2 - fix -

New rows this sync - changed 6 - 74

Emails sent today (digest + alerts) 0

Extension Not detected

[Sync one or more clients](#)

Showing 50 of 51 - 19 open rows have no due date or stage — [run the closing sweep](#)

[View full work queue](#)

Company	Order Type	Status	Date	Value	Amount	Action
Fictional Exports Pvt Ltd 27AAAAA@07A1ZV	Order	Captured	—	—	?	Assign ›
Illustrative Software Services Pvt Ltd 36AAAAA@18A1Z1	Notice	Captured	11 Oct 2026	6	27,300	Assign ›
Example Foods Pvt Ltd 29AAAAA@03A1ZV	Letter Of Undertaking	Captured	—	—	?	Assign ›
Placeholder Logistics Pvt Ltd 07AAAAA@05A1ZZ	Notice	Hearing	10 Oct 2026	5	—	Open ›
Sample Pharma LLP 27AAAAA@02A1ZB	Notice	Captured	10 Oct 2026	5	67,200	Assign ›
Sandbox Auto Components Pvt Ltd 06AAAAA@11A1Z3	Notice	Captured	09 Oct 2026	4	—	Assign ›

ID	Severity	Area	Issue	Suggested fix
U-08-1 S-05, L-02	High	Interaction	Auto-close and the due-date back-fill sit behind 'run the closing sweep', an inline link in the queue footer that staff have to notice and press. This job should run after every sync and only report what it did. src/components/notices/NoticeWorkQueue.tsx:516-531; src/pages/NoticesDashboardPage.tsx:139-152	Run it server-side after each client's ingest. In the queue footer, show the outcome instead, as in the target: '4 notices closed automatically this morning (order dropped proceedings / refund sanctioned) — see why', linking to a 'Closed automatically' filter.
U-08-2	High	Interaction	When the sweep succeeds, it closes notices in bulk with no preview, no list of what was closed or why, and no undo. The only trace is a toast reading 'Sweep: auto-closed N'. src/pages/NoticesDashboardPage.tsx:140-151	Do a dry run first: a Dialog listing each candidate (client, form, reason: closure folder / refund order / LUT order) with checkboxes and a 'Close 4' button. Show the result toast with Undo, and tag the rows with a 'Closed automatically' Badge (info tone) whose reason is visible in the list.
U-08-3 L-36	Low	Content	'19 open rows have no due date or stage' is developer language and mixes two unrelated gaps. The count is the queue's own heuristic, the same one behind the tile's 'need closing'. src/components/notices/NoticeWorkQueue.tsx:201,516-531	Reword to '19 open notices have no due date — set dates', linking to filter=nodue in the list.



Notices & Litigation

Last sync 05 Oct 2026, 07:55 IST · 11 GSTINs · 2 logs failed

+ Add Notice
Send digest
Sync All

Dashboard

Work Queue

Matters

Hearings

Clients

Reports

OVERDUE & STILL OPEN

Act now

14

of 51 overdue · 19 need closing

₹ 31.6 L at risk · oldest 412d

Open queue

DUE IN NEXT 7 DAYS

This week

12

10 replies · 1 appeals · 1 hearings

Next: Test Engineering Works · Notice · Mo... Plan week

NEW SINCE LAST SYNC

Unassigned 30

6

from 5 GSTINs · 2 with demand

Triage

EXPOSURE UNDER DISPUTE

22 matters

₹ 4.23 cr

Exposure report

Work queue — what needs action

Newest first. Click a row to open the notice drawer; select rows for bulk actions.

Team - 51 Mine - 2 Unassigned - 30 Hearings - 2

☐ Select all

Open notices · earliest due first

CLIENT	NOTICE / MATTER	STAGE	DUE	DAYS	DEMAND ₹	OWNER
☐ Fictional Exports Pvt Ltd 27AAAAA0097A1ZV	Notice ZA2705102603096	Captured	19 Oct 2026	14	—	? Assign
☐ Demo Textiles Pvt Ltd 24AAAAA0091A1Z7	Notice ZD2404102801003	Captured	03 Nov 2026	29	—	? Assign
☐ Fictional Exports Pvt Ltd 27AAAAA0097A1ZV	Order ZA2704102603099	Captured	—	—	—	? Assign
☐ Ilustrative Software Services Pvt Ltd 36AAAAA0018A1Z1	Notice ZD3604102001077	Captured	11 Oct 2026	6	27,300	? Assign

Notices & Litigation — mission audit and build roadmap · fictional data in all screenshots

The category lens re-scopes the tiles and the calendar but not the queue directly beneath them. The only sign that the dashboard is filtered sits in the bottom-left card.

ID	Severity	Area	Issue	Suggested fix
U-10-1 L-04	High	Interaction	Clicking 'Demand Notice' re-scopes the tiles (5 / 3 / 2 / ₹22.2 L) and the calendar, but the work queue still lists all 51 (Team · 51). The only filter indicator is a small chip in the category card, far below the tiles that changed. The tile links also drop the category. <code>src/pages/NoticesDashboardPage.tsx:187-189,366-373; src/component s/notices/CategorySummaryBars.tsx:53-61</code>	Lift the filter into a chip bar under the module tabs ('Category: Demand Notice ×'). Pass it to NoticeWorkQueue as a categoryFilter prop and into every tile and calendar link (&category=...), and persist it in the URL (?category=).
U-10-2	Medium	Interaction	'+ 8 categories with no data' appends the empty rows at the bottom of a 300 px internal scroll box, so the click appears to do nothing except change its own label to 'Hide 8 categories with no data'. <code>src/components/notices/CategorySummaryBars.tsx:72,130-136,155-162</code>	Drop the toggle, since zero rows carry no information, or show them as one muted line under the box: 'No notices yet in: Appeal, Audit, Penalty...'.
U-10-3	Medium	Interaction	Each row does two different things: clicking the row filters the dashboard, while clicking the count leaves the page. The only difference is a hover underline on the number, and the active row is marked by a faint bg-primary/10. <code>src/components/notices/CategorySummaryBars.tsx:74-126</code>	Make the row a <button aria-pressed> with a check icon and bg-primary/10 ring-2 ring-primary when active. Make the count a separate 'Open list' button (ArrowUpRight icon with an aria-label).

Desktop 1440 px


ID	Severity	Area	Issue	Suggested fix
U-11-1	Medium	Layout	'Month' is a rolling 35-day grid starting today, with no month labels: 1–8 Nov follow 31 Oct with nothing marking the change. Weekends and public holidays look like working days. src/components/notices/Next14DaysStrip.tsx:51-59,110-139,193	Label the first cell of each month '1 Nov' (text-primary font-semibold), tint Sat/Sun with bg-muted/40, and mark holidays 'PH' as in the target. Rename the toggle '5 weeks', or render the actual calendar month.
U-11-2 L-33	Medium	Content	Chips are 9 px numerals whose type is shown only by colour (amber = reply due, blue = issued), and 'issued' is not a deadline anyway. The legend lists Appeal limitation and Hearing, which are never fed into the strip. The footer spotlight reads 'Mon, 5 Oct: Notice', naming neither the client nor the form. src/components/notices/Next14DaysStrip.tsx:24-44,157-173,232-245; src/pages/NoticesDashboardPage.tsx:268-285	Use text chips like the target ('2 due', 'PH', 'appeal') at text-[10px]. Drop 'issued' from the deadline grid or show it as a separate dot. Feed hearings and limitation dates, or hide their legend entries. Spotlight text: 'Next: Mon 5 Oct · Test Engineering Works · DRC-01C reply'.
U-11-3	Medium	Interaction	Every day cell is clickable (cursor-pointer), including empty ones, which open an empty list. The cells are divs, so keyboard users cannot open a day at all. src/components/notices/Next14DaysStrip.tsx:125-133	Render a <button aria-label='Fri 9 Oct: 2 replies due'> only for days that have items. Leave empty days as plain, non-interactive cells.
U-11-4	Low	Layout	Switching to Month adds ~230 px to the middle card, which stretches the Category and Sync cards and leaves blank space in both. src/pages/NoticesDashboardPage.tsx:376	Set items-start on the grid, or move the month view to the target's 'Calendar' tab with an ICS feed link.

Work queue → Unassigned tab, 3 rows selected, Assign dialog opened

2/10

/notices-dashboard · Click "Unassigned · N", tick 3 rows, click "Assign ▼", open the member dropdown

Assigning is the first triage step for 30 unassigned notices. Today it is impossible (the member list is empty), and even when fixed the design is slow: a modal, no 'assign to me' and no suggested owner.




Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-12-1 L-08	High	Empty/error state	The member list opens as an empty white strip under the trigger, with no message. The user cannot tell that loading the staff list failed (the profiles query returns 400) rather than that nobody is available. src/components/notices/NoticeWorkQueue.tsx:161-166,546-553	Track the profiles error. In SelectContent, render 'Couldn't load staff · Retry' or 'No staff found', and disable 'Assign ▼' with a stated reason when the list is empty.
U-12-2 L-18	Medium	Interaction	Each batch takes six steps: tick rows → 'Assign ▼' → modal → open the select → pick → Assign. There is no 'Assign to me', no avatar quick-pick and no suggestion from the client's assigned accountant, and the dialog does not list which notices it will change. src/components/notices/NoticeWorkQueue.tsx:364-370,540-562	Replace the modal with an 'Assign' Popover offering 'Me', the suggested owner ('Client's accountant: Associate One') and a searchable list with avatars. Clicking an owner avatar in a row opens the same Popover. The description lists the first three client · reference pairs (+n more).
U-12-3	Medium	Consistency	'Assign ▼', 'Set priority ▼' and 'Change stage ▼' carry a dropdown caret but open modal dialogs. 'Email GST team' uses a text glyph while Export uses a lucide icon. All of these are h-7 text-[11px], smaller than WS_BTN. 'Email GST team' opens a mailto with an empty To. src/components/notices/NoticeWorkQueue.tsx:285-297,364-394	Either make them real DropdownMenus or Popovers, or drop the caret. Use the lucide Mail icon and className={WS_BTN}. Prefill the team address from settings.
U-12-4	Low	Accessibility	Two 'Select all rows' checkboxes (in the toolbar and in the header) do the same thing. The owner cell shows '?' both for unassigned rows (grey) and for an assignee whose profile failed to load (navy): one glyph with two meanings. src/components/notices/NoticeWorkQueue.tsx:356-363,414-419,494-501	Keep only the header checkbox and show 'n selected' in the toolbar. Show unassigned as a dashed circle with sr-only 'Unassigned', and an unknown profile as initials taken from the assign_to text.

Work queue bulk "Change stage" → Closed

/notices-dashboard · Tick 2 rows, click "Change stage ▼", choose Closed (close-reason box appears)


Bulk stage change is quick but unsafe. Choosing Closed removes notices immediately, with an optional free-text reason, no summary, no confirmation and no undo.



Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-13-1 L-28	High	Interaction	Setting 2 notices to 'Closed' removes them from the queue on Save. There is no list of what is being closed, no confirmation and no undo, and a single optional free-text reason is applied to unrelated notices. src/components/notices/NoticeWorkQueue.tsx:262-283,588-618	Require a reason Select (Reply accepted · Order dropped proceedings · Withdrawn by officer · Duplicate · Merged into case · Other + note). List the affected notices in the description. On success, show toast.success('Closed 2 notices', { action: { label: 'Undo', onClick: ... } }) that restores the previous stage and close_reason.
U-13-2 L-25	Medium	Consistency	The stage list does not match the table. Rows display 'Captured' (null status), which cannot be chosen; 'Open' sits among the workflow stages; and the list page calls the same action 'Update Status' with only Open and Closed. src/components/notices/NoticeWorkQueue.tsx:42-52,94-98	Build one StageSelect component on a shared enum, with Captured first, and use it in the queue, the list and the drawer.
U-13-3	Medium	Accessibility	Stage is shown as an 8 px coloured square beside the text. Amber is used for both Hearing and Awaiting data, orange for Order and grey for Captured; there is no legend, and the colours are raw palette values. src/components/notices/NoticeWorkQueue.tsx:81-92,466-471	Render stage as a Badge (gstr9/badge) with semantic tones (warning = awaiting/hearing told apart by icon, info = drafting/review, success = filed, destructive = order/appeal) and a tooltip giving the stage date.

The bell exists but is not useful. Entries are bare event types with no client, notice or values, system events never appear, and on desktop the bell physically covers the page's primary action.




ID	Severity	Area	Issue	Suggested fix
U-02-1 L-29	High	Content	Entries read 'status changed · 2h ago', 'priority changed · Associate Two' and 'document added'. They give no client, form or reference and no old → new value, so the user has to open each one to learn whether it matters. The query does not even select client_id, old_value or new_value. src/components/notices/NotificationBell.tsx:76-91,201-224	Select client_id, old_value and new_value (plus clients(name) and gst_notices(notice_type, reference_number)) and render two lines: 'Demo Textiles · ASMT-10 ZD24...' / 'Associate Two moved Reply drafted → Partner review · 2 h'. Group consecutive events per notice, and add a due chip when the notice is due within 7 days.
U-02-2	High	Layout	The desktop bell is position:fixed (top-4 right-4 z-40) and sits on top of the right-most header action on every module page: the right end of 'Sync All' on the dashboard and the end of 'Add Notice' on the list. Its red dot reads as part of that button. src/components/Layout/MainLayout.tsx:68-71; src/components/notices/NoticesPageHeader.tsx:29	Give NoticesPageHeader the same md:pr-12 reserve that PageHeader compact already has, or switch the module to PageHeader compact. Longer term, move the bell into a real top bar so nothing floats over page content.
U-02-3	Medium	Interaction	Read and unread items look identical; the only signal is a dot on the bell, with no count. Times mix '2h ago' with '04/10/2026'. Read state lives in this browser's localStorage, so it resets on another PC. There is no 'View all', no 'For me' filter, and the list is capped at 30. src/components/notices/NotificationBell.tsx:13,24-57,141-152,173-175	Style unread rows with bg-primary/5, a dot and font-semibold. Show a count badge on the bell (1–9, 9+). Use one relative format ('2 h', 'Sat 4 Oct'). Persist last-seen per user (for example profiles.notif_seen_at). Add 'For me All' tabs (assigned to me / my clients) and a 'See all activity →' link.
U-02-4	Low	Accessibility	The trigger's aria-label is just 'Notifications'. Unread state is shown only by a colour dot (raw bg-red-500), so screen-reader users never learn that anything is new. src/components/notices/NotificationBell.tsx:166-176	Use aria-label={Notifications, \${unreadCount} unread}, a bg-destructive dot with a visible count, and aria-live='polite' on the count.

Mobile navigation drawer

/notices-dashboard · Mobile → hamburger

On a phone the module is barely navigable: one sidebar entry, a tab bar that overflows the screen, and a drawer close button that is nearly invisible. On desktop, admins do not even see the module's icon in the collapsed rail.



ID	Severity	Area	Issue	Suggested fix
U-130-1	High	Mobile	The module tab bar is an inline-flex that neither wraps nor scrolls. At 390 px, every page that carries it renders ~485 px wide, with sideways page scrolling and cards clipped on the right. src/components/notices/NoticesTopNav.tsx:43	Use <nav className='flex max-w-full overflow-x-auto [scrollbar-width:none] snap-x'> with snap-start items, or WS_TABS_LIST, which wraps. Below sm, show a Select 'Section: Work queue ▼' instead.
U-130-2	High	Mobile	In the mobile drawer the whole module is one 'Notices Dashboard' entry with no children, while GST Working, Returns and Builder are expandable groups. Work queue, Matters, Hearings, Refunds, DRC-03, Company list and Reports can be reached only through the overflowing tab bar. src/components/layout/Sidebar.tsx:167-172,190-208	Add a NAV_GROUPS entry { key: 'notices', label: 'Notices & Litigation', paths: ['/notices-dashboard', '/notices-all', '/litigation', '/notices-company-list', '/refunds-all', '/drc03-all', '/notices-report', '/litigation-mis'] } and a STAFF_NAV_ITEMS entry for each path.
U-130-3	Medium	Consistency	The entry is called 'Notices Dashboard' while every page says 'Notices & Litigation'. NOTICES_PATHS omits /notices-company-list, /notices-company:id and /notices-case-folder:id, so the sidebar loses its active highlight on those pages. src/components/layout/Sidebar.tsx:168,213-216	Rename the entry 'Notices & Litigation' and add the three paths (startsWith match) to NOTICES_PATHS.
U-130-4	Medium	Accessibility	The Sheet's close × (absolute right-4 top-4, opacity-70) lands on the white logo card as light grey on white and is practically invisible. The only obvious way out is to tap the dimmed page. src/components/ui/sheet.tsx:60; src/components/layout/Sidebar.tsx:308	Give the drawer's logo row pr-10, or hide the default close and render a visible ghost Button (X icon, text-sidebar-foreground, aria-label='Close navigation') beside the logo.
U-130-5	Medium	Layout	On desktop, superadmin and gst_manager users have 16 icons in the collapsed rail. At 900 px height the Notices icon, which is last, is scrolled out of view, so the rail never shows which module is open. Employees, who have one item fewer, do see it. src/components/layout/Sidebar.tsx:167-172,468	Move Notices higher in the list (it is a daily module), group rarely used items in the rail as well, or scroll the active icon into view on mount.

Work queue

WORK QUEUE · SCREEN 15 OF 78

Notices — All Clients (Work Queue tab)

/notices-all · Module tab "Work Queue" (or "View full work queue →")

3/10

Despite its 'Work Queue' tab, this page is the full 141-notice archive rendered as a 23-column export. It opens with a wall of raw-status tiles, rows are 130–210 px tall, the actions are off-screen, and there is no way to open a notice.

CA

Notices — All Clients

Every client's notices and orders, filtered from the dashboard tile you clicked.

DashboardWork QueueMattersHearingsClientsReports

Notices & OrdersMerged Notices

141 records

Events141

Withdrawn5

Filed2

Dropped1

With evidence PDF102
39 not captured

Disposed5

Open1

Closed78

Reply drafted3

Appeal1

34

Hearing2

Adjudged1

Awaiting data5

Partner review2

Order1

Search reference no., de

All types

All statuses

All priorities

No date filter

141 shown

Update Status

Priority

Download all visible PDFs

Export to Excel

GSTIN	Trade Name	Reference No.	Case ID	Type	Description	Issue Date	Due Date	Extended Due Date	Status
27AAAAA0007A12V	Fictional Exports Pvt Ltd	ZA2705102603696	—	Notice	Notice to return defaulter u/s 46 for not filing return (GSTR-3A) – GSTR-1 for August 2026	05/10/2026	19/10/2026	—	Set
24AAAAA0001A127	Demo Textiles Pvt Ltd	ZD2404102601903	—	Notice	Notice for intimating discrepancies in the return after	04/10/2026	03/11/2026	—	

V J Desai & Co. LLP

Notices — All Clients

Every client's notices and orders, filtered from the dashboard tile you clicked.

DashboardWork QueueMattersHearingsClientsReports

Notices & OrdersMerged Notices

141 records

Events141

Withdrawn5

Filed2

Dropped1

With evidence PDF102
39 not captured

Disposed5

Open1

Closed78

Reply drafted3

Appeal1

34

Hearing2

Adjudged1

Awaiting data5

Partner review2

Order1

Search reference no., description, date

All types

All statuses

All priorities

No date filter

141 shown

Update Status

Priority

Download all visible PDFs

Export to Excel

GSTIN	Trade Name	Reference No.	Case ID	Type	Description	Issue Date	Due Date	Extended Due Date	Status
27AAAAA0007A12V	Fictional Exports Pvt Ltd	ZA2705102603696	—	Notice	Notice to return defaulter u/s 46 for not filing return (GSTR-3A) – GSTR-1 for August 2026	05/10/2026	19/10/2026	—	Set
24AAAAA0001A127	Demo Textiles Pvt Ltd	ZD2404102601903	—	Notice	Notice for intimating discrepancies in the return after	04/10/2026	03/11/2026	—	

ID	Severity	Area	Issue	Suggested fix
U-20-1	High	Data	The tile strip groups raw <code>staff_status</code> strings into 16 tiles taking ~250 px. It includes a '—' tile for 34 notices with no status, 'Open 1' while the dashboard reports 51 open, and one tile per rare value (Dropped 1, Adjudged 1 ...). The first tile is labelled 'Events'. <code>src/components/reports/views/NoticeWorkflowListView.tsx:327-338,625-658; src/pages/AllClientsNoticesPage.tsx:210</code>	Show five fixed KpiTiles computed with <code>noticeDefinitions</code> (Open 51 · Overdue 14 · Due ≤ 7 d · Unassigned · Closed), each a TileButton filter. Move stages into a 'Stage' FilterPill, display null status as 'Captured', and label the first tile 'Notices'.
U-20-2	High	Layout	The table is shaped for export: 23 columns, and Description is the only column that wraps, so it collapses to ~110 px and wraps over 6–10 lines. Rows are 130–210 px tall, about 4 per screen. Status is clipped at the right edge at 1440 px, and PDF and Actions are columns 24–25 and not sticky. <code>src/pages/AllClientsNoticesPage.tsx:201-205; src/components/report s/views/NoticeWorkflowListView.tsx:960-1002</code>	Default to 8 columns: Client + GSTIN · Form · Reference · About (line-clamp-2, min-w-[240px], title tooltip) · Due / days · Stage · Demand ₹ · Owner. Add a sticky right-0 Actions column (PDF, Log, Portal) with bg-card and a left shadow. Put the other 15 columns behind a 'Columns ▼' menu; reply, order and submission details belong in the notice view.
U-20-3	High	Interaction	There is no way to open a notice from the list. Rows are not clickable, the drawer is not mounted on this page, and reference numbers link (to the case folder) only when a case ID exists. The pencil's 'log' dialog is the only per-row view. <code>src/components/reports/views/NoticeWorkflowListView.tsx:822-1003; src/pages/AllClientsNoticesPage.tsx:315</code>	Make the client/reference cell a Link to <code>/notices/:id</code>, or mount NoticeDrawer on this page and open it on row click or Enter. Keep the case-folder link as a secondary icon.
U-20-4	Medium	Content	The headings misdescribe the page. The H1 and the card title both read 'Notices — All Clients' (a double title). The subtitle says 'filtered from the dashboard tile you clicked' even when nothing was clicked. The highlighted tab says 'Work Queue' for a list in which 90 of 141 rows are closed. <code>src/pages/AllClientsNoticesPage.tsx:193-200,263-268; src/component s/reports/views/NoticeWorkflowListView.tsx:621</code>	Use the H1 'All notices' with a subtitle that summarises the active filters (or nothing). Drop the card header title. Route 'Work queue' to the open queue (filter=open, sorted by due date).
U-20-5	Medium	Consistency	Filters live in three places in three styles: a 'Type: All notices' pill floating at the right of the nav row; URL filters echoed only as grey subtitle text; and an in-card toolbar (search + 4 selects) that pushes 'Export to Excel' onto its own line. 'Notices & Orders Merged Notices' is yet another tab style under the module tabs. <code>src/pages/AllClientsNoticesPage.tsx:270-306; src/components/report s/views/NoticeWorkflowListView.tsx:661-779</code>	Use one filter bar inside the card: search (flex-1), then FilterPills (Source, Type, Stage, Priority, Due, Owner, Client), then active-filter chips with ×, then a right-aligned Export (ml-auto). The Notices/Merged toggle becomes the Source pill, and any remaining tabs use the WS tab styles.

ID	Severity	Area	Issue	Suggested fix
U-20-6	Medium	Mobile	At 390 px the 16 tiles stack two to a row and push the table ~1,200 px down the page. The table then shows only GSTIN and trade name inside a fixed-height box (a scroll inside the page scroll), so due date, stage and actions are off-screen. src/components/reports/views/NoticeWorkFlowListView.tsx:625,782	Below md, render a card list (client · form · due chip · stage badge · ... actions) instead of the table, and show the tiles as one horizontally scrolling chip row (flex overflow-x-auto gap-2).

WORK QUEUE · SCREEN 16 OF 78

Merged Notices tab (notices + refunds + DRC-03)

/notices-all?tab=merged · On /notices-all click "Merged Notices"

3/10

Merging the sources is useful, but this tab swaps in a different, poorer list component, drops the active filters, counts refund and DRC-03 cases twice, and opens with 28 raw-status tiles.

CA

>

Dashboard

Work Queue

Matters

Hearings

Clients

Reports ▾

Notices & Orders

Merged Notices

Notices — All Clients

Every client's notices and orders, filtered from the dashboard tile you clicked.

+ Add Notice

Type: All notices ▾

Merged Notices — All Clients

186 records — every source (Notices & Orders, Refunds, DRC-03) combined, most recent first

Events186

With evidence PDF144
42 not captured

Closed78

34

Acknowledged19

Withdrawn6

Refund Disbursed6

Pending for Action by Tax Officer5

Awaiting data5

Disposed5

Reply drafted3

Refund Application Filed3

Acknowledgement Issued3

Hearing2

Partner review2

Filed2

Refund Sanctioned2

Deficiency Memo Issued (RFD-03)1

Submitted1

Show Cause Notice Issued (RFD-08)1

Provisional Refund Order Issued (RFD-08)1

Open1

Appeal1

Adjudged1

Refund Rejected1

Order1

Re-credit of ITC1

Dropped1

Q Search reference no., description, date...

All statuses ▾

186 shown

Download all visible PDFs

GSTIN

Trade Name

Section

Ref ID

Type

Issued Date

Due Date

Description

Status

PDF

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-21-1	High	Layout	Before a single row is visible, 28 tiles in six rows (~370 px) mix notice stages with refund and DRC-03 portal statuses ('Pending for Action by Tax Officer', 'Refund Sanctioned', 'Provisional Refund Order Issued (RFD-08)' cut off). src/components/reports/views/EvidenceEventListView.tsx:186-200,259-290	Group by source: three compact tile groups (Notices: Open / Closed · Refunds: In progress / Sanctioned / Rejected · DRC-03: Filed), each mapped from families of statuses, with the raw status available in a Status filter.
U-21-2	Medium	Consistency	The Merged tab renders a different component. It has no Export to Excel, no type, priority or date filters, and no row actions; GSTIN is in body text instead of mono, and status appears as grey pills. Two tabs of one page behave differently. src/pages/AllClientsNoticesPage.tsx:312-315; src/components/reports/views/EvidenceEventListView.tsx:259-335	Use one list component with a Source column and pill (Notices & Orders · Refunds · DRC-03). Give refund and DRC-03 rows their own actions (open case folder, PDF).
U-21-3	Medium	Interaction	Switching to Merged silently drops the URL filters (overdue, status, category, date, client, noticeId); only Type survives. An 'overdue' drill-down of 69 becomes 186 rows, and nothing on screen says the filter was lost. src/pages/AllClientsNoticesPage.tsx:222-249	Apply the same predicates to merged rows (date, client and status map cleanly), or disable the Merged tab while a notice-only filter is active and explain why in a tooltip.
U-21-4 L-12, L-36	Medium	Data	Refund and DRC-03 cases appear twice: once as the 'Refunds' / 'Voluntary Payment' case row and once from the dedicated table. Merged therefore shows 186 records against Notice Summary's 182. src/pages/AllClientsNoticesPage.tsx:228-248	Deduplicate by ARN exactly as computeNoticeSummary does: keep the dedicated row and link it to the case row's folder.
U-21-5	Low	Layout	The 'Section' column repeats 'Notices & Orders' on every row, wrapping over two lines and squeezing Description further. src/pages/AllClientsNoticesPage.tsx:231,254	Replace it with a small source Badge (N / R / D with a tooltip) inside the Type cell.

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-22-1 L-84	High	Data	The page meant to show the 14 overdue notices lists 69, and its own tile strip shows 'Closed 43' inside an 'overdue' view. A partner will notice the contradiction within a second. src/pages/AllClientsNoticesPage.tsx:179	Use isOverdue from noticeDefinitions for filter=overdue and show the count in the H1 ('Overdue · 14').
U-22-2	High	Logic	The list is sorted by issue date, newest first, and has no 'days overdue' column. The most overdue notice is not first, and lateness has to be worked out from the Due Date column. src/components/reports/views/NoticeWorkflowListView.tsx:369-380	When filter=overdue (or due7), sort by effective due date ascending and add a 'Late by' column with a destructive Badge ('12 d'). Make column headers sortable (with aria-sort).
U-22-3	Medium	Interaction	Two filter systems disagree on screen. The drill-down filter comes from the URL, but the toolbar's date filter reads 'No date filter', and there is no chip to clear 'overdue'. The only way out is to click the 'Work Queue' tab. src/pages/AllClientsNoticesPage.tsx:98-113,193-200; src/components/reports/views/NoticeWorkflowListView.tsx:714-725	Initialise the toolbar from the URL and write changes back, so the URL is the single source of truth. Show 'Overdue ×' as a removable chip next to the search.
U-22-4	Low	Content	The date filter options read 'Over Due Notices', 'Notice Due in 7 Days', 'Last 24 Hours' and 'Last 15 Days': a word split in two, Title Case, and the last two silently filter on issue date. src/components/reports/views/NoticeWorkflowListView.tsx:719-723	Rename them 'Overdue', 'Due in 7 days', 'Issued in last 24 h' and 'Issued in last 15 days'.

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-23-1 L-40	High	Content	The highlighted tab says 'Matters', while the H1 and the card both say 'Notices — All Clients' and the rows are notices filtered by 'submission logged'. The actual litigation matters live under 'Hearings'. src/components/notices/NoticesTopNav.tsx:10; src/pages/AllClientsNoticesPage.tsx:181	Point 'Matters' at /litigation, and add a 'Submitted' quick-filter chip to the list.
U-23-2	Medium	Layout	The fields that put a row in this view, Submission ARN and Submission Date, are columns 16–17 and off-screen to the right. The visible part of the table is mostly a Description wrapping over 10 lines. src/pages/AllClientsNoticesPage.tsx:201-205	Use per-filter column presets: for filter=submitted, show Submission ARN and date beside the reference; for filter=replied, show reply ref and date.
U-23-3	Low	Consistency	Every row without a priority shows a faint grey flag (text-muted-foreground/30), which reads like a disabled control. Only High is red. src/components/reports/views/NoticeWorkflowListView.tsx:866-877	Render nothing when there is no priority, and show High and Medium as text Badges ('High' destructive, 'Medium' warning) so the column can be scanned.

Desktop 1440 px

```
src/pages/NoticesDashboardPage.tsx:369; src/pages/AllClientsNotice
sPage.tsx:175,201-205
```

Notices — All Clients

Every client's notices and orders, filtered from the dashboard tile you clicked.

Dashboard
Work Queue
Matters
Hearings
Clients
Reports

Type: All notices

Notices & Orders
Merged Notices

Notices — All Clients

2 records, issued/due on 2026-10-09

Events
2

With evidence PDF
1
1 not captured

—
1

Reply drafted
1

Search reference no., de
All types
All statuses
All priorities
No date filter
2 shown
Update Status
Priority
Download all visible PDFs

Export to Excel

☐	GSTIN	Trade Name	Reference No.	Case ID	Type	Description	Issue Date	Due Date	Extended Due Date	Status
☐	B6AAAAAB611A1Z3	Sandbox Auto Components Pvt Ltd	ZA0602102603733	—	Notice	Notice for seeking additional information / clarification / documents relating to application for registration of	02/10/2026	09/10/2026	—	Set status

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-25-1	Medium	Content	The filter is echoed as 'issued/due on 2026-10-09' (ISO), while the table uses 09/10/2026 and the calendar 'Fri 9'. Rows do not say whether they matched on the issue date or the due date. <code>src/pages/AllClientsNoticesPage.tsx:187,200</code>	Title the page 'Fri 9 Oct 2026 · 2 notices' and add a per-row Badge 'Due today' or 'Issued today'.
U-25-2	Medium	Interaction	There is no day navigation and no way back. To look at Saturday the user has to return to the dashboard and click again. <code>src/pages/AllClientsNoticesPage.tsx:106,187</code>	Add a date chip with < > buttons (setParams date ± 1) and a 'Back to dashboard' breadcrumb. Optionally keep a mini row of the 2-week strip above the list for context.

Notices — All Clients

Every client's notices and orders, filtered from the dashboard tile you clicked.

+ Add Notice

Dashboard **Work Queue** Matters Hearings Clients Reports ▾

Type: All notices ▾

Notices & Orders Merged Notices

Notices — All Clients

12 records

Events
12

With evidence PDF
7
5 not captured

Closed
5

—
4

Awaiting data
1

Reply drafted
1

Disposed
1

Search reference no., de
 All types ▾
All statuses ▾
All priorities ▾
No date filter ▾
12 shown
Update Status
Priority
Download all visible PDFs

Export to Excel

☐	GSTIN	Trade Name	Reference No.	Case ID	Type	Description	Issue Date	Due Date	Extended Due Date	Status	Priority
☐	24AAAAA6961A1Z7	Demo Textiles Pvt Ltd	ZD2404102601903	—	Notice	Notice for intimating discrepancies in the return after scrutiny (ASMT-10)	04/10/2026	03/11/2026	—	Set status ▾	
☐	24AAAAA6961A1Z7	Demo Textiles Pvt Ltd	ZD2409092602236	—	Notice	Reminder for submission of reply to show cause notice	26/09/2026			Set status ▾	

Notices & Litigation — mission audit and build roadmap · fictional data in all screenshots

The bell and the drawer's 'Open in list' both land here, on a one-row, 23-column spreadsheet. That is the opposite of a per-notice view.

Desktop 1440 px


ID	Severity	Area	Issue	Suggested fix
U-27-1 R-19, L-03	High	Interaction	?noticed= shows one notice as a spreadsheet row, with Description wrapping over 16 lines, under tiles reading 'Event 1' and 'With evidence PDF 0'. There is no notice header, PDF, timeline, deadline or next action, so coming here from the drawer loses information. src/pages/AllClientsNoticesPage.tsx:113,189; src/components/notice s/NotificationBell.tsx:154-161; src/components/notices/NoticeDrawe r.tsx:507-508	Route the bell, the drawer and search to /notices/:id: the target notice workspace with stepper, ₹ tiles, issues, documents and file-on-portal. Until that page exists, open NoticeDrawer automatically when noticed is present.
U-27-2	Medium	Content	Nothing in the page chrome identifies the notice: the H1 says 'Notices — All Clients', the subtitle '1 record', the 'Work Queue' tab is highlighted, and there is no 'Show all ✕' to leave the single-notice scope. src/pages/AllClientsNoticesPage.tsx:193-200,263-268	Title the page '<Client> · <form> <reference>' and add a removable chip 'Showing one notice ✕'.
U-27-3	Low	Layout	The tile strip and the full filter toolbar still render for a single row, adding ~150 px of controls with nothing useful to do. src/components/reports/views/NoticeWorkFlowListView.tsx:625-779	Hide the tiles and toolbar when there is at most one row or a noticed scope is active.

ID	Severity	Area	Issue	Suggested fix
U-29-1 R-13, L-25	High	Interaction	On a 'Reply drafted' row the select reads 'Set status' and offers only Open and Closed. Picking either replaces the stage instantly, with no confirmation, no reason for Closed and no undo. src/components/reports/views/NoticeWorkflowListView.tsx:415-426,88 1-901	Replace the per-row Select with a stage Badge that opens a Popover backed by the shared stage enum. Require a reason for Closed, and show a toast with Undo.
U-29-2	Medium	Interaction	Each inline change also logs an event and immediately runs processEventAlert and flushOutbox. Once alerts work, a mis-click will send an email to the client or owner before the user can correct it. src/components/reports/views/NoticeWorkflowListView.tsx:427-440	Defer alert dispatch: queue alerts with a 2-5 minute grace period that Undo cancels, or send only on confirmed stage transitions.

"Log reply / order / submission" edit dialog (auto-closed row)

/notices-all · Search the reference no. of the Test Engineering Works "Determination Of Tax" case (closed, auto:closure) and click its pencil

The only place to record a reply is a 13-field catch-all dialog. It does not say which notice it is editing, it does not move the stage, and saving it clears the auto-close reason.




Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-30-1	High	Content	The dialog is titled 'Log reply / order / submission' with a generic description: no client, reference, form or due date. On a list of near-identical rows, users cannot confirm they are logging against the right notice. src/components/reports/views/NoticeWorkflowListView.tsx:1100-1107	Use DialogTitle 'Log reply · Test Engineering Works' and DialogDescription 'ZD3308052602273 · Determination of tax · due 05 Oct 2026 · Closed (auto: closure folder)'.
U-30-2 R-06, L-25	High	Interaction	Thirteen flat fields mix reply, order, submission, extension, demand, FY, owner, close reason and remarks. Logging a reply does not move the stage to Filed, there is no upload for the reply or acknowledgement, and nothing is pre-filled from the portal's REPLY folder. src/components/reports/views/NoticeWorkflowListView.tsx:1108-1173	Split the form into sections or Tabs: 'Reply filed' (ref, date, ARN, acknowledgement upload; saving sets stage Filed) · 'Order received' · 'Extension' · 'Details'. Add a 'Fill from portal' button that uses the synced REPLY item.
U-30-3 R-17, L-18	Medium	Data	Close Reason opens blank on an auto-closed notice, so saving wipes 'auto:closure'. Its placeholder invites staff to type system tags ('e.g. auto:closure'). Assign To is free text that never sets the owner. src/components/reports/views/NoticeWorkflowListView.tsx:522,1160-1168	Show an auto-close as a read-only Note ('Closed automatically: closure folder') and use a reason Select for manual closes. Replace Assign To with a staff picker that writes assign_to_user_id.
U-30-4	Low	Consistency	Field formats disagree. The FY placeholder says 'e.g. 2025-2026' while the row holds '2020-21'; Amount is a number input with spinners; and Priority sits in a bordered row styled unlike every other field. src/components/reports/views/NoticeWorkflowListView.tsx:1109-1122, 1152-1159	Use an FY Select (2017-18 ... 2026-27), NumberInput for the amount, and one uniform label-above-control grid.

Bulk "Update Status" dialog

/notices-all · Tick 2 rows → "Update Status" → choose Closed

Bulk status here repeats the queue's unsafe close (U-13-1) under a different name and with fewer options. The toolbar also jumps when rows are ticked, and selections survive filtering.



Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-31-1 L-25, U-13-1	Medium	Consistency	The same action has three names and two option sets: 'Update Status' (Open/Closed) here, 'Change stage ▼' (9 stages) on the dashboard queue and 'Set status' inline. The dialog titles 'Update Status' and 'Priority Update' are in Title Case while sibling dialogs use sentence case. src/components/reports/views/NoticeWorkflowListView.tsx:747-764,1040-1098	Build one shared BulkActions bar (Stage · Priority · Assign) for both lists, with the same labels, the same StageSelect and the U-13-1 close safeguards.
U-31-2	Medium	Layout	Tickng a row inserts '2 selected' and enables buttons inside the filter row, which pushes 'Download all visible PDFs' onto the second line. The toolbar reflows under the cursor (compare the unselected state on screen 20). src/components/reports/views/NoticeWorkflowListView.tsx:742-778	Use a separate bulk bar: when the selection is non-empty, show a sticky bottom bar (fixed inset-x-0 bottom-4 mx-auto w-fit rounded-full shadow-lg) with 'n selected · Stage · Priority · Assign · Clear'. The filter row then never changes.
U-31-3	Medium	Interaction	Selections are kept by row index across pages and filter changes. After filtering, the dialog's '2 selected records' can include notices that are no longer visible, so the user can close notices they cannot see. src/components/reports/views/NoticeWorkflowListView.tsx:384,452-466	Clear the selection when filters or search change, or show 'n selected, m hidden by filters · View'. List the affected client · reference pairs in the dialog.

The per-row portal and PDF actions are buried at column 25 and fail without guidance, and a missing PDF is a dead grey icon rather than a way to fetch it.

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-33-1 S-26	Medium	Empty/error state	Without the extension, the 'open on GST portal' icon stays enabled and only shows the toast 'GST Keeper browser extension not detected.', with no help on installing it. With the extension, the user still lands on the generic Notices & Orders list after another CAPTCHA. src/components/reports/views/NoticeWorkFlowListView.tsx:247-254,988-998	Disable the button with a Tooltip 'Install/enable the GST Keeper extension (v0.3+) to open the portal' plus a link. When enabled, label it 'Open on portal' and deep-link to the case folder.
U-33-2	Medium	Layout	To reach the row actions, the user scrolls past mostly empty columns. Remarks takes ~480 px of '—', and Amount of Demand, Assign To and Issued By are '—' on most rows. src/pages/AllClientsNoticesPage.tsx:201-205,219; src/components/reports/views/NoticeWorkFlowListView.tsx:960-972	By default, hide columns that are empty for every visible row (a 'Columns ▼' menu shows them), cap Remarks with max-w-[200px] truncate, and keep Actions sticky (see U-20-2).
U-33-3	Medium	Interaction	A notice without a captured PDF shows a faint, disabled file icon ('Not captured'), while captured PDFs use a red icon that reads as an error. There is no way to fetch the missing document from here. src/components/reports/views/NoticeWorkFlowListView.tsx:831-851	For captured PDFs, use a neutral FileText button (aria-label 'Open notice PDF'). For missing ones, show a 'Fetch PDF' ghost button that queues a targeted pull for that client/case through the extension and shows its progress.

Read-only access is applied bluntly. Viewers lose even read actions such as opening the portal, most statuses show as '—', and the permission rules differ from the dashboard, which still lets the same user add notices and run syncs.

CA

Work Queue

Dashboard

Matters

Hearings

Clients

Reports

Notices & Orders

Merged Notices

Events

Withdrawn

Filed

Dropped

With evidence PDF

Disposed

Open

Closed

Reply drafted

Appeal

Hearing

Adjudged

Partner review

Order

Awaiting data

Search reference no., de

All types

All statuses

All priorities

No date filter

141 shown

Download all visible PDFs

Export to Excel

GSTIN	Trade Name	Reference No.	Case ID	Type	Description	Issue Date	Due Date	Extended Due Date	Status
27AAAAA99B7A1ZV	Fictional Exports Pvt Ltd	ZA2705102603696	—	Notice	Notice to return defaulter u/s 46 for not filing return (GSTR-3A) – GSTR-1 for August 2026	05/10/2026	19/10/2026	—	—

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-34-1	Medium	Interaction	The portal button sits inside the edit-only Actions column (shown only when canEdit), so a read-only employee cannot open a client on the portal, even though that is a read action. The PDF column remains. src/components/reports/views/NoticeWorkflowListView.tsx:975-1002	Render the Actions column for everyone and gate only the pencil (log/edit) on canEdit.
U-34-2	Medium	Content	Without edit rights, every notice with no stored status shows a grey '—' pill, so most rows have no visible state. The tile strip repeats it as '— 34'. src/components/reports/views/NoticeWorkflowListView.tsx:903-909; src/pages/AllClientsNoticesPage.tsx:210	Display a derived stage as a toned Badge: null becomes 'Captured', and open/closed comes from isOpen.
U-34-3	Medium	Consistency	Permission handling is inconsistent across pages. The list hides Add Notice, checkboxes and bulk actions; the dashboard queue shows its bulk buttons disabled with a tooltip; and the dashboard header shows Add Notice, Send digest and Sync All to the same employee with no permission check. src/pages/NoticesDashboardPage.tsx:333-341; src/pages/AllClientsNoticesPage.tsx:267; src/components/notices/NoticeWorkQueue.tsx:323-325	Apply one rule: gate Add Notice, Sync and Digest on the same permission keys, and show disabled controls with a tooltip ('Needs Edit notice status — ask a manager') or a one-line Note at the top of read-only views.
U-34-4	Low	Interaction	'Download all visible PDFs' opens one browser tab per PDF at 150 ms intervals (up to 141 tabs), and the popup blocker stops all but the first. src/components/reports/views/NoticeWorkflowListView.tsx:391-404	Bundle the files into one ZIP (JSZip, or server-side) named Notices_<filter>_<date>.zip, with a progress toast.

Per-notice


PER-NOTICE · SCREEN 28 OF 78

Notice drawer as it actually loads (strict schema)

/notices-dashboard · Dashboard → click any work-queue row

1/10

The only per-notice view is a dead end in production: a schema error is shown as 'Notice not found.' with no header, no retry and no way on to the PDF, case folder or list. On a phone the sheet is wider than the screen, so its close button cannot be reached.




ID	Severity	Area	Issue	Suggested fix
U-40-1 L-03, L-38	High	Empty/error state	Every row click ends at a bare 'Notice' title and 'Notice not found.'. The select's error is discarded, nothing from the clicked row (client, reference, due date) is shown, and the footer links (Company profile / Open in list) render only when the fetch succeeds, so the user is left with nothing to act on. src/components/notices/NoticeDrawer.tsx:142-157,198-202,501-510	Pass the clicked work-queue row into the drawer as initial data and render the header, due chip and PDF / case-folder / list links from it at once. If the detail fetch fails, show 'Could not load full details' with the PostgREST code, a Retry button and the same fallback links, never 'not found'. The root cause (hearing_date) is L-03.
U-40-2	High	Mobile	At 390 px the sheet (w-full, fixed right-0) spans the ~485 px layout width forced by the module tab bar. Its X button sits off-screen, and because the sheet covers the whole viewport there is no overlay to tap either, so a phone user has no visible way to close the drawer. src/components/notices/NoticeDrawer.tsx:183; src/components/ui/sheet.tsx:40-41,60	Fix the tab-bar overflow (cross-cutting) and give the drawer a sticky in-sheet header with its own Close/Back control inside the left 360 px. Below md, open the notice as a full-page route (/notices/:id) instead of a sheet.
U-40-3	Low	Data	Header state is never reset between notices. While the next notice loads, the title still shows the previous notice's type and reference, and if the next fetch fails the previous client's name and GSTIN stay in the description above 'Notice not found'. src/components/notices/NoticeDrawer.tsx:128-141,160-163,184-195	Reset notice, clientName, gstin and matterInfo at the start of the effect (or key the sheet body by noticeld), and show a skeleton header while loading.

Drawer — DRC-01C due today, Activity tab (lenient schema)

/notices-dashboard · Dashboard → click the Test Engineering Works DRC-01C row

4/10

When it loads, the drawer is a tidy read-only summary, but nothing on it moves the notice forward: a DRC-01C due today gets a red banner and an activity log, not a next step. The stepper hides its last stage, and the layout puts the audit log ahead of the notice itself.



Desktop 1440 px


ID	Severity	Area	Issue	Suggested fix
U-41-1 L-19	High	Interaction	'Due today' on a DRC-01C (a short Part-B reply clock) is the loudest element, yet the drawer offers no action: no assign, log reply/ARN, request extension, open on portal or open PDF. From the drawer, the only route to log a reply is the small footer link 'Open in list', which leaves the dashboard for the list's edit dialog. src/components/notices/NoticeDrawer.tsx:274-287,501-510	Add the target-notice action bar to the drawer header: a primary button chosen by stage (Log reply / Approve & file / Open on portal) and secondary Assign, Ask client, Request extension and Open PDF. Each action writes an event and updates the banner.
U-41-2	Medium	Consistency	Lifecycle stepper: nine stages in an overflow-x box show only eight (Closed is scrolled out of view with no cue). Upcoming steps are white digits on bg-muted and nearly invisible. The connectors are fixed 16 px bars centred on circle-plus-label, so they sit below the circles and gaps vary with label width. The current step changes colour by stage (slate, amber, blue) using raw palette classes. src/components/notices/NoticeDrawer.tsx:86-96,293-327	Replace it with the target's stage rail: stages that fit the width (or wrap), the current step in navy with a label, upcoming steps outlined with readable numbers, a connector line drawn behind the circle centres, and 'auto · timestamp' captions under each step. Use semantic tokens, not bg-amber-400 or bg-blue-500.
U-41-3	Medium	Layout	Activity is the default tab, so the first thing under the tiles is an audit log ('? → Reply drafted, 2h ago') while the notice PDF sits in the fourth tab ('Docs'). The description, the only text saying what the notice is about, is muted grey body copy between the banner and the stepper. src/components/notices/NoticeDrawer.tsx:289-291,363-369,483-498	Default to a Summary/Documents view with the notice PDF and case-folder items first. Show the description as a foreground subtitle under the title, and move Activity towards the end, as in the target (Issues · Draft reply · Documents · Activity · Payments).
U-41-4 L-28	Low	Content	A stage event with no previous value renders as '? → Reply drafted' with no actor, so the log cannot say who moved the notice or from where. src/components/notices/NoticeDrawer.tsx:386-387,398-400	Render 'Stage set to Reply drafted by <name>' when the old value is empty, show 'System' for null actors, and record the actor at write time.

Drawer — ASMT-10 with extended due date, Details tab (lenient)

4/10

/notices-dashboard · Dashboard → click the Example Foods ASMT-10 row → Details

Details are complete but repetitive and partly mislabelled: the due date appears four times while the original due date disappears from the Details tab. Every open stage, including 'Awaiting data', is painted success-green.



ID	Severity	Area	Issue	Suggested fix
U-42-1	Medium	Consistency	The stage pill is emerald for every status that is not closed, so 'Awaiting data' (blocked on the client) looks as finished as a filed reply. Priority uses raw red/amber classes rather than the shared tones. src/components/notices/NoticeDrawer.tsx:205-220	Map stage to tone with the shared Badge (src/components/gstr9/badge.tsx): Awaiting data and Partner review as warning, overdue as destructive, Filed as success, Captured and Triage as info. Reuse the same map in the queue and the list.
U-42-2	Medium	Data	Details shows 'Due Date 11/10/2026' (already the extended date) and then 'Extended Due 11/10/2026', the same value twice. The original due date 15/09/2026 appears only in the tile caption, so anyone reading the Details tab cannot see that an extension was granted. src/components/notices/NoticeDrawer.tsx:175,341-345,413-415	Label the rows 'Original due' (due_date) and 'Extended to' (extended_due_date, with who and when), and keep 'Effective due' only in the header chip.
U-42-3	Low	Layout	Fields with icons (Issue date, Due date, Demand) indent their values by the icon width while the other fields sit flush, so both columns are ragged. Four of ten fields are '—' (reply date and reference, order date and number) and cannot be filled here. src/components/notices/NoticeDrawer.tsx:410-425,518-528	Drop the per-field icons (or reserve an icon column on every row) and use a two-column definition list. Hide empty reply/order fields behind 'Log reply' and 'Log order' actions.
U-42-4	Low	Layout	The same facts repeat: the 'Due in 6 days' banner, the Due Date tile, and Details' Due Date and Extended Due; Demand appears in a tile and again in Details. The top tiles (text-lg bold) and bottom tiles (text-sm) use different value sizes and heights. src/components/notices/NoticeDrawer.tsx:329-360	Keep one header chip line (due · demand · owner · FY) as in the target, let the tabs carry only what the header does not, and use KpiTile for any tile row.

Drawer — case-linked DRC-01 with matter, Deadlines tab (lenient)

/notices-dashboard · Dashboard → click the Demo Textiles "Determination Of Tax" row → Deadlines

This is the best drawer state, with a linked matter and statutory deadlines, but it cannot reach the case folder that holds the notice, the reply already filed and the hearing details. The user has to go back to the work queue and click the reference instead.

Notices & Litigation

Dashboard Work Queue Matters Hearings Claims Reports

OVERDUE & STILL OPEN

14

of 51 overdue - 19 need closing

Open queue

DUE IN NEXT 7 DAYS

12

10 replies - 1 appeals - 1 hearings

Plan week

NEW SINCE LAST

6

from 5 cases

Work queue — what needs action

Refresh

Sort by

Filter

Export

CLIENT	NOTICE / MATTER	STAGE	DUE
Mock Builders LLP	Notice	Partner review	07 Oct 2026
Test Engineering Works	Notice	Captured	25 Sep 2026
Specimen Chemicals Ltd	Notice	Captured	10 Oct 2026
Demo Textiles Pvt Ltd	Determination Of Tax	Reply drafted	09 Oct 2026

Determination Of Tax

Demo Textiles Pvt Ltd - 24AAAAA0001A1Z7 FY 2021-22

Reply drafted High priority

M-2026-0001 — DRC-01 SCN u/s 73 — FY 2021-22 ITC on cancelled suppliers

Due in 4 days

Show Cause Notice under section 73 for FY 2021-22 (DRC-01) — ITC availed on invoices of suppliers whose registration was cancelled

LIFECYCLE STAGE

Captured Thru Awaiting Data Reply Drafting Partner Review Filed Hearing Order Received

DEMAND

₹18,60,000

DUE DATE

09/10/2026

ASSIGNED TO

Associate One

ISSUED BY

—

Activity

Details

Deadlines

Docs

DRC-01A Part B reply

Rule 142(1A)

08/08/2026

Met

Reply to SCN (DRC-06)

s.73(8) r/w Rule 142(4) — 30 days from SCN

09/10/2026

Add left

ID	Severity	Area	Issue	Suggested fix
U-43-1 R-18	High	Interaction	This DRC-01 belongs to case AD2409260052913 (screen 60), yet the drawer neither selects case_id nor links to the folder. Its footer offers only 'Company profile' and 'Open in list', and Docs shows only pdf_url. src/components/notices/NoticeDrawer.tsx:144,483-510	Select case_id and add 'Case folder (n items)' to the header and the Documents tab, listing folder attachments inline grouped by Intimation, Notice, Reply and Order. Add an 'Open on portal' deep link.
U-43-2 L-09, L-33	Medium	Layout	The personal hearing (14/10/2026, s.75(4)) and the reduced-penalty window appear only in the fourth tab, while the header shows just 'Due in 4 days'. Deadline rows are passive: there is no mark-met, add-to-calendar or remind action. src/components/notices/NoticeDrawer.tsx:274-287,439-480	Promote the next two deadlines (reply 09/10, hearing 14/10) to header chips. Give each deadline row actions (Mark met, Add to calendar/ICS, Remind owner) and link the hearing to matter_hearings.
U-43-3 S-18	Low	Data	'Issued by —' takes a prime tile although the folder JSON already names the officer (Assistant Commissioner). The matter row shows only its number and title, not its stage, next hearing or exposure. src/components/notices/NoticeDrawer.tsx:227-238,354-359	Fill Issued by from the folder's tottls (designation and name), or hide the tile when it is empty. Show matter stage · next hearing · exposure in the linked-matter row.

Drawer — closed refund case (auto:refund_order), Docs tab (lenient)

2/10

/notices-dashboard · Dashboard loaded; the Sample Pharma refund case is then closed (simulating the sweep/colleague); click its still-listed row → Docs

For a closed refund case the drawer shows four empty tiles, a fully ticked lifecycle (including a hearing and an order that never happened), a machine close code and 'No documents attached' while the folder holds the RFD-01 and RFD-02. It tells the reader nothing true about the refund.

Notices & Litigation

DashboardWork QueueMattersHearingsClientsReports

OVERDUE & STILL OPEN

14

of 51 overdue · 19 need closing

Open queue

DUE IN NEXT 7 DAYS

12

10 replies · 1 appeals · 1 hearings

Plan week

NEW SINCE LAST WEEK

6

from 5 cases

Work queue — what needs action

CLIENT

NOTICE / MATTER

STAGE

DUE

Fictional Experts Pvt Ltd

Notice

Partner review

02 Oct 2025

Demo Textiles Pvt Ltd

Notice

Awaiting data

22 Sep 2025

Sandbox Auto Components Pvt Ltd

Audit

Awaiting data

08 Oct 2025

Sample Pharma LLP

Refunds

Captured

Refunds

Sample Pharma LLP · 27AAAAA0002A1Z0 · FY 2025-26

Closedauto:refund_order

No litigation matter linked

Create Matter

Refund of accumulated ITC on export of goods/services without payment of tax

LIFECYCLE STAGE

CapturedTriageAwaiting DataReply DraftingPartner ReviewFiledHearingOrder Received

DEMAND

DUE DATE

ASSIGNED TO

ISSUED BY

ActivityDetailsDeadlinesDocs

No documents attached.

Company profile · Open in list

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-44-1	Medium	Content	The title is just 'Refunds' (case rows carry no reference, so the ARN appears nowhere) and Demand, Due Date, Assigned To and Issued By are all '—'. The refund facts that exist in gst_refund_applications (ARN, refund type, claimed amount, portal status) are not shown. src/components/notices/NoticeDrawer.tsx:185-191,329-360	Give refunds their own drawer layout: title 'Refund · <type> · ARN', with tiles for Claimed, Sanctioned, Portal status and Next deadline, read from gst_refund_applications where arn = case_id.
U-44-2 L-25	Medium	Data	Because 'Closed' maps to the last stage, every step is ticked (Reply Drafting, Partner Review, Filed, Hearing, Order Received) although none happened for this refund. The current step, 'Closed', is the ninth and is scrolled out of view. src/components/notices/NoticeDrawer.tsx:98-109,297-325	Derive ticks from evidence (reply_date or a REPLY item for Filed, matter_hearings for Hearing, order_date or an ORDRS item for Order) and show skipped stages hollow. Show Closed as an end-state badge with its reason instead of a ninth step.
U-44-3 L-11, L-19	Medium	Content	The close reason is printed raw as a badge ('auto:refund_order') with no date, no explanation of the rule and no Confirm or Reopen action, so staff cannot review an automatic closure where they see it. src/components/notices/NoticeDrawer.tsx:221-223	Humanise close reasons (for example 'Auto-closed 15 Sep: refund order captured (RFD-06)') and add a 'Review: Confirm · Reopen' control that writes an event.
U-44-4 R-18	Medium	Empty/error state	Docs says 'No documents attached.' although this ARN's case folder holds two PDFs (the RFD-01 application and the RFD-02 acknowledgement). src/components/notices/NoticeDrawer.tsx:483-497	List gst_case_folder_items attachments for (client_id, case_id) in Docs. When there really are none, say 'No documents captured yet' and offer a targeted Fetch.
U-44-5	Low	Interaction	'Create Matter' is still offered on a closed refund case, inviting a litigation matter for a finished application. src/components/notices/NoticeDrawer.tsx:239-270	Hide Create Matter on closed notices. For refunds, offer 'Appeal (APL-01)' only when the order is a full or partial rejection.

Notices & Litigation — mission audit and build roadmap · fictional data in all screenshots


Page 73 of 136

Drawer — "Create Matter" clicked on an unlinked notice (lenient)

3/10

/notices-dashboard · Dashboard → click the Example Foods DRC-01C row → "Create Matter"

'Create Matter' is a one-click action with no preview and no feedback, and it produces a matter titled with the raw word 'Notice'. Meanwhile the drawer calls this notice 'No status' while the queue row behind it says 'Captured'.



ID	Severity	Area	Issue	Suggested fix
U-45-1 R-27, L-30, L-34	Medium	Interaction	One click creates 'M-2026-0010 — Notice' (title = raw notice_type, lifecycle fixed to 'demand', no FY, demand or section), with no preview, no option to add the notice to an existing matter for the same case, and no undo. Here it was used on a DRC-01C intimation that is not yet litigation. src/components/notices/NoticeDrawer.tsx:242-269	Open a prefilled dialog: title from form and FY (for example 'DRC-01C · ITC 2B vs 3B · FY 2025-26'), lifecycle from the form, demand from the notice, and 'Add to existing matter' (same client and case_id listed first). Create and link in one RPC.
U-45-2 L-30, L-38	Medium	Interaction	Nothing confirms the action. There is no toast and the new matter is not opened; the button simply becomes a link. The Activity tab still says 'No activity recorded yet.', and a failure is silently swallowed. src/components/notices/NoticeDrawer.tsx:258-266,372-375	Show a toast 'Matter M-2026-0010 created' with an Open action, log a matter_linked event that appears in Activity, and show an inline error with Retry on failure.
U-45-3 L-25	Low	Consistency	A notice with no staff_status shows a green 'No status' pill, while the queue row behind it reads 'Captured' and the stepper highlights 'Captured'. src/components/notices/NoticeDrawer.tsx:206-211; src/components/notices/NoticeWorkQueue.tsx:96	Use one stage-label function in the queue, the drawer and the list (null shows as 'Captured'), together with the shared tone map.

Companies


COMPANIES · SCREEN 34 OF 78

Company List & sync log

/notices-company-list · Reports ▾ → Company List & sync log (or Sync & alerts card → "Sync log → ")

3/10

The page the dashboard calls the 'sync log' shows a colour dot and a raw log line per company, mislabels its totals and offers no fix for any failure. It is an admin table, not the Portal Autopilot's 'Freshness by client' view.




ID	Severity	Area	Issue	Suggested fix
U-50-1 S-14, S-32	High	Content	Status is a colour dot of about 8 px with no text. Beside it sits the newest log line of any step, verbatim ('build=0.2.0 (JSON API) rows: 2 arns: AA24...'). There is no reason class and no per-row fix, so staff cannot tell 'update the password' from 'retry later' from 'app bug'. src/pages/CompanyListPage.tsx:151-156, 376-389	Adopt the target's Freshness table: Last good pull (age, red over 24 h), a reason chip (Login failed · CAPTCHA timeout · Portal 503 · Save error) and one action per reason (Update password, Retry, Report). Keep the raw text behind a 'Details' popover.
U-50-2	Medium	Content	'Total Downloaded 5 · Total Pending 6' uses the wrong words: 'Pending' lumps four failed companies with one that has never synced, nothing is actually pending, and neither number is clickable. src/pages/CompanyListPage.tsx:179-180, 264-268	Show clickable chips 'Fresh < 24 h 5 · Failed 4 · Never synced 1 · Stale > 24 h n' that set the Status filter.
U-50-3 L-14	Medium	Consistency	Toolbar: 'Delete Company' (a hard delete that cascades every notice, matter and event) is the first button, at the same weight as Sync. 'Sync' uses the Upload icon also used by 'Import', against the house rule that RefreshCw means pull from portal. 'Fetch Company' does not say that it pulls the taxpayer profile. Every button is h-7 at 11 px and none is primary. src/pages/CompanyListPage.tsx:315-336	Order the toolbar Sync (primary, RefreshCw) · Retry failed · Fetch profile · Sync log · Import. Move Delete into a row '...' menu behind a typed confirmation, or archive instead. Use WS_BTN sizing.
U-50-4	Medium	Interaction	After Sync the page never updates. Logs load only on mount or when the refresh icon is clicked, so whoever runs the sync has to keep reloading to see whether each company succeeded. No row shows 'syncing' or 'waiting for CAPTCHA'. src/pages/CompanyListPage.tsx:105-121, 124-147	Subscribe to client_sync_log (realtime, or a 10 s poll while a job is active) and show a per-row state chip (Queued · Logging in · Waiting for CAPTCHA · Done 05:41).
U-50-5	Medium	Data	'Last Download Date' is the time of the last attempt, failed ones included, printed with seconds in browser locale ('5/10/2026, 7:43:00 am'). Rows sort by name with 10 per page by default, so Test Engineering Works (failed) is hidden on page 2. src/pages/CompanyListPage.tsx:62, 85, 375	Show 'Last good pull' as a relative age, with 'Last attempt' as a secondary line. Sort failed and stale companies first, and default to 50 rows or a 'Needs attention' tab as in the target.
U-50-6	Low	Accessibility	The row Edit and Delete buttons are icon-only with no aria-label or title, and Edit navigates away to the full Edit Client page with no way back to the list. src/pages/CompanyListPage.tsx:390-398	Add aria-labels. Open credential and owner edits in a side sheet so the user stays on the list.

ID	Severity	Area	Issue	Suggested fix
U-51-1	High	Interaction	Each failure needs a different fix: wrong password (Example Foods), portal 503 (Fictional Exports), the app's own save bug (Illustrative Software), CAPTCHA timeout (Sandbox Auto), session dropping (Test Engineering). The only path offered is select + Sync, which asks for another CAPTCHA and, with a bad password, fails again. <code>src/pages/CompanyListPage.tsx:232-246,389</code>	Classify failures (credentials, CAPTCHA, portal down, session, app error) and give each row its own action: Update password (inline), Retry now, Auto-retry later, Report to admin. Add 'Retry all retryable', which skips credential errors.
U-51-2 S-14, L-17	Medium	Data	The user arrives from the dashboard's '2 logins failed' and finds 5 failed companies, with no banner explaining that the two pages use different rules (latest log of any step here, the notices step only there). <code>src/pages/CompanyListPage.tsx:73-81,162-167</code>	Use one failure definition on both pages, and show where the user came from ('From dashboard: failed logins') as a chip that can be cleared.
U-51-3	Low	Data	Failures are listed alphabetically with no 'failing since' date or count of consecutive failures, so a client stuck for a week looks the same as one that failed once this morning. <code>src/pages/CompanyListPage.tsx:158-172</code>	Add 'Failing since' and the attempt count, and sort by the age of the last good pull and by open notices due within 7 days.

Sync Log dialog

/notices-company-list · Click "Sync Log"

A cramped dialog of the last 50 attempts that cannot say which step ran, how long it took or what changed. It is not the run ledger shown in the autopilot target.




Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-52-1 S-14, S-32	Medium	Data	There is no step/action column, so notices, refunds, DRC-03, login and *_debug rows all look alike. A 'Success' line may be a debug row while the notices step itself failed. src/pages/CompanyListPage.tsx:459-488	Add Step and Rows (new / changed / removed) columns, and hide *_debug rows behind a toggle.
U-52-2	Medium	Layout	Column widths are the wrong way round: company names wrap to four lines while Message is cut at 280 px with an ellipsis and cannot be expanded. Each row is about 95 px tall, so only four attempts fit on screen. src/pages/CompanyListPage.tsx:463-483	Give Company a fixed width with truncation and a GSTIN subtitle, let Message wrap to two lines with click-to-expand, and use WS_TABLE density.
U-52-3	Medium	Interaction	It shows only the newest 50 rows, with no search, filter, date range, export, grouping by run or durations, so it cannot answer 'what happened in this morning's run'. The log is dialog state with no URL; the dashboard's 'Sync log →' link lands on the company table, where the user still has to find this button. src/pages/CompanyListPage.tsx:256,450-494; src/components/notices/SyncHealthCard.tsx:215-216	Make it a page section with its own URL (opened by 'Sync log →'), styled like the target's 'Today's run log' (run started/finished, one line per client, counts), with 'Full log →' leading to a filterable, exportable list.

Bulk Update dialog (Active/Inactive)

/notices-company-list · Tick 2 companies → "Bulk Update"

A dialog with one unlabelled dropdown, preset to 'Active', that changes a flag the sync ignores.




Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-53-1	Medium	Content	The title is 'Bulk Update' and the only control is a select defaulting to 'Active'. The dialog does not say which field changes, does not list the selected companies, and keeps the last choice between openings. src/pages/CompanyListPage.tsx:88,427-448	Rename it 'Mark 2 companies inactive' (or active), list the names, and use a labelled RadioGroup that explains the effect.
U-53-2 S-25	Medium	Logic	Marking a company Inactive has no effect on Sync All, which skips only notices_sync_excluded clients, so the control implies a saving it does not deliver. src/pages/CompanyListPage.tsx:215-225	Make Sync All skip inactive companies, or state 'still synced' in the dialog. Offer 'Exclude from notices sync' as a separate choice.
U-53-3	Low	Interaction	With nothing ticked the button still opens the dialog, which reads 'Applies to the 0 selected companies.' with Apply disabled. src/pages/CompanyListPage.tsx:323-327,432	Disable Bulk Update until a row is ticked (tooltip 'Select companies first') and show the selection count on the button.

"Import" (Bulk Add Clients) dialog

/notices-company-list · Click "Import"

'Import' opens the generic client-master import. It cannot carry the one thing this page needs, portal user IDs, and it does much more than add companies without saying so.



Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-54-1	High	Logic	Every imported client is written with client-portal user ID = PAN and client_password = GSTIN in plain text, and is_first_login = true. Both values are printed on the client's invoices. Either the account is guessable, or, if the live login checks bcrypt hashes as migration 20260923120536 states, the client cannot log in until someone resets the password. Either way the plaintext sits in a column the anon key can read. AddClientPage uses the same default. src/components/clients/BulkAddClientsDialog.tsx:254-272; src/pages/AddClientPage.tsx:234; supabase/migrations/20260126073221_1da4466e-17dd-4451-a8bb-d12b47786d60.sql:33-41	Generate a random one-time password and deliver it through an invite link or e-mail. Never derive credentials from the GSTIN or PAN, store only hashes, and force a reset for existing rows that still carry the GSTIN as password.
U-54-2	High	Data	The template has no GST portal user-ID column, so companies imported from this page cannot be synced and are not even counted in 'Pending'. The page's own import cannot feed its own sync. src/components/clients/BulkAddClientsDialog.tsx:20-28,259-275	Use a notices-specific template with 'Portal user ID' and owner (assigned accountant) columns. Never collect passwords in Excel; ask for them afterwards in a secure inline form.
U-54-3	Medium	Logic	Import is insert-only and gstin is UNIQUE, so an existing company fails and the import cannot be used to bulk-update portal user IDs or owners. Each new row also creates Filing Status records for every month since registration, a heavy side effect launched from a notices page without warning. src/components/clients/BulkAddClientsDialog.tsx:259-312	Upsert by GSTIN with a preview (new / updated / unchanged), and make the filing-status back-fill an explicit opt-in checkbox.
U-54-4	Low	Content	The button says 'Import' but the dialog says 'Bulk Add Clients', and the steps do not show which columns are required. src/pages/CompanyListPage.tsx:328; src/components/clients/BulkAddClientsDialog.tsx:345-353	Title the dialog 'Import companies for notices sync' and list the required columns before the download step.

Vij Desai & Co. LLP

Demo Textiles Pvt Ltd

GST Dashboard • Company Dashboard • 24AAAAA@001ALZT7 Regular

Dashboard Work Queue Matters Hearings Clients Reports ▼

Type: All notices ▾

Company Profile

Legal Name
DEMO TEXTILES PVT LTD

Trade Name
Demo Textiles Pvt Ltd

GSTIN
24AAAAA@001ALZT7

Taxpayer Type
Regular

Date of Registration
2017-07-01

Contact Person Email
accounts@demo-textiles.example.com

Principal Office
Unit 10, Demo Industrial Estate, Surat, Gujarat (fictional address)

OVER DUE
2 of 17
[Open queue ...](#)

7 DAYS DUE
1 this week
[View due ...](#)

LAST 24 HOURS
17 newly synced
[View new ...](#)

LAST 15 DAYS
3 recent
[View recent ...](#)

OPEN NOTICES
6 of 17
[View open ...](#)

TOTAL NOTICES
17 on record
[View all ...](#)

Notices & Orders

17

- Notice**
Ref Id: ZD2404102601903 - Issue: 04/10/2026
- Notice**
Ref Id: ZD2429092602236 - Issue: 29/09/2026
- DRC-03**
Ref Id: AD2409260071122 - Issue: 26/09/2026
- Notice**
Ref Id: ZD2415092601237 - Issue: 15/09/2026
- Determination Of Tax**
Ref Id: ZD240909260171B - Issue: 09/09/2026

[View All](#)

View Submission

0

No submissions on record.

[View All](#)

Track Return Status

Filing dates as recorded on the GST portal.

FINANCIAL YEAR	PERIOD	GSTR-1 FILING DATE	GSTR-3B FILING DATE
2026-2027	Aug 2026	2026-09-10	2026-09-21
2026-2027	Jul 2026	2026-08-11	2026-08-19
2026-2027	Jun 2026	2026-07-10	2026-07-20

Demo Textiles Pvt Ltd

GST Dashboard • Company Dashboard • 24AAAAA@001ALZT7 Regular

Dashboard Work Queue Matters Hearings Clients Reports ▼

Type: All notices ▾

Company Profile

Legal Name
DEMO TEXTILES PVT LTD

Trade Name
Demo Textiles Pvt Ltd

GSTIN
24AAAAA@001ALZT7

Taxpayer Type
Regular

Date of Registration
2017-07-01

Contact Person Email
accounts@demo-textiles.example.com

Principal Office
Unit 10, Demo Industrial Estate, Surat, Gujarat (fictional address)

OVER DUE
2 of 17
[Open queue ...](#)

7 DAYS DUE
1 this week
[View due ...](#)

LAST 24 HOURS
17 newly synced
[View new ...](#)

LAST 15 DAYS
3 recent
[View recent ...](#)

OPEN NOTICES
6 of 17
[View open ...](#)

TOTAL NOTICES
17 on record
[View all ...](#)

Notices & Orders

17

- Notice**
Ref Id: ZD2404102601903 - Issue: 04/10/2026
- Notice**
Ref Id: ZD2429092602236 - Issue: 29/09/2026
- DRC-03**
Ref Id: AD2409260071122 - Issue: 26/09/2026
- Notice**
Ref Id: ZD2415092601237 - Issue: 15/09/2026
- Determination Of Tax**
Ref Id: ZD240909260171B - Issue: 09/09/2026

[View All](#)

View Submission

0

No submissions on record.

[View All](#)

Track Return Status

Filing dates as recorded on the GST portal.

FINANCIAL YEAR	PERIOD	GSTR-1 FILING DATE	GSTR-3B FILING DATE
2026-2027	Aug 2026	2026-09-10	2026-09-21
2026-2027	Jul 2026	2026-08-11	2026-08-19
2026-2027	Jun 2026	2026-07-10	2026-07-20

Notices & Litigation — mission audit and build roadmap · fictional data in all screenshots

Company profile with Type pill = "Refunds"

/notices-company/c1000000-0000-4000-8000-000000000007 · Fictional Exports profile → Type pill → "Refunds"

Filtering a company to Refunds shows five identical 'Refunds' rows, one a duplicate without a reference, and tiles that say nothing is open or overdue, while one of those refunds is an RFD-08 show-cause notice waiting for a reply.

CA

COMPANIES

Dashboard

Work Queue

Matters

Hearings

Clients

Reports

Company Profile

Legal Name

FICTIONAL EXPORTS PVT LTD

Trade Name

Fictional Exports Pvt Ltd

GSTIN

27AAAAA9007A1ZV

Taxpayer Type

Regular

Date of Registration

2017-07-01

Contact Person Email

accounts@fictional-exports.example.com

Principal Office

Unit 16, Demo Industrial Estate, Mumbai, Maharashtra (fictional address)

Fictional Exports Pvt Ltd

GST Dashboard · Company Dashboard · 27AAAAA9007A1ZV · Regular

Dashboard · Work Queue · Matters · Hearings · Clients · Reports

Type: Refunds

OVER DUE

0 of 5

Open queue

7 DAYS DUE

0 this week

View due

LAST 24 HOURS

5 newly synced

View new

LAST 15 DAYS

0 recent

View recent

OPEN NOTICES

0 of 5

View open

TOTAL NOTICES

5 on record

View all

Notices & Orders

5

1 Refunds

Ref Id: AA2709260074825 · Issue: 17/09/2026

2 Refunds

Ref Id: — · Issue: 31/07/2026

3 Refunds

Ref Id: AA2707260065695 · Issue: 31/07/2026

4 Refunds

Ref Id: AA2705260072999 · Issue: 08/05/2026

5 Refunds

Ref Id: AA2702260073912 · Issue: 07/02/2026

View All

View Submission

0

No submissions on record.

View All

Track Return Status

Filing dates as recorded on the GST portal.

FINANCIAL YEAR

PERIOD

GSTR-1 FILING DATE

GSTR-3B FILING DATE

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-57-1	High	Logic	With Type = Refunds the tiles read 'Over Due 0 of 5' and 'Open 0 of 5', because refund and DRC-03 rows are excluded from the workflow counts by design. Yet AA2709260074825 has status 'Show Cause Notice Issued (RFD-08)' (screen 75) and needs an RFD-09 reply within 15 days. src/pages/CompanyProfilePage.tsx:222-232	Count refund rows whose portal status needs action (RFD-08 show-cause, RFD-03 deficiency) as open, with their reply-by date. Otherwise label the tiles 'n/a for refunds' rather than 0.
U-57-2 L-21	Medium	Data	Every row is titled 'Refunds', with no refund type, amount or status, and the same case appears twice: the case row (Ref Id '—', 31/07/2026) and the dedicated row (AA2707260065695, 31/07/2026). src/pages/CompanyProfilePage.tsx:156-196,383-398	De-duplicate by ARN as Notice Summary does, title rows like 'RFD-01 · Export of services · ₹18.4 L · Sanctioned', and show the ARN (case_id) on case rows.
U-57-3 L-22	Low	Content	The Type options are raw notice_type values (for example 'Notice', 'Refunds', 'DRC-03', 'Determination Of Tax'), so 'Notice' counts as a type and the same category can appear under two names. src/pages/CompanyProfilePage.tsx:207-212,289-295	Filter by the canonical categories used in Notice Summary.

Additional Notice Folder — DRC-01 case (open)

4/10

Additional Notice Folder

GST Dashboard > Notices and Orders 24AAAAA0001A127

Dashboard Work Queue Matters Hearings Clients Reports

Case folder

Every intimation, notice, reply and order the portal holds for this case.

REPLY DRAFTED

CASE ID AD2409260052913	GSTIN/URN/Temporary ID 24AAAAA0001A127	Date Of Application/Case Creation 09-09-2026	Status REPLY DRAFTED
----------------------------	---	---	-------------------------

APPLICATIONS

There are no records to display

NOTICE/ACKNOWLEDGEMENT

There are no records to display

INTIMATIONS

TYPE	REFERENCE NUMBER	ISSUE DATE	DUE DATE TO REPLY	SECTION NUMBER	ATTACHMENTS
Intimation of tax ascertained as being payable under section 73(5) (DRC-01A)	ZD2407082600411	09-07-2026	08-08-2026	73(5)	

NOTICES

TYPE	REFERENCE NUMBER	ISSUE DATE	DUE DATE TO REPLY	NOTICE ISSUED BY	PERSONAL HEARING	SECTION NUMBER	FINANCIAL YEAR	SUBJECT
Show Cause Notice (DRC-01)	ZD2409092601718	09-09-2026	09-10-2026	Assistant Commissioner	Yes - 14/10/2026	73	2021-22	ITC of ₹ 12,40,000 availed on in

REPLIES

TYPE/REPLY NO.	REPLY TYPE	REPLY FILED AGAINST	REPLY DATE/PH	ORIGINAL DUE DATE	FILED BY	OPTION FOR PERSONAL HEARING	ATTACHMENTS
Reply to intimation in Part B of DRC-01A	—	ZD2407082600411	09-07-2026	—	Authorised Signatory (Demo)	N	

Additional Notice Folder

GST Dashboard > Notices and Orders 24AAAAA0001A127

Dashboard Work Queue Matters Hearings Clients Reports

Case folder

Every intimation, notice, reply and order the portal holds for this case.

REPLY DRAFTED

CASE ID AD2409260052913	GSTIN/URN/Temporary ID 24AAAAA0001A127	Date Of Application/Case Creation 09-09-2026	Status REPLY DRAFTED
----------------------------	---	---	-------------------------

APPLICATIONS

There are no records to display

NOTICE/ACKNOWLEDGEMENT

There are no records to display

INTIMATIONS

TYPE	REFERENCE NUMBER	ISSUE DATE	DUE DATE TO REPLY	SECTION NUMBER	ATTACHMENTS
Intimation of tax ascertained as being payable under section 73(5) (DRC-01A)	ZD2407082600411	09-07-2026	08-08-2026	73(5)	

NOTICES

TYPE	REFERENCE NUMBER	ISSUE DATE	DUE DATE TO REPLY	NOTICE ISSUED BY	PERSONAL HEARING	SECTION NUMBER	FINANCIAL YEAR	SUBJECT
Show Cause Notice (DRC-01)	ZD2409092601718	09-09-2026	09-10-2026	Assistant Commissioner	Yes - 14/10/2026	73	2021-22	ITC of ₹ 12,40,000 availed on in

REPLIES

TYPE/REPLY NO.	REPLY TYPE	REPLY FILED AGAINST	REPLY DATE/PH	ORIGINAL DUE DATE	FILED BY	OPTION FOR PERSONAL HEARING	ATTACHMENTS
Reply to intimation in Part B of DRC-01A	—	ZD2407082600411	09-07-2026	—	Authorised Signatory (Demo)	N	

Desktop 1440 px

Page 82 of 136

The clearest case history in the module (application, RFD-08, reply and order, each with its document), but it leaves out the money and lists every event twice.

CA

Case

Refund Notice Folder

GST Dashboard > Notices and Orders 27AAAAA8987A12V

Dashboard Work Queue Matters Hearings Clients Reports

Case folder

Every intimation, notice, reply and order the portal holds for this case.

Case ID
AA2707260065695

GSTIN/UN/Temporary ID
27AAAAA8987A12V

Date Of Application/Case Creation
15-09-2026

Status
CLOSED

APPLICATIONS

ARN	ARN DATE	REASON OF REFUND	ATTACHMENTS
AA2707260065695	31-07-2026	Export of services without payment of tax (accumulated ITC)	GST RFD-01

NOTICE/ACKNOWLEDGEMENT

TYPE OF NOTICE	DATE OF NOTICE	REFERENCE NO.	REASON OF NOTICE	DUE DATE OF REPLY	ATTACHMENTS
GST RFD-02 – Acknowledgement	06-08-2026	ZA2708260004411	—	—	RFD-02
GST RFD-08 – Notice for rejection of application for refund	21-08-2026	ZA2708260004532	Shipping bills for Feb-Mar 2026 not matched with ICEGATE data	05-09-2026	RFD-08

REPLIES

TYPE/REPLY NO.	REPLY TYPE	REPLY FILED AGAINST	REPLY DATE/PH	ORIGINAL DUE DATE	FILED BY	OPTION FOR PERSONAL HEARING	ATTACHMENTS
GST RFD-09 – Reply to show cause notice	—	ZA2708260004532	31-08-2026	—	Authorised Signatory (Demo)	—	RFD-09

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-61-1	Medium	Content	'Date Of Application/Case Creation' reads 15-09-2026, which is the RFD-06 order date; the application was filed on 31-07-2026. The code deliberately shows the most recent event under this label (screen 60 does the same: 09-09-2026 instead of 09-07-2026). src/pages/AdditionalNoticeFolderPage.tsx:412-427,486-489	Show 'Filed 31-07-2026' and 'Last activity 15-09-2026 (RFD-06)' as two labelled facts.
U-61-2 S-21, L-11	Medium	Content	No amounts appear anywhere (claimed, sanctioned, rejected or withheld), so the reader cannot tell whether the RFD-06 'Refund Sanction Order' was full or partial; a partial rejection starts an appeal clock. The status just says CLOSED. The refund list shows ₹18,40,000 claimed against ₹17,35,000 sanctioned for this ARN. src/pages/AdditionalNoticeFolderPage.tsx:237-255,441	Add a money strip (Claimed ₹18,40,000 · Sanctioned ₹17,35,000 · Rejected ₹1,05,000 → appeal by dd-mm) from gst_refund_applications and the order JSON.
U-61-3 R-28	Low	Layout	Audit History repeats all five events already shown in the four tables above it, doubling the page, while those tables carry columns that are always blank (Reply Type, Original Due Date, Option for Personal Hearing). src/pages/AdditionalNoticeFolderPage.tsx:199-208,586-614	Lead with one vertical timeline (date · event · by · document), collapse the portal tables under 'Portal sections', and hide columns that are blank on every row.

Appeal case (APL-01) rendered by the folder page

/notices-case-folder/c1000000-0000-4000-8000-000000000003/AD2907260053826 · Work queue → Example Foods "Appeal" row Reference No.

An appeal case is labelled 'Refund Notice Folder' and its hearing notice, a personal hearing 16 days away, is hidden, so the page is actively misleading.

CA

Case ID

AD2907260053826

GSTIN/UN/Temporary ID

29AAAAA9003A1ZV

Date Of Application/Case Creation

15-09-2026

Status

APPEAL

Dashboard

Work Queue

Matters

Hearings

Clients

Reports

Case folder

Every intimation, notice, reply and order the portal holds for this case.

APPLICATIONS

ARN	ARN DATE	REASON OF REFUND	ATTACHMENTS
AD2907260098765	—	—	APL-01 Memorandum

NOTICE/ACKNOWLEDGEMENT

There are no records to display

REPLIES

There are no records to display

ORDERS

There are no records to display

AUDIT HISTORY

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-62-1	High	Logic	Any case with an APLCN item is treated as a refund (APLCN maps to APPLICATIONS, which sets isRefundCase). This APL-01 appeal therefore gets the refund layout, which drops the NOTICES section, so the Commissioner (Appeals) hearing notice for 21-10-2026 10:30 appears nowhere on the page. src/pages/AdditionalNoticeFolderPage.tsx:58-72,404-409,446	Decide the case type from the item's form (formNo 'GST APL-01' versus RFD-01) rather than the folder code, and never hide a section that has items; render unmapped or extra sections instead.
U-62-2 R-21	Medium	Data	The APPLICATIONS table uses refund columns ('ARN Date', 'Reason of Refund') that read '—' for an appeal, while the APL-01's filing date (arndt 17-07-2026), disputed tax ₹28,00,000 and pre-deposit ₹2,80,000 in the same JSON are not shown. src/pages/AdditionalNoticeFolderPage.tsx:237-241	Add an APL-01 column set: Filed on, Order appealed, Disputed tax, Pre-deposit paid (linked to its DRC-03) and Appellate authority.
U-62-3	Medium	Content	Audit History reads 'Refund Application filed (GST APL-01)' with date '—' because it reads rfdSubDt only. The header's 15-09-2026 comes from the hidden hearing notice, an event the page does not show. src/pages/AdditionalNoticeFolderPage.tsx:318-325,420-427	Word audit lines by form ('Appeal filed (APL-01)'), fall back to arndt for the date, and derive the header date only from items that are displayed.

Enforcement case with an unmapped folder section (DRC7A)

/notices-case-folder/c1000000-0000-4000-8000-000000000008/AD2407260056565 · Work queue → Specimen Chemicals "Enforcement Case" row Reference No.

An enforcement case with an outstanding recovery demand shows that demand last, as a raw JSON key dump after six empty sections, and nothing on the page says this client needs attention.

CA

Case

Dashboard

Work Queue

Matters

Hearings

Clients

Reports

Additional Notice Folder

GST Dashboard > Notices and Orders 24AAAAA8888A128

Case folder

Every intimation, notice, reply and order the portal holds for this case.

HEARING

Case ID

AD2407260056565

GSTIN/UN/Temporary ID

24AAAAA8888A128

Date Of Application/Case Creation

05-09-2026

Status

HEARING

APPLICATIONS

There are no records to display

NOTICE/ACKNOWLEDGEMENT

There are no records to display

INTIMATIONS

There are no records to display

NOTICES

TYPE	REFERENCE NUMBER	ISSUE DATE	DUE DATE TO REPLY	NOTICE ISSUED BY	PERSONAL HEARING	SECTION NUMBER	FINANCIAL YEAR
Summons under section 70 to give evidence / produce documents	ZD2402072602014	02-07-2026	17-07-2026	Senior Intelligence Officer	—	70	2023-24

REPLIES

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-63-1 R-28, R-08	High	Content	The DRC-07A recovery demand (₹1,12,400, Outstanding, Recovery Officer), the most coercive item in the case, appears at the bottom under the raw code 'DRC7A' as a key dump ('Refdt: 05/09/2026', 'Sdtls — Dmdtype', 'Sdtls — Amount', 'Totdls — Nm'). src/pages/AdditionalNoticeFolderPage.tsx:58-76,267-294,540-580	Map DRC7A to 'Demand / recovery (DRC-07A)' with typed columns (Demand ID, Period, Type, Amount, Status, Officer). Pin outstanding demands to the top with a red 'Outstanding ₹1.12 L' chip, and keep the generic dump only behind 'Raw fields'.
U-63-2	Medium	Logic	The only status shown is 'HEARING' (a staff stage), although the summons' reply due date of 17-07-2026 passed with no REPLY item and a recovery demand is outstanding. The folder has no overdue or attention indicator at all. src/pages/AdditionalNoticeFolderPage.tsx:441,467-496	Compute folder alerts from the items (notice due date passed with no reply, outstanding demand, hearing in n days) and show them as chips under the title.
U-63-3	Low	Consistency	The page uses two date formats: table cells are normalised to 02-07-2026, but the fallback dump prints the portal's 05/09/2026 untouched. src/pages/AdditionalNoticeFolderPage.tsx:81-88,291	Run every date-like value through the same formatter, including the fallback dump.

Notice Summary report

/notices-report · Reports ▾ → Notice Summary

A count table that follows a third-party layout more than the firm's needs: empty placeholder rows come first, the biggest buckets come last, the category column is mislabelled, and nothing measures risk.

GA

>

Notice Summary

GST Dashboard · Notice Summary

Dashboard

Work Queue

Matters

Hearings

Clients

Reports ▾

Type: All notices ▾

Export to Excel

Notices by category

Total, open, closed and replied counts for every notice category.

23

SPECIAL REMARKS	TOTAL	OPEN	CLOSED	REPLIED
Appeal	1	1	—	—
ASMT 10	2	1	1	2
Audit	1	1	—	—
DRC 01	2	1	1	2
DRC 03	27	8	19	—
Enforcement	1	1	—	—
LUT	5	1	4	—
Order Rectification	1	1	—	—
Others	1	1	—	—
Penalty	—	—	—	—
Recovery	—	—	—	—
Refund	21	12	9	—

Desktop 1440 px

V J Deard & Co. LLP

GA

>

Notice Summary

GST Dashboard · Notice Summary

Dashboard

Work Queue

Matters

Hearings

Clients

Reports ▾

Type: All notices ▾

Export to Excel

Notices by category

Here, open, closed and replied counts for every notice category.

23

SPECIAL REMARKS	TOTAL	OPEN	CLOSED
Appeal	1	1	—
ASMT 10	2	1	1
Audit	1	1	—
DRC 01	2	1	1
DRC 03	27	8	19
Enforcement	1	1	—
LUT	5	1	4
Order Rectification	1	1	—
Others	1	1	—
Penalty	—	—	—
Recovery	—	—	—
Refund	21	12	9
TDRIC 03	—	—	—
Example	—	—	—
ASMT	—	—	—
TRANS 1	—	—	—
Art mission	—	—	—
Other	—	—	—
Demand Notice	28	12	16
Notice	28	12	17
Non filers	22	8	14
Registration	21	8	13
Order	21	2	19
Total	182	67	115

Phone 390 px

ID	Severity	Area	Issue	Suggested fix
U-70-1 L-22	Medium	Layout	Rows follow a fixed external order: 15 slots, 8 of them permanently empty placeholders (with both 'Others' and 'Other'), come first, and the five largest real buckets (Demand Notice 28, Notice 28, Non filers 22, Registration 21, Order 21) are appended at the bottom. src/utls/noticeSummaryReport.ts:125-135; src/utls/noticeCategoryClassifier.ts:57-69	Sort real categories by open count or exposure, collapse the zero placeholders into one 'Not tracked yet (8)' line, and merge 'Other' with 'Others'.
U-70-2	Medium	Content	The table has only Total, Open, Closed and Replied: no Overdue, Due within 7 days, Exposure or age of the oldest open item, and no 'as of' sync time. The summary cannot show where the risk is, unlike the target's pipeline and exposure cards. src/pages/NoticeSummaryReportPage.tsx:102-151	Add Overdue, Due 7 d and Exposure columns (each linking to the filtered list) and an 'as of last sync' line. Offer a PDF export next to Excel for the MIS pack.
U-70-3	Low	Content	The category column is headed 'Special Remarks', and 'Remarks' in the Excel export. src/pages/NoticeSummaryReportPage.tsx:47,105	Rename it 'Category' in both places.
U-70-4 L-12	Low	Content	The 'Type' pill offers only Registration or 'Other than Registration', and it filters gst_notices rows only, so the Refund and DRC 03 rows do not change when it is set. src/pages/NoticeSummaryReportPage.tsx:36-41,79-91	Replace it with Category, Owner and FY filters that apply to every row, or label it 'Registration notices only'.

GSTIN-wise Notice Count

Export to Excel

GST Dashboard
> GSTIN Wise Notice Count
12 companies · 186 notices

Dashboard
Work Queue
Matters
Hearings
Clients
Reports

Type: All notices

Notices by GSTIN

Search

GSTIN	TRADE NAME	TOTAL	OPEN	CLOSED	REPLIED	MATTERS	EXPOSURE
27AAAAA0002A1Z0	Sample Pharma LLP	24	8	16	5	1	3,26,400
29AAAAA0003A1ZV	Example Foods Pvt Ltd	22	7	15	1	1	44,24,000
27AAAAA0007A1ZV	Fictional Exports Pvt Ltd	22	7	15	7	1	11,85,000
24AAAAA0008A1Z0	Specimen Chemicals Ltd	21	9	12	6	1	2,85,00,000
06AAAAA0011A1Z3	Sandbox Auto Components Pvt Ltd	18	7	11	4	1	4,78,000
24AAAAA0006A1Z7	Demo Textiles Pvt Ltd	17	8	9	—	1	18,60,000
33AAAAA0004A1Z5	Test Engineering Works	15	5	10	5	1	—
24AAAAA0000A1Z2	Mock Builders LLP	14	6	8	4	1	15,400
07AAAAA0005A1ZZ	Placeholder Logistics Pvt Ltd	12	3	9	2	1	
30AAAAA00030A1Z1	Illustrative Software Services Pvt Ltd	11	5	6	1	—	

Notices & Litigation — mission audit and build roadmap · fictional data in all screenshots

Refunds & DRC-03

REFUNDS & DRC-03 · SCREEN 47 OF 78

Refund — All Clients

/refunds-all · Dashboard → Notice summary → "Refund" count (21)

5/10

The only screen in this set built on the house style (KpiTile, WS table), but its colours point the wrong way: filed applications are green and the refunds that need action are grey.

Refund — All Clients

Every client's refund applications, filed most recent first.

Refund — All Clients

21 records across every client on record

Events

21

With evidence PDF

18

3 not captured

Refund Disbursed

6

Refund Application Filed

3

Acknowledgement Issued

3

Refund Sanctioned

2

Deficiency Memo Issued (RFD-03)

1

Show Cause Notice Issued (RFD-08)

1

Provisional Refund Order Issued (RFD-04)

1

Withdrawn

1

Refund Rejected

1

Re-credit of ITC

1

Closed

1

Search reference no., description, date...

All statuses

21 shown

Download all visible PDFs

GSTIN	Trade Name	ARN	Refund Type	Filed Date	Claimed Amount	Sanctioned Amount	Status	Documents
24AAAAA0008A1Z0	Specimen Chemicals Ltd	AA2409260083042	Export of goods with payment of tax	27/09/2026	27,60,000	0	Refund Application Filed	
29AAAAA0003A1ZV	Example Foods Pvt Ltd	AA2909260078477	Supplies to SEZ unit/developer without payment of tax (accumulated ITC)	23/09/2026	5,12,000	0	Deficiency Memo Issued (RFD-03)	
27AAAAA0007A1ZV	Fictional Exports Pvt Ltd	AA2709260074825	Export of services without payment of tax (accumulated ITC)	17/09/2026	11,85,000	0	Show Cause Notice Issued (RFD-08)	
27AAAAA0002A1Z0	Sample Pharma LLP	AA2709260060217	Refund on account of inverted tax structure (ITC)	13/09/2026	6,42,000	0	Acknowledgement Issued	
36AAAAA0010A1Z1	Illustrative Software Services Pvt Ltd	AA3608260084868	Export of services without payment of tax (accumulated ITC)	31/08/2026	10,12,000	0	Acknowledgement Issued	
24AAAAA0001A1Z7	Demo Textiles Pvt Ltd	AA2408260075738	Excess balance in electronic cash ledger	26/08/2026	86,500	0	Refund Application Filed	
24AAAAA0006A1Z2	Mock Builders LLP	AA2408260081216	Refund on account of inverted tax structure (ITC)	11/08/2026	3,81,000	3,42,900	Provisional Refund Order Issued (RFD-04)	

Refund — All Clients

Every client's refund applications, filed most recent first.

Refund — All Clients

21 records across every client on record

Events

21

With evidence PDF

18

3 not captured

Refund Disbursed

6

Refund Application Filed

3

Acknowledgement Issued

3

Refund Sanctioned

2

Deficiency Memo Issued (RFD-03)

1

Show Cause Notice Issued (RFD-08)

1

Provisional Refund Order Issued (RFD-04)

1

Withdrawn

1

Refund Rejected

1

Re-credit of ITC

1

Closed

1

Search reference no., description, date...

All statuses

21 shown

Download all visible PDFs

GSTIN	Trade Name	ARN	Refund Type	Filed Date	Claimed Amount	Sanctioned Amount	Status	Documents
24AAAAA0008A1Z0	Specimen Chemicals Ltd	AA2409260083042	Export of goods with payment of tax	27/09/2026	27,60,000	0	Refund Application Filed	
29AAAAA0003A1ZV	Example Foods Pvt Ltd	AA2909260078477	Supplies to SEZ unit/developer without payment of tax (accumulated ITC)	23/09/2026	5,12,000	0	Deficiency Memo Issued (RFD-03)	
27AAAAA0007A1ZV	Fictional Exports Pvt Ltd	AA2709260074825	Export of services without payment of tax (accumulated ITC)	17/09/2026	11,85,000	0	Show Cause Notice Issued (RFD-08)	
27AAAAA0002A1Z0	Sample Pharma LLP	AA2709260060217	Refund on account of inverted tax structure (ITC)	13/09/2026	6,42,000	0	Acknowledgement Issued	
36AAAAA0010A1Z1	Illustrative Software Services Pvt Ltd	AA3608260084868	Export of services without payment of tax (accumulated ITC)	31/08/2026	10,12,000	0	Acknowledgement Issued	
24AAAAA0001A1Z7	Demo Textiles Pvt Ltd	AA2408260075738	Excess balance in electronic cash ledger	26/08/2026	86,500	0	Refund Application Filed	
24AAAAA0006A1Z2	Mock Builders LLP	AA2408260081216	Refund on account of inverted tax structure (ITC)	11/08/2026	3,81,000	3,42,900	Provisional Refund Order Issued (RFD-04)	

Desktop 1440 px

Phone 390 px

ID	Severity	Area	Issue	Suggested fix
U-75-1	High	Consistency	Status tones are inverted. 'Refund Application Filed' and 'Acknowledgement Issued' are green (success) and 'Refund Disbursed' and 'Refund Sanctioned' are neutral. The two actionable states are neutral grey: 'Show Cause Notice Issued (RFD-08)', which needs an RFD-09 reply within 15 days, and 'Deficiency Memo Issued (RFD-03)', which needs a corrected fresh application. Tiles and pills hide exactly the rows that need work. src/components/reports/views/EvidenceEventListView.tsx:50-56,274-288,430-437	Give the refund (and DRC-03) status map explicit tones: needs action (RFD-08, RFD-03) as destructive or warning with a reply-by date; in process (filed, acknowledged, provisional) as info; sanctioned or disbursed as success; rejected as destructive with 'appeal by'.
U-75-2 S-21, L-09	Medium	Content	There is no 'reply by', 'days pending' or 'next action' column. An RFD-08 needs an RFD-09 within 15 days and a complete application has a 60-day order clock (s.54(7)), but the table shows only the filed date and status. ARN links open a case folder that may never have been captured; with no items, it renders as an 'Additional Notice Folder' of empty sections. src/pages/AllClientsRefundsPage.tsx:111-137; src/components/report s/views/EvidenceEventListView.tsx:441-452	Add Next action and Due columns derived from status and folder items, and sort open rows by due date. Link the ARN only when folder items exist; otherwise show 'Fetch folder'.
U-75-3 S-21	Medium	Data	'Sanctioned Amount' shows 0 for every pending or uncaptured refund (null becomes 0), which reads as 'nothing sanctioned'. Case-only rows also show Claimed 0. src/pages/AllClientsRefundsPage.tsx:47,86-87,118; src/components/r eports/views/EvidenceEventListView.tsx:127-132	Render null as '—' (or the 'not captured' sentinel), keep 0 only for a genuine nil sanction, and leave unknowns out of the totals.
U-75-4	Medium	Layout	Thirteen tiles (one per raw status, plus 'Events' and 'With evidence PDF') take a quarter of the page and push the table below the fold on a phone. Staff stages ('Closed', and 'Open' from case rows) are mixed in as if they were portal statuses. src/pages/AllClientsRefundsPage.tsx:83-93; src/components/reports/ views/EvidenceEventListView.tsx:186-197,258-291	Group the tiles into four that filter (Needs action · In process · Sanctioned/paid · Rejected), keep the full status list in the dropdown, and show the staff stage in its own column.
U-75-5	Low	Interaction	'Download all visible PDFs' opens one browser tab per PDF through window.open (21 tabs here), the same mechanism the file's own comment says popup blockers silently stop, instead of downloading anything. src/components/reports/views/EvidenceEventListView.tsx:223-236,385-387	Zip the files (server-side, or sequential fetch plus JSZip), save one file, and label the button 'Download n PDFs (.zip)'.

ID	Severity	Area	Issue	Suggested fix
U-76-1 L-37	Medium	Logic	'Open' (12) includes 'Refund Sanctioned', 'Provisional Refund Order Issued (RFD-04)' and 'Re-credit of ITC', so the count overstates pending work. src/pages/AllClientsRefundsPage.tsx:106-109	Use one shared refund status map: sanction, payment and re-credit count as closed; a partial rejection stays open with an appeal clock.
U-76-2	Medium	Interaction	The URL filter is invisible: the status dropdown still says 'All statuses' and the 'Events' tile is highlighted as if nothing were filtered. Only the small subtitle '12 records, status Open' reveals the filter, and there is no chip to clear it. src/pages/AllClientsRefundsPage.tsx:52,107-109,130-131; src/components/reports/views/EvidenceEventListView.tsx:136,260-262,305-317	Show an 'Open only' chip with a remove control next to the search box, and reflect the filter in the tile and dropdown state.
U-76-3	Low	Layout	Open refunds are sorted newest-filed first rather than by urgency, and the TOTAL row (claimed and sanctioned) sits at the bottom of an inner 65vh scroll box, invisible unless the table itself is scrolled. src/components/reports/views/EvidenceEventListView.tsx:208-219,338,480-497	Sort open rows by reply-by date or age, and pin the totals in a sticky footer or the card header.

DRC-03 — All Clients

Every client's DRC-03 voluntary payments, filed most recent first.

DRC-03 — All Clients
27 records across every client on record

Events
27

With evidence PDF
24
3 not captured

Acknowledged
19

Pending for Action by Tax Officer
5

Open
2

All statuses ▾ 27 shown

[Download all visible PDFs](#)

GSTIN	Trade Name	ARN	Cause of Payment	Section	FY	Filed Date	Period	Taxable Value	IGST	CGST	SGST	Cess	Interest	Late
24AAAAA0006A1Z2	Mock Builders LLP	AD2409260098563	Intimation of tax ascertained through form GST DRC-01A	Section 73(5)	2023-24	30/09/2026	01/04/2023 to 31/03/2024	0	0	7,700	7,700	0	1,950	
24AAAAA0001A1Z7	Demo Textiles Pvt Ltd	AD2409260071122	Voluntary	Section 73(5)	2025-26	26/09/2026	01/04/2025 to 31/03/2026	0	0	62,000	62,000	0	3,300	
06AAAAA0011A1Z3	Sandbox Auto Components Pvt Ltd	AD0609260106780	Voluntary	Section 73(5)	2025-26	23/09/2026	01/04/2025 to 31/03/2026	0	8,900	0	0	0	210	
33AAAAA0004A1Z5	Test Engineering Works	AD3309260062956	Voluntary payment through DRC-03 under section 73(5)	—	—	20/09/2026	— to —	0	0	0	0	0	0	
33AAAAA0004A1Z5	Test Engineering Works	AD3309260094911	Voluntary	Section 73(5)	2025-26	15/09/2026	01/04/2025 to 31/03/2026	0	0	9,800	9,800	0	640	
36AAAAA0010A1Z1	Illustrative Software Services Pvt	AD3609260104041	Liability mismatch ~ GSTR-1 to GSTR-3R	Others	2025-26	10/09/2026	01/04/2025 to 31/03/2026	0	46,800	0	0	0	2,100	

Phone 390 pxPage 90 of 136

LITIGATION · SCREEN 50 OF 78

```
/litigation · Module tab "Hearings"
```

A plain filter-and-table list ordered by creation date. It shows a single "Due date" clock, includes closed matters by default, and leaves the largest open exposure (₹2.85 cr, order received, appeal clock running) as the last row of an inner scroll box. Nothing is suggested or prioritised for the user.

Desktop 1440 px


src/pages/LitigationMattersPage.tsx:382

Create Litigation Matter dialog (filled)

/litigation · Click "Create Matter", fill the form

3/10

The dialog creates an empty shell: no linked notice, amounts, dates, FY or forum. The lifecycle shows its raw code and "Authority" confuses jurisdiction with forum, so every matter made here starts at ₹0 with no clock.




Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-82-1 L-38	High	Data	The dialog captures only client, lifecycle, title, section, priority and authority (lines 144-151, 206-217). It skips linked notices or order, FY, demand by head, notice/order date, due and limitation dates, officer and jurisdiction, although the table has columns for most of these (financial_years, officer, jurisdiction, limitation_date). Screen 95 shows the result: ₹0, no dates, no notices, Activity (0). src/pages/LitigationMattersPage.tsx:144	Make "From notices" the default path: pick the client, tick unlinked notices or a portal case (suggestMatters), then prefill title (form + section + FY), demand (amount_of_demand or the DRC-07 heads), due date (notice due), officer (issued_by) and limitation (order date + litigation_rules). Keep "Blank matter" as a secondary tab, and save through createMatter so the "created" event is logged.
U-82-2	Medium	Content	The lifecycle trigger shows "registration" in lower case: the items are only capitalised by CSS (lines 482-484), so the trigger shows the raw text. The 15 options mix subjects (demand, refund, registration, summons) with forums and steps (appeal, tribunal, rectification), with no grouping or help text. src/pages/LitigationMattersPage.tsx:477	Render labels from a LIFECYCLE_LABEL map (e.g. "Registration — REG-03/REG-17"). Keep subject and forum as separate fields, and infer both from the notice form when the matter is created from notices.
U-82-3	Medium	Content	"Authority" offers only CGST and SGST (lines 525-533). That is the administrative jurisdiction, not the forum, so a matter before the Appellate Authority, GSTAT or a High Court cannot be recorded. The table has officer and jurisdiction columns, but the dialog never asks for them. src/pages/LitigationMattersPage.tsx:525	Split the field into Jurisdiction (Centre/State), Forum (Adjudicating authority / Appellate authority s.107 / GSTAT s.112 / High Court / Supreme Court) and Officer & designation, prefilled from the notice's issued_by.
U-82-4	Low	Interaction	Client is a plain Select of all clients with no search (lines 461-472), a long scroll with 90+ GSTINs. Required fields are checked only by a toast after Create is clicked (lines 196-198), and nothing warns that the client already has an open matter of the same lifecycle. src/pages/LitigationMattersPage.tsx:461	Use SearchableSelect (components/ui/searchable-select.tsx). Disable Create until the form is valid and show inline errors. List "Open matters for this client: ..." under the field to prevent duplicates.

Matter detail — Notices tab

/litigation/9a000000-0000-4000-8000-000000000001 · Matters list → click M-2026-0001

All the facts are on the page but not organised as a workspace. The matter number is the title, the client appears twice, the demand tiles are unformatted editable inputs, dates are bare with no clock or time, and linked notices cannot be opened. It is far from the target notice workspace that a matter page should match.



ID	Severity	Area	Issue	Suggested fix
U-84-1	High	Layout	The H1 is the matter number (line 495) and the real title sits in a card below it (line 521). Client and GSTIN appear twice (lines 499-502 and 524-526). There is no breadcrumb, no stepper of the legal path (DRC-01A → DRC-01 → reply → PH → order → appeal) and no Key facts rail. financial_years and jurisdiction ("Surat CGST Commissionerate") are stored but never shown, and matter_stage_history is written but never displayed. src/pages/LitigationMatterDetailPage.tsx:495	Adopt the target workspace layout. Add a breadcrumb (Notices & Litigation > Matters > client) and make the H1 the title. Use a meta line such as "M-2026-0001 · s.73 · FY 2021-22 · AC Div-II, Surat CGST" and a chip row for clocks, priority, owner and reviewer. Add a forum stepper dated from stage history and linked notices, and four KpiTiles. Put the tabs on the left and Key facts, Next action and Documents in a right rail.
U-84-2 L-28	High	Data	Demand Tax, Interest, Penalty and Cess are uncontrolled type=number inputs styled as KPI tiles (lines 648-653). They save on every blur with no dirty check, confirmation or event (lines 482-490), and show 1240000 unformatted. Clearing a field silently saves 0. After a failed save the input keeps the unsaved value. Any staff login can change them. src/pages/LitigationMatterDetailPage.tsx:482	Show formatted read-only KpiTiles (₹12,40,000) and move editing to an "Edit demand" dialog: NumberInput with Indian grouping, source (SCN para or order), reason, and a permission gate. Save through litigationData.updateMatter so field_changed events are logged. Prefill from the DRC-07 or notice amounts instead of retyping.
U-84-3 L-09, L-33	High	Logic	None of the dates works as a clock. "Due date 09/10/2026" has no days-left count or overdue tone (line 551), although the list colours the same date amber. "Limitation" is "—" (line 555). "Next hearing 14/10/2026" drops the 10:30 time (fmtDate, line 559). Nothing says what each date is for (DRC-06 reply, PH u/s 75(4), s.107 appeal). src/pages/LitigationMatterDetailPage.tsx:551	Add a Clocks strip: "Reply DRC-06 · 09/10 · 4 d left", "PH · 14/10 10:30 · Room 204", and "Appeal (s.107) · ... + condonation" once an order is recorded, each with its statutory basis and source. Read matter_deadlines, adding a matter_id column first; today it is keyed by notice_id only (20260914140000_notice_alerts_phase1.sql:89).
U-84-4	Medium	Interaction	Linked notices are dead rows (lines 700-711): clicking opens no drawer, PDF, case folder or portal page. Type shows the portal's raw "Determination Of Tax" instead of the form (DRC-01), and descriptions are cut at 200 px with no tooltip. There is no Link or Unlink action, although linkNoticesToMatter and unlinkNotice exist (lib/litigationData.ts:380, 401). src/pages/LitigationMatterDetailPage.tsx:700	Open the NoticeDrawer (or /notices/:id) from the row. Add PDF, form code, due, reply date and ARN columns. Add "Link notices..." (multi-select over the client's unlinked notices) and Unlink, both logged.
U-84-5	Medium	Consistency	The action row is four equal outline h-7 buttons (lines 614-633): "Change Stage" has no icon, Close is red text, and nothing marks the next step. The Owner, Priority and Reviewer selects sit in the facts grid among read-only facts. "Next action" is display-only and cannot be set anywhere (lines 606-611). src/pages/LitigationMatterDetailPage.tsx:614	Use a header action bar as in the target: a primary button for the next legal step ("Record reply filed", "Record order", "Start appeal") and a ... menu for stage and close. Show owner, reviewer and priority as chips with popover editors, and make Next action editable inline with a due date and owner.



M-2026-0001

Demo Textiles Pvt Ltd
24AAAAA9991A1Z7
Reply drafting

Dashboard
Work Queue
Matters
Hearings
Clients
Reports

← All matters

DRC-01 SCN u/s 73 — FY 2021-22 ITC on cancelled suppliers

Demo Textiles Pvt Ltd (24AAAAA9991A1Z7) - S.73

DUE DATE
09/10/2026

LIMITATION
—

NEXT HEARING
14/10/2026

AUTHORITY
CGST - Assistant Commissioner, Division-II

OWNER
Associate One

PRIORITY
High

REVIEWER
Partner Demo

NEXT ACTION
Partner to review draft DRC-06 reply; file by 09/10

Change Stage
Close
Schedule Hearing
Record Payment

DEMAND TAX
1240000

DEMAND INTEREST
496000

DEMAND PENALTY
124000

DEMAND CESS

OUTSTANDING
₹17,36,000
Paid: ₹1,24,000 / Pre-deposit: ₹0

Notices (2)
Hearings (2)
Payments (1)
Documents (4)
Activity (6)

DATE	MODE	VENUE	OFFICER	OUTCOME	ADJOURNED	
14/10/2026	Physical	Room 204, CGST Bhavan, Surat	Assistant Commissioner	—	—	Record Outcome
22/09/2026	Physical	Room 204, CGST Bhavan, Surat	Assistant Commissioner	Adjourned	Yes	Edit

Desktop 1440 px

Page 95 of 136

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-86-1 L-31	High	Logic	Outstanding = demand – paid_total (line 267) and ignores pre_deposit_total. This appeal shows ₹44,24,000 here but ₹41,44,000 in MIS By Client and in the PDF: two answers for one matter. The tile caption "Paid ₹0 / Pre-deposit ₹2,80,000" does not explain the gap. src/pages/LitigationMatterDetailPage.tsx:267	Compute every page's figures with one matterMoney() helper and show the arithmetic in the tile: "₹44,24,000 – pre-deposit ₹2,80,000 – paid ₹0 = ₹41,44,000".
U-86-2 R-21	High	Data	The pre-deposit row carries a drc03_arn (the synced "Section 107(6) pre-deposit" DRC-03), but the table has no ARN column (lines 779-803). Nothing offers the client's synced DRC-03 filings for linking, so the payment is never reconciled with the portal record. src/pages/LitigationMatterDetailPage.tsx:779	Add an ARN column linking to the DRC-03 record and PDF. Add a "Link DRC-03" picker over the client's unlinked gst_drc03_filings that prefills IGST/CGST/SGST/Cess and cash/credit. Show "Linked to portal" chips and coverage ("2 of 2 payments linked").
U-86-3 L-32	Medium	Content	The pre-deposit is just another payment row. Nothing shows the requirement (10% of disputed tax ₹28,00,000 = ₹2,80,000 u/s 107(6)), that recovery of the balance is deemed stayed once it is paid (s.107(7)), the further pre-deposit due before GSTAT (s.112(8)), or that it is refundable with interest if the appeal succeeds (s.115). Verify the current caps and rates. src/pages/LitigationMatterDetailPage.tsx:792	Add a Pre-deposit panel: required amount (from litigation_rules) against paid, a status such as "Balance ₹41,44,000 — recovery stayed u/s 107(7)", and a preview of the next forum's deposit. Keep the payments table for the transactions.
U-86-4	Medium	Data	"First appeal against DRC-07 — FY 2020-21 (s.73 order)" is a separate matter with no link to the demand matter it came from. The schema has no parent_matter_id, so the SCN, reply, PH and order history cannot be seen from the appeal. supabase/migrations/20260914160000_litigation_core_phase3.sql:7	Add parent_matter_id and a "Start appeal" action that creates the child matter with the parent's facts. Show the whole chain (SCN → Order → APL-01 → APL-04 → GSTAT) as one stepper across parent and child.
U-86-5	Low	Consistency	The payments table has no total row. Its "Pre Deposit" label differs from the dialog's "Pre-deposit", zero heads print "₹0" instead of "—", remarks are muted, and right-aligned money headers beside a left-aligned "Paid on" leave an uneven gap. src/pages/LitigationMatterDetailPage.tsx:794	Add a WS_TR_TOTAL footer, take labels from the shared label map, print "—" for zero heads, and use WS_TD_NUM for money cells.



M-2026-0001

Demo Textiles Pvt Ltd
24AAAAA0001A1Z7
Reply drafting

Dashboard
Work Queue
Matters
Hearings
Clients
Reports

← All matters

DRC-01 SCN u/s 73 — FY 2021-22 ITC on cancelled suppliers

Demand High

Demo Textiles Pvt Ltd (24AAAAA0001A1Z7) - s.73

DUE DATE
09/10/2026

LIMITATION
—

NEXT HEARING
14/10/2026

AUTHORITY
CGST - Assistant Commissioner, Division-II

OWNER
Associate One

PRIORITY
High

REVIEWER
Partner Demo

NEXT ACTION
Partner to review draft DRC-06 reply; file by 09/10

Change Stage

Close

Schedule Hearing

Record Payment

DEMAND TAX

1240000

DEMAND INTEREST

496000

DEMAND PENALTY

124000

DEMAND CESS

OUTSTANDING

₹17,36,000

Paid: ₹1,24,000 / Pre-deposit: ₹0

Notices (2)
Hearings (2)
Payments (1)
Documents (4)
Activity (6)

Documents

+ Add Document

TITLE	KIND	SOURCE	ADDED
Draft reply DRC-06 v2	Reply	Manual	18h ago

ID	Severity	Area	Issue	Suggested fix
U-87-1 R-18, R-01	High	Data	Rows are text only, with no open, preview or download (lines 834-841), although matter_documents has storage_path, mime and size_bytes (migration lines 112-114). "DRC-01 Show Cause Notice · Portal" is listed by name while the PDF itself sits on the linked notice (gst_notices.pdf_url) and in the case-folder items. src/pages/LitigationMatterDetailPage.tsx:834	Make the tab a union of the linked notices' PDFs, case-folder attachments and uploaded files, each with a source chip and open/preview/download. Serve files from a private bucket through signed URLs (R-01).
U-87-2 R-11	Medium	Interaction	Documents are not grouped by proceeding (Notice → Reply → Evidence → Hearing → Order → Appeal). There is no paper-book or hearing-kit builder and no way to ask the client for a missing document; the purchase register marked "Client" came in with no request or tracking. src/pages/LitigationMatterDetailPage.tsx:810	Group documents by kind with counts. Add multi-select → "Make paper book (PDF)" with an index and page numbers, and "Request from client" to create a tracked request with ageing.
U-87-3	Low	Content	matter_documents.notice_id and uploaded_by are never shown, so a document cannot be traced to its notice or to who added it. The card heading repeats the tab name ("Documents"), and Kind and Source are lower-case codes capitalised by CSS. src/pages/LitigationMatterDetailPage.tsx:812	Add "Relates to" (notice or hearing) and "Added by" columns, remove the duplicate heading, and take labels from the shared map.

M-2026-0001

Demo Textiles Pvt Ltd 24AAAAA0001A1Z7 ● Reply drafting

🔔

Dashboard
Work Queue
Matters
Hearings
Clients
Reports ▾

← All matters

DRC-01 SCN u/s 73 — FY 2021-22 ITC on cancelled suppliers

Demo Textiles Pvt Ltd (24AAAAA0001A1Z7) - s.73

Demand High

DUE DATE 09/10/2026	LIMITATION —	NEXT HEARING 14/10/2026	AUTHORITY CGST - Assistant Commissioner, Division-II
OWNER Associate One ▾	PRIORITY High ▾	REVIEWER Partner Demo ▾	NEXT ACTION Partner to review draft DRC-06 reply, file by 09/10

Change Stage
⊘ Close
📅 Schedule Hearing
\$ Record Payment

DEMAND TAX

1240000

DEMAND INTEREST

496000

DEMAND PENALTY

124000

DEMAND CESS

OUTSTANDING

₹17,36,000

Paid: ₹1,24,000 / Pre-deposit: ₹0

Notices (2)
Hearings (2)
Payments (1)
Documents (4)
Activity (6)


- document added by Associate One 18h ago
title: Draft reply DRC-06 v2 - kind: reply
- stage changed by Associate One 27/09/2026
from: Awaiting client data - to: Reply drafting - note: null
- payment added by Associate One 26/09/2026
kind: voluntary - amount: 124000
- hearing outcome by Associate One 22/09/2026
outcome: Adjourned - adjourned: true

ID	Severity	Area	Issue	Suggested fix
U-88-1	Medium	Content	Payloads print as <code>\$\$k}: \${v}</code> (line 865), giving "note: null", "notice_ids: a1000000-0000-4000-8000-000000000018 · count: 1", "kind: voluntary · amount: 124000" and "lifecycle: demand · stage: Captured". <code>src/pages/LitigationMatterDetailPage.tsx:865</code>	Render each event type as a sentence: "Stage: Awaiting client data → Reply drafting", "Payment ₹1,24,000 · Voluntary (DRC-03 ...071122)", "Linked DRC-01 ZD2409092601718". Omit null fields.
U-88-2 L-28	Medium	Data	The history is incomplete. Demand edits (lines 482-490) and matters created from the list log nothing, and <code>logEvent</code> ignores insert errors (lines 271-279). System events ("created", "notices linked") carry no actor, so the log cannot be used as an audit trail. <code>src/pages/LitigationMatterDetailPage.tsx:271</code>	Write <code>matter_events</code> from DB triggers on <code>litigation_matters</code> and the <code>matter_*</code> tables so no path can skip them. Label the actor "System (portal sync)" or the staff name, and show absolute timestamps.
U-88-3	Medium	Interaction	Events load once on mount (lines 211-242). Stage changes, payments, hearings and documents insert events but never add them to state, so the tab and its "(6)" count stay stale until a reload. <code>src/pages/LitigationMatterDetailPage.tsx:219</code>	Append the inserted event to state (<code>insert ... select()</code>), or refetch events after each action.
U-88-4	Low	Interaction	Plain grey bullets give no cue to event type. There is no filter and no way to add a note, and events from the linked notices (<code>notice_events</code>) are not merged in. <code>src/pages/LitigationMatterDetailPage.tsx:856</code>	Use a timeline with type icons and filter chips (stage · hearing · money · documents · notes), an "Add note" box (event_type "note"), and the linked notices' events merged in.

Change Stage dialog

/litigation/9a000000-0000-4000-8000-000000000001 · Matter detail → "Change Stage" → open the stage list

Any of 11 stages can be picked, regardless of lifecycle or legal order. A matter can be set to "Closed" without being closed, and the step records no date or reference.




Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-89-1	High	Logic	"Closed" is one of the stages (lines 110-114, 888), and handleStageChange updates only stage (lines 285-288). status stays "Open" and closed_at/closed_reason stay empty. The list's Status filter (stage-based) then calls the matter closed, while the MIS, the PDF and the page's own Close button still treat it as open. src/pages/LitigationMatterDetailPage.tsx:285	Remove "Closed" from Change Stage and close only through Close Matter. Enforce it with a DB trigger or CHECK so stage = "Closed" if and only if status = "Closed".
U-89-2 L-25	Medium	Logic	One list serves every lifecycle and mixes internal workflow states (Captured, Triage, Awaiting client data, Reply drafting, Partner review) with legal stages (Hearing, Order received, Appeal filed). The order is odd ("Appeal decision" comes before "Appeal filed"), GSTAT, High Court and recovery are missing, and any jump is allowed. src/pages/LitigationMatterDetailPage.tsx:110	Split it into two fields, Forum stage (SCN → Reply filed → PH → Order → First appeal → GSTAT → HC; Recovery) and Work status, with allowed transitions per lifecycle and the likely next step suggested. Show them as the page stepper.
U-89-3 L-09	Medium	Data	A stage change takes only an optional note, hidden under the open list (lines 892-895). There is no event date, ARN, order number, DIN or attachment, so "Filed/submitted" or "Order received" cannot start the next clock; the appeal period runs from communication of the order (s.107(1)). src/pages/LitigationMatterDetailPage.tsx:892	Ask for stage-specific facts. Filed: date, ARN and reply PDF, prefilled from the case-folder REPLY item. Order received: order no., order date, communication date and confirmed demand by head, prefilled from DRC-07, which computes limitation and condonation. Appeal filed: APL-01 ARN, date and pre-deposit.

Close Matter dialog

/litigation/9a000000-0000-4000-8000-000000000001 · Matter detail → "Close" → open reason list

Closing is one dropdown: no order reference or amounts, "Auto-closed" offered as a manual choice, and closing as "Lost" does not start the appeal clock.




Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-90-1 L-09, L-32	High	Logic	"Lost" and "Partly Allowed" simply close the matter (lines 328-347). Nothing records the order date or opens the next forum, so the appeal limitation (3 months + 1 month condonation u/s 107; s.112 for GSTAT) goes untracked from the moment it starts. src/pages/LitigationMatterDetailPage.tsx:328	On Lost or Partly allowed, ask "Appeal?". Yes creates a linked appeal matter (parent_matter_id) with limitation from the communication date and the 10% pre-deposit computed. No records the decision with partner sign-off.
U-90-2	Medium	Data	"Auto-closed" (value "auto:closure", line 921) can be chosen by hand, so manual closes cannot be told apart from the system's auto-closes that reviewers rely on (docs/NOTICES_LITIGATION_POSITIONS.md). src/pages/LitigationMatterDetailPage.tsx:921	Remove it from the manual list and show auto-close reasons read-only, together with the rule that fired.
U-90-3 L-41	Medium	Data	Closing records no facts: no order number or date, no confirmed, dropped or paid amounts, no closing document (DRC-05, ASMT-12, APL-04) and no approval. The reason is stored as a bare code and later shown raw as "Closed: paid" (line 541). src/pages/LitigationMatterDetailPage.tsx:907	Add a closure form: order reference and date (prefilled from the linked ORDRS folder item), amounts by head, an outcome code with a note, and the closing order attached. This also gives the MIS win/loss and time-to-close.
U-90-4	Low	Consistency	The confirm button is variant="destructive" (red, line 927), so it reads as "delete", although closing can be undone with Reopen. src/pages/LitigationMatterDetailPage.tsx:927	Use a primary "Close matter" button and keep destructive styling for actions that cannot be undone.

Schedule Hearing dialog

/litigation/9a000000-0000-4000-8000-000000000001 · Matter detail → "Schedule Hearing"

The form opens blank even though the matter knows the officer and venue, and it saves the time without a timezone into timestamptz columns. It sets up no preparation, reminder or calendar entry, and a scheduled hearing cannot be edited afterwards.




Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-91-1	High	Data	The datetime-local value ("2026-10-14T10:30", no offset; line 941) is written straight into matter_hearings.scheduled_at and litigation_matters.hearing_at, both timestamptz (lines 369, 377). Postgres reads offset-less input in the session time zone, which is UTC on Supabase, so an 11:00 IST hearing is stored as 16:30 IST and entries after 18:30 move to the next day. The outcome dialog's next date (line 1005) has the same bug. Verify the DB TimeZone on gcquafqxbykxbexcdpy. src/pages/LitigationMatterDetailPage.tsx:941	Convert in the browser before insert (new Date(v).toISOString(), or append "+05:30"), and always display in Asia/Kolkata.
U-91-2 L-33	Medium	Interaction	Venue, officer and mode start empty (lines 182-185), although the matter already holds officer "Assistant Commissioner, Division-II" and the previous hearing was in "Room 204, CGST Bhavan, Surat". There are no fields for the hearing-notice reference, purpose, attendees (attended_by is unused), reminder or calendar entry. src/pages/LitigationMatterDetailPage.tsx:182	Prefill from matter.officer and jurisdiction and from the last hearing. Add purpose (PH u/s 75(4) / appeal / GSTAT), attendees (staff multi-select), notice reference, T-3/T-1 reminders through email_outbox kind "hearing" (already allowed) and an ICS download.
U-91-3	Medium	Logic	Nothing is validated: past dates are accepted and clashes with the owner's other hearings are not checked. matter.hearing_at is always overwritten with the new date, even when an earlier hearing is still to come (lines 376-378), and the stage does not move to "Hearing". src/pages/LitigationMatterDetailPage.tsx:376	Require a future date, warn on same-day clashes for the owner and attendees, set hearing_at to the earliest upcoming scheduled_at, and offer "Move stage to Hearing".
U-91-4	Medium	Interaction	A scheduled hearing cannot be edited, rescheduled or cancelled; rows offer only "Record Outcome" or "Edit" of the outcome (lines 748-762). A date change therefore means adding a second hearing row. src/pages/LitigationMatterDetailPage.tsx:748	Add Reschedule (keeping history, e.g. "Rescheduled by department"), Cancel with a reason, and Edit details on each upcoming hearing.

Record Hearing Outcome dialog

/litigation/9a000000-0000-4000-8000-000000000001 · Hearings tab → "Record Outcome" on the upcoming hearing → tick Adjourned

The form saves with an empty outcome, asks about adjournment twice, shows the saved next date as blank when reopened, and records nothing that moves the matter forward.




Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-92-1	High	Logic	An outcome does not change the matter. "Order reserved", "Order passed", "Dismissed", "Allowed" and "Partly allowed" leave stage, money and clocks as they were (lines 430-459). Directions given at the hearing, such as "written submissions within 15 days", survive only as free-text notes. src/pages/LitigationMatterDetailPage.tsx:430	Attach a next step to each outcome. Order passed opens "Record order" (no., date, amounts; stage Order received; appeal clock). Submissions directed creates a dated task or deadline. Adjourned creates the next hearing row (U-85-2).
U-92-2	Medium	Interaction	"Save Outcome" is enabled while "Select outcome" is still empty; it is disabled only during saving (line 1015). The "Adjourned" outcome and the "Adjourned to next date" tick are independent (lines 978-1007): choosing the outcome without the tick saves no next date, and ticking without a date also saves. src/pages/LitigationMatterDetailPage.tsx:1015	Make the outcome required. Choosing "Adjourned" should reveal a required next date and time and set adjourned automatically; drop the separate checkbox.
U-92-3	Medium	Data	"Edit" on a recorded hearing loads next_date as an ISO timestamp (line 756), which is not a valid datetime-local value. The browser shows "Next Hearing Date" blank although a date is saved, inviting the user to re-enter it or lose it. src/pages/LitigationMatterDetailPage.tsx:756	Convert the stored timestamp to "YYYY-MM-DDTHH:mm" in IST when the dialog opens, and convert it back on save.
U-92-4	Low	Accessibility	The adjourned control is a native checkbox (lines 993-999, browser-default blue) instead of the kit Checkbox, and the dialog does not say which hearing is being recorded. src/pages/LitigationMatterDetailPage.tsx:993	Use the shadcn Checkbox or Switch, and add a DialogDescription such as "Hearing of 14/10/2026 10:30 · Room 204, CGST Bhavan".

Record Payment dialog (kind list open)

/litigation/9a000000-0000-4000-8000-000000000001 · Matter detail → "Record Payment" → open Kind

Every kind of payment, including "Refund Received", is added to paid_total. Amounts are free-typed numbers with no DRC-03 link, and an all-blank form can be saved.




Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-93-1 L-31	High	Logic	handleAddPayment adds the total of any kind to paid_total (line 403). A "Refund Received" therefore lowers Outstanding as if tax had been paid, and a "Pre-deposit" never reaches pre_deposit_total. The kind-aware litigationData.addPayment (lib/litigationData.ts:514) is not used. src/pages/LitigationMatterDetailPage.tsx:403	Save through addPayment, extended so refund_received reduces pre-deposit or paid in a separate refund ledger. Before saving, preview the effect ("Outstanding ₹17,36,000 → ₹...").
U-93-2 R-21	Medium	Data	There is no ARN, CPIN or challan field and no way to pick a synced DRC-03 filing, although matter_payments.drc03_arn exists. Staff retype head-wise figures the extension already fetched, and nothing reconciles the two: in the fixture the linked DRC-03 ...071122 totals ₹1,27,300 (including ₹3,300 interest) against ₹1,24,000 typed as tax only. src/pages/LitigationMatterDetailPage.tsx:1074	Make the first field "Link DRC-03 / challan": search the client's gst_drc03_filings by ARN, date or section and prefill the heads, cash/credit and paid_on. Keep manual entry as a fallback, with the ARN required for DRC-03 kinds.
U-93-3	Medium	Interaction	"Record" is enabled with every amount blank (line 1097), so it inserts a ₹0 payment and an event. Paid-on is optional, amounts can exceed the outstanding head and drive Outstanding negative, and the type=number inputs have no Indian grouping (lines 1087-1090). src/pages/LitigationMatterDetailPage.tsx:1086	Require an amount above 0 and a date no later than today. Show each head's outstanding beside its input and warn when it is exceeded. Use NumberInput with grouping.
U-93-4	Low	Content	Four kinds leave out common cases: tax and interest paid within 30 days of the SCN to close it (s.73(8)), payment with reduced penalty (s.74(8)/74A), pre-deposit debited through APL-01, adjustment against a refund (s.54(10)), and recovery by the department (s.79). Verify the list with the firm. src/pages/LitigationMatterDetailPage.tsx:1079	Give each kind help text with its statutory basis, and report "Recovery by department" apart from voluntary payments in the MIS.

Add Document dialog

/litigation/9a000000-0000-4000-8000-000000000001 · Documents tab → "Add Document"

"Add Document" adds only a title. There is no file picker even when the source is "Manual Upload", so the matter cannot hold its documents.



ID	Severity	Area	Issue	Suggested fix
U-94-1 R-18	High	Data	There is no file input. The dialog saves title, kind and source only (lines 464-469, 1022-1067), although the table has storage_path, mime and size_bytes. The default source "Manual Upload" (line 1052) promises an upload that never happens. src/pages/LitigationMatterDetailPage.tsx:1022	Add a drag-and-drop picker (multiple files) that uploads to a private bucket served through signed URLs, takes the title from the filename and guesses the kind from the form code in the name.
U-94-2	Medium	Interaction	Portal documents that are already synced (notice PDFs, case-folder attachments) cannot be attached by reference. Choosing "GST Portal" as the source links nothing. src/pages/LitigationMatterDetailPage.tsx:1048	Add a "From portal" tab listing the client's case-folder items and notice PDFs that are not yet on the matter. Attach them by reference and set the source automatically.
U-94-3	Low	Content	Kind defaults to "Order" whatever the context (line 208). The document's own date (order date, reply date) is not captured, and neither is the notice or hearing it belongs to, although matter_documents.notice_id exists. src/pages/LitigationMatterDetailPage.tsx:208	Default the kind from the tab or stage, and capture the document date and what it relates to (notice or hearing).

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-95-1	High	Logic	Create writes status "open" (LitigationMattersPage.tsx:215) but the detail page tests status === "Open" (line 618). The open matter therefore shows "Reopen" and no "Close". Clicking Reopen moves it to stage "Triage" and logs a false "reopened" event (lines 349-362). src/pages/LitigationMatterDetailPage.tsx:618	Write "Open" (or create through createMatter), compare through a shared isMatterOpen(), normalise existing rows, and add CHECK (status IN ('Open','Closed')).
U-95-2	Medium	Content	With no demand entered, the Outstanding tile shows "₹0" in green success styling (lines 657-660), so an unknown amount reads as settled. src/pages/LitigationMatterDetailPage.tsx:657	When demand is 0 or null, show a neutral "Demand not recorded" with an "Add from notice/order" action. Use green only for matters that are closed or fully paid.
U-95-3 L-30	Medium	Empty/error state	This creation path logs no "created" event (Activity (0)) and links no notice. The Notices tab then dead-ends at "No notices linked to this matter." with no action (lines 684-686). src/pages/LitigationMatterDetailPage.tsx:684	Create through createMatter, which logs "created", and give the empty state a call to action: "Link notices from Placeholder Logistics (n unlinked)".
U-95-4 L-34	Low	Data	The toast reads "Matter M-2026-0012 created" although the highest 2026 number is M-2026-0009. count(*)+1 across all years skips 0010-0011, and those numbers can later collide with the drawer's max+1 numbering. src/pages/LitigationMattersPage.tsx:202	Number matters from a per-year DB sequence via an RPC, with matter_no unique.

Closure shows only as small raw chips ("Closed: paid", "Voluntary_payment"), every edit control stays active, and there is no closure summary.

M-2026-0008

Illustrative Software Services Pvt Ltd 36AAAAA0916A1Z11 • Closed

DashboardWork QueueMattersHearingsClientsReports ▾

All matters

DRC-03 voluntary payment against ASMT-10 — FY 2023-24

Illustrative Software Services Pvt Ltd (36AAAAA0916A1Z11) - S.73(5)

Voluntary paymentLowClosed: paid

DUE DATE—

LIMITATION—

NEXT HEARING—

AUTHORITYCGST

OWNERAssociate One ▾

PRIORITYLow ▾

REVIEWERNone ▾

Change StageReopenSchedule HearingRecord Payment

DEMAND TAX342000

DEMAND INTEREST41040

DEMAND PENALTY

DEMAND CESS


OUTSTANDING₹0
Paid: ₹3,83,040 / Pre-deposit: ₹0

Notices (1)Hearings (0)Payments (1)Documents (0)Activity (1)

TYPE	REFERENCE	DESCRIPTION	ISSUE DATE	DUE DATE	STATUS	DEMAND
Voluntary Payment	ZD36279626923B4	Voluntary payment through DRC-03 under section 73(5)	27/06/2026	—	Closed	—

ID	Severity	Area	Issue	Suggested fix
U-96-1	Medium	Interaction	A closed matter keeps every edit control: Change Stage, Schedule Hearing, Record Payment, the Owner, Priority and Reviewer selects, and the editable demand inputs (lines 567-656). It can be changed without notice, moving the MIS totals. Reopen has no confirmation and forces stage "Triage" (line 352), losing the stage the matter closed at. src/pages/LitigationMatterDetailPage.tsx:614	Make closed matters read-only. Reopen through useConfirm with a reason, and restore the last stage from matter_stage_history.
U-96-2	Medium	Content	Closure is a 9px chip showing the raw value ("Closed: paid", line 541) next to a "Voluntary_payment" chip (line 532: CSS capitalize keeps the underscore). closed_at, who closed it and the closing reference are never shown. src/pages/LitigationMatterDetailPage.tsx:539	Show a closure banner such as "Closed 02/07/2026 by Associate One · Paid / Settled · DRC-03 AD...", linking to the closing event and document.
U-96-3	Low	Logic	A DRC-03 voluntary payment against an ASMT-10 is its own matter (lifecycle "voluntary_payment"), although it settles the scrutiny rather than being a dispute. It inflates matter counts (MIS "Closed matters 2"). Verify with the firm. src/pages/LitigationMattersPage.tsx:52	Drop "voluntary_payment" as a lifecycle. Record the DRC-03 as a payment on the scrutiny matter it settles and close that matter as Paid / Settled.

Six large numbers above an empty page. Exposure is not split by tax, interest and penalty, proposed vs confirmed, or forum, and refund claims are counted in "Outstanding". The partner cannot see what falls due next or what changed.



ID	Severity	Area	Issue	Suggested fix
U-100-1	High	Layout	The landing tab is six tiles and about 70% blank page (lines 473-496). The partner's questions take five more tab clicks or get no answer: what is due in the next 14 days, exposure by forum, top clients, unassigned or stale matters, and this month's movement. src/pages/LitigationMISPage.tsx:473	Turn this tab into a one-screen summary like the target dashboard. Tiles: Exposure (split tax/interest/penalty), Pre-deposit, Paid, Outstanding, Hearings 14 d, Appeal clocks ≤30 d. Below them: a "Next 14 days" list, "Exposure by forum" bars in ₹ lakh, "Top clients" and "Needs attention", each linking to the filtered matters list.
U-100-2	High	Logic	Totals add unlike amounts. The refund matter (M-2026-0007, RFD-08 SCN, ₹11,85,000) is summed into Total exposure and Outstanding, because demand() covers all lifecycles (lines 71-73, 152). Amounts proposed in SCNs are added to amounts confirmed by orders (the ₹2.85 cr DRC-07). Nothing says the tiles cover open matters only, or that interest is frozen at the typed figure although s.50 interest keeps accruing (verify the firm's position). src/pages/LitigationMISPage.tsx:152	Report "Refund at stake" apart from tax demand. Split exposure into Proposed (intimation/SCN) and Confirmed (order/appeal). Add a subtitle such as "open matters · as at 05/10/2026 15:10", and optionally show interest accrued to date.
U-100-3	Medium	Interaction	The MIS has no filters and no period. It cannot be sliced by owner, client, FY, lifecycle or forum, and shows no movement (matters opened or closed, exposure added or released this month). src/pages/LitigationMISPage.tsx:365	Add one filter bar shared by all tabs and kept in the URL, an "as at" stamp, and a "Movement this month" tile with drill-through.
U-100-4	Medium	Consistency	The tiles are hand-made 30px full-rupee cards (line 486), not KpiTile, and "₹3,63,84,800" overflows at 390 px. Outstanding, a derived figure, comes before Total exposure, and the Closed tile's border-l-muted is invisible. src/pages/LitigationMISPage.tsx:483	Use KpiTile with compact amounts (₹3.64 cr, full value in the title attribute), ordered Exposure → Pre-deposit → Paid → Outstanding, with the counts in a smaller second row.
U-100-5	Medium	Interaction	Exports give no feedback and are not gated. exportLitigationMIS() runs fire-and-forget with no spinner or try/catch, and returns silently when there are no matters (litigationPdfExport.ts:44). Export Tab, Export All and PDF all skip canExportData(), and the PDF leaves out hearings and clocks. src/pages/LitigationMISPage.tsx:440	Show a loading state and a success or failure toast, gate all three exports with canExportData(), and add "Next 30 days" and "Hearings" sections to the PDF.

Litigation MIS — By Client

/litigation-mis · Reports ▾ → Litigation MIS → "By Client" tab

The most useful MIS table, ranking clients by outstanding. But "Paid" quietly includes pre-deposit, a missing demand prints as ₹0, client links lead to the notices page, and concentration and next clocks are not shown.

CA

litigation

Dashboard

Work Queue

Matters

Hearings

Clients

Reports ▾

Exposure

By Client

By Stage

By Lifecycle

Ageing

Per Staff

Hearings (4)

By Client

9

CLIENT	GSTIN	OPEN	TOTAL DEMAND	PAID	OUTSTANDING
Specimen Chemicals Ltd	24AAAAA9998A1Z9	1	₹2,85,00,000	₹0	₹2,85,00,000
Example Foods Pvt Ltd	29AAAAA9003A1ZV	1	₹44,24,000	₹2,80,000	₹41,44,000
Demo Textiles Pvt Ltd	24AAAAA9993A1Z7	1	₹18,60,000	₹1,24,000	₹17,36,000
Fictional Exports Pvt Ltd	27AAAAA9907A1ZV	1	₹11,85,000	₹0	₹11,85,000
Sandbox Auto Components Pvt Ltd	96AAAAA9921A1Z3	1	₹4,78,000	₹0	₹4,78,000
Sample Pharma LLP	27AAAAA9902A1Z9	1	₹3,26,400	₹0	₹3,26,400
Mock Builders LLP	24AAAAA9995A1Z2	1	₹15,400	₹0	₹15,400
Placeholder Logistics Pvt Ltd	07AAAAA9905A1Z2	1	₹0	₹0	₹0
Test Engineering Works	33AAAAA9994A1Z5	1	₹0	₹0	₹0

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-101-1 L-31	Medium	Logic	"Paid" = paid_total + pre_deposit_total (line 180). For Example Foods the whole ₹2,80,000 is pre-deposit, yet the Exposure tab shows Paid and Pre-deposit separately and the matter page leaves pre-deposit out of Outstanding. src/pages/LitigationMISPage.tsx:180	Show "Pre-deposit" and "Paid" as separate columns, compute Outstanding = Demand – both, and put the formula in the header tooltip.
U-101-2	Medium	Interaction	The client name links to /notices-company/:id (line 521), the notices page, not to that client's matters, and there is no other way to drill down. src/pages/LitigationMISPage.tsx:521	Link the name to /litigation?client=<id>, and keep a small "notices" icon for the notices page.
U-101-3	Medium	Content	Concentration and urgency are not visible. Specimen Chemicals alone is ₹2.85 cr of ₹3.68 cr (about 77%), but there is no share column, next clock, overdue count or hearings-in-14-days per client. src/pages/LitigationMISPage.tsx:161	Add "% of exposure" with an inline bar, "Next clock" and "Overdue / Hearings 14 d" columns, and a top-5 summary line.
U-101-4	Low	Content	Clients with no demand recorded (Placeholder Logistics, Test Engineering Works) show ₹0 in every money column, which reads as nothing owed. The matters list shows "—" for the same matters. src/pages/LitigationMISPage.tsx:527	Print "—" with a "not recorded" tooltip, and show the number of matters missing demand in the card header.

CA

>

Dashboard

Work Queue

Matters

Hearings

Clients

Reports

Litigation MIS

Management information overview of all litigation matters

Exposure

By Client

By Stage

By Lifecycle

Ageing

Per Staff

Hearings (4)

Stage Breakdown

9

STAGE	OPEN	TOTAL DEMAND
Order received	1	₹2,85,00,000
Appeal filed	1	₹44,24,000
Reply drafting	1	₹18,60,000
Partner review	1	₹11,85,000
Hearing	1	₹4,78,000
Awaiting client data	1	₹3,26,400
Triage	1	₹15,400
Filed/submitted	1	₹0
Captured	1	₹0

Stage Distribution

Stage	Count
Order received	1
Captured	1
Filed/submitted	1
Triage	1
Awaiting client data	1
Hearing	1
Partner review	1
Reply drafting	1
Appeal filed	1

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-102-1	High	Content	The pie uses dataKey="count" (line 576). With one matter per stage, all nine slices are equal and the chart says nothing: "Order received" (₹2,85,00,000) looks the same as "Captured" and "Filed/submitted" (₹0 each). src/pages/LitigationMISPage.tsx:576	Replace it with horizontal bars of ₹ exposure by stage in pipeline order, like the target's "Exposure by stage", with the count as a secondary label.
U-102-2 L-25	Medium	Logic	Rows are sorted by demand (line 197) rather than pipeline order, and the stages mix internal workflow (Captured, Triage, Awaiting client data, Reply drafting, Partner review) with legal stages. The partner's question, how much sits at SCN, at order, in first appeal, at GSTAT and in recovery, cannot be answered. src/pages/LitigationMISPage.tsx:197	For the MIS, group stages into forum buckets (SCN & reply, Order passed, First appeal, GSTAT, HC, Recovery) in pipeline order, with workflow status as a drill-down.
U-102-3	Medium	Consistency	Slices take a generic COLORS array (lines 66-69, 586), so "Reply drafting" is orange here but blue in the list and "Hearing" is indigo here but amber in the list. Labels are drawn in the slice colour, and yellow or orange text on white fails contrast. src/pages/LitigationMISPage.tsx:66	Use one STAGE_TONE map built on semantic tokens for the list, detail, MIS and PDF, and draw chart labels in the foreground colour.

CA

>

Dashboard

Work Queue

Matters

Hearings

Clients

Reports

Litigation MIS

Management information overview of all litigation matters

Export Tab

Export All

PDF

Exposure

By Client

By Stage

By Lifecycle

Ageing

Per Staff

Hearings (4)

By Lifecycle

7

LIFECYCLE	OPEN	TOTAL DEMAND
Demand	3	₹3,03,75,400
Appeal	1	₹44,24,000
Refund	1	₹11,85,000
Audit	1	₹4,78,000
Scrutiny	1	₹3,26,400
Registration	1	₹0
Enforcement	1	₹0

ID	Severity	Area	Issue	Suggested fix
U-103-1	Medium	Logic	Lifecycles mix subjects (demand, refund, registration) with forums and steps (appeal, tribunal, rectification). M-2026-0003, an appeal against a s.73 demand, is counted under "Appeal", not "Demand". "Refund ₹11,85,000" sits in a "Total demand" column although it is a refund at stake. src/pages/LitigationMattersPage.tsx:52	Make lifecycle mean subject only (demand/ITC, refund, registration, ...) and keep forum as a separate axis. Label the refund amount "Refund at stake" and exclude it from demand.
U-103-2	Medium	Layout	The tab is a table only (lines 601-628): no chart, no share of total, no outcomes. It adds little beyond By Stage and costs the user another tab. src/pages/LitigationMISPage.tsx:601	Merge By Stage and By Lifecycle into one "Breakdown" tab with a dimension switch (Forum / Subject / Owner / Client), using the same bars-plus-table layout, and add outcome columns once outcomes are structured (L-41).
U-103-3	Low	Content	Lifecycle cells are raw values capitalised by CSS (line 619), so multi-world lifecycles would show as "Voluntary_payment" or "Non_filer". src/pages/LitigationMISPage.tsx:619	Use the shared LIFECYCLE_LABEL map in the MIS, the Excel export and the PDF.

Litigation MIS

Management information overview of all litigation matters

DashboardWork QueueMattersHearingsClientsReports ▼

ExposureBy ClientBy StageBy LifecycleAgeingPer StaffHearings (4)

Ageing Buckets

BUCKET	COUNT	TOTAL DEMAND
0-30d	4	₹12,00,400
31-60d	2	₹8,04,400
61-90d	2	₹62,84,000
91-180d	0	₹0
180d+	1	₹2,85,00,000

Ageing Chart

A bar chart titled 'Ageing Chart' displaying the distribution of cases across five time-based buckets. The y-axis represents a value from 0 to 300.0L. The x-axis lists the buckets: 0-30d, 31-60d, 61-90d, 91-180d, and 180d+. The bars are colored blue, red, orange, grey, and purple respectively.

Bucket	Count	Total Demand
0-30d	4	₹12,00,400
31-60d	2	₹8,04,400
61-90d	2	₹62,84,000
91-180d	0	₹0
180d+	1	₹2,85,00,000

Desktop 1440 px

Notices & Litigation — mission audit and build roadmap · fictional data in all screenshots

	Litigation MIS	Export Tab	Export All	PDF	
>	Management information overview of all litigation matters				
Dashboard	Work Queue	Matters	Hearings	Clients	Reports ▾
Exposure By Client By Stage By Lifecycle Ageing Per Staff Hearings (4)					
Per Staff					
STAFF	OPEN MATTERS	TOTAL DEMAND			
Partner Demo	2	₹2,85,00,000			
Demo Manager	3	₹49,02,000			
Associate One	2	₹30,45,000			
Associate Two	1	₹3,26,400			
Unassigned	1	₹15,400			

ID	Severity	Area	Issue	Suggested fix
U-105-1	Medium	Content	Each owner gets only open matters and total demand (lines 224-235). To allocate work, a partner needs per person: overdue, due within 7 days, hearings within 14 days, matters waiting on them as reviewer, matters with no next action, and the oldest untouched. <code>src/pages/LitigationMISPage.tsx:224</code>	Add those columns and a reviewer queue, sort by risk, and link names to <code>/litigation?owner=<id></code> .
U-105-2	Low	Data	Rows are grouped by <code>owner_user_id</code> but keyed and labelled by <code>first_name</code> (line 695). Two staff with the same first name produce duplicate React keys and look like one person. <code>src/pages/LitigationMISPage.tsx:695</code>	Key rows by user id and show the full name and role.
U-105-3	Low	Interaction	There is no way to drill from a staff row into their matters, because the matters list's Owner filter offers only All, Mine and Unassigned (LitigationMattersPage.tsx:336-340). <code>src/pages/LitigationMattersPage.tsx:336</code>	List every staff member in the Owner filter (useStaffList) and keep the choice in the URL.


Litigation MIS

[Export Tab](#)
[Export All](#)
[PDF](#)

Management information overview of all litigation matters

Dashboard
Work Queue
Matters
Hearings
Clients
Reports

Exposure
By Client
By Stage
By Lifecycle
Ageing
Per Staff
Hearings (4)

Upcoming Hearings
4

Open matters with a scheduled hearing


MATTER	CLIENT	HEARING DATE	STAGE	OWNER	DEMAND
M-2026-0004	Sandbox Auto Components Pvt Ltd	07 Oct 2026 2d	Hearing	Demo Manager	₹4,78,000
M-2026-0005	Placeholder Logistics Pvt Ltd	08 Oct 2026	Filed/submitted	Demo Manager	₹0
M-2026-0001	Demo Textiles Pvt Ltd	14 Oct 2026	Reply drafting	Associate One	₹18,60,000
M-2026-0003	Example Foods Pvt Ltd	21 Oct 2026	Appeal filed	Demo Manager	₹44,24,000

ID	Severity	Area	Issue	Suggested fix
U-106-1 L-33, L-40	High	Data	Hearings sit under Reports → Litigation MIS → the seventh tab, while the module tab named "Hearings" opens the matters list. The list reads litigation_matters.hearing_at, one date per matter (lines 238-254), rather than matter_hearings, so time (11:00, 15:00), mode, venue and officer are lost. src/pages/LitigationMISPage.tsx:238	Build a Hearings page or calendar behind the module's "Hearings" tab, listing matter_hearings from today: date · time IST, mode, venue or VC link, officer, attendees, prep status, plus an ICS feed. Keep only a count in the MIS.
U-106-2 L-27	Medium	Logic	"Days away" is Math.ceil over milliseconds (line 737), and only hearings within 3 days get a chip (line 748). A hearing tomorrow at 10:00, viewed today at 09:00, shows "2d", and the 08 Oct 15:00 hearing gets no chip in the capture although it is 3 calendar days away. src/pages/LitigationMISPage.tsx:737	Count IST calendar days and show "Today", "Tomorrow" or "in n d" for anything within 7 days, toned by proximity.
U-106-3	Low	Content	The client name is not a link. M-2026-0005's unrecorded demand prints as "₹0". The Stage column shows a workflow state ("Filed/submitted") rather than the hearing's purpose, and "Hearings (4)" is the only sub-tab with a count. src/pages/LitigationMISPage.tsx:745	Link the client to /litigation?client=, add a Purpose column (PH u/s 75(4), appeal hearing), print "—" for unrecorded demand, and show counts on all sub-tabs or none.

Browser-extension popup (GST Keeper — Portal Sync)

file://extension/popup.html · Chrome toolbar → GST Keeper Sync icon

The toolbar popup, the one extension surface always within reach, cannot start, watch or explain a notices sync. It runs a legacy ledger pull, defaults to the whole firm, and claims to pull filing status, which it does not.




ID	Severity	Area	Issue	Suggested fix
U-110-1	High	Interaction	The popup says nothing about notices: no last-sync time, no failures, no 'waiting for CAPTCHA', and no button to sync notices, refunds or DRC-03. Its only action starts the default job, which logs in and pulls the ledger and reversal registers for a return period. extension/popup.html:17-28; extension/popup.js:42-71; extension/content.js:361-376	Rebuild the popup as a small Portal Autopilot: a status line (last run, fresh n/N, failures), 'CAPTCHA waiting (n) → Open', a primary 'Sync notices for stale & failed (n)', 'Open Notices dashboard', and the current job's progress read from gstk_active_job.
U-110-2	Medium	Interaction	The client list defaults to 'All clients with credentials (11)', so one click (after a native confirm()) starts a firm-wide serial run of CAPTCHAs. The native select lists every client with no search, including disabled 'no credentials' rows. extension/popup.js:24-34,47-58	Default to 'Stale or failed (n)', add a searchable client picker, and replace confirm() with an in-popup summary ('11 clients · about 11 CAPTCHAs · about 25 min').
U-110-3	Medium	Interaction	'Stop / clear current sync' is a full-width red button with the same weight as Start, and it is enabled even when nothing is running. It deletes the job key and always reports 'Sync stopped.' extension/popup.html:12,22-23; extension/popup.js:74-77	Show Stop only while a job is active, as a secondary button under a progress line ('Client 4 of 11 · waiting for CAPTCHA'), and say what was stopped.
U-110-4 S-22	Medium	Content	The hint promises that the popup 'pulls filing status + ledger opening', but the job only logs in and reads ledgers; nothing in the extension writes filing status. extension/popup.html:24-28	Generate the hint from the job definition so it states exactly what the chosen action will pull.
U-110-5 S-04	Low	Consistency	The popup is unbranded and off-system: system font, raw #2563eb and #ef4444 buttons, no logo, no version or 'update available' notice, no signed-in firm or user, and native alert()/confirm(), which the app itself has retired. extension/popup.html:5-14; extension/popup.js:44,51,54,56,76	Use the app's navy primary and Inter, add a header with logo and version (warning when below the app's minimum), and show inline messages instead of alert().

Extension popup — background worker unreachable

file://extension/popup.html · Open the popup while the service worker is not responding

When the background worker is down, the popup shows a truncated raw Chrome error inside the client dropdown and offers no way to recover.



ID	Severity	Area	Issue	Suggested fix
U-111-1	Medium	Empty/error state	The failure appears as an <option> inside the Client select ('Error: Could not establish connection. Receiv...', cut at 60 characters and again by the select width), with no plain-language explanation and no Retry. extension/popup.js:13,16-19	Show an error panel above the form: 'The extension's background service is not responding — Retry · Reload extension (chrome://extensions)', with the raw message under 'Details', and retry once automatically.
U-111-2	Low	Interaction	Start is disabled, but Stop stays bright red and enabled, and the hint still describes a normal run. There is no link to open the app or to see the last known sync status. extension/popup.html:22-28; extension/popup.js:17-20	In the error state, hide the form and keep 'Open Notices dashboard' plus the last known status (cached in chrome.storage).

Notice-alert email E3 "due soon" — in-app path

file://emails/120-email-due-soon-inapp.html · Dashboard "Send digest" → email_outbox → send-gst-email

An internal reminder that greets the client, signs off as its own recipient, prints every fact twice in raw form and gives the reader nothing to click.

Audit preview frame (not part of the email): E3 "Notice due in 7 days" as queued by the in-app Send digest (noticeAlertQueue.ts): template_key=notice_due_soon has no shell entry, so send-gst-email falls back to the generic reminder_1 look. Values fictional.

From

gst@vjdesai.com

To

associate.two@example.com

Subject

Notice due in 2 days -- Mock Builders LLP

V. J. Desai & Co. LLP

CHARTERED ACCOUNTANTS · GST COMPLIANCE DESK

Dear Mock Builders LLP,

GSTIN

24AAAAA0006A1Z2

Type

Notice

Reference

ZD2411092601792

Due Date

2026-10-07

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-120-1 L-42, R-19	High	Interaction	There is no call to action: no 'Open notice' button or deep link, no PDF, and no 'Mark filed' or 'Request extension', so the reader has to log in and search for ZD2411092601792. supabase/functions/_shared/email.ts:72-97; supabase/migrations/20260914140000_notice_alerts_phase1.sql:189-192	Add a CTA row to the notice-alert shell, placed above the details box: a primary 'Open notice' (deep link to /notices/:id), with secondary 'Notice PDF' (signed link) and 'Mark reply filed'.
U-120-2	Medium	Content	The staff alert opens 'Dear Mock Builders LLP,' (the client) and is then signed twice: '-- V. J. Desai & Co. LLP' from the template body, then 'Warm regards, Associate Two' (the recipient's own name) from the shell. supabase/functions/_shared/email.ts:69-70,83,88-90; src/lib/noticeAlertQueue.ts:230,389; supabase/migrations/20260914140000_notice_alerts_phase1.sql:191	For internal alerts, drop the greeting (open with 'Assigned to you · due in 2 days') and the personal sign-off. Remove '-- {{firm_name}}' from every notice body, and never set staff_name to the recipient.
U-120-3	Medium	Content	Facts are printed twice (in the details box, then the same list in the body) and in raw form: 'Type: Notice', 'Due Date 2026-10-07', and 'Priority Normal', which is not one of the app's High/Medium/Low tiers. What the notice is about, its amount and its current stage (Partner review) are missing. src/lib/noticeAlertQueue.ts:200-232; supabase/migrations/20260914140000_notice_alerts_phase1.sql:189-192	Make the body one sentence on what the notice is (form, subject, amount) plus stage, owner and days left. Show the details box once, format dates as '07 Oct 2026', and take priority from the app's tiers.

The same alert through the cron path, in a different livery, with a subject that leads with the word 'Notice' and no visual emphasis on the deadline.



ID	Severity	Area	Issue	Suggested fix
U-121-1	Medium	Content	The subject 'Notice due in 2 days -- Mock Builders LLP' starts with the generic type and uses an ASCII '--'. In an inbox list it does not say which notice, which date or what is at stake. supabase/migrations/20260914140000_notice_alerts_phase1.sql:190	Use a subject like '[Due Wed 07 Oct] <form> · Mock Builders LLP · reply in 2 days (Partner review)', with an en dash.
U-121-2 L-42	Low	Consistency	One rule produces two looks: the purple 'Notice Alert' pill shell here and the gold generic reminder shell on the in-app path (screen 120). supabase/functions/_shared/email.ts:15-27	Store the shell key separately from the rule's template key so both paths render the same shell.
U-121-3	Low	Layout	The due date is not emphasised (only a row labelled 'Filing due' gets the due colour), and the pill colour follows the rule's priority rather than the days left, so '2 days' looks as calm as '7 days'. supabase/functions/_shared/email.ts:48-53,63-65; supabase/functions/queue-notice-alerts/index.ts:170	Colour the Due row and the pill by days remaining (2 days or less red, 7 days or less amber) and add a one-line countdown at the top.

A digest of 14 bare reference numbers (no client, owner, age or link) under an empty box and a 'Dear Sir/Madam'. It cannot be triaged from the inbox.

Audit preview frame (not part of the email): E2 daily overdue digest as built by the in-app path: vars carry no gstin/notice_type/client, so the details box renders empty, the greeting falls back to "Sir/Madam", and list lines omit the client name. Values fictional.

From

gst@vjdesai.com

To

demo.manager@example.com

Subject

14 overdue notices -- Daily Digest

V. J. Desai & Co. LLP

CHARTERED ACCOUNTANTS · GST COMPLIANCE DESK

Dear Sir/Madam,

The following notices are past their due date with no reply logged:

• Notice — ZD2415092601237 (Due: 2026-09-22)

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-122-1	High	Content	Each line reads '• Notice — ZD2415092601237 (Due: 2026-09-22)', with no client, owner, days overdue, amount or link. Lines are unsorted (a 2025-08-19 item sits mid-list), and the list is silently cut at 50. src/lib/noticeAlertQueue.ts:326-348	Group by owner, then client. Make each line '<Client> · <form> · 13 d overdue · ₹x · owner' with a link to the notice, sort by days overdue, and end with 'and n more → Open overdue queue'.
U-122-2	Medium	Empty/error state	The shell always draws the details box, so the digest opens with an empty grey rectangle under 'Dear Sir/Madam,', although it is addressed to an internal manager. supabase/functions/_shared/email.ts:30,49-54,70,84-86	Skip the box when it has no rows, and open with a digest header (date, counts by severity) instead of a greeting.
U-122-3	Low	Content	The closing names the firm four times in a row: '-- V. J. Desai & Co. LLP', 'Warm regards, V. J. Desai & Co. (GST Team)', 'V. J. Desai & Co. LLP', then the footer. supabase/functions/_shared/email.ts:67-69,88-93; supabase/migrations/20260914140000_notice_alerts_phase1.sql:187	Use one signature line for internal mail (or none) and a single firm-name constant.

A critical limitation alert that shows two contradictory dates and none of the facts a partner needs to decide on the appeal.

Audit preview frame (not part of the email): E5 limitation warning as the cron function would queue it on 2026-11-10 — it fires only when a deadline is exactly 30/15/7 days away (here the 2026-12-10 first-appeal limitation); priority critical → notice_alert_critical shell. Values fictional.

From

gst@vjdesai.com

To

partner.demo@example.com

Subject

First appeal (APL-01) limitation deadline in 30 days -- Specimen Chemicals Ltd

V. J. Desai & Co. LLP

CHARTERED ACCOUNTANTS · GST COMPLIANCE DESK

URGENT · NOTICE ALERT

Dear Specimen Chemicals Ltd,

GSTIN

24AAAAA0008A1Z0

Type


Determination Of Tax

Desktop 1440 px

ID	Severity	Area	Issue	Suggested fix
U-123-1	High	Data	The red details box says 'Due Date 2026-07-07' (the order notice's long-past reply date), while the body says 'Deadline Date: 2026-12-10'. The contradiction sits in the very alert meant to protect the appeal right. <code>supabase/functions/_shared/email.ts:30-37; supabase/functions/queue-notice-alerts/index.ts:221,338-344</code>	For E5, put deadline type, deadline date and statutory basis in the box and leave out the notice's due_date. Format both dates with the weekday.
U-123-2	Medium	Content	The alert has no decision facts: no order number or date, disputed tax, 10% pre-deposit (s.107(6)), APL-01 draft status or matter link. It says only 'Action is required before this date to preserve rights.' <code>supabase/migrations/20260914140000_notice_alerts_phase1.sql:197-200</code>	Make the E5 body read 'Order DRC-07 dd-mm (₹x tax) → APL-01 due 10 Dec (s.107(1), plus 1 month condonation) · pre-deposit ₹y · draft: not started', with 'Open matter' and 'Start APL-01' buttons.
U-123-3	Low	Content	Every limitation alert gets the red 'URGENT' styling, even at T-30, which dilutes urgency: T-7 looks the same as T-30. <code>supabase/functions/queue-notice-alerts/index.ts:170,350; supabase/functions/_shared/email.ts:22</code>	Use amber at 30 and 15 days and red at 7 days or less and when overdue.

12 · Build roadmap

Seven phases, sequenced so each one is shippable on its own and makes the next one possible: first stop data loss and make the existing features run (Phase 0); then let the database turn every change into work (Phase 1); then give people the Command centre and a Notice workspace (Phase 2); then put fetching on autopilot (Phase 3); then build the Reply Factory (Phases 4–5); and finally complete the litigation lifecycle and reporting (Phase 6). Effort: **152 person-days of build**, about 182 with 20% slack — roughly **20 weeks with two developers** working with Claude Code and half a day a week of partner review, or about nine months with one developer. Estimates are planning grade (±30%).



Milestone	Week	What is true
M1	2	Truthful and safe
M2	5	New notice → owner and email within 15 minutes; every number reconciles
M3	9	One glance for the day; one page per notice
M4	11	Fresh data every morning for ≤ 20 minutes of human time
M5	14	Issues read and annexures built automatically
M6	17	First draft within one working day; filing recorded automatically
M7	20	Disputes managed end to end; one-click client report

Working rules for every phase (from the repository's CLAUDE.md): migrations go in `supabase/migrations/` and are applied to project `gcquafqxbykxbexcdpy` only — never to the project named in `SUPABASE_PROJECT_REF`; RLS policies stay open to `public` (the app has no Supabase Auth session); writes are verified with the anon key, not the management API; `npm run build` — and, from Phase 0, the type-check — must be green before every commit; positions are written down in `docs/` before they are encoded.

Phase 0 — Stop the bleeding — make it safe and true

weeks 1–2 · ≈ 12 person-days · Data trust · Security · Per-notice

Goal. Nothing the team does is lost, nothing is exposed, and every feature that is already built actually runs.

Workstream	Tasks	Fixes
Type-check gate	Add <code>tsc --noEmit -p tsconfig.app.json</code> to the commit gate (alongside <code>npm run build</code>) and clear the notices-module errors first. The type-checker already reports the broken queries below; the build never runs it.	L-20
Schema truth	One migration on <code>gcquafqxbykxbexcdpy</code> : add <code>gst_notices.hearing_at</code> (timestampz) or drop it from every select; seed the <code>notice_alert / notice_alert_critical</code> email templates; replace <code>clients.contact_person</code> and <code>profiles.last_name</code> with columns that exist. Verify with the anon key, not the management API.	L-01, L-03, L-08
Sweep that works	Join folder items on (<code>client_id</code> , <code>case_id</code>); read the due date from the paths the folder page already uses; latest-date rule; a refund ORDRS item closes only on sanction/payment, never on rejection; DRC-03 acknowledgement closes. Run it automatically after each client's sync, not by a button.	L-02, L-10, L-11
Sync safety rails	Never soft-delete on a zero-row or partly failed pull; never send portal-owned columns as NULL (<code>pdf_url</code> , <code>due_date</code>); de-duplicate batch keys; server <code>now()</code> for timestamps; a BEFORE DELETE trigger that blocks hard deletes; a minimum-version row the app and extension both enforce; confirm the portal session GSTIN before every write.	L-05, L-06, S-04, S-10, S-20, S-24
Manual notices that save	Add Notice writes <code>source='manual'</code> and <code>portal_key='manual:'+uuid</code> , which sync never soft-deletes; intake gains form code, FY, section, demand by head and the PDF.	L-07, R-24
Security stop-gaps	Rotate the token committed in <code>supabase/functions/gst-push/README.md</code> and keep it only in Supabase secrets; make <code>return-pdfs</code> private and serve signed URLs; accept bridge messages only from the app's own origin; stop copying portal passwords into <code>chrome.storage</code> ; mask passwords in the UI; edge functions stop trusting a caller-supplied <code>actorId</code> ; drop the unused CAPTCHA-service host permission.	R-01, R-02, S-03, S-12, R-15, S-29
Honest dashboard	Remove the hard-coded “06:00 IST” and “0 emails” lines; count <code>login_failed</code> as a failure; one owner field (<code>assign_to_user_id</code> , back-filled from the free-text name); stop the edit dialog wiping <code>close_reason</code> .	S-13, S-14, L-18, R-17
No cascading deletes	Client delete becomes archive-with-audit; litigation tables stop cascading from <code>clients</code> .	L-14

Done when

- The type-checker is clean for every notices file and runs before every commit.

- Any notice opens in the drawer; Sweep runs without error and dates $\geq 90\%$ of case rows whose folder JSON has a due date.
- Syncing the same client twice changes nothing; a zero-row or failed pull removes nothing; a PDF link is never blanked.
- An anonymous request for a notice PDF is refused; the committed token is rotated; the bridge ignores other origins.

Milestone: M1 · Truthful and safe

Phase 1 — One pipe and automatic triggers

weeks 2–5 · ≈ 16 person-days · Zero-touch · Data trust · At-a-glance

Goal. Every portal write goes through one server-side door that records what happened, and every change becomes work for a named person without anyone clicking.

Workstream	Tasks	Fixes
One ingest door + run ledger	A SECURITY DEFINER RPC <code>sync_ingest(client, run, step, rows, ext_version)</code> : per-client advisory lock, server timestamps, <code>GREATEST(last_seen_at)</code> , soft-delete only from validated non-empty sources, a <code>portal_hash</code> for new / changed / removed counts in <code>sync_run_items</code> ; a <code>client_sync_status</code> view (last success per step, stale > 24 h, reason class).	S stage 1
Faster extension runs (interim)	Skip PDFs and attachments already stored (doc id / hash); fetch folders only for new, changed or open cases; recent challan windows only, full re-verify weekly; timeouts on every portal call; a <code>chrome.alarms</code> watchdog instead of silent 10-minute / 3-hour drops; a desktop notification when a CAPTCHA is waiting; queue by risk (matters due ≤ 7 days, stalest first), skip inactive clients.	S-08, S-09, S-16, S-25
Events from the database	AFTER INSERT / UPDATE triggers on <code>gst_notices</code> and <code>gst_case_folder_items</code> write <code>notice_events</code> (captured, due changed, hearing fixed, reply filed, order received, removed); bulk and queue actions log too; the bell includes system events.	S-05, L-28, L-29
Alerts that fire	<code>queue-notice-alerts</code> every 15 minutes for E1 and E6–E9, the 09:30 IST digest, Monday MIS; reminders at T-7 / T-3 / T-1 / T0 and while overdue, skipping replied notices; auto-owner from the client master; quiet hours, per-client batching, a preview week; attachments via signed links.	L-16, L-42
Statutory clocks	A writer for <code>matter_deadlines</code> : reply due, hearing, appeal (s.107) and tribunal (s.112) clocks from order dates, RFD-08 replies, DRC-22 attachment expiry — each with its basis and “computed / overridden”; periods confirmed by the firm before go-live.	L-09, L-32
One canonical notice set	A Postgres view / RPC <code>notice_facts</code> : open, effective due as an IST calendar date, overdue, due-in-7 (skipping replied), new, category, one exposure per dispute (not per notice), refunds and DRC-03 de-duplicated. Every tile, list, report, email and MIS reads it.	L-04, L-12, L-13, L-21, L-24, L-26, L-27, L-35, L-36
Classifier and short clocks	Map portal form codes to category, default priority and short clocks (DRC-01B/01C 7 days, REG-17 7 working days, GSTR-3A 15 days, MOV, DRC-13/22).	L-22, L-23

Done when

- An automated test proves every dashboard number equals the row count of the list it opens.
- A new notice captured by sync produces an owner and an E1 email within 15 minutes; rerunning the cron sends nothing twice.
- The run ledger shows, per client and step, what was new, changed or removed and why anything failed.

Milestone: M2 · New notice → owner and email within 15 minutes; every number reconciles

Phase 2 — Command centre and Notice workspace

weeks 4–9 · ≈ 26 person-days · At-a-glance · Per-notice

Goal. A partner sees in ten seconds what needs action today, who owns it and what money is at stake; anyone can open any notice by URL and do the next step from that page.

Workstream	Tasks	Fixes
Notice workspace at /notices/:id	Header facts, a stage stepper, fact tiles (amount, explained, short-payment, client documents) and tabs for Issues · Draft · Documents · Activity · Payments · Hearings · Deadlines. Actions: assign, change stage, log reply / order (pre-filled), close with reason / reopen, request documents, create or link a matter. Replaces the read-only drawer; deep links from every email.	R-19, L-19, R-18, R-28
Command centre dashboard	KPI tiles that are saved filters; “Today’s plan” ranked by deadline $\times$ exposure $\times$ readiness with one next-best-action button per row; reply pipeline with median days per stage; autopilot health; next 14 days with hearings and appeal clocks; exposure by stage; clients needing attention; global search on GSTIN, ARN, DIN and case ID (Ctrl K).	mock §7
One stage vocabulary	A single enum — New → Triaged → Evidence → Waiting on client → Draft → Partner review → Filed → Hearing → Order → Appeal → Closed — used by the queue, the list, the workspace, the matter and every report.	L-25
House style and navigation	Adopt the 9/9C workspace theme (WS_* classes, KpiTile, SectionCard, readable badges) that every other module already uses; fix the top-nav labels (“Matters” and “Hearings” point to the wrong pages); one header; one filter bar; responsive below 1024 px with a card list on phones; keyboard and screen-reader access.	L-40, U-*
Screen fixes	Every screen finding in §10 of this report, grouped by screen.	U-*

Done when

- Every number on the dashboard is clickable and its list has the same count.
- Any notice opens by URL from an email; the next action can be done without leaving the page.
- No horizontal scroll at 390 px; accessibility score ≥ 95 ; first paint < 1.5 s with 5,000 notices.

Phase 3 — Portal Autopilot

weeks 6–11 · ≈ 24 person-days · Zero-touch · Fetch

Goal. Data is fetched on a schedule without anyone sitting at a browser; people are asked only for what software must not do.

Workstream	Tasks	Fixes
Agent notices bundle	Revive agent/: a <code>PULL_NOTICES_BUNDLE</code> handler running the same portal JSON calls inside a logged-in Playwright context, per-client browser contexts, an atomic claim RPC (<code>FOR UPDATE SKIP LOCKED</code>), retries with backoff, sessions re-saved encrypted with expiry and reused while valid, all writes through <code>sync_ingest</code> .	S-01, S-23
Schedule and CAPTCHA wall	<code>pg_cron</code> at 05:30 and 13:00 IST on an always-on office mini-PC (the portal rejected datacenter IPs); jobs that meet a CAPTCHA park as <code>needs_human</code> and appear together on one CAPTCHA wall in the app; a 09:00 nudge; failure reason classes with one-click fixes (password changed → client e-mail; account locked → OTP request).	S stage 4
Coverage in the same session	Liability Register Part II (demands and order dates), a return-filing-status sweep (closes GSTR-3A on filing), registration status and Rule 86A blocks, appeal case types, DRC-01B/01C Part-B status, incremental refund folders with sanctioned amounts, GSTR-3A defaulted period kept.	S-21, S-22, S-31
Portal e-mails trigger syncs	A firm notices@ inbox (client-forwarded, or where the firm is the registered contact): parse GSTIN, form and reference, enqueue a priority job for that client, link the e-mail to the notice; weekly full rotation as the safety net.	S stage 5
Fetch a report now	A Portal Autopilot page and extension popup: queue any data set (ledgers, 2B, filed returns, notices) for any set of clients and periods; results land in the app with a run log.	mock §6
Written CAPTCHA posture	A partner decision record: CAPTCHAs are typed by people; no solver is built or used; client authorisations for stored-credential access are on file.	S-29, S stage 9

Done when

- For 10 consecutive working days ≥ 95% of active GSTINs are fresh (< 24 h) or carry a named failure reason.
- Human time on fetching ≤ 20 minutes a day (from about 3 hours).
- A notice on the portal is in the app within 24 h, and within 4 h for 7-day forms.

Milestone: M4 · Fresh data every morning for ≤ 20 minutes of human time

Phase 4 — Reply Factory I — read and compute

weeks 9–14 · ≈ 26 person-days · Reply speed · Per-notice

Goal. When a notice lands, the system has already read it, split it into issues with amounts, started the clocks and computed the firm's position from data the app already holds.

Workstream	Tasks	Fixes
Document intelligence	Text layer plus OCR for scans; structured extraction (claude-haiku-4-5) to a schema — form, section, periods, DIN, due date, hearing, officer, demand by head and an issues list — with every field quote-checked against the page text and amounts checked to sum; <code>notice_extractions</code> and <code>notice_issues</code> tables; “auto — verify” chips.	R-08, S stage 6
Evidence recipes	Deterministic, code-only recipes in <code>src/lib/reply/recipes/</code> : DRC-01B (GSTR-1 v 3B), DRC-01C (3B v 2B), ASMT-10 GSTR-1 v 3B and 2A/2B v 3B, RCM, interest (s.50) and late fee (s.47), s.17(5), cancelled suppliers, s.16(4), Rule 42/43. FY-scoped wrappers over the existing month-scoped engines; a data-readiness check that queues missing pulls; annexures as XLSX / PDF with row-level provenance.	R-10, R-23
Client document requests	A tracked request list per notice generated from the issue codes, sent by e-mail (E12) with reminders, uploaded through the client portal, with ageing.	R-11
Reply rules (firm positions)	A partner-approved rule per issue type (e.g. how timing differences, RCM self-invoices and interest are argued) that the recipes and drafts follow; documented like the other positions files.	decision

Done when

- ≥ 70% of ASMT-10, DRC-01A, DRC-01B and DRC-01C notices get an automatic annexure.
- Due-date coverage of open notices ≥ 98%, each with its source.
- Extraction: due date exact ≥ 98%; demand by head within ₹ 1.

Milestone: M5 · Issues read and annexures built automatically

Phase 5 — Reply Factory II — draft, review, file

weeks 12–17 · ≈ 28 person-days · Reply speed · Zero-touch

Goal. The reply is drafted, reviewed, packed and filed from the notice page, and the filing is recorded without re-keying.

Workstream	Tasks	Fixes
Preconditions	Per-client AI consent flag (engagement-letter clause), <code>ai_audit_log</code> , redaction (never send passwords; mask PAN / Aadhaar / bank numbers unless in issue), and AI functions that validate the staff session server-side.	R-15
Templates and precedents	Firm templates per form and issue; an index of past replies; a whitelist of vetted authorities (<code>legal_authorities</code>).	decision
AI drafting with hard gates	claude-opus-5-5 drafts from the template, the issues and the annexures. Figures are written as annexure-cell references and filled in by code; the draft is blocked unless 100% of rupee figures trace to an annexure or the notice, and only whitelisted authorities are cited. <code>claude-sonnet-5</code> checks coverage and tone (advisory). Versions, compare, partner approval as an event, DOCX / PDF on letterhead.	R-09

Workstream	Tasks	Fixes
Upload pack and payments	Build the pack within the portal's size and type limits (verify); draft the DRC-03 for any admitted amount.	–
Filing assist in the extension	Open the right reply screen for the notice, fill the reply text, attach the pack, stop before EVC / DSC (always a person), then capture the ARN and acknowledgement back into the app so the notice moves to “Filed” by itself.	R-06, S-26
Learning loop	An evaluation set from past replies; partner edit distance tracked; cost per notice tracked (target ≤ ₹ 200).	–
Done when - Median time to first draft: ≤ 1 working day for ASMT-10 / DRC-01A / RFD-08; ≤ 2 h for DRC-01B / 01C. 100% numeric trace and 0 unverified citations in approved replies (hard gates). ≥ 95% of filings recorded automatically within 24 h.		
Milestone: M6 · First draft within one working day; filing recorded automatically		

Phase 6 — Litigation lifecycle, MIS and client view		weeks 15–20 · ≈ 20 person-days · At-a-glance · Per-notice
Goal. Disputes run through their statutory lifecycle in one place, with money, hearings and outcomes tracked, and clients see their own status.		
Workstream	Tasks	Fixes
Matters from notices	Group notices by case ARN; link a notice to an existing matter; lifecycle from form codes; one matter-number generator; DRC-07 → appeal clock and pre-deposit (10% of disputed tax; caps to be verified).	L-30, L-31, L-34
Hearings	Calendar, ICS feed, documents-to-carry kit, adjournments, E4 reminders from hearing rows.	L-33
Payments	DRC-03 linked by ARN; pre-deposit tracked separately from other payments.	R-21, L-31
Outcomes and MIS	Outcome taxonomy (dropped / confirmed / partly / won / lost), win rate, time to close, ageing from the notice date, exposure per dispute; Monday MIS e-mail; client litigation status report one click away.	L-41
Client view	A read-only “Notices & litigation” page in the client portal: stage, next date, documents requested, upload.	3b.3
Retention and recovery	Soft delete on litigation tables; legal hold; a tested backup / point-in-time-recovery runbook.	4.4
Done when - Every open matter has an owner, a stage and a next date, or appears on an exceptions list. - Exposure on the dashboard equals the sum over open disputes. - The client report is generated in one click and matches the notice workspace.		
Milestone: M7 · Disputes managed end to end; one-click client report		

After week 20 — decision-gated options

Official API route	Evaluate a GSP / ASP for returns, 2A/2B, ledgers, filing status and payments (client OTP consent; verify durations). Keep portal sessions for notices and case folders unless an API covers them (believed not to; verify).
E-way bill notices	EWB API for MOV-07 / MOV-09 matters; manual intake until then.
CAPTCHA automation	Default: do not build. Only after a written legal decision and client authorisations; strict rate limits, a kill switch and an audit log.
WhatsApp channel	Client document requests and status updates over WhatsApp Business, after the e-mail channel is proven.
Authentication and credentials (project-wide)	Adopt real server-side sessions (Supabase Auth or signed app sessions) so RLS can protect data, and move portal credentials to an encrypted, no-policy table reached only by the agent.

Decisions needed from the partner

Decision	What to decide	Needed by
CAPTCHA posture	People type CAPTCHAs; no solver. Confirm client authorisations for automated access with stored credentials.	Phase 3
AI processing	Approve the Claude API as a processor under its commercial terms; add an engagement-letter consent clause; list opt-out clients.	Phase 4–5
Reply rules	Approve the firm position per issue type that recipes and drafts follow.	Phase 4
Statutory periods	Confirm appeal / tribunal periods, condonation and pre-deposit caps to encode (current law).	Phase 1, 6
Portal e-mail inbox	Create notices@ and agree with clients that GST portal e-mails are forwarded (or the firm is the registered contact).	Phase 3
Agent host	An always-on office mini-PC on the office network for the agent.	Phase 3
Alert ladder	Recipients, escalation (owner → team → partner) and quiet hours.	Phase 1
Credentials and auth	Fund the project-wide move to server-side sessions and encrypted credentials.	Later
Staffing	Two developers for ~20 weeks with half a day a week of partner review (or one developer for ~9 months).	Now

How success is measured

KPI	Baseline	Target	How measured
Capture latency (portal issue → in app)	Not measured; manual Sync All, estimated 2-7 days	< 24 h for every notice; < 4 h for 7-day forms (DRC-01B/01C, REG-17/23, MOV-07)	Median of (first_seen_at - issue_date) per form, from gst_notices
Triage time (captured → form, issues, due date and owner confirmed)	Not recorded; estimated 2-5 days	<= 2 working hours (AI extraction + one-click confirm)	notice_extractions.confirmed_at - first_seen_at
Due-date coverage of open notices	0 of 403 case rows dated (review record, 13-Sep-2026)	>= 98%, each with a source tag (portal JSON / AI / manual)	Share of open notices with a non-null effective due date, by source
Time to first draft (captured → reply_drafts v1)	Estimated 7-14 days (drafting starts in the last week of the window)	DRC-01B/01C <= 2 h; ASMT-10 / DRC-01A / RFD-08 <= 1 working day; SCN <= 3 working days	reply_drafts.created_at (v1) - first_seen_at
Time to filed reply	Cannot be measured today (reply_date logged on 0 rows)	Median <= 40% of the statutory window; ASMT-10 <= 10 days; DRC-01B/01C <= 3 days	Portal-reconciled reply_date - first_seen_at, also as a share of the window length
On-time reply rate	Unknown (estimated 60-75%; many filed on extension)	>= 95% by the original due date; 100% by the effective due date	reply_date <= due_date (and <= extended_due_date) over notices that have a due date
Auto-annexure coverage	0% (all workings in Excel)	>= 70% of ASMT-10 / DRC-01A / DRC-01B / DRC-01C / RFD-08 issues with a system annexure within 6 months; >= 85% at 12 months	notice_issues with at least one reply_annexures row / all issues, by form
Staff minutes per notice	Estimated from currentJourney: ASMT-10 / DRC-01A about 520 min; s.73/74 SCN about 700; DRC-01B/01C about 120	About 105 / 200 / 25 min	Active-session time from notice_events plus an optional timer on the notice page; quarterly sample time study
Touches per notice (human actions until filed)	Estimated 15-20 across app, Excel, Word, email and portal	<= 5 (confirm extraction, approve requests, review draft, partner approval, sign on portal)	Count of human-actor notice_events between 'captured' and 'reply_logged' (needs the R-14 trigger)
Re-keyed fields per notice	Estimated 15-25 (due date, FY, demand heads, issue amounts, ARN, ref no., dates, owner)	<= 2	Fields with source = 'manual' / fields filled, from provenance columns
Partner edit distance on the AI draft	n/a	< 25% of characters changed by month 3 and falling; zero rejections for wrong numbers	diff(reply_drafts v1, approved version) per notice
Numeric trace rate	n/a (Excel → Word copy)	100% of rupee figures in approved replies trace to an annexure cell or a cited notice span (hard gate)	QA validator result stored on each approved draft
Unverified authority citations	n/a	0 (hard gate)	Citations in approved drafts that do not resolve to a legal_authorities id
Extraction accuracy	n/a	Due date exact >= 98%; demand by head within Rs 1 >= 95%; DIN/reference exact >= 99%; issue recall >= 95%	Eval set of past notices with partner-labelled answers; weekly regression run
Filings recorded automatically	0% (manual dialog; 0 reply_date rows)	>= 95% captured within 24 h by ack capture or the REPLY reconciler	reply_date with source in ('portal_ack', 'portal_folder') / replies filed
Client document turnaround	Not tracked (email/WhatsApp)	Median <= 3 days; no request older than 7 days without escalation	notice_doc_requests.received_at - requested_at
Genuinely overdue open notices	473 shown 'Over Due' of 1,060 on 13-Sep-2026, inflated by missing reply_date and stale history	0 genuinely overdue; stale history closed by rule	isOverdue() after REPLY reconciliation and the fixed auto-close
AI cost per notice	n/a	<= Rs 200 all-in (estimated USD 0.5-2 at list prices with prompt caching; backfill through Batches at 50%)	ai_audit_log tokens x price per model
GSTINs with fresh data (< 24 h)	Not measured; refreshes depend on someone running Sync All	≥ 95% every working day, or a named failure reason	client_sync_status view (Phase 1)
Human minutes per day on fetching	≈ 173 (\$5)	≤ 20	CAPTCHA-wall and exception handling time from the run ledger

Main risks

Portal changes	Endpoints and screens change without notice. Mitigation: shape-change detection on every response (raises E9), a versioned route map for filing assist, raw JSON kept for re-parsing.
Automated-access exposure	GSTN terms and the IT Act. Mitigation: human-typed CAPTCHAs, client authorisations on file, rate limits, an audit log of every portal action.
Wrong figures in a reply	Mitigation: figures only from code-built annexures; a hard gate blocks any untraced rupee figure or non-whitelisted authority; partner approval before filing.
Client data and AI	Mitigation: consent per client, redaction, no passwords ever sent, audit log, a processor agreement; AI never files or signs.
Alert fatigue	Mitigation: a preview week, per-client batching, quiet hours, reminders that stop once a reply is logged.

Appendix — full findings register

All 82 domain findings after duplicates were merged (the “=” line lists the IDs folded into each). Screen findings (U-) are in §11.

ID	Severity	Issue and evidence	Fix	Size
L-01 = S-02	Critical	Neither implementation can produce an alert. The edge function selects <code>gst_notices.hearing_date</code>, which no migration creates and <code>types.ts</code> lacks, so PostgREST rejects the select, <code>allNotices</code> is null and the function returns <code>{queued:0, message:'no notices'}</code> with HTTP 200 on every cron run. Behind that: it selects <code>clients.contact_person</code> (column does not exist); it inserts <code>email_outbox.template_key = 'notice_alert' / 'notice_alert_critical'</code>, which violates the FK to <code>email_templates(key)</code> because no such template rows are seeded; it looks for rule keys 'E4_hearing' / 'E5_limitation' while the seed uses 'E4_hearing_reminder' / 'E5_limitation_alert'; only a daily 04:00 UTC cron exists although the header promises a 15-minute run; and nothing writes <code>captured/changed/removed notice_events</code> (no trigger), so E1/E6/E9 have no source. The browser copy selects the same two missing columns, so <code>runScheduledAlerts</code> and <code>processEventAlert</code> also return 0 without an error. Impact: Phase 1's promise (nobody has to open the app to learn that a notice arrived, is due or was missed) is not met, and because cron and buttons report success the team believes alerts are running. <code>supabase/functions/queue-notice-alerts/index.ts:3-6,102-106,170-182,204-206,299,325; supabase/migrations/20260725120000_gst_reminders.sql:48; supabase/migrations/20260914140000_notice_alerts_phase1.sql:163-177,180-233; supabase/migrations/20260915100000_notice_alerts_cron.sql:12-22; src/lib/noticeAlertQueue.ts:95-101,244-252,319-324; src/integrations/supabase/types.ts:4831-4869</code>	Remove <code>hearing_date/contact_person</code> from the selects (hearings from <code>matter_hearings</code>, contact from <code>clients.name/email</code>); seed 'notice_alert' and 'notice_alert_critical' rows in <code>email_templates</code> or stop storing the shell key in <code>template_key</code>; align rule keys; add an AFTER INSERT/UPDATE trigger on <code>gst_notices</code> that writes <code>captured/changed/removed</code> events; schedule the 15-minute run; check every {error} and write a failure row instead of returning 'nothing due'; delete the browser duplicate so one implementation remains.	M
L-02 = S-06, R-04	Critical	<code>runAutoClose</code> and <code>runDueDateSweep</code> both query <code>gst_case_folder_items.notice_id</code>, a column that does not exist (folder items are keyed by <code>client_id + case_id</code>). Each pass returns an error before doing any work, so no notice has ever been auto-closed and no due date has ever been extracted; the toast shows 'Sweep errors: column ... does not exist'. The sweep is also manual-only, is silently capped at 1,000 candidates by PostgREST despite <code>.limit(2000)</code>, and once fixed would send up to 1,000 UUIDs in a GET <code>.in()</code> list, beyond URL limits. The footer offers it as the remedy for stale rows and the SOP tells staff to click it after every sync. Impact: LUT, refund and closure cases stay open forever, inflating Open and filling any deadline-sorted list with 2017-era rows (the reason the queue was switched to newest-first in #96); case rows never receive due dates, so DRC-01/ASMT-10 items never reach Overdue or Due-in-7. <code>src/lib/noticeAutoClose.ts:29-46,149-166,194-201; supabase/migrations/20260828160000_gst_case_folder_items.sql:14-24; supabase/migrations/20260914100000_notices_upsert_sync.sql:113-140; src/pages/NoticesDashboardPage.tsx:140-152; src/components/notices/NoticeWorkQueue.tsx:520-530; docs/NOTICES_STAFF_SOP.md:16-18</code>	Re-implement as a SQL function that joins <code>gst_case_folder_items</code> on (<code>client_id, case_id</code>); call it automatically after each client's notices pull and nightly via <code>pg_cron</code>; return counts and log a sweep-run row.	M
L-03 = R-03	Critical	<code>NoticeDrawer</code> selects <code>hearing_date</code> from <code>gst_notices</code>. No migration creates it and <code>types.ts</code> does not have it (tsc: <code>SelectQueryError 'column hearing_date does not exist' at NoticeDrawer.tsx:157</code>). The query errors, data is null and the drawer renders 'Notice not found.' for every notice without showing the error. Verify with one anon-key select; if the column was added out-of-band, add the migration instead. Impact: The per-notice view that every deep link targets cannot open, and 'Create Matter' (only reachable from the drawer) is unreachable. <code>src/components/notices/NoticeDrawer.tsx:142-157,223-224,416; src/integration/s/supabase/types.ts:4831-4869</code>	Remove <code>hearing_date</code> from the select, or add the column by migration and fill it from folder JSON (<code>sdtls.*pershrng</code>); render query errors instead of 'not found'.	S
R-01 = L-15, S-11	Critical	Every notice PDF, case-folder attachment and manual upload sits in a public bucket with anon INSERT, SELECT, UPDATE and DELETE policies, and is stored as a permanent public URL. Anyone holding the bundle's anon key can list, download, overwrite or delete every client's SCNs and replies. This blocks emailing links, a client portal and any AI pipeline. <code>supabase/migrations/20260321093054_e19b7266-1b9c-47f9-9fab-9341156d37e0.sql:13-27; supabase/migrations/20260819010000_return_pdfs_update_policy.sql:10-13 (the later public=false insert in 20260713180000_portal_reco_opening_source.sql:24-26 is ON CONFLICT DO NOTHING); extension/background.js:285; src/components/notices/AddNoticeDialog.tsx:64-70</code>	Make return-pdfs private and drop the four 'Anyone can ...' policies. Store storage paths, not URLs, in <code>gst_notices.pdf_url</code>, case-folder attachments and refund documents (one-off rewrite). Serve files through a signed-URL edge function that validates the staff session, and have the extension upload with an upload-token RPC instead of the anon key. Check the live bucket state first.	M
R-02 = S-27	Critical	A third-party bearer token for the GSP push API is committed in plain text in a README, so anyone with repo access can push returns through it. Fix secret hygiene before an Anthropic API key is introduced. <code>supabase/functions/gst-push/README.md:24 (value deliberately not reproduced)</code>	Rotate the token with the provider and remove it from the README and git history. Keep secrets only in <code>supabase secrets</code>, add secret scanning to CI, and store <code>ANTHROPIC_API_KEY</code> the same way from day one.	S

ID	Severity	Issue and evidence	Fix	Size
S-01 = S-23, R-26	Critical	There is no unattended path. Every refresh is a human-driven serial run: one Chrome tab, one client at a time, a person types each CAPTCHA (auto-submit only for a scripted fill), and the next CAPTCHA appears only after the previous client finishes. The agent has no notices handler, the GitHub Actions schedule is disabled and no app screen enqueues agent jobs. Impact: For ~90 clients one person is tied to the tab for 2-4 hours per refresh (~45 min of CAPTCHA attention plus babysitting). Freshness depends on someone having that time, so new notices can sit unseen for days. extension/content.js:563-588; extension/background.js:445-482; agent/src/handlers.ts:494-503; .github/workflows/portal-agent.yml:19-23; commit 98cad45 (agent UI removed)	Interim: incremental runs plus CAPTCHA-ready desktop notifications (Stage 2). Target: office-IP Playwright agent with per-client contexts, a 05:30 IST pg_cron enqueue and a batched in-app CAPTCHA wall, so the human step is ~5-8 minutes (Stage 4); targeted syncs to shrink the daily count (Stage 5).	L
S-03 = R-16	Critical	Client GST portal usernames and passwords sit in plaintext columns on clients, which anyone holding the publishable anon key can read (open SELECT policy); that key ships in the extension and the web bundle. The extension fetches every client's password over REST and copies all of them into gstk_active_job in chrome.storage.local for the whole run (up to 3 h, or indefinitely if the run is abandoned); gsk-push forwards them to a third party. Impact: Anyone who obtains the public key can read all ~90 clients' portal credentials, and the passwords also sit unencrypted in every staff Chrome profile. This is a confidentiality and liability exposure for a CA firm. supabase/migrations/20260121202445_2ad02815-f575-4969-8c45-53b628ee2956.sql:4; supabase/migrations/20260103121605_7c8f3446-794b-4b80-acda-298745141cb1.sql:8-11; extension/config.js:3-6; extension/background.js:72-73, 473-476; extension/popup.js:37-40, 64-69; supabase/functions/gsk-push/index.ts:68, 114-115	Move credentials to a no-policy table encrypted with Vault or pgsodium, exposed only through an edge function or RPC that checks a firm-issued session token and returns one client's credentials just-in-time. The job should hold client ids only, never passwords in chrome.storage. Mask passwords in the UI and rotate all of them after the fix.	M
S-04	Critical	The extension is distributed as an unpacked folder and the app does not enforce a minimum version: the Notices Dashboard only toasts below 0.3.0 and Company List's Sync never checks. A pre-0.3.0 copy still runs DELETE gsk_notices?client_id=... and then INSERTs rows without portal_key, which is now NOT NULL, so the delete succeeds and the insert fails. Its failure path calls the same delete. Impact: One stale copy on any staff PC hard-deletes every synced client's notices and all staff work on them. The delete cascades to notice_events, notice_alert_log and matter_deadlines (ON DELETE CASCADE, 20260914140000:10, 70, 91) and cannot be undone without point-in-time recovery. extension/README.md:25-31; extension/content.js:753-759 (OneDrive Desktop folder); src/pages/NoticesDashboardPage.tsx:118, 172-179; src/pages/CompanyListPage.tsx:128, 232-245; git show 3d517e9^:extension/background.js:102-105; supabase/migrations/20260914100000_notices_upsert_sync.sql:28	Block hard DELETE on gsk_notices with a BEFORE DELETE trigger that raises or converts it to a soft delete. Keep min_extension_version in a settings row that both the app (disables Sync) and background.js (refuses to start) check. Ship the extension through an unlisted Web Store listing or a force-install policy so it auto-updates.	S
L-04	High	Tiles use isOverdue/isDueln7 (open only, no reply, extended_due_date ?? due_date, IST calendar date) but the list they open re-implements them: overdue = due_date < now for any status, any reply, ignoring extensions; due7 = original due_date, any status, computed as UTC-midnight minus Date.now() (a notice due today drops out after 05:30 IST); the Exposure tile opens every open notice rather than open notices with demand; a day click matches original due_date or issue_date and includes closed rows while the strip plotted extended dates of open rows; an active category filter is not passed to any tile link. The Overdue list therefore includes every closed historic notice with a past due date. The in-list 'Over Due Notices' / 'Due in 7 Days' presets use the same wrong logic. Impact: Fails the roadmap's first acceptance check (tile counts equal their drill-down row counts); partners stop trusting the tiles. src/utils/noticeDefinitions.ts:23-40; src/pages/AllClientsNoticesPage.tsx:161-164, 178-179, 187; src/pages/NoticesDashboardPage.tsx:187-199, 268-285, 366-369, 392; src/components/reports/views/NoticeWorkflowListView.tsx:360-363	Have AllClientsNoticesPage and the list presets import isOpen/isOverdue/isDueln7/isNew and use the useNoticeSet rows; add filter=exposure (open and amount_of_demand > 0); match date= on effective due for open rows; carry category into tile links.	S
L-05 = S-07	High	replaceNotices, replaceRefundApplications and replaceDrc03Filings always run the 'last_seen_at < pullTs ⇒ deleted_at' PATCH, including when the pull produced zero rows. A get/notices HTTP-200 error body is coerced to an empty list; a failed case/task/get call is swallowed to [], after which every case-task row of that client (DRC-01, ASMT-10, LUT, DRC-03 acknowledgements) is soft-deleted because it was not re-upserted; non-array refund/DRC-03 responses become [] and soft-delete every refund/DRC-03 row. The attempt is still logged as success with '0 entries'. Roadmap 0.1 required that a zero-row run never marks anything missing. Impact: A transient portal problem silently removes a client's notices from tiles, lists and alerts; any future 'removed' alert would fire falsely. extension/background.js:114-121, 124-133, 146-155; extension/content.js:2656-2658, 2678-2687, 2921-2930, 3087-3088, 3359-3360	Skip the soft-delete when rows.length is 0 or any sub-fetch failed; scope the PATCH to the sub-source actually read (separate source values for get/notices and case/task rows); treat non-array or error JSON as a failed pull and log it; block soft-deletes above a drop threshold (for example more than half of the client's rows).	S

ID	Severity	Issue and evidence	Fix	Size
L-06	High	The upsert payload sends portal-owned columns as explicit NULLs: case-task due_date:null, pdf_url:null whenever a PDF download fails, case_id:null on get/notices rows, refunds sanctioned_amount:null. PostgREST resolution=merge-duplicates updates every column present, so a transient download failure erases a previously captured PDF link, every due date the sweep writes for case rows is wiped on the next Sync All (the sweep only fills NULLs, so dates flap and need a manual re-sweep), and sanctioned_amount can never hold a value. Impact: Derived data is not durable; once L-02 is fixed, case-row deadlines disappear after every sync. extension/content.js:2722-2731,2802-2808,3112; extension/background.js:61-68,114-117	Strip null-valued keys per row or send derived columns never; keep sweep output in a separate computed_due_date column (as the data model proposed) and define effective due as COALESCE(extended_due_date, due_date, computed_due_date); only write pdf_url after a successful upload.	S
L-07 = S-15	High	AddNoticeDialog inserts into gst_notices without portal_key, which the upsert migration made NOT NULL with no default, so the insert fails (tsc: 'portal_key is missing', AddNoticeDialog.tsx:73). Fixed naively, the row would still carry source='notices' and default last_seen_at, so the next Sync All for that client soft-deletes it because the portal did not return it. Impact: Notices the portal does not list (summons, inspections, MOV, offline orders, appeals) cannot be tracked — the lifecycles the roadmap says need typed manual entry. src/components/notices/AddNoticeDialog.tsx:73-86; supabase/migrations/20260914100000_notices_upsert_sync.sql:16-27; extension/background.js:117-120	Insert with source='manual' and portal_key='manual:' + uuid; include 'manual' in useNoticeSet and AllClientsNoticesPage filters (the soft-delete PATCH already filters source='notices').	S
L-08 = R-20	High	The queue does its own fetch: .limit(1000) with no ORDER BY and no source filter on a table already past 1,000 rows (arbitrary slice), then sorts by issue_date newest-first while the header pill says 'Open notices · earliest due first', and renders 50 rows. Its profiles query selects last_name, which does not exist, so the assignee list is empty and every owner shows '?' — bulk Assign cannot work. 'Hearings' is a regex on staff_status; 'Unassigned' ignores the free-text owner the edit dialog writes. The Team count does not equal the dashboard Open count. Impact: The list meant to answer 'what must we do today' drops rows nondeterministically, buries overdue work under new arrivals and cannot assign owners. src/components/notices/NoticeWorkQueue.tsx:58,64-80,145-182,186-197,396; src/integrations/supabase/types.ts:7208-7217	Feed it from useNoticeSet; order overdue first, then effective due ascending, then priority, with undated rows in a 'Needs triage' tab; select profiles(user_id, first_name) restricted to staff via user_roles; derive the Hearings tab from matter_hearings.	M
L-09 = R-07	High	No code writes matter_deadlines (only readers exist); nothing computes litigation_matters.limitation_date, and computed_due_date is only a copy of notice.due_date set by the drawer; litigation_rules is seeded but fetchLitigationRules is never called. No appeal clock is created when an order date is logged, when an ORDRS/DRC-07 item is captured or when a refund is rejected; no pre-deposit is computed anywhere. Impact: The highest-consequence date in GST litigation (the s.107 appeal limitation) lives only in staff memory; the roadmap's 3b check that a DRC-07 captured today shows an appeal last-date and pre-deposit fails. src/components/notices/NoticeDrawer.tsx:151-154,256; src/lib/litigationData.ts:576-590; src/pages/LitigationMatterDetailPage.tsx:265,554-555; supabase/migrations/20260914100000_notice_alerts_phase1.sql:88-110; supabase/migrations/20260914100000_litigation_core_phase3.sql:181-220	A SQL function driven by litigation_rules that inserts matter_deadlines rows (appeal + condonation, rectification, RFD-08 reply, DRC-22 expiry) when order_date is set or an ORDRS/rejection item is captured; keep computed and override dates separate and show the basis.	L
L-10 = R-05, S-18	High	extractDueDate reads raw.sdtls.duedate, raw.dtscl.duedate and raw.duedate. The folder page, built against live JSON, reads notices at sdtls.{dtscl srscn remnd dtorder}.duedt and intimations at raw.duedt or sdtls.*replyDuedt; only the RFD-08 (NOTAC sdtls.duedate) path matches. Dash-separated dates (used by refund items) are rejected. With several notice items in a case it keeps the EARLIEST date — the first notice's long-past deadline — so a case with a fresh notice reads as overdue, and the value is never refreshed once set. Personal-hearing dates (pershrng) are ignored. Positions doc section 4 records the wrong paths. Impact: DRC-01/DRC-01A/ASMT-10 case rows get no due date (missed deadlines) or a stale one (false overdue). src/lib/noticeAutoClose.ts:123-144,170-178; src/pages/AdditionalNoticeFolderPage.tsx:99-125,164-182,246-254; docs/NOTICES_LITIGATION_POSITIONS.md:74-83	Move subDetail()/replyFields() into a shared util and use them; take the due date of the latest notice or intimation not yet replied to; accept DD/MM/YYYY and DD-MM-YYYY; extract pershrng into a hearing row; recompute on every sync.	M
L-11	High	(a) notice_type matching /refund/ plus any ORDRS item closes the case, but refund ORDRS items include RFD-06 orders that may be rejections (sancordervo) and start an appeal clock — closing them hides it; (b) no rule for 'Voluntary Payment' (DRC-03 acknowledgement) rows, so about 146 such rows stay open and inflate Open (roadmap 0.4 named the 131 acknowledgements); (c) LUT closes only if an ORDRS item exists; (d) nothing closes a GSTR-3A notice once the return is filed although gst_filed_returns holds that fact, nor REG-20 drop, ASMT-12 acceptance or DRC-05 conclusion; (e) a DRC-07 should not close but move to 'Order received' with an appeal deadline; (f) rows without case_id (all get/notices rows) are never candidates. Impact: Either stale open rows that staff must close by hand, or — once the sweep works — appealable rejections closed silently. src/lib/noticeAutoClose.ts:17-20,29-35,62-78; src/pages/AdditionalNoticeFolderPage.tsx:107-116; src/utis/noticeSummaryReport.ts:76-77,114-121	Read the order sub-type from raw_json and close only on sanction/payment/closure; on rejection or DRC-07 set stage 'Order received' and create the appeal deadline; add a Voluntary Payment rule (status Acknowledged); auto-close GSTR-3A by matching its return period to gst_filed_returns; record close_reason auto:* and an event for each.	M

ID	Severity	Issue and evidence	Fix	Size
L-12	High	The header comment asserts its grand total equals Notice Summary's, but it counts every gst_notices row (including the 'Refunds'/'Voluntary Payment' case rows computeNoticeSummary excludes) plus every refund and every DRC-03 row with no ARN dedupe, and keeps dedicated rows whose ARN is null, which Summary drops. Its Total/Open/Closed cells open /notices-all?client=..., which lists gst_notices only, so no client's count matches the list it opens. The Type filter drops refunds/DRC-03 here but not on Notice Summary. Impact: Two report pages give different firm totals and per-client numbers do not match their drill-downs (roadmap 5.3 not met). src/pages/GstinWiseNoticeCountPage.tsx:1-7,79-127,237-249; src/utils/noticeSummaryReport.ts:79-123; src/pages/NoticeSummaryReportPage.tsx:36-41	Group the useNoticeSet rows by client and call computeNoticeSummary per client; link Total to a merged per-client list or show refunds/DRC-03 as separate columns with their own links.	S
L-13	High	Three definitions. The dashboard sums amount_of_demand (free-entered, and repeated across the ASMT-10, DRC-01A, DRC-01 and DRC-07 notices of one dispute) over open notices and labels the notice count 'matters'; GSTIN-wise and MIS sum matter demand heads over open matters; the tile opens all open notices. The tax/interest/penalty split and pre-deposit props of the tile are never passed. Impact: The partner's key money figure differs by screen; the roadmap check 'exposure on the dashboard equals the sum over open matters' fails. src/pages/NoticesDashboardPage.tsx:204-205,350-370; src/components/notices/NeedsAttentionStrip.tsx:168-195; src/pages/GstinWiseNoticeCountPage.tsx:58-71; src/pages/LitigationMISPage.tsx:147-159	One SQL view: open matters' (tax+interest+penalty+cess – paid – pre-deposit) plus open unlinked notices with demand counted once per case; use it on all three screens with a matching drill-down.	M
L-14	High	Client delete is a hard DELETE and every module table cascades from clients: gst_notices, refunds, DRC-03, case-folder items, client_sync_log, notice_events (the audit trail), notice_alert_log, matter_deadlines, and litigation_matters with its stage history, events, documents, hearings and payments. Deleting a notice row also deletes its events. There is no archive flag, legal hold or deleted_at on litigation tables (roadmap 4.4). Impact: One click on a sync-admin page irreversibly destroys litigation history the firm needs as evidence. src/pages/CompanyListPage.tsx:197-213; supabase/migrations/20260817180000_notices_refund_drc03.sql:14,31,48; supabase/migrations/20260828160000_gst_case_folder_items.sql:16; supabase/migrations/20260914160000_notice_alerts_phase1.sql:10-11,70-71,91-92; supabase/migrations/20260914160000_litigation_core_phase3.sql:9,66,86,108,133,159	Archive instead of delete (clients.archived_at, filtered everywhere); ON DELETE RESTRICT on litigation FKs; ON DELETE SET NULL for event tables; legal_hold on matters; superadmin-only hard delete with typed confirmation.	M
L-16	High	E3 has a 168-hour cooldown, so a notice gets one reminder near T-7 and none at T-3, T-1, T0 or while overdue; E3/E4 include notices already replied to; unassigned notices fall back to every staff member individually (N notices × M staff emails); the event-alert dedupe key omits the recipient, so only the first team member ever receives an event alert; E2 counts notices due today as overdue (instant comparison at 09:30) unlike the dashboard; E11 uses issue_date rather than first_seen_at and goes to partners in the edge function but to the whole team in the browser copy; quiet_hours, max_repeats and staff_notification_prefs are never read; the 'mode' body is ignored; email_outbox.dedupe_key has only a non-unique index, so the 23505 branch is dead and concurrent runs can double-send; notice_alert_log records 'sent' at enqueue time. Impact: Alert fatigue for some, silence for others, and no escalation as a deadline approaches. supabase/functions/queue-notice-alerts/index.ts:86-90,128-152,190-198,236-242,272-296,357-390; src/lib/noticeAlertQueue.ts:268-281,288-304,455-482; supabase/migrations/20260914160000_notice_alerts_phase1.sql:159,166,174	One server implementation; offsets 7/3/1/0 then daily while overdue capped by max_repeats; skip replied/closed; recipients owner, then team list, then partner; dedupe key per rule+notice+offset+date+recipient with a UNIQUE index and insert-on-conflict-do-nothing; honour quiet hours; log 'queued' and update on send.	M
L-18 = R-12	High	Two owner fields that never reconcile. The workflow edit dialog writes free-text assign_to only and passes the old assign_to_user_id through, so no 'assigned' event; the work queue writes assign_to_user_id but logs no event, so E6 assignment emails cannot fire from either path; assign_to_user_id was added without a back-fill; dashboard 'Unassigned' and the queue ignore free-text owners while E11 treats them as assigned; clients.assigned_accountant, already used by Filing Status, is not used to default an owner for new notices. Impact: No dependable answer to 'who owns this', so no ladder, no 'Mine' view and no accountability. src/components/reports/views/NoticeWorkflowListView.tsx:553,560-569; src/components/notices/NoticeWorkQueue.tsx:230-245; src/pages/NoticesDashboardPage.tsx:224; supabase/functions/queue-notice-alerts/index.ts:361-363; supabase/migrations/20260914160000_notice_alerts_phase1.sql:112-120; src/pages/FilingStatusPage.tsx:120	Back-fill assign_to_user_id by name match; use the staff picker everywhere; default the owner from clients.assigned_accountant on capture; emit 'assigned' events from a DB trigger so every writer is covered.	M
L-19	High	Even when it loads, the drawer is read-only: no log reply/order/submission, no close-with-reason or reopen, no assign, no notes. Documents shows only pdf_url although the case folder's notices, replies and orders with attachments are already stored in gst_case_folder_items. There is no 'request documents from client' (E12) action, no reply template or precedent, no link to the client's 2B reconciliation / GSTR-3B workings for ASMT-10 or DRC-01C as the design proposes, and no /notices/:id route. Impact: Preparing a reply still means hopping between the list, the folder page and the portal; nothing shortens time-to-reply. src/components/notices/NoticeDrawer.tsx:363-497; src/pages/AdditionalNoticeFolderPage.tsx:375-376; src/App.tsx:110-121	Drawer v1 per roadmap 2.6: reply/order/close/reopen/assign actions, folder attachments via signed URLs, an E12 request with a per-category document checklist, quick links to the client's 2B/3B workings for the notice period.	L

ID	Severity	Issue and evidence	Fix	Size
L-20	High	The commit gate is 'vite build' with strict:false, so nothing type-checks. tsc --noEmit already reports the runtime-breaking mismatches: missing portal_key (AddNoticeDialog.tsx:73), non-existent hearing_date (NoticeDrawer.tsx:157; noticeAlertQueue.ts:259 onward), profiles.last_name (NoticeWorkQueue.tsx:163), clients.contact_person (noticeAlertQueue.ts:259), AppUser.name (NoticeWorkflowListView.tsx:432,571). types.ts is hand-edited (close_reason inserted out of order) rather than regenerated, and the Deno edge function has no typing against the schema at all. Impact: Column-name bugs ship green and fail silently at runtime. package.json:8; tsconfig.app.json:16,25; src/integrations/supabase/types.ts:4864	Regenerate types.ts from project gcquafqxykxbexcdpy; add tsc --noEmit (at least for the notices/litigation files) to the gate; add a smoke script that runs each module select once with the anon key from .env.	S
L-25 = R-13	High	Four vocabularies: list inline and bulk status = Open Closed; queue stages = Awaiting data, Reply drafted, Partner review, Filed, Hearing, Order, Appeal, Closed; the drawer maps by regex; the SOP tells staff to set 'Under Review' / 'Reply Drafted', which the list cannot set and shows as an empty select. Moving a notice to 'Filed' does not set reply_date, so it stays Overdue; 'Order' stays open with no appeal clock; closing never requires a reason; the tile's replies/appeals/hearings split is a regex on staff_status and is effectively always 0 for appeals and hearings. Impact: A notice staff marked as replied keeps showing as overdue; stage-based views cannot be trusted. src/components/reports/views/NoticeWorkflowListView.tsx:74,415-441,463-485; src/components/notices/NoticeWorkQueue.tsx:42-52,262-283; src/components/notices/NoticeDrawer.tsx:97-109; src/pages/NoticesDashboardPage.tsx:227-234; docs/NOTICES_STAFF_SOP.md:19-20	One stage enum (the section 7.2 list) for list, queue and drawer; 'Filed/submitted' requires reply date or ARN; 'Closed' requires a reason; derive the breakdown from deadline types.	S
L-28 = R-14	High	Bulk status and priority (list), bulk assign, priority and stage (queue) and matter demand edits write no events. The edit dialog initialises closeReason to '' and saves close_reason = null, so every save wipes an existing reason, including auto:* tags. actor_name is always null from the list (AppUser has no 'name'). Sync-side changes produce no events (no trigger), and notice_events rows are deleted with their notice (ON DELETE CASCADE). Impact: Who closed what, when and why cannot be reconstructed for review or a client dispute. src/components/reports/views/NoticeWorkflowListView.tsx:432,463-505,507-524,553-554,571; src/components/notices/NoticeWorkQueue.tsx:230-283; src/pages/LitigationMatterDetailPage.tsx:482-490; supabase/migrations/20260914140000_notice_alerts_phase1.sql:10	Log from an AFTER UPDATE trigger on gst_notices (old/new diff, actor passed via RPC or a session setting); send close_reason only when edited and prefill it; use user.firstName.	M
R-06	High	Filing is never recorded automatically. Reply ref, date and ARN are typed in the list dialog, so in practice they are not: reply_date was set on 0 rows while 121 REPLY items across 68 cases had been synced, and replied notices stay Overdue. src/components/reports/views/NoticeWorkflowListView.tsx:1124-1147; src/pages/AdditionalNoticeFolderPage.tsx:138-152 (replyFields already parses reply type, against, date and filed-by); docs/notices-roadmap/review-record.json	Add a REPLY-item reconciler that runs on every sync. Match reply.ntcno or refId to the notice; set reply_date, reply_ref_number and submission_arn with source = 'portal'; move the stage to Filed; mark the deadline met; log reply_logged. The filing-assist ack capture writes through the same RPC.	S
R-08	High	There is no issue-level model. A notice carries one amount_of_demand and a matter four hand-typed totals. The case-folder page hides the per-issue demand (dmddtls), goods/services and payment arrays the portal returns, so no screen can show, for example, 'issue 3: 2B vs 3B ITC, Rs x CGST, our position'. src/pages/AdditionalNoticeFolderPage.tsx:270-271; src/pages/LitigationMatterDetailPage.tsx:482-490,637-669; src/integrations/supabase/types.ts (gst_notices Row)	Add a notice_issues table: issue_code from a firm taxonomy, period, head-wise tax/interest/penalty, para/page reference, stance, status and payment link. Populate it from dmddtls plus AI extraction, and make matter demand a SUM view over it.	M
R-09	High	There is no reply workspace at all: no templates, precedents, drafts, versions or partner approval (roadmap 3b.2 and 5.3 are unbuilt). The reply is drafted in Word, and the app learns only a reference number afterwards. docs/notices-roadmap/src/sec-roadmap.html (3b.2, 5.3); no reply/template tables in src/integrations/supabase/types.ts; src/pages/LitigationMatterDetailPage.tsx:461-470	Build the Reply Factory: reply_templates, legal_authorities, reply_annexures, reply_drafts (versioned), reply_reviews and filing_packs, plus a Draft tab on /notices/:id (see aiPipeline).	L
R-10	High	The evidence engines exist but are month-scoped and disconnected from notices: GSTR-3B vs GSTR-1, 3B vs 2B/2A, RCM vs ITC, interest scrutiny, Rule 42 short reversal and the GSTR-9 'Notice reply format'. Staff re-run them month by month and rebuild the results in Excel. src/lib/reportsCatalog.ts:251-300,406-560,845-891; src/utis/gstr3bReports.ts:101-262; src/components/gstr9/steps/NoticeStep.tsx:166-171	Add a recipe layer (src/lib/reply/recipes/*) that runs these builders over the notice's periods, checks data readiness (and queues missing pulls), and stores annexures with row provenance in reply_annexures.	M
R-11	High	Client document requests are not tracked (roadmap 1.6 is unbuilt). Requests and files travel by email and WhatsApp with no status, ageing or link to the notice, and this is usually the longest wait in the journey. No request table or UI in src or supabase/migrations; docs/notices-roadmap/src/sec-roadmap.html (1.6)	Add notice_doc_requests (item, issue_id, requested_at, due, status, received_document_id), E12/E13 emails through email_outbox, and a signed client upload link. Generate the list automatically from issue codes.	M
R-15	High	The existing edge-function pattern (verify_jwt = false, authorising on a caller-supplied actorId) must not be reused for AI. User ids are readable through the open profiles table, so an AI drafting endpoint built that way would let anyone with the anon key read any client's notice through the model and spend the firm's API budget. supabase/config.toml:7-8; supabase/functions/gst-push/README.md ('Authorization' section)	Use a server-validated staff session (a signed token issued at authenticate_staff and verified in a shared _shared/auth.ts), with per-user rate limits and an ai_audit_log. The client role gets no access to AI endpoints.	M

ID	Severity	Issue and evidence	Fix	Size
S-05	High	Nothing turns a newly synced notice into work. The E1 'New notice captured' rule waits for notice_events of type 'captured', but no DB trigger exists and the extension never writes events. Event alerts are processed only when staff edit rows in the app, there is no 15-minute event cron (only the daily digest), and Sweep and 'Send digest' are manual buttons. Impact: A new DRC-01 or ASMT-10 surfaces only when someone opens the dashboard, with no owner, no deadline and no email. supabase/migrations/20260914140000_notice_alerts_phase1.sql:164; src/Lib/noticeEvents.ts:19-28; src/components/reports/views/NoticeWorkflowListView.tsx:434-437; supabase/migrations/20260915100000_notice_alerts_cron.sql:11-22; src/pages/NoticesDashboardPage.tsx:140-170	Add AFTER INSERT/UPDATE triggers on gst_notices and gst_case_folder_items that write notice_events (captured, due_changed, and reply/order/hearing item added). A 15-minute cron then drains the events into E1 and E6-E9 with signed PDF links. Auto-assign new notices to clients.assigned_accountant and run the sweep server-side after each client's ingest.	M
S-08	High	Every notice row is sent with pdf_url:null and overwritten only when a download succeeds; merge-duplicates writes the null, so one transient failure erases a link that worked yesterday. Nothing checks what is already stored: every notice PDF, every case-folder attachment and every DRC-03 PDF is downloaded and re-uploaded on every run. Impact: Broken document links on the per-notice view. Runs take minutes per client instead of seconds, and the thousands of repeat requests from one profile raise the risk of portal WAF blocks. extension/content.js:2729, 2732-2742, 2813-2849, 2882-2897, 3377-3392; extension/background.js:61-69, 267-289	Omit pdf_url unless a PDF was captured (or COALESCE it in the ingest RPC). Store doc ids and attachment ids and skip ones already captured, with a full re-download only on a weekly verification pass.	S
S-09	High	Each run re-reads full history (notices and cases since 2017, challans in ~22 windows) and every document, while the job is dropped when it has been idle for over 10 minutes or is older than 3 hours. The check runs only on the next page load, so a CAPTCHA left for more than 10 minutes, or a long run, silently clears the job and the remaining clients get no log row. Impact: A 90-client Sync All can stop part-way with no record, while the header still shows 'Last sync' from whichever client finished. extension/content.js:155-158, 585-588, 2654, 2682, 3084, 3354, 3498-3505	Fetch incrementally; make the queue resumable (persist the next index and log 'abandoned' for unprocessed clients); add a chrome.alarms watchdog in the service worker; notify the operator when a CAPTCHA is waiting.	M
S-10	High	Data is written under cur.clientId without confirming that the portal session belongs to that GSTIN. Every call uses the profile's shared portal cookies. A staff member logging into another client in a second tab, or any other extension action (every start* function overwrites the single gstk_active_job key and opens a fresh login), can switch the session mid-run, and the superseded run stops silently. Only multi-client queues log out between clients. A single pull started while the profile still holds another client's session — the 'Login' button deliberately leaves one open — skips login whenever the page already looks logged in (verify whether services/login redirects for an active session). Impact: Client B's notices, ledgers or 2B can be saved under client A, and runs are silently abandoned, in a firm where staff use the portal all day. extension/content.js:144-148, 169-172, 312-325, 361-364, 509-513, 2652-2655, 2680-2683; extension/background.js:307-309, 478-480, 519-521	Read the session GSTIN (profile/detail or page header) before each write and abort on mismatch. Always log out before the first client. Queue extension jobs instead of overwriting them. Run sync in a dedicated Chrome profile now and in isolated agent contexts later.	S
S-12	High	appbridge.js is injected on, and accepts messages from, any https://*.vercel.app origin. Any Vercel-hosted page a staff member visits can trigger portal logins, a firm-wide Sync All, a GSTR-1 upload, or a GSTR-3B push carrying attacker-chosen figures that the extension types into Tables 3.1 and 4 and saves (client UUIDs are readable with the public key). Impact: Anyone can remotely start portal sessions and modify draft returns without authenticating. extension/manifest.json:32; extension/appbridge.js:12, 20, 185-197; extension/background.js:573-594; extension/content.js:1261-1311, 1314-1369	Allow exact origins only (gst.vjdesai.com plus one named preview host). Require a short-lived signed token from the logged-in app, and show a confirmation prompt inside the extension for any write action.	S
S-13 = L-17	High	The card hard-codes 'Next scheduled unattended sync: 06:00 IST' (no such schedule exists) and 'Emails sent today: 0'. 'Healthy' only means the extension was detected and there are no failed 'notices' rows; it ignores staleness. 'Last sync' is the newest success of any single client. 'Changed' counts every re-pulled row because pulled_at is rewritten each sync. The 'with credentials' denominator counts every non-excluded client. Impact: Partners see a green 'Healthy' card while most clients may be days stale, which is false assurance on the at-a-glance view. src/components/notices/SyncHealthCard.tsx:126, 157-158, 214; src/pages/NoticesDashboardPage.tsx:253-264, 288; extension/content.js:2730	Derive per-client freshness from the run ledger: count of clients stale over 24 h, oldest sync, failures by reason class. Remove the hard-coded rows; compute 'changed' from a portal_hash; use active credentialed clients as the denominator.	S
S-14	High	Login failures are logged as action 'login_failed', but the dashboard counts only action='notices'. Company List takes the newest row of any action, which after a bundle is usually the 'refunds_debug' success row, so a failed notices step is masked. Refunds and DRC-03 DB-write failures are swallowed, and refunds still logs success. Both pages read the log with no limit, so once the 1,000-row default cap is reached, active clients show as 'Never synced'. Impact: The dashboard and the Company List it links to disagree, and real failures are hidden, so nobody knows which clients need a re-sync. extension/content.js:348-350, 2935-2938, 3118-3126, 3397; src/pages/NoticesDashboardPage.tsx:100, 253; src/pages/CompanyListPage.tsx:114, 152-156, 179-180	Add sync_runs / sync_run_items tables (run_id, client, step, status, reason class, rows new/changed/removed, duration, extension version) and a client_sync_status view that both pages read. Send debug output to a separate table.	M

ID	Severity	Issue and evidence	Fix	Size
L-21	Medium	A third set of definitions: 'Over Due' and '7 Days Due' use original due_date only (no extension, no open or reply check, UTC-midnight minus Date.now()); 'Last 24 Hours' uses pulled_at, i.e. every row the last sync touched; Total adds refund and DRC-03 rows on top of their 'Refunds'/'Voluntary Payment' case rows. The query does not select extended_due_date or reply_date. Impact: A client's profile disagrees with the dashboard and with the GSTIN-wise row for the same client. src/pages/CompanyProfilePage.tsx:134,145-180,219-243	Filter the useNoticeSet rows by client and use noticeDefinitions; 'New' from first_seen_at; ARN-dedupe refunds/DRC-03 as computeNoticeSummary does.	S
L-22	Medium	Only three description regexes (registration; return defaulter; ITC/liability mismatch) are applied; every other get/notices row is bucketed by the portal's raw type ('Notice', 'Order', ...). ASMT-10, DRC-01/01A, DRC-07, DRC-13, DRC-22, ADT-01/02, CMP-05, MOV-*, APL-02/04 arriving through get/notices never reach their canonical rows, which only case-task rows fill via CASE_NOTICE_TYPE_MAP; Appeal, Audit, Penalty, Ewaybill, AAR, TRAN 1 and Anti evasion are permanent zero placeholders. 'registration' lumps a REG-03 clarification with a REG-17 cancellation SCN and a REG-19 order. DRC-01B/01C detection relies on the literal text 'ITC mismatch liability mismatch DRC-01B DRC-01C' — verify against live descriptions. litigationData LIFECYCLE_HINTS expect form codes that notice_type never contains. Impact: Category bars mostly read 'Notice'/'Order', and category cannot drive priority, reply period or lifecycle. src/utls/noticeCategoryClassifier.ts:16-49,57-70; src/lib/litigationData.ts:598-621	Add gst_notices.form_code parsed from description, reference prefix or folder sdtls type, plus a mapping table (form_code to category, lifecycle, default reply days, critical flag) seeded from roadmap section 7.1; classify from form_code first.	M
L-23	Medium	Priority is manual only. Nothing tags short-clock or coercive items (DRC-01B/01C 7 days, REG-17 7 working days, GSTR-3A 15 days, MOV-07, DRC-13/16/22) or notices carrying a demand as High, contrary to design section 7.2; the sync payload carries no priority. Impact: Critical notices look identical to routine ones until someone triages them by hand. src/components/reports/views/NoticeWorkflowListView.tsx:487-505; src/components/notices/NoticeWorkQueue.tsx:247-260; extension/content.js:2722-2731; docs/notices-roadmap/src/sec-lifecycle.html (7.2 stage model)	BEFORE INSERT trigger: when priority is null and form_code is in the critical set or amount_of_demand > 0, set 'High'; never overwrite a staff value.	S
L-24	Medium	One portal case (ARN) yields one gst_notices row per task refid, all sharing case_id; each is counted separately in categories, Open and Overdue and each can become its own matter. When a task's refid equals a get/notices noticeOrderId the task row is skipped, leaving the get/notices row with case_id null — never linked to its folder and never a sweep candidate. The folder page header takes an arbitrary row (limit(1) without ORDER BY). Roadmap 0.1 'dedupe case-task rows by ARN' is not done. Impact: One dispute can appear as several open notices; the same SCN can appear once as 'Notice' and once as 'DRC 01'. extension/content.js:2729,2790-2808; src/pages/AdditionalNoticeFolderPage.tsx:375; src/utls/noticeSummaryReport.ts:84-92	One case row per (client_id, case_id) with task details in jsonb; when a task refid matches a get/notices row, copy t.arn into that row's case_id instead of dropping the link; order the folder-page lookup.	M
L-26	Medium	isOverdue excludes notices with reply_date but isDueIn7 does not; the strip's reply_due chips and E3 reminders also ignore reply_date, so notices already replied to keep appearing as due this week and keep generating reminders. Impact: The weekly plan is padded with finished work. src/utls/noticeDefinitions.ts:23-40; src/pages/NoticesDashboardPage.tsx:275-279; supabase/functions/queue-notice-alerts/index.ts:275-280	Add the reply_date check to isDueIn7 (or rename it 'awaiting reply') and reuse it in the strip and alerts; update positions section 2.	S
L-27	Medium	daysRemaining/daysUntil compute Math.round((UTC midnight of the due date – now) / day). From 17:30 IST a notice due today shows -1 / 'Overdue by 1 day' and one due tomorrow shows 'Today', although isOverdue says neither. formatDate/fmtDate parse 'YYYY-MM-DD' as UTC and render in browser time (a day early west of UTC); the edge function's todayIST builds a shifted instant, so its day counts depend on run time. Impact: Wrong urgency every evening; a met deadline shown as missed. src/components/notices/NoticeWorkQueue.tsx:64-72,100-104; src/components/notices/NoticeDrawer.tsx:61-65,77-83,270-285; supabase/functions/queue-notice-alerts/index.ts:36-44,213; src/lib/noticeAlertQueue.ts:59-67	One util: today in IST as 'YYYY-MM-DD' and day difference via Date.UTC on both calendar dates; format dates from the string, not via Date.	S
L-29	Medium	The bell filters .neq('actor_id', userId) and .neq('actor_user_id', userId); PostgreSQL neq compiles to SQL <>, which is NULL for a NULL actor, so system events (auto-close, any future sync 'captured' event, matters created from the drawer without an actor) never appear. It is mounted twice (mobile and desktop) and only refreshes on mount or open. Impact: The in-app channel hides exactly the automated events it should surface. src/components/notices/NotificationBell.tsx:76-91,128-138; src/components/layout/MainLayout.tsx:65,69-71; src/lib/noticeAutoClose.ts:106-113; src/components/notices/NoticeDrawer.tsx:247-257	Use .or('actor_id.is.null,actor_id.neq.<id>'); mount once; poll or use realtime.	S

ID	Severity	Issue and evidence	Fix	Size
L-30 = R-27	Medium	Create Matter makes one matter per notice with lifecycle hard-coded 'demand', no demand heads, FY, section, officer or reference, no deadline and no actor, and swallows errors. There is no UI to add a notice to an existing matter or to review suggested groupings — linkNoticesToMatter, suggestMatters, updateMatter, closeMatter and addPayment are dead code (only createMatter is imported) — so an ASMT-10, DRC-01A, DRC-01, DRC-07 chain becomes four matters. Closing a matter leaves its notices open and vice versa. Impact: The matter layer cannot represent a dispute's lifecycle, so MIS and per-matter exposure are unreliable. src/components/notices/NoticeDrawer.tsx:243-266; src/lib/litigationData.ts:217-250,332-426,514-547,623-662	'Add to matter' picker (same client, same case_id or FY first) and a 'Suggested matters' review page built on suggestMatters; prefill lifecycle, demand and FY from the notice; on matter close offer to close linked notices with the same reason.	M
L-31	Medium	The matter page adds every payment, including kind 'pre_deposit', to paid_total and never updates pre_deposit_total (the unused litigationData.addPayment splits them the other way), so MIS and PDF 'Pre-deposit' is always 0; totals are read-modify-write (lost updates under concurrency) with no edit or delete path; drc03_arn is free text, not validated against gst_drc03_filings although the sync now captures head-wise DRC-03 amounts; there is no pre-deposit calculator. Impact: Outstanding demand and pre-deposit figures are wrong in MIS and client reports. src/pages/LitigationMatterDetailPage.tsx:267,390-418,1079; src/lib/litigationData.ts:514-547; src/pages/LitigationMISPage.tsx:150-159; supabase/migrations/20260914160000_litigation_core_phase3.sql:157-169	Derive paid and pre-deposit totals as sums over matter_payments in a view (or maintain them by trigger); pick the ARN from the client's gst_drc03_filings; compute pre-deposit from litigation_rules.	M
L-32	Medium	Seeds are partly right but incomplete for an engine: s.107 3 months + 1 month condonation and s.112 3 months + 3 months match the Act as generally applied; s.107(6) is seeded only as 10% of disputed tax — the full admitted-amount component and the monetary cap are missing (cap reported reduced from ₹25 crore to ₹20 crore each under CGST/SGST by the Finance (No.2) Act 2024 — verify against current law and effective date); s.112(8) is seeded at 10% (the post-2024 rate; previously 20%) with no cap — verify; 25% for s.129 penalty appeals matches; a pre-deposit for penalty-only orders introduced by a later Finance Act is not seeded — verify; the s.112 basis reads 'from APL-04' rather than communication of the order and the GSTAT transitional window for older orders is not modelled — verify current dates; REG-18/REG-24 '7 working days' are stored with unit 'days', so calendar arithmetic would under-state them; there are no keys for s.73(10)/s.74(10) order limitation, s.74A notice/order limits, s.75(5) adjournment cap or s.54(7) refund-order period. Impact: Encoding these as-is would produce wrong pre-deposit amounts and short registration deadlines. supabase/migrations/20260914160000_litigation_core_phase3.sql:181-220	Add admitted-amount, cap and penalty-only keys with effective_from; a working-days unit with a holiday calendar; limitation keys for s.73/74/74A; partner sign-off on every value before the engine uses it.	S
L-33	Medium	Hearings live only in matter_hearings on the matter page. The queue's Hearings tab is a regex on staff_status; the dashboard never feeds 'hearing' or 'appeal_limitation' items to Next14DaysStrip although the strip supports them; E4 reads gst_notices.hearing_date (non-existent) instead of matter_hearings; litigation_matters.hearing_at is overwritten by whichever hearing was added last, even a past one, and MIS upcoming hearings reads that field; personal-hearing dates in folder JSON are not extracted; there is no Hearings page or ICS export. Impact: A scheduled hearing can be missed while every dashboard view shows nothing. src/components/notices/NoticeWorkQueue.tsx:190; src/pages/NoticesDashboardPage.tsx:268-285; src/components/notices/Next14DaysStrip.tsx:7-12,24-30; supabase/functions/queue-notice-alerts/index.ts:298-322; src/pages/LitigationMatterDetailPage.tsx:364-388,430-447; src/pages/LitigationMISPage.tsx:238-256	Feed the strip and Hearings tab from matter_hearings (scheduled_at ≥ today); maintain hearing_at as the next future hearing by trigger; run E4 over matter_hearings; extract pershrng into hearings when a notice is linked.	M
L-34 = R-22	Medium	Two matter-number generators: the matters page uses count(*)+1 across all years and clients, the drawer uses max(matter_no)+1; uniqueness is (client_id, matter_no), so cross-client duplicates are accepted (and a concurrent create produces them); the first matter of a new year continues last year's count. Status mixes 'open' (matters page) and 'Open'. The matters list decides open/closed by stage = 'Closed' while MIS, GSTIN-wise and the PDF use status, and the stage dialog offers 'Closed' without setting status, so a matter can be closed on one screen and open on the others. Impact: Matter references quoted in letters can collide, and matter counts differ between screens. src/pages/LitigationMattersPage.tsx:180-181,202-216; src/lib/litigationData.ts:191-215; src/pages/LitigationMatterDetailPage.tsx:110-114,281-304,885-889; src/pages/LitigationMISPage.tsx:75-77; supabase/migrations/20260914160000_litigation_core_phase3.sql:18-19,38	DB sequence plus BEFORE INSERT trigger for matter_no with a global UNIQUE; CHECK on status values; remove 'Closed' from the stage dialog or sync status by trigger.	S

ID	Severity	Issue and evidence	Fix	Size
L-35	Medium	Each load runs at least nine independent queries with all aggregation in the browser: useNoticeSet pages the whole gst_notices table, the work queue fetches another 1,000 rows plus clients and profiles, client_sync_log is read without a limit (it grows by five or more rows per client per sync and is silently cut at 1,000), clients twice, notice_events twice, and the bell is mounted twice. Nothing refetches after Sweep, queue bulk actions or Add Notice, so tiles go stale. Alert generators do four to six sequential round-trips per notice and recipient. Impact: Slow first paint as data grows (roadmap target under 1.5 s at 5,000 notices) and numbers that do not move after an action. src/pages/NoticesDashboardPage.tsx:96-109,140-152; src/hooks/useNoticeSet.ts:47-63; src/components/notices/NoticeWorkQueue.tsx:145-182; src/pages/CompanyListPage.tsx:113-114; supabase/functions/queue-notice-alerts/index.ts:154-200,281-295	A notices_dashboard_summary() RPC returning tiles plus the top-N queue; react-query with invalidation on every mutation; retention and an (action, created_at) index on client_sync_log; batched inserts in the alert function.	M
L-36	Medium	Tiles count every gst_notices row, including DRC-03 acknowledgement ('Voluntary Payment'), LUT and 'Refunds' case rows that Notice Summary dedupes or excludes, so dashboard Open does not equal Notice Summary Open. Clicking the 'Refund' or 'DRC 03' category sets a filter classifyNoticeCategory can never return, zeroing every tile. 'need closing' is an ad-hoc heuristic (open, no due date, no status). Impact: The headline open count overstates actionable work by the acknowledgement rows. src/pages/NoticesDashboardPage.tsx:187-199,224-225; src/utils/noticeSummaryReport.ts:76-92,122-123; src/components/notices/CategorySummaryBars.tsx:73-80	Define 'actionable' once (exclude acknowledgement categories or auto-close them per L-11) and use the same row set for tiles and Summary; map Refund/DRC 03 clicks to their case rows or disable them.	S
L-37	Medium	isRefundClosed matches /disburs withdraw reject recredit/ — no sanction or payment-order states and no hyphenated 'Re-credit'; verify against the live status list (the roadmap's live check found 22 refunds closed by RFD-06/PMT-03 still counted open). A DRC-03 'Pending for Action by Tax Officer' counts as open although it is a payment already made. computeNoticeSummary uses isRefundClosed while the drill-down pages use isRefundClosed isClosed, and duplicate ARNs resolve first-wins in one and last-wins in the other. sanctioned_amount is never populated. Impact: Refund/DRC-03 open counts overstate pending work and do not match their lists. src/utils/noticeSummaryReport.ts:50-53,101-121; src/pages/AllClientsRefundsPage.tsx:80-108; src/pages/AllClientsDrc03Page.tsx:96-120; extension/content.js:3112	One shared status map per source (observed values to open/closed) with a fixture; capture RFD-06/RFD-05 amounts into sanctioned_amount.	S
L-38	Medium	useNoticeSet ignores errors from the refunds/DRC-03 queries and does not paginate them; AllClientsNoticesPage.fetchAll has no try/catch, so a fetchAllRows error leaves the page spinning; runScheduledAlerts and processEventAlert treat a failed select as 'nothing due'; the drawer turns query errors into 'Notice not found'; Create Matter failures are silent. Impact: Failures look like 'no data' — which is how the Critical defects above went unnoticed. src/hooks/useNoticeSet.ts:55-61; src/pages/AllClientsNoticesPage.tsx:127-151; src/lib/noticeAlertQueue.ts:244-252,319-324; src/components/notices/NoticeDrawer.tsx:157,258-261	Check every {error}; show an error state with retry; paginate refunds/DRC-03 with fetchAllRows.	S
L-39	Medium	Rows without noticeOrderId/refId get 'hash:' (description date) or 'case:'+arn keys. Two rows with the same key in one batch make PostgreSQL reject the whole upsert ('ON CONFLICT DO UPDATE command cannot affect row a second time'), so nothing is saved for that client; when the portal edits a description the hash changes, the old row with staff work is soft-deleted and a 'new' row appears with a fresh first_seen_at. Frequency should be verified on live data. Impact: Whole-client sync failures and spurious 'New' notices that lose workflow data. extension/content.js:2725,2800-2808; extension/background.js:61-68,114-117	Dedupe the batch by portal_key before upserting; prefer stable identifiers (docId/applId, task id) in keys.	S
L-40	Medium	Tabs point to the wrong destinations: 'Matters' opens /notices-all?filter=submitted (notices with a submission logged), 'Hearings' opens /litigation (the matters list), 'Work Queue' opens /notices-all (every notice including closed) and 'Clients' opens the GSTIN-wise count. Impact: Partners cannot reach matters or hearings from the module's own navigation; 'Work Queue' opens an unfiltered archive. src/components/notices/NoticesTopNav.tsx:7-13,25-33	Matters to /litigation; Hearings to a hearings list; Work Queue to open notices sorted by due date; Clients to /notices-company-list.	S
R-17	Medium	Saving the edit dialog for any reason wipes close_reason, because the field is initialised blank and written as null. This erases 'auto:closure' tags and logs a spurious change. src/components/reports/views/NoticeWorkflowListView.tsx:522,554,569	Prefill closeReason from the row, and write only the fields the user changed.	S
R-18	Medium	Documents are scattered and incomplete. The drawer shows only pdf_url, case-folder attachments appear only on the folder page, and the matter's 'Add Document' stores a title with no file, even though matter_documents has storage_path, mime and size_bytes columns. src/components/notices/NoticeDrawer.tsx:483-497; src/pages/AdditionalNoticeFolderPage.tsx:523-535; src/pages/LitigationMatterDetailPage.tsx:461-470	Build a unified documents panel (portal PDF, all folder attachments, uploads, drafts, acknowledgements) backed by notice_documents with kinds, versions, sha256 and signed URLs.	M

ID	Severity	Issue and evidence	Fix	Size
R-19	Medium	There is no deep-linkable notice page. The drawer mounts only on the dashboard and no /notices/:id route exists, so alert emails, the queue and teammates cannot link to a specific notice (roadmap 2.6). src/pages/NoticesDashboardPage.tsx:457; src/App.tsx:110-119	Add NoticeDetailPage at /notices/:id implementing perNoticeSpec, and reduce the drawer to a peek with 'Open full page'.	M
R-21	Medium	Payments are not linked. DRC-03 filings are synced with head-wise amounts, but matter payments are typed by hand (drc03_arn is never captured), and paid_total is updated read-modify-write from stale page state, so concurrent updates are lost. src/pages/LitigationMatterDetailPage.tsx:390-416; src/lib/litigationData.ts:514-544; types.ts gst_drc03_filings	Auto-link gst_drc03_filings to notices and matters by ARN, period and cause (suggest, then confirm), and compute paid and pre-deposit totals in a SQL view.	M
R-23	Medium	s.16(4) ineligible ITC is a typed input in the GSTR-9 notice format, and the cut-off helper uses 30 November only. The provision as amended by Finance Act 2022 reads '.. or furnishing of the relevant annual return, whichever is earlier' (verify). The inputs needed to compute it (2B gstr1_filing_date, 3B filing dates) are already in the database. src/components/gstr9/notice/cutoff.ts:9-13; src/components/gstr9/steps/NoticeStep.tsx:112-119; types.ts twob_import_docs.gstr1_filing_date, gst_filed_re turns.filed_date	Build the s.16(4) recipe: deadline = min(30 November, GSTR-9 filing date), with s.16(5)/(6) flags and an invoice-level annexure. Feed the GSTR-9 row from it.	S
R-24	Medium	Manual notices (physical or emailed: summons, ADT-01, MOV-07, GSTAT, many state notices) are keyed into an 8-field dialog with type 'Notice' or 'Order' only, and the attachment goes to the public bucket. There is no PDF-to-fields extraction. src/components/notices/AddNoticeDialog.tsx:30-33,62-86,131-137	Make the flow upload-first: PDF → private storage → extraction stage → prefilled form for confirmation.	M
R-25	Medium	Work starts late because nothing is scheduled before the deadline. The drawer warns only inside 7 days and ignores reply_date, there are no internal milestones (documents requested, first draft, partner review), and isDueIn7 also counts notices that have already been replied to. src/components/notices/NoticeDrawer.tsx:275-287; src/utils/noticeDefinition.s.ts (isDueIn7 has no reply_date check)	Add SLA milestones per form (documents requested D+1, first draft at 40% of the window, partner review at 70%) that drive queue sorting and alerts, and exclude replied notices from due-soon.	S
S-16	Medium	Several portal calls have no timeout: get/notices, the notice PDF, the refunds and DRC-03 case searches, DRC-03 getEncrypDocIds/downloadhb and the challan windows. When the login form does not load, the step returns without logging or advancing. Impact: A slow or down portal freezes the queue on one client with only an on-screen banner, and the remaining clients are never attempted or logged. extension/content.js:543, 2652, 2734, 3082, 3198, 3352, 3380-3382, 3511	Use withTimeout + AbortController on every fetch, with bounded retries and backoff; log 'portal_down' and advance; add a service-worker alarm watchdog.	S
S-17	Medium	Failure paths for the liability and cash ledgers, credit-ledger transactions, statements and filed returns still write 'PULL FAILED' sentinel rows via delete-then-insert, wiping the period's good data. Challans delete the client's whole history and re-insert whatever windows succeeded, so any failed window loses rows. Impact: The payment and liability context staff use when drafting replies (cash ledger, challans, liability register) can vanish after one bad run. extension/content.js:207-238, 2478-2486, 2534, 2582, 3507-3531; extension/background.js:99-106, 199-202, 221-228	Never delete on failure; record failures in the run ledger; upsert on natural keys (CPIN, reference + date) and soft-delete only within windows that were fetched successfully.	M
S-19	Medium	When a case task's refld equals a notice reference already returned by get/notices, the loop continues before setting case_id and before the case-folder capture, so those notices never get their replies, orders or attachments. Verify how often references overlap. Impact: The matters listed in both feeds, possibly the most important ones, may have no folder history, no auto-close and no due-date extraction. extension/content.js:2790-2801, 2864	Merge the task data into the existing row (set case_id) and always run the folder capture.	S
S-20	Medium	Keys fall back to non-unique values: case rows use 'case:'+arn when refld is missing, folder items use folder+crn. PostgREST rejects a whole upsert batch that contains the same key twice ('ON CONFLICT DO UPDATE command cannot affect row a second time'), and the folder-item write swallows that error. Impact: A single duplicate can silently drop a client's entire notices write or a case's whole folder. Verify how often this happens against live data. extension/content.js:2804, 2899-2903, 2913-2915, 3274-3278, 3293-3295; extension/background.js:61-69	De-duplicate and merge by key before sending, add a discriminator (item id, doc id or date) to the key, and log write errors.	S
S-21	Medium	Refund case folders and documents are fetched only by a separate per-client 'refund_docs' pull; Sync All reads only the refund list. sanctioned_amount is always null. Impact: Refund deficiency memos (RFD-03) and refund show-cause notices (RFD-08), which carry short reply windows, can go unseen unless they also appear in get/notices (verify). extension/content.js:3112, 3129-3139, 3193-3315; src/lib/reportsCatalog.ts:660	Capture refund folders incrementally for open refund cases inside the bundle, and parse sanctioned and rejected amounts from the RFD-06/RFD-04 items.	S

ID	Severity	Issue and evidence	Fix	Size
S-22	Medium	Not fetched: Electronic Liability Register Part II (demands from orders and payments against them), GSTIN status from the profile payload, appeal cases, DRC-01B/DRC-01C Part-B reply status, Rule 86A blocked credit, bulk filing status, and GSTR-2A sections other than B2B. case/search is called only with RFUND and ADJVP. Impact: The data that predicts notices and gives them context (non-filing, mismatches, confirmed demands, appeal clocks) still has to be checked by hand on the portal. extension/content.js:2519-2548, 3431-3436, 3084, 3354, 3784-3786; extension/README.md:15 (claims a filing-status pull that does not exist)	Add these calls inside the same logged-in session and store raw JSON; confirm each endpoint live before building (verify endpoint names).	M
S-24	Medium	pullTs comes from the staff PC clock. The upsert and the soft-delete are separate requests, and last_seen_at is overwritten rather than maximised. Two runs on the same client (two PCs, or a Reports Hub pull alongside Sync All) can interleave so that the later run's PATCH soft-deletes rows the earlier run just re-stamped, and clock skew shifts what counts as unseen. Impact: Notices disappear intermittently in ways that are hard to diagnose. extension/content.js:2649, 2730; extension/background.js:114-122	A server-side ingest RPC using now(), GREATEST(last_seen_at), a per-client advisory lock and a soft-delete scoped to run_id.	M
S-25	Medium	Sync All filters out notices_sync_excluded but not inactive_at_hand, and clients run in alphabetical order rather than by risk or staleness. Company List's select-all ticks only the visible page (10 rows by default), and there is no 'sync only stale/failed' action. Impact: CAPTCHAs are wasted on cancelled GSTINs, and urgent clients may wait behind dozens of others. extension/background.js:72, 446-457; src/pages/CompanyListPage.tsx:189-192	Skip inactive clients; order by open matters due within 7 days, then the stalest first; add 'Sync stale (>24 h)' and 'Retry failed' actions.	S
S-26	Medium	'Portal' on a notice logs in (another CAPTCHA) and stops at the Notices & Orders list, where staff search for the reference themselves. After replying on the portal, staff re-key the reply ARN and date, even though the next sync stores them in the REPLY folder. Impact: About 3 minutes of navigation per reply, plus duplicate data entry. extension/background.js:500-523; extension/content.js:514-523; src/pages/AdditionalNoticeFolderPage.tsx:189-207	Deep-link to the case folder when caseld is known (verify the route). After a reply, run a targeted sync of that case and fill reply_ref_number/reply_date from the REPLY item, flagged 'from portal'.	M
S-28	Medium	Nothing detects a change in the shape of portal data. Unknown or missing keys map silently to null or empty arrays, the E9 'sync anomaly' rule has no emitter, and the credit/reversal ledgers, 2A/2B Excel and filing flows still depend on DOM heuristics. Impact: A portal release can quietly zero out data, or soft-delete it through S-07, without anyone being told. extension/content.js:2658, 3088, 3358, 4330-4342, 2238-2326, 1916-2120; supabase/migrations/20260914140000_notice_alerts_phase1.sql:172	Per-step schema checks (required keys, types), stored raw JSON, and per-client count baselines that raise E9. Prefer the JSON endpoints already found (2B getdata) over DOM flows.	M
L-41	Low	Ageing uses the matter's created_at (when it was keyed into the app), not the notice or order date; outcome is stored in closed_reason text, so win-rate and time-to-close are not reported; there are no officer, section or opened-versus-closed views and no Monday MIS email; exportClientLitigationReport exists but no screen calls it. Impact: MIS understates the age of old disputes and cannot answer 'how are we doing'. src/pages/LitigationMISPage.tsx:15,75-77,210-222; src/pages/LitigationMatterDetailPage.tsx:328-345,912-920; src/utis/LitigationPdfExport.ts:152	Age from the earliest linked notice or order date; add an outcome column with a CHECK; wire the client PDF into Company Profile and the matter page.	M
L-42	Low	send-gst-email has no attachment support (E1/E6 PDFs), never recovers rows left in 'sending' when an invocation dies, and sends one recipient per row; notice templates carry no deep link; portal text is interpolated into HTML unescaped; browser-queued alerts store the rule's template key, so the notice shell (pill and accent) is never applied. Impact: Emails are less actionable than designed, and occasional rows can stall unnoticed. supabase/functions/send-gst-email/index.ts:4-5,47-67,104-134; supabase/functions/_shared/email.ts:27,56-61; src/lib/noticeAlertQueue.ts:163-176	Graph file attachments (or signed links), a reaper for stale 'sending' rows, a deep_link variable, HTML-escaping of variables.	M
L-43	Low	useMemo calls follow an early return of <Navigate/> (roadmap 0.6 item still open); if isStaffRole() changes between renders React throws 'Rendered more hooks than during the previous render'. Impact: Intermittent crash on session restore or role change. src/pages/NoticesDashboardPage.tsx:183 vs 209,227,236,268; src/pages/AllClientsNoticesPage.tsx:153 vs 166,222; src/pages/GstinWiseNoticeCountPage.tsx:77 vs 85,91; src/pages/CompanyListPage.tsx:149 vs 151; src/pages/CompanyProfilePage.tsx:204 vs 249	Move hooks above the guard or use a staff-only route wrapper.	S
L-44	Low	Positions section 4 documents due-date paths that do not match the portal JSON and omits the category taxonomy, refund/DRC-03 dedupe and closed rules, sync constants and CAPTCHA posture required by roadmap 0.7; the SOP tells staff to click Sweep (always errors), to set statuses the list cannot set, and treats Assign To as free text. Impact: Staff follow instructions that cannot work. docs/NOTICES_LITIGATION_POSITIONS.md:69-88; docs/NOTICES_STAFF_SOP.md:16-20, 36	Rewrite both after the fixes; add taxonomy and status-map tables.	S

ID	Severity	Issue and evidence	Fix	Size
R-28	Low	The case-folder page hides useful facts: 'Reply Type' and 'Original Due Date' are always blank, the officer column shows only the designation (todtIs.dg), and the fallback dump drops arrays. These are exactly the fields the issue table and header need. src/pages/AdditionalNoticeFolderPage.tsx:181,199-208,270-271	Parse these into typed columns at sync (notice header facts and notice_issues) instead of rendering raw JSON.	S
S-29	Low	A declarativeNetRequest rule rewrites the Referer header to get past the portal WAF on the GSTR-3A summary API, and the manifest keeps a fastcaptcha.org host permission reserved for auto-solving. Neither is backed by a recorded firm decision; the agent README calls automated access against GSTN terms. Impact: Increases the legal and IP-blocking exposure of all of the firm's portal access. extension/background.js:15-39; extension/manifest.json:10; agent/README.md:28-33, 127-131	Record the partner's decision. Remove fastcaptcha.org until it is approved, and prefer reading data from the portal page that naturally carries the right context.	S
S-30	Low	taxable_value is the sum of each line's tax ('tx'), the same figure as IGST+CGST+SGST+Cess, not a taxable value. 'Cash/Credit' lines are all booked to cash_amount. Impact: Reports misstate DRC-03 bases and understate payments made from the credit ledger. extension/content.js:4284-4296, 4315; supabase/migrations/20260818140000_drc03_full_detail.sql:13	Rename the column to total_tax (or drop it), keep the raw item JSON, and read the debit-entry split if the payload carries it (verify).	S
S-31	Low	The GSTR-3A notice PDF is re-rendered by jsPDF from hard-coded legal text, and the summary JSON that identifies the defaulted return (ret_period, retTyp) is discarded. Impact: The stored 'notice' is not the portal's document, and the app cannot tell when filing the return withdraws the notice. extension/content.js:2743-2765, 2958-3036	Label the PDF as reconstructed; store the summary JSON; auto-close when filing status shows the period filed.	S
S-32	Low	Every client writes 'refunds_debug' and 'notices_gstr3a_debug' rows on every run (the DNR debug line is always added, so the GSTR-3A debug row is written for every client). On-page banners ask the user to 'tell me' what they see, and '[v3]' markers remain. Impact: Noise in the status log (it causes the masking in S-14) and confusing prompts for staff. extension/content.js:2699-2702, 2935-2938, 3126, 759, 851	Move debug output to a debug table or log level, replace it with structured run summaries, and remove the developer prompts.	S