

UI/UX Audit Report — All Screens

Prepared 24 September 2026 · 41 screens reviewed at desktop (1440px) and mobile (390px)

41 Screens audited	229 Findings	28 High	101 Medium	100 Low	5.8 Avg score /10
-----------------------	-----------------	------------	---------------	------------	----------------------

Method

Every route in `src/App.tsx` was opened in a real Chromium browser as a superadmin, at desktop and mobile widths, and screenshotted. The backend was mocked with two made-up clients so no real firm or client data appears in this report. That means tables show empty states by design; findings are about layout, consistency, accessibility and responsiveness, not missing data. Each finding was checked against the page's source code and gives a file:line reference.

Cross-cutting issues (fix once, improves many screens)

- Notification bell overlaps header buttons (every page).** The bell in `MainLayout.tsx:69` is `md:fixed top-4 right-4`, so it covers the right-most `PageHeader` action (Add Client, Sync All, Export, PDF, Create Matter...). Fix: render it inside the header row, or reserve space with `md:pr-14` on the header.
- Floating Quick-Actions and Chat buttons cover content.** They hide mobile form fields, empty-state text, Save buttons and desktop row actions. Fix: add `pb-28 md:pb-24` to `<main>` (`MainLayout.tsx:73`), and on mobile merge the two into one speed-dial.
- Horizontal scrolling on mobile.** Found on Settings (711px), Dashboard, Edit Client, RCM Summary, Advances, Builder Workspace (498px), Reports and 8 Notices pages (`NoticesTopNav.tsx:43`). Fix: `flex-wrap` or `overflow-x-auto` on tab and nav strips, `grid-cols-2 sm:grid-cols-6` on tab grids, and `min-w-0` on flex children.
- Inconsistent page headers.** Pages mix `PageHeader`, `NoticesPageHeader` and hand-built headers. Icons are sometimes present and in varying sizes (h-5/h-6), back buttons are hand-rolled, and embedded Builder pages show a duplicate h1 and client picker. Fix: one `PageHeader` API (icon, title, subtitle, back, actions, embedded) used everywhere.
- Filter bars differ on every page.** Client, month, project and period selectors change order, width and labels ('Client:' / none / 'Name of Client:'), and filter styles are split three ways (pills, labelled selects, inline bars). Fix: a shared `<ScopeBar>` with a fixed order (Client → Project → Period) and a label style of `text-xs text-muted-foreground`.
- Empty states come in four or more forms, and some are wrong.** Examples: auto-generated copy like 'No drc-03 — all clients records on file'; 'no activity for this client' shown before any client is picked; empty rows centred across 1600px tables, so they are off-screen on mobile; Builder Projects has no empty state at all. Fix: one `<EmptyState icon title description action/>` placed outside the horizontal scroller, with a next-step button (Select client / Sync / Add).
- Coral --accent reads as an error.** In `index.css:35` it tints ghost/outline hovers and Suspended Reco cells salmon. Fix: point `--accent` at a neutral navy tint and keep coral/red for destructive and warning states only.
- Tooltips on disabled buttons never show.** `button.tsx:8` applies `disabled:pointer-events-none`, so the title reason never appears (GSTR-1 Import, GSTR-3B Push and others). Fix: wrap the button in a `<span>` with a `shadcn` Tooltip, or show the reason as helper text.
- Mixed typography and components.** `CardTitle` is `text-2xl`, `text-lg` or `text-base` from page to page; KPI tiles use two styles; tabs are built two ways (hand-made pills with no ARIA vs `shadcn` Tabs); button sizes are mixed within one header row. Fix: standardise on `CardTitle text-lg`, a shared `StatTile`, and `shadcn` Tabs only.
- Accessibility.** Icon-only buttons (edit, delete, back, refresh, chevrons) have no `aria-label`, clickable `<td onClick>` count cells can't be reached by keyboard, and muted 11–12px text has low contrast. Fix: add `aria-labels`, use a `<button>` inside the cells, and use a minimum text size of `text-xs` with a darker muted colour.
- Wrong or inconsistent labels.** A superadmin is shown as 'Employee' on the Dashboard; 'Manager' and 'GST Manager' are both used; `NoticesTopNav` 'Hearings' goes to Litigation and 'Matters' goes to notices; 'Overdue' vs 'Over Due'; 'View all' vs 'View All'; Add Client and Edit Client disagree on required fields. Fix: a shared `RoleBadge`, one glossary, and one shared client form schema.
- Duplicate features with different UIs.** Dashboard User Management vs Manage Employees, the User Control page vs its Settings tab, and Manage Masters vs its Settings tab. Fix: keep one canonical screen and link to it from the others.
- Loading states.** Pages show a bare 'Loader2 Loading...' line, so the layout jumps when data arrives. Fix: Skeleton rows or cards sized to the final layout.

Screens ranked by score (worst first)


Screen	Route	Score	High	Med	Low
Reports	/reports	4	2	4	2
Edit Client	/edit-client/:id	5	1	3	2
Settings	/settings	5	1	1	2
App Shell & Navigation	(all pages)	5	2	3	2
Suspended Reconciliation	/suspended-reco	5	1	3	3
RCM Summary	/rcm-summary	5	1	3	2
Filing Status	/filing-status	5	2	2	3
GST Reminders	/reminders	5	0	4	3
GST Update Sheet	/gst-running-update	5	1	2	2
Advances	/advances	5	2	1	2
Annual Return (GSTR-9 / 9C)	/annual-return	5	0	3	2
Builder Workspace	/builder	5	3	3	2
Builder Projects	/builder-projects	5	1	3	2
Company List	/notices-company-list	5	2	2	2
GSTIN-wise Notice Count	/notices-gstin-wise-count	5	1	3	1
Notices — All Clients	/notices-all	5	0	3	2
Litigation Matters	/litigation	5	1	3	1
Litigation MIS	/litigation-mis	5	0	3	2
Refund — All Clients	/refunds-all	5	0	2	2
DRC-03 — All Clients	/drc03-all	5	0	2	2
Dashboard	/dashboard	6	2	2	3
Clients	/clients	6	1	2	2
Add Client	/add-client	6	1	2	2
Manage Employees	/manage-employees	6	0	2	3
2B and RCM	/2b-and-rcm	6	0	3	3
2B Reconciliation	/2b-reconciliation	6	0	3	3
ITC Summary	/itc-summary	6	0	2	3
Dastavej Reconciliation	/builder-dastavej	6	0	4	2
Builder Reports	/builder-reports	6	0	4	3
Notices Dashboard	/notices-dashboard	6	2	3	2
Company Profile	/notices-company/:clientId	6	0	3	3
Notice Summary	/notices-report	6	0	3	2
Manage RCM Masters	/manage-masters	7	0	1	4
User Control	/user-control	7	0	1	3
GSTR-1	/gstr1-data	7	0	2	3
GSTR-3B	/gstr3b	7	0	2	3
GSTR-3B Adjustments	/gstr3b-adjustments	7	0	2	4

Screen	Route	Score	High	Med	Low
Builder Setup	/builder-setup	7	1	3	2
Builder Returns Workpaper	/builder-returns	7	0	3	3
Login	/login	8	0	1	3
404 Not Found	(any unknown URL)	8	0	0	3

Login

/login

Clean, well-centred card that works on both breakpoints. The password field is missing its leading lock icon because of a stacking bug, so the two inputs look mismatched.




Severity	Area	Issue	Suggested fix
Medium	Layout	The password field keeps pl-10 left padding but shows no lock icon. The <Lock> is absolutely positioned before <PasswordInput>, whose own relative wrapper and bg-muted Input render on top of it and hide it. The placeholder text sits indented next to an empty gap, unlike the User ID field above. src/pages/LoginPage.tsx:115	Add 'z-10 pointer-events-none' to the Lock icon, or give PasswordInput a lefticon prop that renders the icon inside its own relative wrapper.
Low	Layout	The show/hide toggle is sized h-10 w-10 inside an h-11 input, so the eye icon sits about 2px above the vertical centre. src/components/ui/password-input.tsx:36	Size the toggle from the input: 'absolute right-0 inset-y-0 h-full w-10' instead of fixed top-0 h-10.
Low	Accessibility	The password visibility toggle has tabIndex={-1}, so keyboard users cannot reach it. src/components/ui/password-input.tsx:31	Remove tabIndex={-1}. aria-label and aria-pressed are already set.
Low	Content	Two stacked 'Forgot Password? (Employees Only)' / '(Clients)' links read as clutter. The parenthetical wording is awkward and the two have no visual grouping. src/pages/LoginPage.tsx:143	Use one 'Forgot password?' link that opens a dialog with an Employee/Client toggle, or put both inline: 'Forgot password? Staff · Client'.

Dashboard

/dashboard

Solid KPI cards, but on mobile the header actions overflow the viewport, the floating buttons cover content, and the staff list gives the superadmin the wrong role badge.




Severity	Area	Issue	Suggested fix
High	Mobile	At 390px the header action row (Task Reminder + calendar icon + fixed w-48 month select) does not fit. The Return Period select runs past the right edge and the page scrolls horizontally (the screenshot renders 401px wide). src/components/dashboard/StaffDashboard.tsx:338-346	Stack the actions on mobile: wrapper 'flex flex-wrap items-end gap-3 w-full sm:w-auto', select 'w-full sm:w-48', and hide the decorative Calendar icon below sm ('hidden sm:block').
High	Layout	The fixed chat FAB (bottom-6 right-6) sits on top of the '+ Add Client' button in the lower Client Management card at desktop width, cutting it to 'Add Clie...'. The Quick Actions FAB covers row actions (edit/delete) on the staff row. src/components/layout/MainLayout.tsx:120	Add bottom padding to <main> (e.g. 'pb-40') so content can scroll clear of the FAB stack, or merge both FABs into one speed-dial.
Medium	Content	The superadmin user 'Auditor' shows an 'Employee' badge. The ternary only checks gst_manager and falls through to 'Employee' for every other role. Total Staff (1) also does not equal GST Managers (0) + Employees (0), which looks like a counting bug. src/components/dashboard/UserManagementSection.tsx:451-457	Map every role: superadmin → 'Admin' badge (variant default); gst_manager → 'GST Manager'; employee → 'Employee'. Add an 'Admins' tile or a note under Total Staff.
Medium	Consistency	Two cards on the same page are both titled 'Client Management': the KPI card and the list card. They also use different title sizes (default text-2xl vs text-lg). src/components/dashboard/StaffDashboard.tsx:366-368; src/components/dashboard/ClientManagementSection.tsx:102-104	Rename the KPI card to 'Filing Overview' and the list to 'Clients'. Use one CardTitle size (text-lg) for all dashboard section cards.
Low	Typography	The 'Return Period' label is text-[10px], below readable size and not associated with the select. src/components/dashboard/StaffDashboard.tsx:345	Use a <Label className="text-xs"> tied to the select's id, or drop it and use the placeholder 'Return period'.
Low	Mobile	On mobile each of the 4 KPI tiles takes a full row, about 140px tall, so 560px of scroll is needed just to see four zeros. src/components/dashboard/StaffDashboard.tsx:374	Use 'grid-cols-2 lg:grid-cols-4' with tighter padding (p-4) for the metric cards.
Low	Mobile	The registration-type badge is hidden below md ('hidden md:inline-flex') in the dashboard client list but always shown on the Clients page. The same data behaves differently in two places. src/components/dashboard/ClientManagementSection.tsx:168	Show the badge at all sizes, allowing the name to truncate ('min-w-0 truncate').

Clients

/clients

Readable list, but the desktop notification bell collides with the Add Client button, the cards are oversized, and the tab style differs from Settings.




Severity	Area	Issue	Suggested fix
High	Layout	On desktop the fixed notification bell (top-4 right-4) is drawn over the top-right corner of the primary 'Add Client' button in the PageHeader actions. src/components/layout/MainLayout.tsx:116	Put the bell in a real top bar inside the content flow, or add 'md:pr-12' to <main>/PageHeader so right-aligned actions clear the bell.
Medium	Consistency	The hand-rolled tab strip (active tab filled bg-primary) looks different from the shadcn <Tabs> used on Settings (active tab white). The two tab styles appear on sibling admin pages. src/pages/ClientsPage.tsx:243-262	Replace the custom buttons with <Tabs> <TabsList><TabsTrigger> so every tabbed page shares one style.
Medium	Layout	Each client is a p-6 card with a 48px icon: about 155px per client, so a firm with 200 clients faces a very long scroll. Edit/delete sit at the top-right rather than centred on the row. src/pages/ClientsPage.tsx:280-284	Use a compact row or table layout (p-4, 'items-center'), or a DataTable with GSTIN/Type/Returns columns. Put 'GSTIN:' in font-mono text-xs without the label.
Low	Mobile	At 390px the name, then 'GSTIN:' and the GSTIN, each wrap onto two lines, because the action buttons take width beside the text column. src/pages/ClientsPage.tsx:289-290	Add 'min-w-0 flex-1' to the text column and 'truncate' to the name. Drop the 'GSTIN:' prefix and use font-mono so the 15-char GSTIN fits on one line.
Low	Content	The badge shows only registration_type ('Regular'), not the Builder/Contractor sub-type, which drives whole modules. Both demo clients look identical even though one is 'Sample Builders LLP'. src/pages/ClientsPage.tsx:306-308	Show regular_sub_type as a second badge when present.

Add Client

/add-client

The form is well structured, but its required-field rules contradict Edit Client, the FABs overlap fields on mobile, and the credential grid is misaligned.




Severity	Area	Issue	Suggested fix
High	Consistency	Required markers contradict Edit Client. Add makes Registration Date optional but Assigned Accountant, Mobile and Email required. Edit makes Registration Date required and Accountant, Mobile and Email optional. src/pages/AddClientPage.tsx:384,680,753,768 vs src/pages/EditClientPage.tsx:429,794,909,923	Define one zod schema shared by both pages and derive the <Req/> marks from it.
Medium	Mobile	The two FABs float over the Registration Type select and the Target Date input at 390px, hiding part of the fields while the user fills the form. src/components/layout/QuickActionButton.tsx:69	Hide QuickActionButton on form routes, or add 'pb-40' to <main> and shrink the FABs to h-12 on mobile.
Medium	Layout	In the GST Portal Credentials grid, only GST Password has a helper paragraph between its label and input. The two inputs in the row therefore sit about 24px apart vertically. src/pages/AddClientPage.tsx:798-799	Move the helper text below the input, as the other fields do ('text-xs text-muted-foreground mt-1'), so both columns align.
Low	Content	Labels are inconsistent. Some fields say '(Optional)' in the label ('GSTR 10 Date (Optional)'), Registration Date says 'Optional.' in the helper text, and the card says '* are required'. There are three conventions for one idea. src/pages/AddClientPage.tsx:695,709	Rely on the * convention only and remove '(Optional)' from labels.
Low	Layout	The header puts the back arrow outside PageHeader in a custom flex wrapper. On mobile the 'Bulk Add Clients' action wraps under the title with a stray indent. src/pages/AddClientPage.tsx:310-327	Add a 'backTo' prop to PageHeader so the back button, icon and title align the same way on every page, and make actions 'w-full sm:w-auto' when wrapped.

Edit Client

/edit-client/:id

A very long page stacking three separate cards with different save buttons. The mobile radio group overflows, and the reminder toggles show misleading states.




Severity	Area	Issue	Suggested fix
High	Mobile	The 'Regular Type' RadioGroup uses 'flex gap-4' with no wrap. At 390px the 'Normal' option is clipped under the right edge and the page overflows horizontally (the screenshot renders 394px wide). src/pages/EditClientPage.tsx:547	Change to 'grid grid-cols-1 sm:grid-cols-3 gap-3', or 'flex flex-wrap gap-3'.
Medium	Interaction	There are three independent save actions on one page: 'Save Changes' for the form, 'Save reminder settings', and inline Add Year for turnover. Users will assume Save Changes saves the reminders too. src/pages/EditClientPage.tsx:979-981	Split into tabs (Details / Reminders / Turnover) or add a sticky footer. At least label the buttons by scope and show a warning for unsaved changes.
Medium	Content	With 'Send reminders' OFF, the 'Escalate wording' and 'Filing confirmation' switches still render ON in full colour, which suggests reminders will go out. src/components/reminders/ReminderSettingsCard.tsx:100-130	Dim dependent rows ('opacity-50') and disable their switches when enabled=false, matching how the number inputs are already disabled.
Medium	Mobile	The Annual Turnover table has 5 columns, which are cut off at 390px ('ex... Exe...'). Nothing shows that the table scrolls horizontally. src/components/clients/AnnualTurnoverCard.tsx:128-135	Stack rows as cards below sm, or add 'min-w-[560px]' plus a visible scroll shadow.
Low	Content	The 2B Reconciliation mode helper is a dense six-line paragraph, and the GST Data Reminders description runs to two paragraphs. Walls of text in text-xs are hard to scan. src/pages/EditClientPage.tsx (2B mode block); src/components/reminders/ReminderSettingsCard.tsx:83-95	Shorten to one line and move the detail into a (i) tooltip or a 'Learn more' collapsible.
Low	Consistency	The header has no action on the right, while Add Client has 'Bulk Add Clients'. The card is capped at max-w-3xl while other admin pages are full width. src/pages/EditClientPage.tsx:371,383	Keep max-w-3xl for both forms but align widths across form pages. Consider a 'Delete client' destructive action in the header.

Manage RCM Masters


/manage-masters

A tidy table with a good empty state. The problems are the icon, the navigation and the mobile table.



Severity	Area	Issue	Suggested fix
Medium	Interaction	The back arrow always goes to /rcm-summary (aria 'Back to RCM Summary'), although the sidebar comment says masters now live under Settings → Masters. Users who arrive from Settings are sent somewhere unexpected. src/pages/ManageMastersPage.tsx:234	Use navigate(-1) with a /settings fallback, or drop the standalone route in favour of the Settings tab.
Low	Consistency	The page icon is the Settings gear, the same as the Settings page header, even though the page manages expense data. src/pages/ManageMastersPage.tsx:245	Use Database (as in the Settings tab) or ListChecks.
Low	Mobile	At 390px the four header cells wrap ('Expense / Name', 'Supply / Type') into a tall navy bar. The table has no min width or scroll. src/pages/ManageMastersPage.tsx:276-281	Add 'min-w-[520px]' to the Table inside an 'overflow-x-auto' wrapper, or render rows as cards below sm.
Low	Layout	On desktop the fixed bell overlaps the 'Add Master' button (same cause as on Clients). src/components/layout/MainLayout.tsx:116	See the shell finding: reserve right padding or move the bell into a header bar.
Low	Typography	The CardTitle is text-lg here, while User Control and Settings use the default text-2xl for the same level. src/pages/ManageMastersPage.tsx:266	Standardise section CardTitle on text-lg in the Card component or with a shared class.

Minimal and clean, but its content contradicts itself and it disagrees with the dashboard's staff list.




Severity	Area	Issue	Suggested fix
Medium	Content	The subtitle says 'Add, edit, or remove staff members' but rows only offer delete. The dashboard version of the same list has an edit-role pencil. src/pages/ManageEmployeesPage.tsx:402; src/pages/ManageEmployeesPage.tsx:370-376	Add the edit-role action here (reuse UserManagementSection's dialog) or change the subtitle to 'Add or remove'.
Medium	Consistency	The superadmin row has no role badge at all, while the dashboard labels the same user 'Employee'. Badge wording also differs: 'GST Manager' here, 'Manager' in EmployeeManagementSection. src/pages/ManageEmployeesPage.tsx:354-362	Create a shared <RoleBadge role> component used everywhere, with an explicit superadmin → 'Admin' case.
Low	Content	'1 employees in the system' is ungrammatical. 'Login ID: {first_name}' assumes the login equals the first name. src/pages/ManageEmployeesPage.tsx:238,365	Pluralise: `\${n} \${n===1?'staff member':'staff members'}`. Display the actual login field.
Low	Consistency	The primary 'Add Employee' button sits inside the card header. Clients and Masters put their primary add action in the PageHeader actions. src/pages/ManageEmployeesPage.tsx:251,400	Move the button to PageHeader actions.
Low	Mobile	At 390px, 'Staff Members' + '1 employees in the system' and the Add Employee button squeeze side by side, and the description nearly collides with the button. src/pages/ManageEmployeesPage.tsx:231-252	Use 'flex-col sm:flex-row gap-3' on the card header row.

User Control

/user-control

The empty state is acceptable. The problems are the card proportions and title sizes, and the page duplicates a Settings tab.




Severity	Area	Issue	Suggested fix
Medium	Layout	The 'Select Employee' card is about 300px tall on desktop but holds only one select. Most of it is blank space, stretched to match the permissions card. src/pages/UserControlPage.tsx:339-341	Add 'self-start' to the left card, or move the select into the Permissions card header and drop the 1/3 column.
Low	Typography	The CardTitles use the default text-2xl, larger than or equal to the page H1 (text-2xl). The section title competes with the page title. src/pages/UserControlPage.tsx:343,401	Use 'text-lg' for the CardTitles.
Low	Consistency	The same UI also appears as Settings → User Control, giving two entry points with different chrome. src/pages/SettingsPage.tsx:265	Keep one: redirect /user-control to /settings?tab=user-control.
Low	Empty state	The empty state text repeats the card description almost word for word ('Select an employee to view and manage...' / 'Select an employee from the list to manage...'). src/pages/UserControlPage.tsx:405,460	Drop the CardDescription when nothing is selected, or make the empty state actionable (e.g. auto-select the first employee).

Settings


/settings

The desktop layout is fine, but on mobile the tab list breaks the page width. It is the worst horizontal overflow in this group.



Severity	Area	Issue	Suggested fix
High	Mobile	The TabsList with 5 triggers does not wrap or scroll. At 390px the page renders 711px wide: the whole page scrolls horizontally and the top bar ends at 390px. src/pages/SettingsPage.tsx:253	Wrap in a scroll container: <div className="overflow-x-auto -mx-4 px-4"><TabsList className="w-max">..., or use 'flex-wrap h-auto' on the TabsList. On mobile, hide the labels and keep icons with aria-labels.
Medium	Interaction	Tabs use defaultValue with no URL sync, so /settings always opens 'My Password'. Other pages cannot deep-link to Masters or GST Reminders, and a reload loses the tab. src/pages/SettingsPage.tsx:252	Make the tabs controlled from useSearchParams ('? tab=masters').
Low	Layout	The password card is max-w-2xl while the form inside is max-w-md, leaving an empty right half inside the card on desktop. src/pages/SettingsPage.tsx:286,294	Make the card max-w-md, or remove the inner max-w so the fields fill the card.
Low	Consistency	The embedded Masters tab renders a full PageHeader (embedded) inside the Settings page, putting a second title/icon row under the tab bar. src/pages/SettingsPage.tsx:515	When embedded, drop the icon and show only the action button, right-aligned.

A friendly, well-composed 404. Only small polish issues.



Severity	Area	Issue	Suggested fix
Low	Consistency	The logo tile hard-codes 'bg-white', which breaks theming: it would show a white slab in dark mode. src/pages/NotFound.tsx:17	Use 'bg-card'.
Low	Interaction	The only exit is 'Back to Dashboard'. A signed-out visitor is bounced through auth, and a logged-in user loses the sidebar shell. src/pages/NotFound.tsx:34-39	Add a secondary 'Go back' (navigate(-1)) button. Render inside MainLayout for authenticated users.
Low	Content	The line 'This page isn't part of the GST Management System' wraps awkwardly at 390px. src/pages/NotFound.tsx:26-28	Shorten to 'Page not found'.

App Shell & Navigation

(all pages)


The icon rail and mobile drawer are sound structurally, but the fixed bell and two stacked FABs overlap page content on nearly every screen, and the collapsed rail is hard to scan.

Severity	Area	Issue	Suggested fix
High	Layout	The desktop bell is 'md:fixed md:top-4 md:right-4' outside the page flow, so it overlaps the right-most PageHeader action on Clients, Manage Masters and Add Client. src/components/layout/MainLayout.tsx:116-118	Give the content column a slim sticky top bar (h-12, justify-end) that holds the bell, or add 'md:pr-14' to the header container.
High	Layout	Two stacked 56px FABs (quick actions bottom-24, chat bottom-6) cover buttons, fields and row actions. <main> has no bottom padding, so the last content can never scroll clear of them (e.g. the Dashboard 'Add Client' button). src/components/layout/MainLayout.tsx:120; src/components/layout/QuickActionButton.tsx:69; src/components/chat/ChatWidget.tsx:253	Add 'pb-36' to <main>. Better, merge both into one speed-dial FAB, use h-12 w-12 on mobile, and hide it on form routes.
Medium	Mobile	The open chat panel is fixed 'w-[400px] h-[560px]' at right-6, wider than a 390px phone, so it overflows off-screen. src/components/chat/ChatWidget.tsx:267	Use 'inset-x-2 bottom-2 sm:inset-auto sm:right-6 sm:bottom-6 w-auto sm:w-[400px] h-[80dvh] sm:h-[560px]'.
Medium	Accessibility	The collapsed rail (the default: isSidebarMinimized=true) shows about 17 near-identical outline document icons. Labels appear only on hover tooltips. FolderDown is reused for both 'Builder Reports' and 'Reports', and a Bell for 'Notices Dashboard' clashes with the notification bell. src/components/layout/Sidebar.tsx:157,164,170; src/components/layout/MainLayout.tsx:63	Default to the expanded sidebar on wide screens (>=1280px) or remember the choice. Give each item a distinct icon (e.g. BarChart3 for Reports, Scale for Notices). Group items with dividers.
Medium	Interaction	Settings is only reachable from the expanded sidebar header. The minimized rail has no Settings link, and the avatar circle is a non-interactive div. src/components/layout/Sidebar.tsx:486-491	Make the rail avatar a DropdownMenu trigger (aria-label 'Account menu') with Settings / Change password / Logout.
Low	Consistency	PageHeader has no back-button slot, so Add Client, Edit Client and Manage Masters each hand-roll a 'flex items-start gap-2' wrapper with a ghost arrow. The alignment and back target differ between them. src/components/layout/PageHeader.tsx:29	Add 'backTo?: string -1' to PageHeader and render the arrow internally.
Low	Mobile	PageHeader actions wrap under the title with no width rule, so on mobile the buttons sit at their natural width, left-aligned under the icon (Clients, Masters, Add Client), and the header looks ragged. src/components/layout/PageHeader.tsx:43	Use 'w-full sm:w-auto' on the actions container and make the buttons 'flex-1 sm:flex-none' when wrapped.

2B and RCM

/2b-and-rcm

The empty state is clean, but the page stacks two headers, uses a title that promises an RCM tab it doesn't have, and puts header buttons of different sizes side by side.




Severity	Area	Issue	Suggested fix
Medium	Content	The page title is '2B and RCM', but its tabs are Import 2B, 2B Reconciliation and Suspended Reco. There is no RCM tab, and RCM lives at /rcm-summary. The staff sidebar also calls this link '2B Reconciliation', so the nav label, the page title and the tab names all disagree. src/pages/TwoBAndRCMPage.tsx:29	Rename the page to '2B Reconciliation' (or 'GSTR-2B') so it matches the staff sidebar, or add an RCM tab. Keep the sidebar label and the PageHeader title identical.
Medium	Typography	Two headers are stacked: the page PageHeader (text-2xl with icon, 'Import GSTR-2B, reconcile...') and right under the tab bar the embedded tab header (text-xl, 'Import 2B', 'Import GSTR-2B & reconcile with books'). The subtitles say nearly the same thing and the page opens with about 180px of headings. src/pages/Import2BTab.tsx:842	When a tab is embedded, drop its subtitle and show only its actions row, or move the tab's actions into the parent PageHeader `actions` slot. At minimum, remove the duplicate subtitle from Import2BTab.
Medium	Consistency	The header actions sit side by side at different sizes. 'Pull from portal' is a default outline button (h-10, text-sm). 'Import file' is ghost + size=sm with text-xs and a 3.5 icon, which reads as greyed-out text. 'Delete 2B' is size=sm while 'Post to Reconciliation' is default. src/pages/Import2BTab.tsx:847-885	Use size="sm" for every button in the actions slot, or default for every one. Show 'Import file' as `variant="outline"` or put it in a DropdownMenu next to Pull from portal instead of ghost text-xs.
Low	Accessibility	The tab bar is built from plain <button>s with no role='tablist'/'tab' and no aria-selected, so screen readers can't tell which tab is active. The sibling pages use shadcn <Tabs> (Filing Status, Advances). src/pages/TwoBAndRCMPage.tsx:35-56	Switch to shadcn <Tabs>/<TabsList>/<TabsTrigger>, or add role='tablist' on the wrapper and role='tab' aria-selected={isActive} on each button.
Low	Mobile	At 390px the floating action buttons sit on top of the empty-state description ('Pick a client and return period above to import and reconcile...'). src/pages/TwoBAndRCMPage.tsx:27	Add bottom padding that clears the FABs (for example pb-28 md:pb-6) on the page wrapper or in MainLayout <main>.
Low	Layout	The tab content wrapper forces min-h-[calc(100vh-200px)], which adds a large empty scroll area under short empty states. src/pages/TwoBAndRCMPage.tsx:59	Remove the min-height and let the content set the height.

2B Reconciliation

/2b-reconciliation

On its own route the page renders the smaller tab-body header with no icon, the right-most header button sits under the notification bell, and the filters have no labels, unlike the sibling tabs.




Severity	Area	Issue	Suggested fix
Medium	Consistency	The standalone route /2b-reconciliation renders the page with PageHeader `embedded` hard-coded (text-xl, no icon). As a top-level page it looks demoted next to every other page's text-2xl header with icon. src/pages/TwoBReconciliationPage.tsx:1285	Add an `embedded?: boolean` prop to the page. Pass it from TwoBAndRCMPPage only, forward it to PageHeader, and add icon=<FileText className='h-6 w-6'/> when not embedded.
Medium	Layout	The desktop notification bell (fixed top-4 right-4) overlaps the right edge of the 'Export Excel' button: the bell glyph sits on the button border. src/components/layout/MainLayout.tsx:69	Reserve space for the bell. Give <main> md:pr-16, or move the bell into a non-overlapping top bar (see crossCutting).
Medium	Interaction	'Import Excel' is always shown, disabled, for Strict (read-only) clients, and 'Export Excel' is enabled with no client selected (clicking it only raises the toast 'Please select a client first'). src/pages/TwoBReconciliationPage.tsx:1308-1316	Hide Import Excel when readOnly. Disable Export Excel until selectedClientId is set.
Low	Empty state	The 'No client selected' empty state uses an AlertCircle (warning) icon for a neutral first-run state. Import 2B uses a document icon for the same situation. src/pages/TwoBReconciliationPage.tsx:1383	Use a neutral icon (FileText or Users) in TableEmptyState.
Low	Consistency	The filter row has no 'Client:' / 'Month:' labels and no flex-wrap. The Import 2B tab directly beside it labels both fields. On mobile the client select truncates to 'Search Client...'. src/pages/TwoBReconciliationPage.tsx:1343	Add text-sm font-medium labels like Import2BTab, and use `flex flex-wrap items-center gap-4`.
Low	Consistency	'Clear Data' is size='sm' while its siblings Save/Import/Export are default size, so the header row has uneven button heights. src/pages/TwoBReconciliationPage.tsx:1317	Drop size='sm', or make all header actions size='sm'.

Suspended Reconciliation

/suspended-reco

With no client selected the page still renders a full table of zeros filled in coral colours that look like errors. The empty message is pushed below the table, and the primary header button is covered by the bell.




Severity	Area	Issue	Suggested fix
High	Empty state	With no client selected, the full reconciliation grid renders with 0 in every cell, and the 'Please select a client...' line appears only underneath. It looks like a real reconciliation with zero balances. src/pages/SuspendedRecoPage.tsx:795-983	When there is no selectedClientId, render the shared TableEmptyState (icon + title) in place of the table, as ITC Summary and 2B Reconciliation do. Render the table only when a client is selected.
Medium	Consistency	The data cells use bg-accent/30 and bg-accent/50. In this theme --accent is coral (16 100% 66%), so ordinary input and portal cells show in salmon and orange, which reads as an error or warning highlight. There is no legend, and the real error colour is text-destructive on the Difference row. src/pages/SuspendedRecoPage.tsx:903-905	Use a neutral tint (bg-muted/40 for read-only cells, bg-primary/5 for portal-sourced cells), or define a semantic --cell-readonly token. Keep warm colours for Difference ≠ 0.
Medium	Layout	The fixed notification bell overlaps the 'Save Changes' button in the top-right corner. src/components/layout/MainLayout.tsx:69	Same as the global fix: reserve right padding for the bell or move it into a top bar.
Medium	Interaction	'Save Changes' shows as a disabled solid primary button when no client is selected. It is the most prominent thing in the header even though it can't do anything yet. src/pages/SuspendedRecoPage.tsx:727-732	Render Save only when selectedClientId is set (as Pull/Export/Clear already are).
Low	Typography	Row labels are hard-coded in ALL CAPS ('OPENING BALANCE AS PER PORTAL', 'CURRENT TOTAL AS PER SUSPENDED RECO'), which wrap to 3–4 lines on mobile. The formula caption uses text-[10px], below readable size. src/pages/SuspendedRecoPage.tsx:818	Use sentence case with font-medium, and raise the formula caption to text-xs.
Low	Consistency	The filter labels 'Client:' / 'Month:' have no text-sm, so they render at 16px while the same labels on Import 2B, GSTR-1 and GSTR-3B are text-sm. src/pages/SuspendedRecoPage.tsx:760	Add text-sm to the label spans.
Low	Consistency	The standalone route uses an `embedded` PageHeader (text-xl) but, unlike its sibling 2B Reconciliation, shows an icon. The two tabs' headers don't match each other or the top-level pages. src/pages/SuspendedRecoPage.tsx:687-691	Make `embedded` a prop driven by the parent tab container and apply one rule for icons on both tabs.

ITC Summary


/itc-summary

The empty state is simple and clear, but the tab bar sits above the page title (the reverse of 2B and RCM), and heading sizes change when you switch tabs.



Severity	Area	Issue	Suggested fix
Medium	Consistency	The tab bar is rendered above the PageHeader, so the first thing on the page is a pill bar and the page has no parent title. The sibling tabbed page 2B and RCM puts PageHeader first and the tabs underneath. src/pages/ITCAndReceivablePage.tsx:24-47	Add a parent PageHeader (for example 'ITC Summary' with the Receipt icon) above the tabs, and render both child pages with `embedded`. Or move the tabs below the child header, following one tabbed-page pattern.
Medium	Typography	The heading size jumps between tabs. ITCSummaryPage uses a full PageHeader (text-2xl + icon), while GstReceivableRecoPage uses `embedded` (text-xl, no icon). src/pages/ITCSummaryPage.tsx:1216	Use the same `embedded` value for both tab bodies.
Low	Empty state	'No client selected' uses an AlertCircle warning icon for a neutral prompt. src/pages/ITCSummaryPage.tsx:1308-1313	Use the Receipt icon to match the page, or a neutral Users icon.
Low	Consistency	The filters have no Client/Month labels (the GSTR-1/3B/Import 2B pages have them), and the month select is w-48 here against w-32/w-40 elsewhere. src/pages/ITCSummaryPage.tsx:1257-1268	Add text-sm labels and standardise the month select width (for example w-40) across pages.
Low	Accessibility	The custom tab buttons have no role='tab' or aria-selected. src/pages/ITCAndReceivablePage.tsx:32-44	Use shadcn Tabs.

The page overflows horizontally on mobile, the empty state says 'select a client' twice, and the export buttons are live before any data exists.




Severity	Area	Issue	Suggested fix
High	Mobile	At 390px the page scrolls horizontally (the capture is 407px wide). The 'Name of Client :' label is whitespace-nowrap and sits next to a min-w-[250px] select in a non-wrapping flex row, so the select runs past the card edge. src/pages/RCMSummaryPage.tsx:749-751	Stack the label on small screens (`flex flex-col sm:flex-row sm:items-center gap-2`), and replace min-w-[250px] with `w-full sm:w-64`.
Medium	Empty state	The empty state is duplicated: the CardTitle says 'Select a client to view RCM data' and the TableEmptyState below it says 'Select a client / Choose a client and financial year...'. src/pages/RCMSummaryPage.tsx:842-870	Hide the CardHeader when no client is selected and let TableEmptyState carry the message on its own.
Medium	Layout	The fixed bell overlaps the 'Export Excel' button in the header. src/components/layout/MainLayout.tsx:69	Global bell fix (right padding or top bar).
Medium	Interaction	'Export PDF' and 'Export Excel' are enabled with no client and fail with a toast. src/pages/RCMSummaryPage.tsx:711-718	Set disabled={!selectedClientData} on both.
Low	Consistency	The label reads 'Name of Client :' (space before the colon, and text-base). Every other page uses 'Client:' at text-sm. src/pages/RCMSummaryPage.tsx:750	Change it to Client:.
Low	Consistency	The filter bar mixes a navigation button ('Manage Masters', size sm, h-9) with the FY Select (h-10), so heights differ. The FY picker is a plain Select while the client picker is a SearchableSelect. src/pages/RCMSummaryPage.tsx:776-790	Move Manage Masters to the PageHeader actions, and keep the filter bar to inputs of one height.

Filing Status


/filing-status

A dense 11-column grid that clips on the right edge at desktop width. On mobile the return-type tabs run into each other and the empty message scrolls off-screen.




Severity	Area	Issue	Suggested fix
High	Mobile	TabsList uses `grid grid-cols-6` at every width, so at 390px the triggers crush together and the labels touch ('GSTR-3BITC-04 GSTR-6GSTR-7CMP-08'). src/pages/FilingStatusPage.tsx:2100	Use `flex w-full overflow-x-auto justify-start` with `shrink-0` triggers on mobile, and keep grid-cols-6 from md: (`md:grid md:grid-cols-6`).
High	Empty state	The empty row ('No clients have GSTR-1 selected.') is centered across a min-w-[1320px] table. On mobile it sits off-screen and the card looks blank; on desktop it is centered on the scroll width, not the viewport. src/pages/FilingStatusPage.tsx:1948-1955	Render the empty state outside the <table> (TableEmptyState in the card body) when filteredRecords.length === 0, or wrap the message in `sticky left-0 w-[calc(100vw-4rem)]`.
Medium	Layout	At 1440px the table header is cut off at the right edge ('Unloc...') with no visible cue that the table scrolls sideways. Login/Unlock are the actionable columns and they are the ones hidden. src/pages/FilingStatusPage.tsx:1520-1521	Pin the action columns with `sticky right-0 bg-card`, or reduce min-w (narrow the Client Name/ARN columns) so the 11 columns fit at ≥1280px. Add an edge-fade shadow while there is overflow.
Medium	Content	'No clients have GSTR-1 selected.' is unclear: it means no clients are configured to file this return type. src/pages/FilingStatusPage.tsx:1952	Reword to 'No clients are set up to file GSTR-1. Enable it on a client's Edit page.'
Low	Consistency	The 'All Accountants' MultiSelectPopover renders at h-8 text-xs next to h-10 text-sm filter controls, so the filter row has uneven heights. src/components/ui/multi-select-popover.tsx:72	Pass className='w-64 h-10 text-sm', or change the default in MultiSelectPopover to h-10 text-sm.
Low	Consistency	The PageHeader has no icon, while the sibling filing pages (GSTR-1, GSTR-3B, RCM) all have one. The month picker is a plain Select while the rest of the app uses SearchableMonthSelect. src/pages/FilingStatusPage.tsx:2018-2041	Add icon={<ClipboardCheck className='h-6 w-6'/>} and use SearchableMonthSelect.
Low	Layout	The fixed bell overlaps the 'Export PDF' button. src/components/layout/MainLayout.tsx:69	Global bell fix.

The page skips the shared PageHeader, heading sizes jump between sections, and the schedule table renders empty with an active Save button.



Severity	Area	Issue	Suggested fix
Medium	Consistency	The header is hand-built (h1 text-2xl font-semibold with an inline BellRing icon) instead of PageHeader. It is missing font-heading, font-bold and the tinted icon box, and its actions are size='sm' where other pages use default size. src/pages/RemindersPage.tsx:160-180	Replace it with <PageHeader title='GST Reminders' subtitle=... icon={<BellRing className='h-6 w-6'/>} actions={...}/>, and pass `embedded` through when used inside Settings.
Medium	Typography	The section headings don't follow one hierarchy. 'Return reminder schedule' uses the default CardTitle (text-2xl), 'Queue due reminders' / 'Email outbox' / 'Notice Alerts' use text-base, the 'Email templates' h2 is text-lg, and the 'GST email templates' CardTitle nested under that h2 is text-2xl again, larger than its parent. src/components/reminders/ReturnReminderScheduleCard.tsx:90	Standardise every section CardTitle on `text-base font-semibold` (or text-lg). Drop the redundant outer h2 or the inner CardTitle.
Medium	Empty state	The schedule table renders headers only, with no rows and no explanation, yet 'Save schedule' is enabled. src/components/reminders/ReturnReminderScheduleCard.tsx:113-128	When no rows are present, show a TableEmptyState ('Schedule not configured') and disable Save.
Medium	Mobile	At 390px the schedule table header is clipped ('FINAL R...'), and both FABs sit on top of the 'Save schedule' button. src/components/reminders/ReturnReminderScheduleCard.tsx:102-103	Give the table min-w-[520px] inside its overflow-x-auto so it scrolls cleanly, and add bottom padding that clears the FABs (see crossCutting).
Low	Accessibility	The 'Return period' <label> has no htmlFor and its input has no id, so the label isn't programmatically linked. The native <input type='month'> also looks and behaves differently from the SearchableMonthSelect used everywhere else. src/pages/RemindersPage.tsx:208-214	Add id='queue-period' and htmlFor, or use SearchableMonthSelect.
Low	Consistency	The status banner uses hard-coded emerald-50/200/900 classes, which have no dark-mode variant and bypass the semantic tokens used elsewhere (bg-success/10, border-info/40). src/pages/RemindersPage.tsx:184	Use `border-success/30 bg-success/10 text-foreground`.
Low	Content	The selected period is shown again as a text-xs caption ('August 2026') right next to an input that already displays 'August 2026'. src/pages/RemindersPage.tsx:221	Remove the caption span.

A 1600px grid whose empty state is off-centre on desktop and not visible on mobile. The first column header is clipped, and the seven filters stack unevenly on phones.




Severity	Area	Issue	Suggested fix
High	Empty state	The TableEmptyState is a colSpan row inside a min-w-[1600px] table. On desktop it centres at about x=1095 instead of the card centre, and at 390px it is off-screen, so the card looks broken and blank. src/pages/GSTRunningUpdatePage.tsx:776	Render TableEmptyState outside the scroll container when there are no rows, or make the empty cell `sticky left-0` with a viewport-width inner div.
Medium	Typography	The first header 'Sr.No.' is clipped ('Sr.N') by the 48px default column width. src/pages/GSTRunningUpdatePage.tsx:779	Relabel it '#' or set the default sr width to 64.
Low	Consistency	The header casing is mixed: 'CLIENT' is upper-case while every other header is Title Case ('Mistake Month', 'Matter Brief'). src/pages/GSTRunningUpdatePage.tsx:801	Change it to 'Client'.
Medium	Mobile	At 390px the seven 'Label: [select]' pairs wrap at different widths, which gives a ragged left edge. The four header buttons also wrap onto two rows. src/pages/GSTRunningUpdatePage.tsx:598-601	Use `grid grid-cols-1 sm:grid-cols-2 lg:flex lg:flex-wrap` with the label above the control (text-xs) on mobile. Put the filters in a collapsible 'Filters' Sheet on mobile.
Low	Layout	The fixed bell overlaps the 'Save Changes' button. src/components/layout/MainLayout.tsx:69	Global bell fix.

GSTR-1

/gstr1-data

A clean, consistent page. The weak spots are a misleading empty-state title and a disabled primary action that never explains why it is disabled.




Severity	Area	Issue	Suggested fix
Medium	Content	The empty state says 'No client or month selected', but the month is always preselected (Aug 2026 is visible). Only the client is missing. src/pages/GSTR1DataPage.tsx:1846	Title it 'Select a client' and show the month-missing variant only when !selectedMonth.
Medium	Interaction	'Import JSON' is disabled with no client, and its `title` tooltip is set only for the Filed case. The shadow Button applies disabled:pointer-events-none, so even that tooltip can't appear on hover. src/pages/GSTR1DataPage.tsx:1475-1481	Wrap the disabled button in a <Tooltip> <TooltipTrigger asChild>... and give a reason for each disabled state ('Select a client first').
Low	Layout	The fixed bell overlaps the 'Import JSON' button. src/components/layout/MainLayout.tsx:69	Global bell fix.
Low	Consistency	The month select is w-32 here and w-40 on GSTR-3B and GSTR-3B Adjustments, so otherwise identical filter bars have different widths. src/pages/GSTR1DataPage.tsx:1590	Standardise on w-40.
Low	Consistency	The empty-state card uses CardContent p-4, while 2B Reconciliation and ITC Summary use p-12, so empty cards differ in height between sibling pages. src/pages/GSTR1DataPage.tsx:1843	Standardise the padding. Move it into TableEmptyState, and have callers use a bare CardContent.

GSTR-3B

/gstr3b

Consistent with GSTR-1. The main issues are the same misleading empty-state copy and a push button with its own colour whose disabled reasons are only in tooltips that can't appear.




Severity	Area	Issue	Suggested fix
Medium	Content	'No client or month selected' is shown while a month is visibly selected. src/pages/Gstr3bPage.tsx:706	Use 'Select a client'.
Medium	Interaction	'Push to GST Portal' carries five disabled reasons (filed, reco diff, extension missing...) only in `title`. Disabled shadcn buttons are pointer-events-none, so users never see why the button is inactive. src/pages/Gstr3bPage.tsx:470-488	Show the blocking reason as an inline Alert above the actions (for example when hasRecoDiff), or wrap the button in a Tooltip on a focusable span.
Low	Consistency	The push button uses a one-off `bg-success` green primary, while every other page's primary action is bg-primary navy. src/pages/Gstr3bPage.tsx:473	Use the default variant, or add a named 'success' variant to buttonVariants and use it consistently for portal-push actions (GSTR-1 upload too).
Low	Consistency	The action wording is 'Download JSON' / 'Download PDF' here, while other pages say 'Export PDF' / 'Export Excel'. src/pages/Gstr3bPage.tsx:464-468	Pick one verb app-wide ('Export').
Low	Interaction	The header actions don't render at all until a result exists, so a new user can't see what the page will let them do. src/pages/Gstr3bPage.tsx:462	Render the buttons disabled (with a reason) before a client is chosen.

GSTR-3B Adjustments

/gstr3b-adjustments

The first-run view is clean and matches GSTR-3B. The data view has accessibility gaps (an unlabelled icon button, form labels not linked to their inputs) and tax fields in a different order in the form than in the table.




Severity	Area	Issue	Suggested fix
Medium	Accessibility	The row delete control is an icon-only Trash button with no aria-label or tooltip. src/pages/Gstr3bAdjustmentsPage.tsx:365	Add aria-label='Delete adjustment' (and title), and use size='icon' className='h-8 w-8'.
Medium	Accessibility	The add-adjustment form's <Label>s have no htmlFor and the Inputs have no id, so clicking a label doesn't focus its field and screen readers get no names. src/pages/Gstr3bAdjustmentsPage.tsx:481-507	Give each Input an id and each Label a matching htmlFor, for example id='adj-igst'.
Low	Consistency	The tax fields are ordered IGST, Cess, CGST, SGST in the form but IGST, CGST, SGST, Cess in the table. src/pages/Gstr3bAdjustmentsPage.tsx:490-503	Match the form grid to the table order: Taxable, IGST, CGST, SGST, Cess.
Low	Empty state	'No adjustments recorded for this period.' is a plain left-aligned <p>. Every other page uses the centred TableEmptyState with an icon and a call to action. src/pages/Gstr3bAdjustmentsPage.tsx:333	Use TableEmptyState with the description 'Add a manual correction below'.
Low	Mobile	The 9-column adjustments table has no overflow-x-auto wrapper, so on phones it will squeeze or overflow the card. src/pages/Gstr3bAdjustmentsPage.tsx:335	Wrap the table in <div className='overflow-x-auto'> and give it min-w-[720px].
Low	Content	The empty-state description 'Select a client and a return period above.' is generic and also says 'or month' although the month is preselected. src/pages/Gstr3bAdjustmentsPage.tsx:289	Use 'Select a client to record GSTR-1A and manual 3B corrections.'

Advances

/advances

Tabs and export buttons render before any client is chosen, the empty message is wrong for that state, and the tab list runs off the side on mobile.




Severity	Area	Issue	Suggested fix
High	Empty state	With no client selected the page shows the tab bar, four disabled export buttons and 'No advance activity in the imported returns for this client.', a claim about a client that hasn't been picked. src/pages/AdvancesPage.tsx:432-468	When no client is selected, gate the Tabs and show TableEmptyState with a HandCoins icon and 'Select a client', as GSTR-1 and GSTR-3B do.
High	Mobile	At 390px the TabsList (Ledger/Register/Set-off/Approvals/All clients) is wider than the viewport, which causes page-level horizontal overflow (the capture is 402px wide). src/pages/AdvancesPage.tsx:434	Wrap it in <div className='overflow-x-auto'> and set TabsList to 'w-max', as AnnualReturnPage does.
Medium	Content	The export buttons are labelled 'Ledger' and 'Ageing', the same words as the tabs directly above, so it is unclear that they download PDFs. src/pages/AdvancesPage.tsx:461-464	Label them 'Ledger PDF', 'Ageing PDF'..., or group them in an 'Export working papers' dropdown.
Low	Content	The helper text shows the raw period as '08/2026', while the month picker shows 'Aug 2026'. src/pages/AdvancesPage.tsx:458	Format it through the same month-label helper (prettyPeriod or formatPeriodLabel).
Low	Consistency	The header icon is h-5 w-5 (a 36px tile) where most pages use h-6 w-6 (40px). The filter labels are text-muted-foreground while sibling pages use foreground. src/pages/AdvancesPage.tsx:380-396	Use h-6 w-6 and drop text-muted-foreground on the labels.

Annual Return (GSTR-9 / 9C)

/annual-return

The layout is sparse. The subtitle exposes internal roadmap wording, the default financial year is one that can't be filed yet, and the client picker has no search, unlike every other page.




Severity	Area	Issue	Suggested fix
Medium	Content	The subtitle reads 'The GSTR-9/9C tables themselves land as later phases ship', which is internal roadmap language in the UI, and at about 170 characters it wraps to three lines on mobile. src/pages/AnnualReturnPage.tsx:200	Shorten it to 'Preparation status and working papers for GSTR-9 / 9C'. Put any 'coming soon' notice in a Badge on the relevant tab.
Medium	Content	The FY defaults to fyOptions()[2], the current FY 2026-27, whose annual return can't be filed until late 2027. The list also includes a future FY 2027-28. src/pages/AnnualReturnPage.tsx:98	Default to fyOptions()[1] (the last completed FY, 2025-26) and drop the i+=1 future year.
Medium	Consistency	The client picker is a plain shadcn Select with no search and no 'Client:' label, stretched flex-1 across about 1100px. Every other page uses SearchableSelect at w-56 or w-64. src/pages/AnnualReturnPage.tsx:207-209	Use SearchableSelect (options with a GSTIN sublabel) at w-64 with a text-sm 'Client:' label, and put the FY next to it.
Low	Empty state	The empty state is plain muted text with no icon, unlike the TableEmptyState on sibling pages. src/pages/AnnualReturnPage.tsx:229-231	Use <TableEmptyState icon={<ScrollText/>} title='Select a client' description='...'/>.
Low	Typography	On mobile the title breaks as 'Annual Return (GSTR-9 / / 9C)'. The icon is h-5 while other pages use h-6. src/pages/AnnualReturnPage.tsx:199-201	Set the title to 'Annual Return' with the subtitle 'GSTR-9 / 9C ...', and use h-6 w-6.

Builder Workspace

/builder

A compact context bar with a reasonable empty state, but it causes a 108px horizontal overflow at 390px. When pages are embedded it stacks a second, full page header and client picker inside the workspace.




Severity	Area	Issue	Suggested fix
High	Mobile	The action-button group does not wrap, so at 390px 'Client setup' runs off-screen and the whole page scrolls sideways (the mobile capture renders 498px wide instead of 390px). src/pages/BuilderWorkspacePage.tsx:260	Change the wrapper to `flex w-full flex-wrap items-center gap-2 sm:ml-auto sm:w-auto`. Below `sm`, consider putting the three bulk actions into a DropdownMenu ('More').
High	Consistency	'Client setup' renders the full BuilderSettingsPage inside a Card (CardContent p-0). That page brings its own h1 PageHeader, a second 'Builder client' picker and its own Save/Send buttons, so the result is nested cards, two titles and two client selectors on one screen. BuilderSettingsPage does not use useBuilderEmbedded() at all. src/pages/BuilderWorkspacePage.tsx:306-351	In BuilderSettingsPage, read `useBuilderEmbedded()`. When it is true, pass `embedded` to PageHeader (or render only the actions row) and skip the client-picker Card. Put the embedded body in `p-4 space-y-4` instead of the Card p-0 wrapper.
High	Consistency	The Ledger tab (no project selected) and the Returns tab embed BuilderProjectsPage and BuilderReturnsPage, which still render their PageHeader and their own Client/Period/Project selector cards. The client and period are chosen twice on screen, with different field order and widths (w-40 vs w-48). Only the 'Client setup' button is hidden when embedded. src/pages/BuilderWorkspacePage.tsx:386-389	Wrap the PageHeader and the selector Card in `{!embedded && ...}` in BuilderProjectsPage.tsx:100-132 and BuilderReturnsPage.tsx:398-439, and take client, month and project from the workspace context.
Medium	Consistency	The page does not use the shared PageHeader. There is no h1, just a 14px 'Builder' span squeezed into the filter bar, so the typographic hierarchy differs from every sibling Builder page (text-2xl title plus subtitle). src/pages/BuilderWorkspacePage.tsx:218-223	Render ` <pageheader >`="" >}`="" a="" above="" actions="{bulk" and="" buttons}="" card="" classname="h-5 w-5" client,="" filter="" holds="" icon="{<Building" only="" period.<="" project="" subtitle="..." td="" that="" title="Builder Workspace"></pageheader>
Medium	Mobile	The Project (w-52) and Period (w-40) selects keep fixed widths on mobile, so they do not line up with the full-width Client select, leaving a ragged left column. src/pages/BuilderWorkspacePage.tsx:224, 235, 251	Use `w-full sm:w-52` and `w-full sm:w-40`, and `w-full sm:max-w-xs` on the client wrapper.
Medium	Empty state	The 'Choose a builder client' empty state gives no next step. When the globally selected client is not a Builder (e.g. Demo Traders), the picker silently shows blank and the page does not say why. The toolbar buttons are disabled with no tooltip. src/pages/BuilderWorkspacePage.tsx:354-360	Add a secondary line ('Only clients with sub-type Builder appear here') and a link or button to Clients. Add `title`/Tooltip text to the disabled buttons ('Select a client first').

Severity	Area	Issue	Suggested fix
Low	Accessibility	The custom tablist buttons have role=tab but no aria-controls or tabpanel, no arrow-key handling, and no visible focus ring. The Returns tab badge is text-[10px]. src/pages/BuilderWorkspacePage.tsx:363-383	Replace with shadcn <code><Tabs>{<TabList>{<TabTrigger>` (Radix gives keyboard and ARIA support), and raise the badge to text-xs.</code>
Low	Content	The project select placeholder reads 'No projects yet' while the control is disabled for lack of a client, which suggests the client has no projects. src/pages/BuilderWorkspacePage.tsx:244-246	Show 'Select a client first' when !selectedClientId, and 'No projects yet' only when the client is chosen and projects is empty.

Builder Setup

/builder-setup

Clean header and empty state that match the shared pattern. With a client loaded, the eight-card questionnaire has only a top-of-page Save button and no unsaved-changes signal.




Severity	Area	Issue	Suggested fix
High	Interaction	Save and Send confirmation live only in the PageHeader. After editing section 8 at the bottom of a long form, the user has to scroll back up, and nothing marks changes as unsaved. 'Mark confirmation received' only patches local state and relies on a toast telling the user to press Save. src/pages/BuilderSettingsPage.tsx:196-209	Add a sticky footer bar ('sticky bottom-0 z-10 flex justify-end gap-2 border-t bg-background/95 backdrop-blur p-3') holding Save and Send. Track a 'dirty' flag and show an 'Unsaved changes' Badge. Guard navigation with a beforeunload prompt.
Medium	Accessibility	The radio 'card' labels keep 'cursor-pointer' and the hover background when the RadioGroup is disabled (read-only users), so they look interactive. src/pages/BuilderSettingsPage.tsx:354-363	Add 'readOnly ? 'cursor-not-allowed opacity-60' : 'cursor-pointer hover:bg-muted/50'' to each label (four copies). Better, extract a shared '<ChoiceCard>' component.
Medium	Consistency	The same bordered radio-card markup is duplicated four times (sections 4-7), and the Switch rows use two layouts (pr-4 single row vs border-b list rows). src/pages/BuilderSettingsPage.tsx:347-462	Extract 'SettingsRadioCards' and 'SettingsSwitchRow' components so spacing and states cannot drift.
Medium	Empty state	The client SearchableSelect sits in its own Card above an empty-state Card, giving two stacked cards for one instruction. On desktop the picker is capped at max-w-md in a full-width card, leaving about 850px of blank card. src/pages/BuilderSettingsPage.tsx:212-226,557-564	Merge them into one empty-state Card with the picker centred ('mx-auto max-w-md'). Alternatively, move the client picker into PageHeader actions, as other pages do with filters.
Low	Typography	CardDescriptions run to 4-5 lines of legal prose (e.g. section 2) in muted text, with the key rule (60 vs 90 sq m) buried mid-paragraph. src/pages/BuilderSettingsPage.tsx:274-280	Keep the description to one sentence and move the rationale into a collapsible 'Why?' block (Collapsible) or an info tooltip, bolding the decision value.
Low	Content	Loading shows a bare inline spinner line, so the layout jumps when the eight cards appear. src/pages/BuilderSettingsPage.tsx:228-232	Render 3-4 '<Skeleton className="h-32 w-full"/>' placeholders while isLoading.

Builder Projects

/builder-projects

With no client chosen the page is a header plus a lone picker and nothing below it: there is no empty state, unlike its siblings. The table's row actions are unlabeled icon buttons.




Severity	Area	Issue	Suggested fix
High	Empty state	When no client is selected, nothing renders under the picker (the Projects card is gated on selectedClientId). Every sibling page shows an icon plus 'Select a builder client' card here. src/pages/BuilderProjectsPage.tsx:140	Add <code>{!selectedClientId && !isLoading && <Card><CardContent className="p-10 text-center text-muted-foreground"><Building className="h-8 w-8 mx-auto mb-3 opacity-40"/><p className="text-sm">Select a builder client to see its projects.</p></CardContent></Card>}`.</code>
Medium	Layout	On desktop the fixed notification bell (MainLayout md:fixed top-4 right-4) sits on top of the right edge of the 'Client setup' header button. src/pages/BuilderProjectsPage.tsx:104-115	Reserve space for the bell: add <code>md:pr-12`</code> to PageHeader's actions wrapper (or to this page's actions div). Better, move the bell into the layout flow (a header bar) so it cannot collide.
Medium	Accessibility	The Pencil and ChevronRight row actions are icon-only with no aria-label or title. The clickable TableRow is not keyboard-focusable. src/pages/BuilderProjectsPage.tsx:178, 208-214	Add <code>aria-label={`Edit \${p.name}`}</code> and <code>aria-label={`Open \${p.name}`}</code> . Make the project name a <code><button className="text-left hover:underline"></code> rather than relying on a row onClick.
Medium	Empty state	The 'No projects yet for this client.' state has no call to action, although a 'New project' button exists in the header. src/pages/BuilderProjectsPage.tsx:151-155	Add <code><Button size="sm" className="mt-4" onClick={openCreate}><Plus> New project</Button></code> inside the empty state when !readOnly.
Low	Mobile	The 10-column table depends on overflow-x-auto with no sticky first column, so the project name scrolls away on phones. src/pages/BuilderProjectsPage.tsx:157-171	Add <code>sticky left-0 bg-card`</code> to the first TableHead/TableCell, or render a card list below `md`.
Low	Consistency	Sub-pages (/builder-projects/:id and children) use unlabeled `size="icon"` buttons that rely on `title` or nothing (e.g. delete group, delete BU event), and receipt icons are shrunk to h-6 w-6, below the 24px minimum hit area once padding is counted. src/pages/BuilderProjectDetailPage.tsx:850; src/pages/BuilderBuEventsPage.tsx:547; src/pages/BuilderBookingsPage.tsx:1495-1580	Add aria-labels throughout and keep icon buttons at h-8 w-8 minimum.

Builder Returns Workpaper

/builder-returns

Header, filters and empty state follow the house pattern well. The empty-state copy asks for a period that is already selected, and the populated view has grid and ordering inconsistencies.




Severity	Area	Issue	Suggested fix
Medium	Content	The empty state says 'Select a builder client and period.' although Period is already filled in (August 2026). Only the client is missing. src/pages/BuilderReturnsPage.tsx:807-810	Change the copy to 'Select a builder client to prepare this period's workpaper.'
Medium	Layout	The preview stat grid is `lg:grid-cols-5` but always renders 6 tiles, so 'Tax in the return', the most important tile, wraps alone onto a second row. src/pages/BuilderReturnsPage.tsx:474	Use `lg:grid-cols-6`, or `sm:grid-cols-3 xl:grid-cols-6`. Alternatively, pull 'Tax in the return' out as a larger highlighted tile.
Medium	Consistency	The filter order and widths (Client, Period w-48, Project w-56) differ from the Builder Workspace bar (Client, Project w-52, Period w-40). The Project select stays enabled and shows 'All projects' with no client, while the workspace disables it. src/pages/BuilderReturnsPage.tsx:407-437	Extract a shared ` <buildercontextbar>` used by Workspace, Returns, Dastavej and Reports with one order (Client, Project, Period), one set of widths, and `disabled={!selectedClientId}` on Project.</buildercontextbar>
Low	Content	The Table 13 'Cancelled' column is hard-coded to 0, which looks like real data. src/pages/BuilderReturnsPage.tsx:512	Show the real count or '-' with a tooltip explaining that cancellations are not tracked.
Low	Typography	The 'ITC & cash working paper' CardDescription is a single 7-line paragraph, and the explanatory footer is another dense text-xs block, so key numbers compete with prose. src/pages/BuilderReturnsPage.tsx:614-623, 795-803	Keep one line plus a 'Why this differs from the portal' Collapsible. Move the footer note into an Info tooltip beside the relevant headings.
Low	Interaction	The Generate button is disabled when there are blockers or no preview. The blockers are listed below, but with no preview there is no explanation at all. src/pages/BuilderReturnsPage.tsx:461-470	Wrap the disabled button in a Tooltip giving the reason (the first blocker, or 'Nothing to generate for this period').

Dastavej Reconciliation

/builder-dastavej

Consistent header and filters, but a dense always-visible explanatory paragraph pushes the content down. On mobile the floating buttons cover the empty-state card.




Severity	Area	Issue	Suggested fix
Medium	Typography	A 4-line (9 lines on mobile) text-xs muted paragraph is always shown above the data, taking about 170px on mobile before any content, in low-contrast grey on bg-muted/30. src/pages/BuilderDastavejPage.tsx:386-396	Collapse it into a one-line summary with a 'Learn more' Collapsible, or move it into a PageHeader info tooltip. Use text-sm text-foreground/80 for readability.
Medium	Mobile	At 390px the Quick-actions and Chat FABs (fixed bottom-24/bottom-6 right-6) overlap the empty-state card, and they will cover the last table rows and row action icons. src/pages/BuilderDastavejPage.tsx:351	Add `pb-32 md:pb-6` to the page's root container (or globally to <main> in MainLayout) so content can scroll clear of the FABs.
Medium	Accessibility	The Pencil edit buttons in both tables have no aria-label or title (the Percent button does have a title). src/pages/BuilderDastavejPage.tsx:502-515,553-558	Add `aria-label={`Edit dastavej for unit \${r.unit_no}`}` and an equivalent label on the Percent button.
Medium	Typography	The summary counts are text-sm font-semibold, no larger than their labels, and the one that needs action ("Value not captured") is styled like the rest. Returns uses text-lg tiles for the same kind of KPI. src/pages/BuilderDastavejPage.tsx:407-433	Use the Returns tile style (`rounded-lg border bg-muted/30 p-3`, value `text-lg font-semibold`) and give pending/supplementary tiles an amber accent when above 0.
Low	Content	The 'Awaiting registration' table has a single 'Unit' column plus an icon, and caps silently at 50 rows with no pagination. src/pages/BuilderDastavejPage.tsx:533-576	Render it as a wrapping chip or button grid (`flex flex-wrap gap-2`), each chip opening the edit dialog, and add pagination or a 'Show all' toggle.
Low	Content	The empty-state copy 'Select a builder client.' is terse and gives no hint of what the page will show. src/pages/BuilderDastavejPage.tsx:582-587	'Select a builder client to reconcile registered deed values against value taxed.'

Builder Reports

/builder-reports

A good report picker with a contextual description. The disabled PDF button collides with the fixed notification bell, the report toggles lack state semantics, and the FABs cover content on mobile.




Severity	Area	Issue	Suggested fix
Medium	Layout	On desktop the fixed notification bell overlaps the top-right corner of the header 'PDF' button. src/pages/BuilderReportsPage.tsx:250-261	Reserve right padding for the bell (`md:pr-12` on PageHeader actions) or move the bell into the layout flow.
Medium	Accessibility	The report-type selector is a row of Buttons whose selected state is shown only by variant: no aria-pressed and no radiogroup semantics. src/pages/BuilderReportsPage.tsx:268-279	Use shadcn `ToggleGroup type="single"` (or Tabs) with `value={kind}`, which provides aria-checked and arrow-key navigation.
Medium	Interaction	The Excel and PDF export buttons sit disabled in the header, visually far from the inputs that enable them, with no hint of what is missing. The primary PDF button disabled at 50% opacity reads as broken. src/pages/BuilderReportsPage.tsx:248-260	Move the export buttons to the bottom of the selector Card (or the preview card header). Wrap them in a Tooltip showing `\${missing}` while disabled.
Medium	Mobile	At 390px the Quick-actions and Chat FABs sit over the empty-state card, hiding its right half and part of the text. src/pages/BuilderReportsPage.tsx:245	Add `pb-32 md:pb-6` to the page root (or to <main> in MainLayout).
Low	Consistency	The filter order changes per report (Client, Project, Period, Event, Unit) and widths vary (w-48/w-56/w-64), so controls jump when switching report type. src/pages/BuilderReportsPage.tsx:282-353	Use a fixed `grid gap-4 sm:grid-cols-2 lg:grid-cols-4` for the inputs so they stay in consistent slots.
Low	Content	Preview column alignment uses the index heuristic `i >= 3 ? 'text-right'`, which misaligns text columns in reports where numbers start earlier or later. src/pages/BuilderReportsPage.tsx:396-405	Have preview builders return column metadata (`{label, numeric}`) and align based on it, plus `tabular-nums` on numeric cells.
Low	Typography	The preview KPI tiles use text-sm font-semibold values on a bare grid, unlike the bordered text-lg tiles in Builder Returns. src/pages/BuilderReportsPage.tsx:374-381	Reuse the shared stat tile style (`rounded-lg border bg-muted/30 p-3`, `text-lg font-semibold`).

Reports

/reports


The desktop catalogue is well organised (category rail, search, status chips). On mobile it breaks down: four fixed action buttons squeeze each title into 1-2 words per line, making the page about 13,000px tall, and it overflows horizontally by 3px.



Severity	Area	Issue	Suggested fix
High	Mobile	On 390px each report row keeps five shrink-0 buttons (an invisible Pin plus Pull, Preview, Excel, PDF), leaving the title about 60px wide. Titles wrap one word per line ('GSTR / 1 / Rate / Wise / Report') and descriptions are clamped to 2 words, so the page is about 13,000px tall. src/components/reports/ReportsBrowser.tsx:230-248	Stack the row on mobile: `flex flex-col sm:flex-row sm:items-start` on the row, with the actions <code>div `w-full sm:w-auto justify-end mt-2 sm:mt-0 pl-11 sm:pl-0`</code> . Alternatively, below `sm` collapse Pull/Excel/PDF into a `DropdownMenu` (MoreHorizontal) and keep Preview as the only visible button.
High	Mobile	The Periods row (label + w-44 multiselect + This FY + Last FY) does not wrap, so 'Last FY' pushes past the viewport and the page scrolls sideways (the capture is 393px wide). src/components/reports/ReportsBrowser.tsx:427	Add `flex-wrap` to the Periods wrapper and make the multiselect `w-full sm:w-44`. Put This FY/Last FY in their own `flex gap-1.5` group.
Medium	Accessibility	The Pin star is `opacity-0 group-hover:opacity-100`, so it is invisible on touch devices and when focused by keyboard, yet it still takes 32px of each row. src/components/reports/ReportsBrowser.tsx:258	Use `opacity-0 group-hover:opacity-100 focus-within:opacity-100 focus-visible:opacity-100`, and below `sm` show it permanently at reduced opacity (`max-sm:opacity-60`) or move it into the overflow menu.
Medium	Layout	On desktop the fixed Quick-actions and Chat FABs cover the PDF buttons of the visible rows (e.g. GSTR 1 P.Y. and Filed on Portal rows at 1440x900). src/pages/ReportsPage.tsx:232	Add bottom padding so the list can scroll clear (`pb-28`). Consider moving the FABs so they do not sit over right-aligned action columns.
Medium	Consistency	The filter bar mixes control heights: the search input is h-10, the Periods multiselect about h-9, This FY/Last FY h-8 text-xs, and the Client select h-10. Labels are inline muted text rather than the stacked Label used on every other page. src/components/reports/ReportsBrowser.tsx:396-470	Normalise to `h-9` (size="sm") for all controls, or `h-10` for all. Use stacked <code><Label className="mb-1.5 block"></code> like the Builder pages.
Medium	Interaction	With 'Any client' selected, every Preview/Excel/PDF button across 67 rows is disabled grey. The reason exists only as a hover tooltip, so the page looks broken at first glance. src/components/reports/ReportsBrowser.tsx:285-330	Show a single inline Alert above the list ('Pick a client to run per-client reports'), with a Client select focus link, when any visible report needs a client and none is set.
Low	Accessibility	The status filter chips are toggle buttons with no aria-pressed, so their active state is conveyed only by colour. src/components/reports/ReportsBrowser.tsx:485-495	Add `aria-pressed={active}`, or use ToggleGroup type="multiple".

Severity	Area	Issue	Suggested fix
Low	Consistency	The PageHeader icon is h-6 w-6 while every other page passes h-5 w-5, so the icon box is larger here. src/pages/ReportsPage.tsx:236	Change to `<FileSpreadsheet className="h-5 w-5" />`.


The best-designed page in the module: a clear KPI strip, a work queue and a 14-day strip. But it overflows horizontally on mobile, the fixed bell overlaps the Sync All button on desktop, and some labels contradict what the widgets actually do.



Severity	Area	Issue	Suggested fix
High	Mobile	The page scrolls sideways at 390px (the document is 484px wide). NoticesTopNav is an `inline-flex` row of 6 `whitespace-nowrap` links with no wrap and no scroll container. The mobile header bar stops at 390px while the content runs past it, and both FABs sit over the work-queue toolbar and the 'Open notices' badge. src/components/notices/NoticesTopNav.tsx:43	In NoticesTopNav, change the nav to `flex max-w-full overflow-x-auto no-scrollbar` (or `flex-wrap`) and wrap it in `w-full`. On small screens, add bottom padding (`pb-24 md:pb-6`) to <main> so the FABs don't sit on content.
High	Layout	The desktop NotificationBell is `md:fixed md:top-4 md:right-4 z-40` and sits on top of the right-most header action. The bell glyph is drawn over the 'Sync All' button label. src/components/layout/MainLayout.tsx:69	Reserve room for the bell. Add `md:pr-12` to the actions container in NoticesPageHeader, or move the bell into a real top bar instead of a fixed overlay.
Medium	Content	The work queue contradicts itself about sort order. The subtitle says 'Newest first', but the pill badge says 'Open notices · earliest due first'. The code sorts newest first, as the comment at line 74 explains. src/components/notices/NoticeWorkQueue.tsx:396	Change the badge text to 'Open notices · newest first', or remove it since the subtitle already says this.
Medium	Content	The 'Exposure under dispute' tile's badge says `{n} matters`, but the count is the number of open notices that carry a demand (openWithDemand), not litigation matters. Its CTA 'Exposure report →' opens /notices-all?status=Open, which is not an exposure report. src/pages/NoticesDashboardPage.tsx:361	Relabel the badge `{n} notices`. Either point the tile at /litigation-mis (the real exposure report) or rename the CTA 'Open notices →'.
Medium	Consistency	The header buttons don't match. AddNoticeDialog's trigger is `h-8` with the default `text-sm`, while Send digest and Sync All use `h-8 text-xs`, so 'Add Notice' visibly uses a larger font. The search trigger is a hand-rolled <button> with a third style. src/components/notices/AddNoticeDialog.tsx:99	Add `text-xs` to the AddNoticeDialog trigger className (`h-8 text-xs`). Render the search trigger as `<Button variant="outline" size="sm" className="h-8 text-xs text-muted-foreground">`.
Low	Empty state	When the work queue is empty, the full bulk toolbar still shows (Select all, Assign, Set priority, Change stage, Email, Export), all disabled, above a one-line 'No open notices in this view.' Most of the card is dead chrome with no next step. src/components/notices/NoticeWorkQueue.tsx:355	Hide the toolbar when `items.length === 0`. Show an icon plus a message and a 'Sync All' or 'Add Notice' CTA, using the same Inbox empty-state pattern as the list views.


Severity	Area	Issue	Suggested fix
Low	Mobile	On mobile the KPI tile headers wrap badly. 'DUE IN NEXT 7 DAYS' breaks across 2 lines next to a wrapped 'This week' pill. The tile body text '0 replies · 0 appeals · 0 hearings' is set inline with a 30px numeral and wraps under it. <code>src/components/notices/NeedsAttentionStrip.tsx:77</code>	Use <code>grid-cols-1 sm:grid-cols-2 lg:grid-cols-4</code> for the strip, or move the context line onto its own <code><p className="text-xs"></code> below the numeral. Add <code>shrink-0</code> to the header badges.

A functional admin table, but it puts six equal-weight outline buttons, including a destructive one, ahead of the data and relies on colour-only status dots and unlabeled icon buttons. It also overflows horizontally on mobile.




Severity	Area	Issue	Suggested fix
High	Interaction	'Delete Company' is the first, always-enabled button in the toolbar and has the same outline style as harmless actions such as Sync Log. It is enabled even when no rows are selected. src/pages/CompanyListPage.tsx:314	Show it only when `selected.size > 0` (e.g. in a selection bar: `{n} selected · Delete`). Use `variant="outline" className="text-destructive border-destructive/40"` and put it last.
High	Mobile	At 390px the page scrolls horizontally because of NoticesTopNav (width 483px). The 8-column table clips after 'USER NAME', so the status and actions columns are hidden inside a nested scroller. src/pages/CompanyListPage.tsx:340	Fix the nav as described in the cross-cutting notes. Below md, hide the 'User Name', 'Last Download Date' and 'Status Message' columns ('hidden md:table-cell') so GSTIN, Name, Status and Action fit.
Medium	Accessibility	Status is shown only by a 2px colour square: grey, green or red. Its only explanation is a `title` attribute, which is invisible to touch and screen-reader users. src/pages/CompanyListPage.tsx:376	Render a Badge with text instead, e.g. ` <badge >`).<="" >never<="" (`<span="" a="" add="" badge>`="" classname="sr-only" destructive,="" hidden="" label="" or="" success="" td="" variant="outline" visually=""></badge>
Medium	Accessibility	The row edit and delete icon buttons have no aria-label or title. The header select-all checkbox and the page refresh icon button also have no aria-label (refresh has only a title). src/pages/CompanyListPage.tsx:392	Add `aria-label={`Edit \${c.name}`}` and `aria-label={`Delete \${c.name}`}` to the row buttons, `aria-label="Select all companies"` to the checkbox, and `aria-label="Refresh"` to the refresh button.
Low	Interaction	The 'Sync' button uses an Upload icon and 'Fetch Company' uses DownloadCloud. The icons suggest the opposite direction of the action, and the toolbar doesn't make clear how 'Sync' differs from 'Fetch Company'. src/pages/CompanyListPage.tsx:329	Use RefreshCw for Sync. Add a one-line description to the NoticesCardHeader, or tooltips, explaining 'Fetch = pull profile from portal; Sync = pull notices'.
Low	Consistency	The refresh action is a lone ghost icon button, while every sibling page has labeled outline actions (Export to Excel, Add Notice). The fixed bell also overlaps this icon at top-right. The nav dropdown calls the page 'Company List & sync log' but the title is only 'Company List'. src/pages/CompanyListPage.tsx:271	Use ` <button >refreshcw="" <="" and="" button>`="" classname="h-8 text-xs" in="" name="" nav="" page="" same="" size="sm" td="" the="" title.<="" use="" variant="outline"></button>

A reasonable profile-and-KPI layout on desktop. On mobile it becomes a very long stack of four permanently empty 'Not captured' cards, and it has label and breadcrumb inconsistencies with the dashboard.



Severity	Area	Issue	Suggested fix
Medium	Empty state	Business Owners, HSN / SAC, Return Periodicity and Business Activities always render 'Not captured by the portal sync.' (the source comment admits there is no data source). On mobile they add about 430px of dead scroll. src/pages/CompanyProfilePage.tsx:465	Remove the four cards, or merge them into one collapsed `<details>` or a single muted line: 'Owners, HSN/SAC, periodicity and activities are not synced from the portal.'
Medium	Mobile	The page overflows horizontally at 390px (480px wide, from NoticesTopNav). The FABs cover the 'View due →' and 'View recent →' CTAs of the KPI tiles. The 4-column return-status table header wraps to 4 lines ('GSTR-3B FILING DATE'). src/pages/CompanyProfilePage.tsx:286	Apply the shared nav fix. On mobile, shorten the table headers ('GSTR-1', 'GSTR-3B') and add `whitespace-nowrap` to the TableHeads.
Medium	Consistency	The KPI labels differ from the dashboard for the same concept: 'Over Due' vs 'Overdue & still open', and '7 Days Due' vs 'Due in next 7 days'. Three of the six tiles share the same `border-l-primary` accent, so the colours no longer carry meaning. src/pages/CompanyProfilePage.tsx:239	Rename to 'Overdue' and 'Due in 7 days'. Give Last 15 days, Open and Total a neutral `border-l-muted-foreground/30` and keep colour for overdue, due and new only.
Low	Typography	The GSTIN, the company's primary identifier, is shown at `text-[10px] font-mono text-muted-foreground` in both the subtitle and the profile card, which is smaller and fainter than its field label. The subtitle also repeats 'Regular', which is shown again as a badge. src/pages/CompanyProfilePage.tsx:326	Use `text-xs font-mono text-foreground` for the GSTIN in the profile card. Drop the registration type from the header subtitle.
Low	Content	The breadcrumb 'GST Dashboard > Company Dashboard' links to /notices-dashboard, which is titled 'Notices & Litigation'. The page itself is neither called 'Company Dashboard' nor matches the current page title (the trade name). src/pages/CompanyProfilePage.tsx:275	Change the breadcrumb to 'Notices & Litigation > Companies > {tradeName}', with the middle crumb linking to /notices-company-list.
Low	Consistency	The 'View All' links in the Notices & Orders and View Submission cards use different casing and lack the arrow ('View all →') that every KPI CTA on the same page uses. src/pages/CompanyProfilePage.tsx:400	Use 'View all →' with the same `text-[11px] font-semibold text-primary` style as the tile CTAs.

A clean, readable table. But it has a duplicate category row, a misleading first-column header, clickable cells that keyboards can't reach, and a column clipped on mobile.




Severity	Area	Issue	Suggested fix
Medium	Content	The category list has both 'Others' and 'Other' as separate rows, and the first column is headed 'Special Remarks' even though it lists notice categories. src/pages/NoticeSummaryReportPage.tsx:104	Merge 'Others'/'Other' in computeNoticeSummary's category list and rename the column header 'Category'.
Medium	Accessibility	Count cells are made clickable with `onClick` on a <td> (styled `cursor-pointer text-primary`). They are not focusable and have no link role, so keyboard and screen-reader users cannot drill down. src/pages/NoticeSummaryReportPage.tsx:117	Render `<Link to={href} className="text-primary hover:underline">` inside the TableCell instead of onClick on the cell.
Medium	Mobile	At 390px the page overflows (483px from the nav), and the 'Replied' column is pushed out of view inside the nested scroller. Nothing hints that the table scrolls sideways. src/pages/NoticeSummaryReportPage.tsx:101	Apply the shared nav fix, give the table container `max-w-full`, and add a right-edge fade or 'scroll → ' hint. Alternatively, hide Replied below sm.
Low	Empty state	With no data, 18 rows of '—' render over about 900px, while the total row shows '0'. The mix of '—' and '0' for the same value is inconsistent. src/pages/NoticeSummaryReportPage.tsx:123	Use '0' (muted) consistently. When grandTotal.total === 0, collapse to a short empty state ('No notices synced yet') with the category list hidden.
Low	Layout	The Export to Excel button in the header sits under the fixed notification bell on desktop (the bell glyph overlaps 'Excel'). src/pages/NoticeSummaryReportPage.tsx:70	Add right padding to the header actions (`md:pr-12`) or move the bell into the layout flow.

GSTIN-wise Notice Count

/notices-gstin-wise-count

The structure is fine, but the empty state is wrong (it says 'No companies match' with no search entered while 2 clients exist). The page is also inconsistently named across the nav, breadcrumb and title, and has the same mobile overflow.




Severity	Area	Issue	Suggested fix
High	Empty state	With no query typed, the table says 'No companies match.' and the subtitle shows '0 companies', even though 2 clients exist. Only clients with notices or matters are listed, so the empty state reads as a broken filter. src/pages/GstinWiseNoticeCountPage.tsx:225	Branch the message: if 'search' is empty show 'No notices recorded for any GSTIN yet — run Sync All from the dashboard', otherwise 'No companies match "{search}"'. Optionally list all clients with zero counts.
Medium	Mobile	The page is 483px wide at a 390px viewport. The table's empty-state text is centred across the full scroll width, so 'No companies match.' is clipped at the card edge. src/pages/GstinWiseNoticeCountPage.tsx:207	Apply the shared nav fix. Render the empty state outside the <Table> (a div below it) so it centres in the visible card.
Medium	Consistency	The page has four names: the tab 'Clients', the dropdown 'GSTIN Wise Notice Count', the breadcrumb 'GSTIN Wise Notice Count' and the H1 'GSTIN-wise Notice Count'. It also uses the Building2 icon, which Company List and Company Profile use too. src/pages/GstinWiseNoticeCountPage.tsx:160	Settle on one name (e.g. 'Notices by GSTIN') for the tab, the breadcrumb and the H1, and remove the duplicate dropdown entry. Give it a distinct icon (e.g. Hash or ListOrdered).
Medium	Accessibility	The Total, Open, Closed and Matters cells use onClick on <td>, which keyboards can't reach. The Matters cell shows `cursor-pointer` and link styling even when the count is 0 and the click does nothing. Exposure is `text-primary` but not clickable. src/pages/GstinWiseNoticeCountPage.tsx:250	Use <Link> inside the cells. Apply link styling only when there is a target, and make Exposure `text-foreground`.
Low	Consistency	The search input has a visible 'Search' label and is `h-8 text-xs`, while the equivalent search on Company List is unlabeled and `h-7 text-[11px]`. The two sibling tables don't match. src/pages/GstinWiseNoticeCountPage.tsx:200	Pick one pattern for the module (unlabeled `h-8 text-xs` with an aria-label) and use it on both pages.

Notices — All Clients

/notices-all

A simple shell around a shared list view. The auto-generated empty state is ungrammatical, the title appears twice, and the nav highlighting doesn't match the page's content.




Severity	Area	Issue	Suggested fix
Medium	Content	The empty state reads 'No notices — all clients records on file.' because it is generated as `No {title.toLowerCase()} records on file`. src/components/reports/views/NoticeWorkflowListView.tsx:610	Pass an explicit `emptyText` prop (e.g. 'No notices yet. Sync from the dashboard or add one manually.') and render it instead of interpolating the title. Also add an 'Add Notice' CTA button.
Medium	Content	The subtitle always says 'filtered from the dashboard tile you clicked', even with no filter applied. Active URL filters (filter, client, status, category) appear only as small text in the card subtitle, with no way to clear them. src/pages/AllClientsNoticesPage.tsx:266	Show the static subtitle 'Every client's notices and orders'. Render active URL params as dismissible chips (the pattern LitigationMattersPage uses for client) with a 'Clear filters' link.
Medium	Mobile	The page is 483px wide at a 390px viewport (from NoticesTopNav), so the whole page, including the card, can pan sideways. src/pages/AllClientsNoticesPage.tsx:271	Make NoticesTopNav `flex max-w-full overflow-x-auto`.
Low	Consistency	The H1 'Notices — All Clients' is repeated as the card title directly below it. 'Add Notice' is an outline button here, while the equivalent create action on Litigation Matters ('Create Matter') is solid primary. src/pages/AllClientsNoticesPage.tsx:193	Retitle the card 'Notices & Orders' (matching the sub-tab), and use solid primary for the single create action on every page.
Low	Accessibility	The 'Notices & Orders' and 'Merged Notices' segmented control is plain <button>s with no role='tablist'/'tab' or aria-selected. The inactive tab text is muted-foreground on bg-muted at 11px, which is low contrast. src/pages/AllClientsNoticesPage.tsx:285	Use shadcn <Tabs> / <TabList> / <TabTrigger> (as LitigationMISPage does) and raise the text to `text-xs`.

Litigation Matters

/litigation

Reached through a nav tab labeled 'Hearings', which highlights 'Hearings' on a page of matters. It uses a labelled-select filter card that the rest of the module replaced with FilterPills, and its empty state uses a warning icon with no call to action.




Severity	Area	Issue	Suggested fix
High	Content	The nav is mislabeled. The 'Hearings' tab links to /litigation (Litigation Matters) and is highlighted on this page, while the 'Matters' tab links to /notices-all?filter=submitted (a notice list). Users looking for matters will click the wrong tab. src/components/notices/NoticesTopNav.tsx:10	Rename NAV_LINKS entries to `{label:'Matters', to:'/litigation'}`. Rename the submitted-notices entry (e.g. 'Replied'), or point 'Hearings' at /litigation-mis?tab=hearings.
Medium	Consistency	Filters are a separate Card of labelled 32px Selects, while every sibling page uses the compact FilterPill row next to the nav. FilterPill's own doc comment says it 'replaces the labelled Selects that each page used to stack above its table'. src/pages/LitigationMattersPage.tsx:272	Replace the filter Card with FilterPill controls for Status, Lifecycle, Stage and Owner, plus a compact search Input, placed in the `justify-between` row next to <NoticesTopNav/>.
Medium	Empty state	The empty state uses AlertTriangle, a warning glyph, for what is just 'nothing here yet', and offers no next step. Sibling list pages use the neutral Inbox icon. src/pages/LitigationMattersPage.tsx:357	Use `<Inbox className="h-7 w-7"/>`, the text 'No litigation matters yet', and a `<Button size="sm">Create Matter</Button>`. When filters are active, show 'No matters match these filters' with a Clear button.
Medium	Mobile	The page is 483px wide at 390px. The filter grid wraps unevenly (Stage sits alone on a row), and the FABs overlap the bottom of the Matters card. src/pages/LitigationMattersPage.tsx:269	Apply the shared nav fix. With FilterPills the row wraps compactly. Add bottom padding to clear the FABs.
Low	Accessibility	The <Label>s aren't linked to their SelectTriggers or the Input (no htmlFor/id), so screen readers announce unlabeled comboboxes. src/pages/LitigationMattersPage.tsx:277	Add `id="lit-status"` to each SelectTrigger and `htmlFor="lit-status"` to its Label, and do the same for the others. Or pass aria-label if moving to FilterPill.

Litigation MIS

/litigation-mis

The KPI tiles are consistent with the dashboard, but the default Exposure tab is only six tiles over blank space. The sub-tab bar is centred, unlike every other tab strip, and the tiles look clickable but aren't.




Severity	Area	Issue	Suggested fix
Medium	Layout	The sub-tab bar spans the full width with its tabs centred, because shadcn's TabsList default `justify-center` survives the `flex` override. Every other segmented control in the module is left-aligned and `w-fit`. src/pages/LitigationMISPage.tsx:452	Change the TabsList className to `inline-flex w-fit h-auto flex-wrap justify-start gap-0.5 rounded-lg bg-muted p-0.5`.
Medium	Interaction	The Exposure tiles have `hover:shadow-md`, the same affordance as the dashboard's clickable tiles, but they have no onClick or CTA, so users hover and click with no result. src/pages/LitigationMISPage.tsx:485	Remove `hover:shadow-md`, or make each tile navigate (e.g. Open Matters → /litigation?status=open) and add a 'View →' CTA as on the dashboard tiles.
Medium	Empty state	The default Exposure tab shows six ₹0/0 tiles and then a blank page. There is no message that no matters exist and no link to create one. Export Tab, Export All and PDF stay enabled and would export empty files. src/pages/LitigationMISPage.tsx:473	When `exposure.openCount + exposure.closedCount === 0`, render an empty-state card below the tiles ('No litigation matters yet' plus a 'Create Matter' link to /litigation) and disable the three export buttons.
Low	Consistency	'Closed Matters' uses `border-l-muted`, which is almost invisible, so one tile appears to have no accent while the other five do. 'Total Exposure' and 'Open Matters' share `border-l-primary`. src/pages/LitigationMISPage.tsx:481	Use `border-l-muted-foreground/40` for Closed, and give Open Matters a distinct accent (e.g. `border-l-amber-500`).
Low	Mobile	The page is 483px wide at 390px (from NoticesTopNav). The three header buttons wrap into a separate row above the nav, adding height, and the fixed bell overlaps the PDF button on desktop. src/pages/LitigationMISPage.tsx:432	Apply the shared nav fix. On mobile, collapse the exports into a single 'Export ▼' DropdownMenu (Tab / All / PDF).

Refund — All Clients

/refunds-all

Visually disconnected from the notices and litigation family: it uses the app-wide PageHeader with a tinted icon, a back arrow and no module nav. Its empty state is also auto-generated and ungrammatical.




Severity	Area	Issue	Suggested fix
Medium	Consistency	This page uses the generic PageHeader (24px title, tinted grey icon box, 6x6 icon) plus an ad-hoc back arrow, while all 8 sibling notices pages use NoticesPageHeader (22px, solid primary tile) plus NoticesTopNav. It looks like it belongs to a different product. src/pages/AllClientsRefundsPage.tsx:145	Replace it with <code><NoticesPageHeader title="Refunds — All Clients" icon={Banknote} subtitle=.../></code> followed by <code><NoticesTopNav/></code> , and drop the ArrowLeft button.
Medium	Content	The empty state reads 'No refund — all clients records on file.', the same broken template as the notices list. src/components/reports/views/EvidenceEventListView.tsx:243	Pass an explicit empty message: 'No refund applications synced yet.'
Low	Accessibility	The back arrow is an icon-only link button with no aria-label. src/pages/AllClientsRefundsPage.tsx:143	Add <code>aria-label="Back to Notices dashboard"</code> , or remove the button once NoticesTopNav is present.
Low	Content	The title 'Refund — All Clients' is singular, and it repeats verbatim as the card title right below the H1. src/pages/AllClientsRefundsPage.tsx:129	Change the H1 to 'Refunds — All Clients' and the card title to 'Refund applications'.

DRC-03 — All Clients

/drc03-all

Identical in structure to Refunds and shares its problems: an off-family header, no module nav, and a lower-cased 'drc-03' in the auto-generated empty state.



Severity	Area	Issue	Suggested fix
Medium	Consistency	The page uses the generic PageHeader with a tinted icon and a back arrow instead of NoticesPageHeader plus NoticesTopNav, so it doesn't match the rest of the Notices module. src/pages/AllClientsDrc03Page.tsx:167	Use <code><NoticesPageHeader title="DRC-03 — All Clients" icon={FileWarning} .../></code> followed by <code><NoticesTopNav/></code> , and remove the back button.
Medium	Content	The empty state reads 'No drc-03 — all clients records on file.' The form name is lower-cased by <code>report.title.toLowerCase()</code> and the sentence is ungrammatical. src/components/reports/views/EvidenceEventListView.tsx:243	Supply explicit empty text: 'No DRC-03 payments synced yet.' Never lower-case statutory form names.
Low	Content	The FileWarning (alert) icon for voluntary payments suggests a problem or error state. src/pages/AllClientsDrc03Page.tsx:167	Use a neutral payment icon such as Receipt or IndianRupee.
Low	Accessibility	The icon-only back link has no accessible name. src/pages/AllClientsDrc03Page.tsx:165	Add <code>aria-label="Back to Notices dashboard"</code> .