WellSky | Blood Centers

WellSky® Blood Centers

Release Notes

Software Version: 2026 R1

Release Date: November 2025

WBCNR2026R1_02



This publication was written and produced by WellSky

© WellSky, 2009 – 2025
Copyright is not claimed in any material secured from official U.S. government sources.

All Rights Reserved

No part of this book may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or by any storage or retrieval system, without permission in writing from WellSky.

Printed in the U.S.A. – 2025

Table of Contents

WellSky Issue Numbers (WSI) 6
Contact Information 7
Client Support – Live Systems 7
Systems Not Yet Live 7
Implementation and Solutions Management 7
Online Access 7
!!! WellSky Blood Centers Guides 8
System Change Requests (WSIs) 9
Summary of WSIs Affecting User Documentation Only 9
Summary of WSIs Affecting Entire System 10
Summary of WSIs Affecting Donor 12
Summary of WSIs Affecting OnSite 14
Summary of WSIs Affecting Lab 16
Summary of WSIs Affecting Distribution 18
!!! Highlighted WSIs 19
!!! MLT-7328, MLT-7436 – Upgrade Blood Centers application (Oracle) as well as OnSite application and FastTrack 19
!!! WSI-70550 – Incorporate the use of OKTA MFA to log in to the Blood Centers application 20
!!! WSI-68682 – Incorporation of Oracle Wallet to maintain user IDs and passwords 21
!!! WSI-17166 – Removal of SSN from Blood Centers 22
!!! WSI-62732 – Deferral ID being released if Health History is done after deferral ID linked 25
!!! WSI-62725 – Display of donations/deferrals on date other than collection date 27
!!! WSI-62728 – OnSite opens to a white page 30
!!! WSI-62729 – Removal of the hard-coded “W” used in the FIN number (unit ID) 31
!!! WSI-62343 – Improve performance of FastTrak 32
!!! WSI-62733 – Addition of audit key for mobile phone number 32
!!! WSI-62735 – Unscheduled Tests Results Report (TSRUNSCH) 36
!!! WSI-62735 – Unit Interdiction Report (MCRUINTR) 38
!!! WSI-62735 – Unlabeled Components Detail Report (CPRUNLBL) 40
Hidden Menu Items 42
Desupported Programs and Reports 42

Copyright © 2025 – WellSky Corporation

Desupported Master Codes 46
Desupported System Parameters (SYSPARM) 48

Copyright © 2025 – WellSky Corporation

Disclaimer

WellSky Corporation provides the WellSky Blood Centers application or licensed software to the customer after extensive planning, designing, and validation of the system. Validation utilizes a range of hardware and data, which is necessarily limited. As such, in-house validation of the system can only ensure that the system carries out its functions and routines as designed by WellSky. WellSky cannot represent validation of all functioning possibilities and related consequences under ultimate conditions of use. Any warranty or guarantee, explicit or implied, pertains to the level of quality and functionality of the system's software, as planned, designed and validated by WellSky.

The user facility, not WellSky, is responsible for the control, management, and supervision of the facility's use of the Blood Centers application or licensed software, including, but not limited to, ensuring that proper controls are in place to validate data, outcomes, and results obtained through its use. The user facility must run sufficient validation tests with appropriate frequency on the software and hardware, and on any modifications or supplements thereof as made available by WellSky, to be certain that the facility's use of the Blood Centers system, in the configuration and under the conditions at the facility, meets the facility's requirements in terms of policy, protocol, assumptions, and expectations, regardless of the participation or assistance of WellSky personnel in the form of suggested/published validation procedures and/or verbal discussions regarding Blood Centers systems capabilities, functions, performance, or validation.

WellSky may use data submitted by client and processed through the cloud services for interoperability and transparency between providers, payers, and patients for care coordination; continuity of care; and performance, payment, and claims related activities, including patient matching and claims data sharing with mutual patients of other providers and payers, making the matching patient information visible to these providers and payers. WellSky may aggregate the matching data from providers and payers for the creation, comparison, expansion, amendment, and maintenance of consumer or patient health records necessary for the deployment of features and functionality of the cloud services.

Copyright © 2025 – WellSky Corporation

About This Document

Please note the following items when using WellSky Blood Centers – Donor Testing Services Release Notes documentation:

Heading	Description
!!!	Denotes new enhancements or information that is provided in greater detail. Special attention should be applied.
Section	Denotes a new section/module within the documentation.
WSI #	Denotes the WellSky Issue number and synopsis opened for that module.
MLT	Denotes an issue that was corrected during testing.
Details	Provides additional details about the new functionality.
Previous Functionality / Enhancement / Resolution	Describes the behavior of the application prior to this release and/or the new application behavior in this release.
Noted Corrections	Describes specific corrections made to the documentation.
Table Changes	Identifies any table changes related to the enhancement/resolution.
Limitations	Identifies any limitations related to the enhancement/resolution.
Validation Information	Provides information to help you verify that the system is functioning correctly.

WellSky Issue Numbers (WSI)

WellSky Issues identify software change requests for modifications and enhancements by clients or generated internally. These are identified by a WellSky Issue (WSI) number (e.g., WSI-1234). For clients who originally reported an issue pertaining to the WSI number or requested the enhancement, this number is matched with the Client Support Case number. You received the Case number from WellSky Client Support or the Implementation Team when it was created for you or when submitted via the Support portal.

Copyright © 2025 – WellSky Corporation

Contact Information

WellSky Corporation
11300 Switzer Road
Overland Park, KS 66210

855.WELLSKY

www.wellsky.com

Client Support – Live Systems

For assistance with an upgrade/installation request or for a "live" production system issue, email BloodCenters.Support@wellsky.com or call 866.714.9499 to contact WellSky Blood Centers Customer Support. An issue may also be submitted via the WellSky Support Hub: https://wellsky.my.site.com/supporthub/login.

Systems Not Yet Live

For assistance with an upgrade/installation request or other issue, contact your WellSky Clinical Consultant or Project Manager concerning a system that has not yet gone "live".

Implementation and Solutions Management

For information regarding changes to Blood Centers 2026 R1, please contact your Clinical Consultant, your Project Manager, or the Solutions Manager.

Marsha Senter, Solutions Manager - Blood Centers, can be reached at marsha.senter@wellsky.com.

Online Access

For online access to user groups, documents, and white papers, visit the WellSky Blood Centers Portal at: https://portals.force.com/supporthub.

Copyright © 2025 – WellSky Corporation

Introduction

This document provides a detailed overview of the enhancements and issue resolutions contained in WellSky Blood Centers 2026 R1 (a.k.a. 2026.1). Please see the related section(s) for more information.

!!! WellSky Blood Centers Guides

The following guides provide information on the installation, upgrade, maintenance, configuration, use, and reporting in WellSky Blood Centers. Each of the guides is revised, some more than others. Please read the Revision History in the guides to aid in understanding the changes.

It is important that SMEs (Subject Matter Experts), System Administrators, Technical Support, and DBAs familiarize themselves with information in the guides. Clients must follow procedures and guidelines in these guides to ensure proper and reliable installation, configuration, and use of WellSky Blood Centers.

Refer to the WellSky Blood Centers Installation Guide for the software/hardware requirements to install and operate the WellSky Blood Centers application.

Please use the documentation provided as part of the WellSky Blood Centers 2026 R1, as listed below.

- WellSky Blood Centers Installation Guide
- WellSky Blood Centers Linux Systems Operation Guide
- WellSky Blood Centers Administration Guide
- WellSky Blood Centers Mobile PC Guide
- WellSky Blood Centers User Guide
- WellSky Blood Centers Reports Guide

Copyright © 2025 – WellSky Corporation

Enhancements for Release 2026 R1– WellSky Blood Centers

System Change Requests (WSIs)

Summary of WSIs Affecting User Documentation Only

WSI	Description / Keyword	Document Affected
MLT-8107	Add NUKEY to the Donor Master Codes	Administration Guide, Appendix E – Donor Master Codes
MLT-7684	Venipuncture information on how used in Back office versus OnSite	Administration Guide, Appendix H – Venipuncture Codes
MLT-7900	Addition of EQQC placement	Administration Guide: 2.3.6, Registration Holds Mapping (RHOLDS) 8.7.4, Health History and Physical Findings 8.7.6, Bleed Time / Phlebotomy Data
WSI-53590	Update Lab Master Codes for PABO	Administration Guide, Appendix I – Lab Master Codes User Guide, Section 24.2.2, Imported Blood Product Check-In (IMPORT)

Copyright © 2025 – WellSky Corporation

Summary of WSIs Affecting Entire System

WSI	Enhancement / Modification	Version #
MLT-7328	Oracle Upgrade	Linus Operation System (OS) – Oracle Linux 9.5 Oracle Forms and reports – 14c JRE/JDK – 21.0.8 Database – Oracle 19c Mobile Database – XE 21c Windows Server (Mobile Server) – Win 2022 Client (Windows) – Win 11 HemaTrax – 10.2 CAC – 2026 R1
MLT-7436	Angular and .NET upgrade OnSite Module: • .NET 8 • Angular 18 FastTrak • FastTrak API upgraded to .NET8 • Atlas.Framework 10.2.0 • Mailkit 4.13.0 • Oracle.ManagedDataAccess.Core to 23.9.1 • QRCoder 1.6.0 • System.IO.Abstractions 22.0.15 • AutoMapper – 12.0.0	OnSite: 2026.1.0.116 FastTrak: 2026.1.0.18 Donor Card: 2026.1.0.2
WSI-70550	Incorporate the use of OKTA to log in to the Blood Centers application	LTIAUSER (09) LOGIN_CORE.pkg (01) LTILOGIN (11)

Copyright © 2025 – WellSky Corporation

WSI	Enhancement / Modification	Version #	
WSI-68682	Incorporation of Oracle Wallet	formsweb.cfg UTWPASWD (02) LOGIN_CORE.pkg (02) LTILOGON (11) DCIDNLBL (03) DCWSNDLT (02) DNWLTQRY (02) DNWSNDLT(03) DPIMERGE (12) DPINUHLD (03) DPQAUDIT (02) DRQCOLLD (02) DSISCHDL (05) HRUREQST (04) MCQDRIVE (03) VDILETTR (02) ONILKREG (12) DRIREGIS (17) DRIREDEF (14) CPIPOOL2(09) CFIRESQC (12) CPIWHOUT (03) GEQSAMP (32) IIAPIMGR (03) LTIMTBVO (07) LTIMVOCA (16) LTIWKSHT (06)	MCITSHIP (02) NYRSMRPT (06) RGIRESQC (27) RGIREXTR (19) RGIRRXTR (05) RGISMSHP (08) RMUSER (12) TEICANTB (06) SMUSUPR1 (02) OEIENTER (03) CSISDBCR (05) CSIUDBCR (02) IMIOUTDT (03) IMIRETN (05) IMIWHOUT (03) OEBSTORD (02) OEIALTER (03) OEICUSTM (05) OEIEXPT (02) OPIALLOX (05) OPIHTRAN (02) SHIADORD (02) SHIDISCD (07) SHIPMENT (06) SHIPMOFF (04) IMIBATCH (04)
MLT-7681	Enable report printing in OCI environments with multi-node setups, where each node hosts both forms and reports servers.	RMMASTER (02)	
MLT-8318	Uploading external documents to Blood Centers User Utilities: Document Library (DOCLIB)	Upon reviewing the webutil.cfg file, it was determined that specific flags need to be set to “TRUE” to ensure proper functionality. • transfer.database.enabled=TRUE • transfer.appsrv.enabled=TRUE	
MLT-8428	Eliminated “404” error during Oracle app idle state	genlib.pll (03)	

Copyright © 2025 – WellSky Corporation

Summary of WSIs Affecting Donor

WSI	Module	Description / Keyword	Enhancement / Modification	Version #
WSI-17166	Multiple	Multiple	Removal of SSN field and use in the Donor and OnSite applications	Refer to "SSN Removal from Donor and OnSite"
MLT-8333	User Utilities	Create Alert Messages (ALERT) View Alert Messages (ALERTQ) All Alert Messages Query (ALLALERT)	Removed support for "Alert Messaging". No longer available on the menu or tool bars.	MCINWMSG UTQALERT UTQALOGS
MLT-8331	Recruitment Query Recruitment Administration	Parent Sponsor Query (PSPONQ) Define Collection Goals by Month (GOALMON)	Corrections applied for time zone utilization.	MRQSPCHL (02) MRIBCGOL (04)
MLT-8332	Recruitment General Functions	Maintain Drive Location (DRIVELOC)	Removed previous "de-bug" message.	MCIDRLOC (04)

Copyright © 2025 – WellSky Corporation

WSI	Module	Description / Keyword	Enhancement / Modification	Version #
MLT-8330	Registration General Functions Registration Maintenance Functions	Register Donation (REGIS) Register Deferral (DEFREGIS) Update Donation (UDONAUD) Update Deferral (UDEFAUD)	Interdictions placed through entry of "99" value for Procedure, Donation, Screener ID, Historian ID, Material Verification ID, Reviewer ID, or Phlebotomy ID are automatically released upon entry of a valid value. Staff Scheduling link removed. Lookup, Screener, Historian, Phlebotomist, Mat Ver, and Reviewer IDs are now populated from the Staff table.	DRIREGIS (17) DRIREDEF (14) DRUREGIS (11) DRUREDEF (10)
WSI-62725	Registration General Functions	Paperless Nursing Audit (PAUDIT)	• Display donations/deferrals as complete only if status is Completed, WALK, or Deferred. • Show key data changes even if donation completion date differs from collection date. • Automatically set status to "X" for donations/deferrals on HOLD. • Extended local variable	DON_NURSING_AUDIT.pkg (14) DRIMAUDT (08)
WSI-49736	Registration General Functions	Audit Deferral (DEFAUDIT)	Updated the physical findings LOV to remove duplicates.	DRIDFAUD (16)
WSI-59348	Registration Maintenance Functions	Attach Donor (ATTACH)	Stopped placing NODON on "new" donors during the ATTACH process	DRUREHLD (15)
MLT-7731	NA	NA	Donors previously merged as "false duplicates" no longer reappear during registration.	DON_CORE.pkg (09)


Copyright © 2025 – WellSky Corporation

WSI	Module	Description / Keyword	Enhancement / Modification	Version #
MLT-8240 MLT-7546	Donor Profile Queries	Donor Detail Query (SDONQ, NDONQ)	DPQDRDTL – Eliminated 365-day hard-coding for RBC/Plasma loss.	DPQDRDTL (12)
MLT-8380	Notification Functions	Donor Details Query (NDONQ, SDONQ)	Updated to display the donor's address and phone numbers.	DPQDRDTL (12)
MLT-8351	Notification Functions	Prepare Donor Notification (DONNOTE)	Enhanced the Address field to better accommodate international donor addresses.	DNWSNDLT (05)
MLT-8300	General Queries and Functions	LookUp Donor (LOOKQ)	Modified the configuration for the Confirm field. Root cause: The CNFRM_FLD parameter was set to "S" (for SSN), but it should be "L" or "D". Facilities can no longer use SSN ("S").	ONILKREG, ONLPLOOK (12) No change to program, only configuration.
WSI-62733	NA	NA	Added a trigger to audit changes or deletions to mobile phone, area code, or preferred flag.	DONOR_ADDRESSES_BU
MLT-7880	NA	NA	DONOR_COMMUNICATIONS_AUDIT table updated for the character allowance for the following fields: OLD_VALUE NEW_VALUE 240 to 2000 characters	NA

Summary of WSIs Affecting OnSite

WSI	Module	Description / Keyword	Enhancement / Modification	Version #
WSI-62728	OnSite Application	NA	Eliminated checking for Google fonts when initially logging in to OnSite, preventing white page from displaying.	OnSite: 2026.1.0.111

Copyright © 2025 – WellSky Corporation

WSI	Module	Description / Keyword	Enhancement / Modification	Version #
WSI-62729	OnSite Application	NA	Removed hard-coding for "W" when scanning unit number.	OnSite: 2026.1.0.111
WSI-62343	FastTrak	NA	Optimized FastTrak performance by correcting database connections.	FastTrak: 2026.1.0.18
MLT-8525	OnSite Application	Set Drive Date and ID	Removed duplicate Drive display in the Drive Confirmation pop-up.	OnSite: 2026.1.0.111
MLT-8300	General Queries and Functions	LookUp Donor (LOOKQ)	Modified the configuration for the Confirm field. Root cause: The CNFRM_FLD parameter was set to "S" (for SSN), but it should be "L" or "D". Facilities can no longer use SSN ("S").	ONILKREG, ONLPLOOK No change to program, only configuration
WSI-58136	OnSite Application	Lookup/ Registration & Modify Data	In Find Donor, after entering key data and clicking Search, the cursor moves to the first donor found, activating the buttons.	OnSite: 2026.1.0.111
WSI-56978	OnSite Application	Lookup/ Registration & Modify Data	The Ethnicity field now validates effective and termination dates for the ETHGP master code.	OnSite: 2026.1.0.111
WSI-58136	OnSite Application	Lookup/ Registration & Modify Data	Provided the ability to configure Find Donor gender labels to display "Gender" or "Sex". New SYSPARM added: GENDER_LBL 	OnSite: 2026.1.0.111
WSI-62732	OnSite Application	Health History and Physical Findings	Updated so that the Deferral ID is retained when Health History is completed without a deferral, when the Deferral ID is linked via Physical Findings, or manually assigned first.	OnSite: 2026.1.0.111

Copyright © 2025 – WellSky Corporation

WSI	Module	Description / Keyword	Enhancement / Modification	Version #
WSI-67716	OnSite Application	Health History	ISSUE: When a question is answered in Donor Response, it appears in Health History with a status of "Changed". A comment must be entered for each question, even if the donor's response itself was not modified. CORRECTION: Health History has been updated so that repeatedly selecting a radio button or toggling Yes/No will no longer trigger the save process unnecessarily.	OnSite: 2026.1.0.111
WSI-61044	OnSite Application	Bleed Time / Phlebotomy Data	Retain Venipuncture Codes when subsequently updating ONPBLEED with reaction code.	OnSite: 2026.1.0.111

Summary of WSIs Affecting Lab

WSI	Module	Description / Keyword	Enhancement / Modification	Version #
MLT-8426	Pheresis Processing	Enter Pheresis Components (ISBT) (PHERI)	Expanded the Formula field length to 100 characters to allow for more detailed descriptions.	CPIPHE2 (13)
MLT-8365	Pathogen Reduction	Pathogen Reduction Manager (PRMGR)	Apply the "Update" logic in Suitability after the "Saved" step, whether the initial product exists.	CPIPRMGR (26)
MLT-8421	Attributes and Interdictions	Enter Component Attributes (COMPATT)	Increased the length of the Product Description to match the 200-character database length.	CPIATTR (03)

Copyright © 2025 – WellSky Corporation

WSI	Module	Description / Keyword	Enhancement / Modification	Version #
WSI-70519	Lab Interfaces	Upload Test Results from Outside Source (APIUPLD)	Enabled the migration of Maestro functions to a dedicated package for test result uploads, improving modularity and maintainability within the Lab Interfaces module (APIUPLD).	AIIFUPLD (02)
MLT-8346	Reagent Qualification	Reagent Kit (No Pre-Qualification) (RKNPQ)	LTIREAG (RKNPQ) – Updated the test display to use mixed case formatting when appropriate.	LTIREAG (04)
MLT-8449	Common Labeling Functions	Pre-Label Frozen Products (PRELBL)	Updated the query that checks the override table to search for entries where inter type is 'I' rather than 'N'.	LAIPRLBL (03)
MLT-8448	Common Labeling Functions	Research Product Labeling (LBLRSH)	Eliminate double spacing from the message located in the lower right corner of the 4x4 label.	LAIRESCH (06)
MLT-8353	Import Blood Processing	Imported Blood Product Check-In	The logic for donor interdiction on imported units from other chapters has been corrected, ensuring that the appropriate message is now displayed.	IMCHKIN (18)
WSI-62735	Testing Reports by Collection Date Check-In Reports Labeling Reports	Unscheduled Test Results Report (TSRUNSCH) Unit Interdiction Report (MCRUINTR) Unlabeled Components Detail Report (CPRUNLBL)	Added "Chapter" parameter to TSRUNSCH. Added "Warehouse" parameter to MCRUINTR and CPRUNLBL.	TSRUNSCH (05) MCRUINTR (06) CPRUNLBL (05)

Copyright © 2025 – WellSky Corporation

Summary of WSIs Affecting Distribution

WSI	Module	Description / Keyword	Enhancement / Modification	Version #
WSI-57885	Distribution Reports	Duplicate Pack List (PACKLST)	Modified the PKG_REPORT program by moving all data field assignments to occur before the commit, which resolved the report completion issue. The Commit sections are now separated for SHRPKLST and for all other reports.	CPIPHE2 (13)

Copyright © 2025 – WellSky Corporation

Enhancements for Release 2026 R1

!!! Highlighted WSIs

!!! MLT-7328, MLT-7436 – Upgrade Blood Centers application (Oracle) as well as OnSite application and FastTrack

Software	Version
Linux operation System (OS)	Oracle Linux 9.5
Forms and reports	14c
JRE/JDK	Java Plug-in 21.0.8
Database	Oracle 19c
Mobile Database	XE 21c
.NET	.NET 8
Angular	Angular 18
Windows Server (Mobile server)	Win 2022
Client (Windows)	Win 11
HemaTrax	HemaTrax-10.2

FastTrak:

- FastTrak API upgraded to .NET8
- Atlas.Framework 10.2.0
- Mailkit 4.13.0
- Oracle.ManagedDataAccess.Core to 23.9.1
- QRCoder 1.6.0
- System.IO.Abstractions 22.0.15
- AutoMapper – 12.0.0

The upgrade of the Blood Centers application and OnSite application includes adopting the latest technologies and platforms. The Blood Centers application is being updated to incorporate OKTA for secure login, enhance identity and access management through features like single sign-on and multi-factor authentication. The technology stack upgrades also include:

Copyright © 2025 – WellSky Corporation

- .NET 8
- Angular 18
- Windows Server 2022 for mobile server deployment
- Windows 11 for client systems
- HemaTrax 10 for labeling.

These changes ensure improved security, modernized user experience, and better system integration.

!!! WSI-70550 – Incorporate the use of OKTA MFA to log in to the Blood Centers application

OKTA is a leading identity and access management platform that enables organizations to securely connect people to the right technologies at the right time. Used by companies around the world, OKTA provides single sign-on, multi-factor authentication, and lifecycle management solutions, making it easier for employees to access applications securely while protecting sensitive data. The platform integrates seamlessly with numerous enterprise systems and cloud-based services, ensuring streamlined user authentication and robust security.

Database Setup

Determining the authentication type to use.

Authentication Type	EXTERNAL_AUTH	AD_ENABLED	OKTA_AUTH
CAC	Y	N	N
AD_ENABLED	N	Y	N
OKTA	N	N	Y
SIMPLE	N	N	N
Comments			
Configuration conflict: Multiple authentication methods enabled simultaneously, “EXTERNAL_AUTH”, “OKTA_AUTH”, “AD_ENABLED”. ONLY ONE METHOD can be set up.			

Copyright © 2025 – WellSky Corporation

!!! WSI-68682 – Incorporation of Oracle Wallet to maintain user IDs and passwords

Oracle Wallet is a secure container used to store authentication credentials such as certificates, private keys, and trusted certificates needed for secure network connections. By using an Oracle wallet, organizations can enable strong authentication mechanisms and encryption for accessing databases, applications, and cloud services while minimizing the exposure of sensitive credentials. This approach not only enhances overall security but also simplifies user authentication by allowing password-less connections or integrating with enterprise authentication systems like OKTA.

Wallets are typically used in environments requiring encrypted connections (such as SSL/TLS), external password storage, or integration with key management infrastructure. Administrators can manage wallet contents using Oracle tools, ensuring that credentials remain protected and up-to-date, thereby supporting regulatory compliance and reducing operational risk.


The System Administrator will need to create the Oracle Wallet.

The wallet binary file will contain user names and passwords for the following:

1) Database TNS name/password
    a. SBCSYS
    b. SRVSYS
    c. DONSYS
    d. Interface users
        i. VISTA
        ii. AGMGR
        iii. LTAPI
        iv. UTIL
    e. CRON JOBS – The CRON jobs will no longer contain the username/password but it will be maintained in Oracle wallet for security reasons.

Copyright © 2025 – WellSky Corporation

Examples of Users in the Oracle Wallet:



For more detailed instructions, see the *WellSky® Blood Centers Installation Guide*, Appendix A.7, "Oracle Wallet Setup Instructions".

!!! WSI-17166 – Removal of SSN from Blood Centers

Removed the Social Security Number (SSN) field from both the display and data entry screens in the Donor application and OnSite application.

All SSNs should be deleted from the database using a provided script. After this update, SSNs will no longer be visible or accessible in any Blood Centers applications or the OnSite Module.

Update the configuration of the Find Donor Block for Program (DONBLOCK) to eliminate the SSN field across all programs. The script will also remove SSN entries from the FIND_DONOR_FIELDS table.

The BC_SSN_CLEANUP.sql script will be provided to remove all Social Security Numbers (SSN) from the database.

System Parameters that need to be updated:

- ALTID_MODE should be set to "A" and remove any reference to SSN, so "S" or "B" is no longer valid.
- CNFM_FLD should not have SSN to be re-entered. Remove reference – the fields that can be used L = Last Name, D = DOB
- FKSSN – has been removed from the parameters.
- SSN_MODE – has been removed from the parameters.

Copyright © 2025 – WellSky Corporation

SSN Removal from Donor and OnSite:

Description	Program Name and Version
Multiple Donors Query	DCISINGD (05)
Donor Eligibility	DPWELGBY (05)
Interdictions Query	DPQUTINT (02)
Donor by Interdiction Query	DPQDINTR (03)
Unit Test Results Query	DPQUNTST (02)
Graded Donors Query	DPQGRDON (02)
Enter HLA/RBC Request	HRIREQST (04)
Enter HLA Results	HRITSTIN (03)
Register Special Donation Request	SDIPATSG (04)
Link Unit to Special Donation	SDILUNIT (03)
Donor Unusual Changes to Key Fields	DNRUNCHG (03)
Deferrals by Deferral Reason	DNRQNSDF (02)
Donor Merge Window	Donor Merge Window (12)
Donor Notification Log	DNWDCOMM (3)
Place Donor Interdictions	DPIPLINT (03)
Remove Donor Interdiction	DPIRMINT (02)
Perform Visual Audit	DRIVISNU (07)
Place Donor Attribute	DPIPLPRP (06)
Remove Donor Attribute	DPIRMPRP (03)
Place Unit Interdiction	DPIPINTU (02)
Remove Unit Interdiction	DPIRINTU (02)
Search Donor Window	DNWDFIND (07)
Donor Details Query	DPQDRDTL (12)
Modify/View Donor Demographics	DPWDEMGR(08)
Donation History- Test Results	DPWDNTST(05)
Donor Interdictions	DPWDNINT (02)
Donation History	DPWDNDTL (10)
Deferral Entry Details	DRWDEFRL (06)
Donor Antigens Query	DPQDNTST (02)

Copyright © 2025 – WellSky Corporation

Description	Program Name and Version
Donor Attributes	DPWPROPR (06)
Donation Entry Details	DRWENTRY (05)
Donor Communications Log	DCWDCOMM (03)
Register Deferral	DRIREDEF (14)
Update Donation	DRUREGIS (11)
Update Deferral	DRUREDEF (10)
Audit Donation	DRIREAUD (15)
Audit Deferral	DRIDFAUD (16)
Register Donation	DRIREGIS (17)
Update Donation Audit	DRUREAUD (21)
Update Deferral Audit	DRUDFAUD (18)
Release Audit Holds	DPINUHLD (03)
Rollback Donation Audit	DRUAUDIT (04)
Detach Donor from Donation	DRURMDNR (11)
Detach Donor from Deferral	DRURMDFR (07)
Maintain Staff Details	VDIEMPLY (04)
Prepare Donor Notification	DNINOTFY (07)
List Browser	DEIDONBR (06)
Attach Donor	DRUREHLD (15)
Add Donor	DPIADDNR (06)
Modify Donor Data	DPUKYDAT (08)
Investigate Duplicate Donor Records	DPUINVST (07)
Merge/Resolve Duplicate Donor Records	DPIMERGE (13)
Donors by Events Query	DCIMULTD (04)
First Time and Gallon Donor Labels	DCIDNLBL (04)
Donor Eligibility & Attributes	DNWELIGB (05)
Donation History	DPWDCARD (06)
Lookup/Registration & Modify Data	ONPLOOK (ONILKLREG – LOOKUP) (12)
Onsite Donor Header	Onsite Donor Header 2026.1.0.111
Donors by Donation Type and Coll Date	DONREPCL (02)
Donor Details report	DPRDONDT (04)

Copyright © 2025 – WellSky Corporation

Description	Program Name and Version
Donor Details Report (Multiple Donors)	DPRDOND2 (02)
Lookup/Registration & Modify Data	ONPLKREG (OnSite) 2026.1.0.111
Donor Communication Query	DCQDCOMM (03)
List Call Status	DEQLSTAT (02)
Generate Notification Letters	DNWSNDLT (05)
Configure Find Donor Block for Program – removal of SSN from the table to be used in configuration.	UTIFDCFG (01)
Release Audit Interdictions	DPUINTRL (02)
Potential Duplicate Batch Query	DPQINVST (02)
DON_CORE.pkg (10)	

!!! WSI-62732 – Deferral ID being released if Health History is done after deferral ID linked

Update to Health History: If a deferral ID is already present for a donor, it will not be removed, even if the current Health History does not defer the donor.

Examples of Validation:

TC#	Description	Expected Result
Deferral linked in PF and then HH completed without issues.		
1	1. Register the donor. 2. Navigate to the HH/PF page and complete the Physical Findings section, entering a Deferral ID. 3. In Link/Unlink Unit or Deferral, link the deferral to the donor record. 4. Complete the Health History section, providing standard (normal) answers. 5. After finishing the health history, review the donor's status in the Unit/Deferral Link Status Query.	Deferral ID is still linked to the donor.

Copyright © 2025 – WellSky Corporation

TC#	Description	Expected Result
Manually link a deferral and then complete the HH.		
2	1. Register the donor. 2. Navigate to the HH/PF page and complete the Consent section, selecting **declined** for the signature. 3. Proceed to Link/Unlink Unit or Deferral and manually link a deferral for the declined consent. 4. Return to the HH/PF page, access the Health History, and answer all questions with standard (normal) responses. 5. Go to the Unit ID/Deferral Link Status Query to continue the process.	Deferral ID is still linked to the donor.
Manually link a deferral DDT then normal HH.		
3	1. Register the donor. 2. In Link/Unlink Unit or Deferral, manually link a Deferral ID. 3. Set the deferral end date to 5 days from today. 4. Navigate to HH/PF and complete the HH section using standard responses. 5. Proceed to Unit/Deferral Link Status Query.	Deferral ID is still linked to the donor.
Manual Deferral DDI then normal HH		
4	1. Register the donor. 2. In Link/Unlink a Unit or Deferral, manually link a Deferral ID. 3. To set an indefinite deferral, leave the “Deferred Through Date” field blank. 4. Navigate to HH/PF and complete the HH section with standard answers. 5. Proceed to Unit/Deferral Link Status Query.	Deferral ID is still linked to the donor.

Copyright © 2025 – WellSky Corporation


TC#	Description	Expected Result
Link a deferral through Inquiry then complete HH with normal answers.		
5	1. Register the donor. 2. Navigate to the INQUIRY section and select a response that will defer the donor. 3. Attach the Deferral ID to the donor's record. 4. Proceed to the HH/PF page and complete the HH using standard answers. 5. Access the Unit/Deferral Link Status Query.	Deferral ID is present on the donor.

!!! WSI-62725 – Display of donations/deferrals on date other than collection date

Data display issues were identified:

- Donations and deferrals appear in audit reports even when not completed. The system now checks status, ensuring only records marked as 'Completed', 'WALK', or 'Deferred' are considered complete.
- Key data changes are now shown, even if the donation was completed on a different collection day.
- A new feature automatically assigns an "X" in the Exception column for any donation or deferral with a status of HOLD.

Copyright © 2025 – WellSky Corporation



Limitation was added in the User Guide:

Deferrals that are linked manually through the Link/Unlink Unit or Deferral and a DDT or DDI interdiction is placed will not appear in Paperless Nursing Audit since these deferrals did not go through Health History or Physical Findings.

Set Up Data to Test Paperless Nursing Audit:

1. Log in to the OnSite application, select a drive, and complete equipment and supply QC.
2. Unexpected Health History Response: Unexpected Response
3. Expected Health History Response
4. Response change by staff member
   a. Change response from Donor Response to different in HH
   b. Change response from donor response entry to different in HH
5. Unexpected Physical Findings
6. Key field values are changed.
7. User should set up data for both donations and deferrals.

Copyright © 2025 – WellSky Corporation

Examples of Testing:

TC#	Description	Expected Result
1	1. Select the **Donation** option. 2. Enter a date range to retrieve relevant data. The results will include donations with statuses of HOLD and OK. 3. For donations marked as **HOLD**, confirm that an "X" appears in the Exception Flag column.	Units with HOLD status display with "X"
2	1. Select a donation option. 2. Specify a date range in the past to retrieve data. 3. Confirm that the results displayed correspond to previous collection periods.	Data display is correct.
3	Enter the Donation and Collection Dates for any unit that has provided all expected responses to Health History questions, with no deferrals and no manual audit flag set for the answer code.	Status set to OK.
4	Enter the Donation and Collection Dates for a unit that has an unexpected response for a Health History question.	Status set to HOLD.
5	Enter the Donation and Collection Dates for any unit where the collection staff has modified the donor response value.	Status set to HOLD.
6	Enter the Donation and Collection Dates for a unit that has a Physical Findings value out of range (e.g., pulse).	Status set to HOLD.
7	Enter Donation and Collection Dates for a unit that has key values updated (e.g., Gender, DOB, Last Name). Example: Female last name changed due to marriage.	Status set to HOLD.
8	Enter Donation and Collection Dates for a unit that has the answer to a historical question updated (e.g., answers 'Y' to malaria question, and previous answer was 'N').	Status set to HOLD.
9	1. Register a donor and link a deferral through INQUIRY. 2. Link a Deferral ID. 3. Go to Paperless Nursing Audit and select **Deferral**.	Status set to OK, deferral present in list.

Copyright © 2025 – WellSky Corporation

!!! WSI-62728 – OnSite opens to a white page

The WellSky Blood Centers application was updated to eliminate checking for Google Fonts during OnSite startup, which previously caused a blank white page to appear.

Example of Validation:

Example of Testing: Test Case	Description	Expected Result
Login Screen	1. Open the network calls and go to the Blood Centers application. 2. Open the network call with Type font.	The request URL is from the application URL and not an outside URL.
Main Menu	1. Open the network calls and go to the Blood Centers main menu. 2. Open the network call with Type font.	The request URL is from the application URL and not an outside URL.
Material Verification	1. Open the network calls and go to the Blood Centers material verification page. 2. Open the network call with Type font.	The request URL is from the application URL and not an outside URL.

Copyright © 2025 – WellSky Corporation

!!! WSI-62729 – Removal of the hard-coded "W" used in the FIN number (unit ID)

A modification was implemented to verify valid FIN numbers for the chapter using the Valid Facility Identifier (FINCD) table.

NOTE – When scanning a unit ID that does not begin with "W" (e.g., S6183), ensure you check the locations listed below.

Locations to Check:

1. Link/Unlink Unit or Deferral – linking, unlinking, and voiding a unit number
2. Bleed Time/Phlebotomy Data –
   a. Linking a unit number to a donor
   b. Scanning a unit number in Phlebotomy Bleed Times (SAVE button)
   c. Verification of the final unit ID
   d. Material verification for tubes and units (if you see these functions)
   e. Tube Check-in
3. Donor Survey – scan unit ID to start the donor survey (if you use this function)
4. Pack/Ship Shippers to Lab
   a. Checking in units
   b. Checking in tubes
5. Bleed Time Entry – Back Office
   a. Start bleed
   b. Verification of bleed at the end
6. Tube Check-In

Copyright © 2025 – WellSky Corporation

!!! WSI-62343 – Improve performance of FastTrak

Changes were required to enhance FastTrak's performance, as its database connections were causing the application to run slowly.

Example of Validation:

Test Case	Description	Expected Result
FastTrak	1. Open the network calls and go to the FastTrak page. 2. Refresh the page 15 times.	The Available Languages network call completes with a 200 status for each refresh.

Documentation Update:

WellSky® Blood Centers Administration Guide, Section 6.2.7, FastTrak Web Configuration (Onsite) (WEBCFG) – Removed the limitation that FastTrak could only be used at the Blood Center or Fixed Site locations.

!!! WSI-62733 – Addition of audit key for mobile phone number

A trigger named DONOR_ADDRESSES_BU was implemented to audit changes to mobile phone numbers. This trigger monitors updates to the area code, main phone number, and preferred flag for mobile numbers.

NOTE – Executing this process requires familiarity with the relevant database and table structures.

Examples of Validation:

Steps	Description	Expected Result
Scenario 1: Update in DRUREGIS		
Step 1:	Enter the donor in REGIS and enter all phone numbers, including the mobile phone	Donor registered.
Step 2:	Check the database for DONOR_ADDRESSES. Phone number and area code should be in the DONOR_ADDRESSES.	Data present.

Copyright © 2025 – WellSky Corporation

Steps	Description	Expected Result
Step 3:	Go to DRUREGIS (REGMAINT) and update just the area code of the mobile phone number.	Update of mobile area code completed.
Step 4:	Go and check the DONOR_ADDRESSES for the updated value.	The updated value is present.
Step 5:	Check the database table DONOR_ADDRESSES_AUDIT for the updated information and the user ID that made the change.	The updated information is in the DONOR_ADDRESSES_AUDIT table.
Scenario 2: Update in DRUREDEF		
Step 1:	Enter the donor in DEFREGIS and enter all phone numbers, including the mobile phone.	Donor registered.
Step 2:	Check the database for DONOR_ADDRESSES. Phone number and area code should be in the DONOR_ADDRESSES.	Data present.
Step 3:	Go to DRUREDEF (DEFMAINT) and update just the area code of the mobile phone number.	Update of mobile area code completed.
Step 4:	Go and check the DONOR_ADDRESSES for the updated value.	The updated value is present.
Step 5:	Check the database table DONOR_ADDRESSES_AUDIT for the updated information and the user ID that made the change.	The updated information is in the DONOR_ADDRESSES_AUDIT table.
Scenario 3: Update in DPUKYDAT (MODKYDAT)		
Step 1:	Enter a new donor through ADDDONOR. Include the donor's mobile phone number.	Donor added.
Step 2:	Check the database for DONOR_ADDRESSES. Phone number and area code should be in the DONOR_ADDRESSES.	Data present.
Step 3:	Go to DPUKYDAT (MODKYDAT) and update just the phone number of the mobile phone number.	Update of mobile phone number completed.
Step 4:	Go and check the DONOR_ADDRESSES for the updated value.	The updated value is present.

Copyright © 2025 – WellSky Corporation

Steps	Description	Expected Result
Step 5:	Check the database table DONOR_ADDRESSES_AUDIT for the updated information and the user ID that made the change.	The updated information is in the DONOR_ADDRESSES_AUDIT table.
Scenario 4: Update in DPWDEMGR (Demographic window SDONQ)		
Step 1:	Enter a new donor through ADDDONOR. Include the donor's mobile phone number.	Donor added.
Step 2:	Check the database for DONOR_ADDRESSES. Phone number and area code should be in the DONOR_ADDRESSES.	Data present.
Step 3:	Go to DPUKYDAT (MODKYDAT) and update the mobile phone number.	Modification completed.
Step 4:	Go and check the DONOR_ADDRESSES for the updated value.	The updated value is present.
Step 5:	Check the database table DONOR_ADDRESSES_AUDIT for the updated information and the user ID that made the change.	The updated information is in the DONOR_ADDRESSES_AUDIT table.
Scenario 5: OnSite registration through VPN		
Step 1:	Check the database for DONOR_ADDRESSES. Phone number and area code should be in the DONOR_ADDRESSES (donor previously entered with mobile phone number).	• Returning donor will be used in OnSite. • The mobile phone number is present. • The preferred flag is not set in the DONOR_ADDRESSES table.
Step 2:	a. Enter a donor ID that currently has a mobile phone entry. b. Register a donor in ONPLKREG and update the mobile phone number and preferred flag. c. Defer the donor through INQUIRY and complete the deferral.	• Donor is registered and deferred in INQUIRY. • The mobile phone number is updated, and the preferred flag is set.
Step 3:	Go and check the DONOR_ADDRESSES for the updated value.	The updated value is present.

Copyright © 2025 – WellSky Corporation

Steps	Description	Expected Result
Step 4:	Check the database table DONOR_ADDRESSES_AUDIT for the updated information and the user ID that made the change.	The updated information is in the DONOR_ADDRESSES_AUDIT table.
Scenario 6: OnSite registration through Mobile Server		
Step 1:	Check the database for DONOR_ADDRESSES. Phone number and area code should be in the DONOR_ADDRESSES (donor previously entered with mobile phone number).	Mobile phone present in the DONOR_ADDRESSES for the donor.
Step 2:	Perform upload to mobile server.	Upload to mobile server completed.
Step 3:	a. Enter a donor ID that currently has a mobile phone entry. b. Register a donor in ONPLKREG and update the mobile phone number. c. Defer the donor through INQUIRY and complete the deferral.	• Donor registered and update to the mobile phone number occurred. • The donor is deferred.
Step 4:	Perform download to main database.	Download completed.
Step 5:	Go and check the DONOR_ADDRESSES for the updated value.	The updated value is present.
Step 6:	Check the database table DONOR_ADDRESSES_AUDIT for the updated information and the user ID that made the change.	The updated information is present in the DONOR_ADDRESSES_AUDIT table.


Copyright © 2025 – WellSky Corporation

!!! WSI-62735 – Unscheduled Tests Results Report (TSRUNSCH)

Enhancement to the report to include the Chapter ID for report parameters.

Check the parameter has been added to the report and if not, the following configuration needs to be made:

1. Go to Maintain Reports (RMREP).
2. Enter the report **TSRUNSCH** to display the report parameters defined.




3. If the Chapter parameter is not defined, do the following:
   a. Enter **3** for the Sort Order (Srl).
   b. Enter **CHP** for the Code.
   c. Enter **Y** for Entry (allow multiple chapter entry).

Setup Data

1. Check in multiple unit numbers and have default profile ordered for chapter _____.
2. Result a test that has the **Automatic Schedule** flag set to N.

   Example:



3. Upload the donor profile tests.
4. Result an additional donor profile test, which will be in unscheduled (initial result should be NR or Negative – will not cause repeat test to be ordered).
5. Perform different testing for different units.

Copyright © 2025 – WellSky Corporation

6. Log in to a different chapter.
7. Check in multiple unit numbers where it will order the default profile on the unit numbers.
8. Perform testing for a test where the **Automatic Schedule** flag is set to N. Do this for multiple units.
9. Run the report for the user's default chapter.
10. Run the report for the other chapter that is not the user's default chapter.
11. Run the report for multiple chapters.

Documentation Update:

WellSky® Blood Centers Reports Guide, Section 13.17, Unscheduled Test Results Report (TSRUNSCH) – Included the new chapter parameter and new example of the report

Copyright © 2025 – WellSky Corporation

!!! WSI-62735 – Unit Interdiction Report (MCRUINTR)

Enhancement of the report to include Warehouse ID for report parameters.


Check the parameter has been added to the report.

Check report parameters: **Maintain Report Parameters (RMCODE)**

WH	CHAR	Y	Y	Warehouse Id	Enter Warehouse ID:

If the parameter has not been added to the report, the following configuration needs to be made:

1. Go to Maintain Reports (RMREP).
2. Enter the report **MCRUINTR** to display the report parameters defined.



3. Check to make sure the Warehouse ID parameter has been added to the report.

Setup Data

1. Check in units for a chapter _____ and a warehouse _____.
2. Assign interdictions of various types and codes to units linked to the chapter and warehouse.
3. Check in units for a chapter _____ and a warehouse _____.
4. Assign interdictions of various types and codes to units linked to the chapter and warehouse.

> NOTE – If you have multiple warehouses linked to a single chapter, check in units to all the warehouses linked to the chapter and assign interdictions.

Copyright © 2025 – WellSky Corporation

5. Run the report for a single chapter and single warehouse.
6. Run the report for a single chapter and multiple warehouses.
7. Run the report for multiple chapters and multiple warehouses.

Documentation Update:

WellSky® Blood Centers Reports Guide, Section 11.5, Unit Interdiction Report (MCRUINTR)

Added the new parameter for Warehouse ID, and included multiple examples of the report.

Copyright © 2025 – WellSky Corporation

!!! WSI-62735 – Unlabeled Components Detail Report (CPRUNLBL)

Enhancement of the report to include Warehouse ID for report parameters.


Check the parameter has been added to the report.

Check report parameters: **Maintain Report Parameters (RMCODE)**

WH	CHAR	Y	Y	Warehouse Id	Enter Warehouse ID:

If the parameter has not been added to the report, the following configuration needs to be made:

1. Go to Maintain Reports (RMREP).
2. Enter the report **CPRUNLBL** to display the report parameters defined.



3. Check to make sure the Warehouse ID parameter has been added to the report.

Setup Data

1. Check in units for a chapter _____ and a warehouse _____.
2. Create different components for the units. Examples are provided below. Create according your facility SOPs.
   - RBC, PLT, FFP
   - PPLT (pheresis)
   - RBC, RPL
   - Label components for some of the products
   - 1 unit has multiple products, label all
   - 1 unit has multiple products, label single product

Copyright © 2025 – WellSky Corporation

- 1 unit has single product (WB) not labeled
- 1 unit double PLT pheresis, label single product
- 1 unit has multiple products; none are labeled

3. Check in units for a chapter _____ and a warehouse _____.
4. Assign interdictions of various types and codes to units linked to the chapter and create different components for the units. Examples are provided below. Create according your facility SOPs.
   - RBC, PLT, FFP
   - PPLT (pheresis)
   - RBC, RPL
   - Label components for some of the products
   - 1 unit has multiple products, label all
   - 1 unit has multiple products, label single product
   - 1 unit has signle product (WB) not labeled
   - 1 unit double PLT pheresis, label single product
   - 1 unit has multiple products; none are labeled

   NOTE – If you have multiple warehouses linked to a single chapter, check in units to all the warehouses linked to the chapter and create components. Label some of them.
5. Run the report for a single chapter and single warehouse.
6. Run the report for a single chapter and multiple warehouses.
7. Run the report for multiple chapters and multiple warehouses.

Copyright © 2025 – WellSky Corporation

Hidden Menu Items

There are items in the WellSky Blood Centers menus that are hidden by default. These items are no longer supported and are not functional in WellSky Blood Centers and have been removed from the database and menu structure.

WellSky strongly recommends that you do not unhide any hidden menu items, even though you may be able to do so. We do not support the use of any hidden menu item and cannot guarantee that it would not negatively impact your WellSky Blood Centers implementation.

Desupported Programs and Reports

In WellSky Blood Centers, certain programs and reports have been removed from the database and menu structure. Users are advised not to access or use these de-supported programs, as doing so may result in system errors or other issues. The following programs are no longer maintained and cannot be guaranteed to operate reliably or securely.

Donor

Description of Program or Report	Executable	Keyword
Assign Procedures to a Drive	MRIDPROC	PROCDRV
Attach Campaign and Event to Drive	MRIACMPG	ATCAMP
Create or Remove Piggyback Links	MCIPIGGY	PIGGY
Drive Sign-off for Staff Scheduling	MRIDRSGN	SIGNOFF
Create Events	VDIEVENT	EVENT
Create and Modify Campaigns	MRICAMPG	CAMPAIGN
Assign Promotional Items to Campaigns	MRIPROMO	PROMOS
Merge or Split Territories	MRITERMS	RTER
Drive Participation Summary Report	MCRDRVSM	MCRDRVSM
First Time Donor Letter	DNRFSTLR	DNRFSTLR
Four Seasons Report for a Date Range	DERSEASN	DERSEASN
Collection Summary for Milwaukee	DSRCSSUM	DSRCSSUM
Multiple Drives Query (CBC)	MCQMULT2	MDRIVQ2
Piggyback Drives Query	MCQPIGGY	PIGGYQ
Drive Sheet Status Query	MCQDRLMP	DSQ
Rollover Drive Create Log Query	MCQROLOG	DLOGQ
Campaign Query	MRQCAMPG	CAMPQ
Campaign Item Query	MRIPROMO	PROMOQ

Copyright © 2025 – WellSky Corporation

Description of Program or Report	Executable	Keyword
Drive Sheet Print Status	MCQDRLMP	DRPQ
Query Mobile Drive Slot Parameters		VSLOTS
Collection Staff Services =>		SCHD
Enter Staff Unavailability	SSIUNAVL	STAVAIL
Enter Staff Unavailability - By Reason	SSIMSARS	STREAS
Pre-Assignment of Staff	SSIASIGN	PREASIGN
Enter Remarks/Skill Rating for a Drive	SSIDRSKL	DRVNOTE
Start Scheduling Program	SSISCHDL	STARTSCH
Assign Staff Manually	SSUMANSC	MANSCH
Finalize a Schedule	SSUFINAL	FINALIZE
View All Staff Schedule with Comments	SSIECOMM	EVIEW
Skill Definitions by Job Code	VDISKLDF	JOBSKILL
Maintain Staff Details	VDIEMPLY	STAFF4
Enter Job and Skills to Collection Staff	SSIEMPSK	STFSKILL
Maintain Collection Staff Teams	SSIDTEAM	TEAMS
Reason Codes for Staff Unavailability	VSIUNAVL	REASCD
Mobile Staff Alerts	SSISWARN	SWARN
Enter Differential Codes	VDIDIFFS	DIFFS
Weekly Schedule Query	SSQSCHID	SCHEDQ
Staff Schedules Query	SSQSCHTL	SCHSTFQ
Constraint Violation Query	SSQCONVL	STRAINQ
Collection Staff Details Query	SSQSTAFF	STAFFQ
Unassigned and On-Call Staff Query	SSQSTDAY	STOCQ
Unavailable Staff Query	SSQUNAVL	SUNQ
Individual Staff Schedule Query	SSQCOLLN	SSCHDQ
Drive Staff by Date Range Query	SSQDTDRV	DRSTAFFQ
Drive Analysis Report	CARDRVAN	CARDRVAN
Collection Summary by Donor Center	SSRCSSUM	SSRCSSUM

Copyright © 2025 – WellSky Corporation

Description of Program or Report	Executable	Keyword
Mobile Collection Staff - Active	SSRSTAFF	SSRSTAFF
Released List Statistics	DEQRSTAT	LSTATQ
Telerecruiter Performance	DEQTLTCK	TODQ
Track TeleRecruiter Productivity	DERTRTCK	DERTRTCK
TeleRecruiter Performance Report	DERTRTKP	DERTRTKP
Production Control and Transportation=>		
Enter Blood Pickup Schedule	PPIPSHED	PICKUP
Assign Driver to Pickup	PPIPDRVR	DRVRPKP
Assign Bag Type to Drive	PPIPBAGS	BAGTYPE
Assign Vehicle to Drive	TRIASSGN	VEHDRV
Adjust Blood Pickup Schedules	TRUPIKUP	PAD
Track Driver Dispatch	PPIDTRAK	DTRAK
Track Driver Return	PPIDRETN	RTRAK
Piggybacked Drives Query	MCQPIGGY	PIGGYPQ
Blood Arrival Schedule Query	PPQPICKS	PICKQ
Blood Pickup Schedules Query	PPQSIVAS	PPQSIVAS
Maintain Staff Details	VDIEMPLY	STAFF3
Valid Name Match Data Report	DPRNAMEM	DPRNAMEM
Department of Health Monthly Report	DNRSTHLT	DNRSTHLT
Donors by Coll Date/Drive/Don/Proc	DNRDONOR	DNRDONOR
Deferrals by Questions	DNRDINQS	DNRDINQS
External Donor Report	DPRDONDD	DPRDONDD
Donor Type Cards - Print History Query	DPQCARDS	TYPEQ
Donors Yet to Receive Post-Donation Card	DCQNOCRD	NOCARD
Generate Donor Post-Donation Card	DCIDCARD	DCARD
Collection Summary Report	DRRMREPS	DRRMREPS
Collection Summary Report by Recruiter	DRRCSREC	DRRCSREC
Sponsor Rollover Preferences	MRWROLLP	NA

Copyright © 2025 – WellSky Corporation

Description of Program or Report	Executable	Keyword
List Browser	DEWDONBR	NA
Staff Schedule Efficiency	SSWSSTAT	NA
Display Donors of Call List	DEWDONRS	NA
Sp Donation Window to add Physicians	SDWPHYSC	NA
List of Donations and Deferrals	DRRUNDEF	DRRUNDEF
Percent Participation Summary Report	MRRSPNSM	MRRSPNSM
First Time Donor Letter	DNRFSTLR	DNRFSTLR
Four Seasons Report for a Date Range	DERSEASN	DERSEASN
Collection Summary for Milwaukee	DSRCSSUM	DSRCSSUM
Donor Label Printing Report by List ID	DCRDNLBL	DCRDNLBL
Donor Label Printing By List ID	DONORLBL	DONORLBL
Laptop Status Report	LARRREPLG	LARRREPLG

Lab

Description of Program or Report	Executable	Keyword
Plasma Tube Manager	DSGTUMGR	GTMGR
Plasma Tube Pack/Ship	CPITSHIP	GTMGR
Button Plasma Tube Check-in	GTWCHKIN	NA
EBL file	DSGTUMGR	DSGTUMGR
EU CONFIG	DSGTUMGR	DSGTUMGR
Enter Run Values for Test	TSIRUNPM	RUNPARM
Void Test Results - Supervisory	LTIMUNVO	SUPVOID
Void Test Results	LTIMUNVO	VOID
Void Test Results-Tech2	LTIMUNVO	VOID2
Void Test Results-Tech1	LTIMUNVO	VOID1
Cancel Scheduled Tests	LTIMUNCA	LCANCEL
Schedule Additional Test-Regional Sample	TEIMSAT	ADTEST
RT' Results Status/Time Stats Query	RTQSTAT	RSTATQL
'RT' Sample Extract Detail Status Query	RTQEXTR	SENDQ
'RT' Results File Detail Status Query	RTQUPLD	UPDQ
RT' Results and Upload Query by Unit ID	RTQUNITS	RUNT

Copyright © 2025 – WellSky Corporation

Description of Program or Report	Executable	Keyword
Production Summary Report	MNRCSTAT	MNRCSTAT
Reject-Discard Reason Report	MNRDSRNM	MNRDSRNM
Initial/Reactive Test Result Spread	TERSPRD	TERSPRD

Distribution

Description of Program or Report	Executable	Keyword
Print Summary of Pending Orders	OERPNDNG	OERPNDNG
Order Shipment Tracking	OEQTRACK	
Customer Ship Profile Report	SARPROF	SARPROF
Delivery Promptness Report	SHRDLVT	SHRDLVT
Consignee Notification of Inventory Test	TSRNOTIF	TSRNOTIF
Consignee Notification by Results Date	TSRNOTI1	TSRNOTI1
Order Detail Query - Multiple Orders	VDUMPALL	DUMP
Order Charges - by Patient Name	OEQPCHRG	OPQ
Products Returned from Hospitals	IMQRTURN	RETPQ
Service Code Pricing List	SARPRICE	SARPRICE
Standard and Customer Tier Pricing	SARTIER	SARTIER

Desupported Master Codes

Donor (Master)

Code	Description
AUTAS	Staff Type Used in Automatic Scheduling
BDRBW	Brigham and Women's
CMPGN	Campaign Types
COURY	Couriers for Drive Pickup Schedules
DEFER	Test
DEREA	Drive Delay Reasons
DON	Donor Types Excluded for Collected Donations
HHCOM	OnSite Standard Health History comments

Copyright © 2025 – WellSky Corporation

Code	Description
HL7DN	HL7 Messages excluded donation types
HL7DR	HL7 Message Directories
HL7RE	Hemogram Tests
LDOCS	Document Link Categories
MANAS	Staff that can be manually scheduled for mobiles
MXDRV	Mac No of drives per day
PHOTO	Donor Photo
SIGNP	Signature Pad Directories
SURTY	Survey Types
SWARN	Mobile Staff Undesirable Conditions
TDISP	Phone Disposition of Tele-Recruiters
TEST	Test Group
LCMN	CMV negative test results
LCMP	CMV positive test results
UNAVL	Reasons for Staff Unavailability
ZONE	Blood Pickup Zones

Distribution (Master)

Code	Description
EBLFL	Electronic Bleeding List
DELPT	Reasons for deleting a plasma tube
DRTPL	Product types that are considered plasma products

Removed from NUMBERS Table:

- GELTUBE_BOX
- GELTUBE_SHIP

Copyright © 2025 – WellSky Corporation

Desupported System Parameters (SYSPARM)

Code	Description
ALTID_MODE	Removed S and B options.
BC_SCAN_ID	Blood Center Scan ID prefix – Numerical value only
CNFM_FLD	Removed the option of "S" – social security number
DONDID	Donor ID for find donor block
DONORCARD	Contains the designator file for the donor card to be printed in the OnSite module (.net).
FCARD2	OnSite Donor Card Definition (Back side of card)
FKSSN	Number to be used when entering an SSN other than 4 digits
GELTUBE_PL	Plasma Tube feature: Y = turned ON, N = turned OFF
HLTCHK	L-Last Name, S-SSN, F-First Name, G-Gender, P-Phone, D-DOB
MCARD	Mobile drive donor card print program
MIXTEAMS	Allow mixing teams for staff scheduling
MMSG	Message to mobile staff that prints on reports
MO_DMP_EXT	Mobile Dump File Extension for download process
OCDAY	Staff Schd – Check so many past days for off. This parameter is used solely in conjunction with the TLOFF and TMOFF parameters
OCHR	Staff Schd – Check hours in last so many days. This parameter is used solely in conjunction with the TLOFF and TMOFF parameters
PBSHW	Piggyback drive show
RECDA	In the description field, enter the code that will be used in the MSH segment for receiving application.
RECDF	In the description field, enter the code that will be used in the MSH segment for receiving facility.
RECFIX	Default recruiter for fixed drives
RECOV	This parameter is used to help control the assignment of staff to drives that start early in the morning if they were scheduled to work late at night. The staff scheduling program will not violate the recovery time, unless there are no staff available which meet the drive requirements. If there are no staff available which meet the requirements of the drive, the scheduling program will select the most experienced staff to go on the drive.
RPATH	Report output path
SENDA	In the description field, enter the code that will be used in the MSH segment for sending application.

Copyright © 2025 – WellSky Corporation

Code	Description
SENDF	In the description field, enter the code that will be used in the MSH segment for sending facility.
SERVF	In the description field, enter the code that will be used in the PV1 segment for servicing facility.
SSPST	Allow to create staff schedule sysdate – SSPST
SSN_MODE	Use of 4- or 9-digit SSN
STPRD	Staff Schd – Scheduling Period
STS_IFC	Y = SalesForce API is turned on. N = SalesForce API interface is turned off.
TEST	test
TLOFF	Designate the number of Team Leaders (TLs) that are off each day. This parameter is used in conjunction with the OCDAY and OCHR parameters in assigning days off to team leaders. The staff scheduling program will attempt to give off days to the number of team leaders configured in this parameter.
TMOFF	Designate the number of Team Members (including TLs) that are off each day. This parameter is used in conjunction with the OCDAY and OCHR parameters in assigning off days to all staff. The staff-scheduling program will attempt to give off days to the number of team members configured in the TMOFF parameter.
TTCR	Search CABRO these many days back in-time to check responsible telerecruiter for donor's donation.

Copyright © 2025 – WellSky Corporation