# AML Task

Task 1: To get the values of some properties of a particular item.

Now for single Item:

Cus1 and cus2 are the properties.

<AML>

<Item type='sg_customer' action='get' id ="F1CCA001A08E4FD0987509B554C74EEC" select='cus1,cus2' >

</Item>

</AML>

Task 2: To edit the value of date property of a particular item.

Editing the date value by using id of item

Editing the date value by using where attribute

```
<AML>

<Item type="sg_customer" action="edit" where="[sg_customer].cus1='9999'">

<datepro>2023-10-22T18:30:00</datepro>

</Item>

</AML>
```

Task 3: No. of relationships and their names of itemtype

Got the names of Relationstype of the itemtypes

Code:

```
<AML>

<Item type="ItemType" action="get" id='97A42B75D65546D296A17F25675C5514'
select='Relationships'>

<Relationships>

<Item type="RelationshipType" action="get" select='keyed_name'/>

</Relationships>

</Item>

</AML>
```

## Task 4: Delete the relationship of itemtype.

Using where attribute

Using id:

Task 5: Get the Permission of itemtype.

<AML>

<Item type="ItemType" action="get" id="97A42B75D65546D296A17F25675C5514" select="Relationships">

<Relationships>

<Item type="Allowed Permission" action="get" select="related_id">

<related_id action="get" select="keyed_name">

<Item type="Permission" action="get" select="name"></Item>

</related_id>

</Item>

</Relationships>

</Item>

</AML>