


- [illegible]


The screenshot displays the Aras Innovator web application interface. The browser address bar shows the URL 'localhost:InnovatorServer/Client/'. The main header features the 'aras INNOVATOR' logo and a search bar. Below the header, a navigation bar contains various tabs, with 'ItemTypes' currently selected. The 'ItemTypes' tab shows a list of item types, with 'sq_Child' highlighted. The 'sq_Child' item type configuration is displayed, including options for 'Name', 'History Template', 'Versionable', 'Search', 'Check On Logout', 'Is Relationship', 'Is Relationship Discovery', 'Use Br-Access', and 'Is Private Permissions'. Below the configuration, the 'Properties' tab is active, showing a table of properties for the 'sq_Child' item type. The table has columns for Name, Label, Data Type, Data Source, Length, Precision, Scale, Required, Unique, Indexed, Federated, Hidden, Hidden, Alignment, Width, Sort, Key Name, Order, Default Value, Default Search, Pattern, and Class Path. The 'current_state' property is highlighted in yellow.

Name	Label	Data Type	Data Source	Len.	Pr.	Sc.	Req.	Un.	Ind.	Fed.	His.	His.	Align.	Width	Sort	Key Name	Order	Default Value	Default Search	Pattern	Class Path
classification	Classification	String		512			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Left			128					
config_id	Item	Item	sq_Child				<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Left			2688					
created_by_id	Item	Item	User				<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Left			640					
created_on	Date	Date					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Left			512					Short Date Time
css	Text	Text					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Left			2304					
current_state	Item	Item	Life Cycle State				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Left			1280					
generation	Integer	Integer					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Left			2432					
id	Item	Item	sq_Child				<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Left			384					
is_current	Boolean	Boolean					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Left			1664					
is_released	Released	Boolean					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Left			2048					
secret_name	String	String		128			<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Left			256					

- 2) In parent item type go in relationship types enter name of child in name column. Give any name in relationship name and tab name.



- 3) After that you will also see parent child property.



- 4) Then go in Relationship Type in Toc and search the Relationship Type name which you given and click on it.

