

## One to one relationship:

Step01:

Create parent class in which we have to access the child class property.

Step02:

Create a child class, whose property will get access by parent class.

Step03:

Give all the permission necessary to create a item type to both of them (parent & child).

Step04:

Open parent class and edit it ->relationship types -> add item type -> select child class -> name it -> label it.

Aras Innovator

localhost/InnovatorServer/Client/

aras INNOVATOR

sg\_demo x demo\_permissi... x sg\_relation\_de... x sg\_relation\_ite...

sg\_relation\_demo

Edit

ItemType

Name sg\_relation\_demo

History Template

Singular Label sg\_relation\_demo

Plural Label sg\_relations\_demo

Show Parameters Tab When Populated

Default Structure View

Class Structure

Small Icon

Large Icon

Versioning

Versionable ☐

Discipline Automatic

Revisions Default

Search

Auto Search ☐

Default Page Size

Max Records

Unlock On Logout ☐

Dependent ☐

Is Relationship ☒

Enforce Discovery ☒

Use Src Access ☐

Allow Private Permissions ☒

Implementation Type

Single Item ☒

Poly Item ☐

Federated Item ☐

Enable for Secure Social

Properties RelationshipTypes Views Server Events Actions Life Cycles Workflows Client Events Can Add Permissions Reports Poly Sources Client Style Secure Social Implements Inherited Serve

ItemTypes

Hidden

Tab O...	Relationship ...	Tab Label	Name	Description [...]
128	sg_circular2	Tab2	sg_relation_item2	

31°C Sunny

Aras Innovator

localhost/InnovatorServer/Client/

aras INNOVATOR

sg\_demo x demo\_permissi... x sg\_relation\_de... x sg\_relation\_ite... x sg\_relation\_de... x A23EC507C6C... x 9C961DC946B...

9C961DC946B94317BEB40A0D5C520B4B

Save Done Discard

sg\_relation\_demo

Sg Relation Parent 888

relationship demo

sg\_relations\_item2

sg relation ch...

Select Items

sg\_relations\_item2



Simple

sg relation ch...	related_id
999	
999	
bharat	
bharat	
bharat01	
bhh	

Prev Next Page: 1 of 1 1 Results

OK Cancel

28°C Sunny



Aras Innovator

localhost/InnovatorServer/Client/

ChatGpt YouTube (2) WhatsApp GitHub Aras Innovator

aras INNOVATOR

sg\_demo demo\_permissi... sg\_relation\_de... sg\_relation\_ite...

sg\_relation\_item2

Edit

ItemType

Name sg\_relation\_item2

History Template

Singular Label sg\_relation\_item2

Plural Label sg\_relations\_item2

Show Parameters Tab When Populated

Default Structure View

Class Structure

Versioning

Versionable ☐

Discipline

Baseline

Revisions

Default

Search

Auto Search ☐

Default Page Size

Max Records

Unlock On Logout ☐

Dependent ☐

Is Relationship ☒

Enforce Discovery ☒

Use Src Access ☐

Allow Private Permissions ☒

Implementation Type

Single Item ☒

Poly Item ☐

Federated Item ☐

Enable for Secure Social

Properties RelationshipTypes Views Server Events Actions Life Cycles Workflows Client Events Can Add Permissions Reports Poly Sources Client Style Secure Social Implements Inherited Serve

Forms

Hidden

Form Name	Type	Description	Identity [...]	Classification	Display Priority	Secure Social
sg_relation_item2	Default		World			<input type="checkbox"/>

31°C Sunny

Search

ENG IN

17:10

05-10-2023