

IT operations, one trusted record

Asset management and network monitoring in one console — running entirely on your own server.

REGISTER · DISCOVER · PROTECT · MONITOR · REPORT

Nothing leaves your network.

No agents. No cloud dependency.



The inventory gap grows every day

Spreadsheets age immediately. Audits, failures and renewals expose the cost.

From manual recall to live evidence

01	Untrusted spreadsheet	A register the network keeps current
02	Failure by complaint	A fault identified within minutes
03	Licence count by asking	Software collected from devices
04	Warranty surprise	Expiry reported before failure
05	Four disconnected tools	One record linking asset, software, checks and faults

Rizonn asks the network, not people — and keeps the answer inside your network.




Contents

A page-by-page guide to the Rizonn platform.

SECTION	PAGE	SECTION	PAGE
● Single register Current device records and ownership	04–05	● Events Classification, suppression and correlation	13
● Discovery Scheduled network identification	06	● Reporting Exports, schedules and compliance evidence	14
● Risk Prioritised findings and remediation	07–08	● Service desk Jira and ServiceNow ticket discipline	15
● Software inventory Licensing, support and patch posture	09–10	● Security & control Roles, audit trail and encryption	16
● Monitoring Trusted alarms, status and history	11–12	● Deployment Requirements, limits and pilot	17

One device. One current record.

Identity, ownership, commercial data, network context and history stay connected.



What every record holds

Identity	Tag, model, serial
Ownership	Person, team, site
Commercial	Supplier, cost, warranty
Network	Address, OS, ports
Relationships	Rack, uplink, dependency
History	Every change, with owner

Opening view: what is on record, deployed, unowned and needing attention.

The register stays right on its own

Network evidence updates the record without creating duplicates.

The screenshot displays the RiZONN web application interface. On the left is a sidebar menu with options: OVERVIEW, ASSETS, ADDRESS PROBLEMS, DUPLICATES, ADD AN ASSET, DISCOVERY, RISK, SOFTWARE, CONTRACTS, MONITORING, EVENTS, REPORTS, ADMINISTRATION, and DOCUMENTATION. The main content area is titled 'Assets' and shows '48 records'. It includes a search bar with the text 'Tag, serial, IP, hostname, owner, model' and several filter dropdowns for 'All categories', 'All statuses', 'Any warranty', and 'Any presence'. Below these are buttons for 'FILTER', 'SELECT ALL ON THIS PAGE', 'REFINE SELECTED', and 'DELETE SELECTED'. A table lists the assets with columns: TAG, ASSET, CATEGORY, STATUS, ASSIGNED TO, LOCATION, and WARRANTY.

TAG	ASSET	CATEGORY	STATUS	ASSIGNED TO	LOCATION	WARRANTY
☐ CHN-SW-0001	Shop floor switch Cisco Catalyst 9200	Network device	DEPLOYED	—	Chennai plant	2027-02-01
☐ GGN-SW-0002	Floor 2 access switch Cisco Catalyst 2960-X	Network device	DEPLOYED	—	Head office, Gurugram	2027-07-01
☐ GGN-SW-0001	Floor 1 access switch Cisco Catalyst 2960-X	Network device	DEPLOYED	—	Head office, Gurugram	2027-11-28
☐ BLR-SRV-0007	Domain controller Dell PowerEdge R750	Server	DEPLOYED	IT	Bengaluru data centre	2027-01-02
☐ BLR-SRV-0006	Backup server Dell PowerEdge R850	Server	DEPLOYED	IT	Bengaluru data centre	2026-06-01

DISCOVER

Moves update the same device by serial number or MAC.

RECORD

Address changes are logged before checks start failing.

MERGE

Shared identity finds duplicates without losing history.

NOTICE

Repeated absence is flagged instead of silently ageing.

Discover what is actually connected

Scheduled scans identify devices, then match them to the register before anything is written.

Signals used

ICMP & TCP	Alive + listening services
ARP	Local devices + MAC
SNMP	Model, serial, neighbours
BACnet / Modbus	Building + industrial devices

Discovery proposes.
A person decides.

RiZONN

admin · Super Administrator · SIGN OUT

OVERVIEW
ASSETS
DISCOVERY
SCANS
REVIEW QUEUE
CREDENTIALS
RISK
SOFTWARE
CONTRACTS
MONITORING
EVENTS
REPORTS
ADMINISTRATION
DOCUMENTATION

Review queue

EXPORT CSV

Devices found on the network. Import the ones that belong on the register, ignore the rest. Nothing here has changed the CMDB yet.

New — 4

☐ Select all on this page
 Bulk import generates tags automatically — use the row buttons to set your own.

IMPORT SELECTED

IGNORE SELECTED

	ADDRESS	IDENTITY	SIGNALS	GUESS	ACTION	
☐	10.22.0.31 00:1A:58:82:86:82	chn-hmi-02	Siemens AG icmp tcp 22 80 443 TCP	other 0.6 confidence	Other	Tag (optional) IMPORT
					IGNORE	
☐	10.21.10.77 00:1A:62:36:87:78	10.21.10.77	Apple, Inc. icmp tcp 80 3389 TCP	endpoint 0.5 confidence	Desktop / laptop	Tag (optional) IMPORT
					IGNORE	
☐	10.20.5.9 00:1A:91:35:26:64	blr-cam-0004	Hikvision icmp tcp 22 80 443 TCP	camera 0.7 confidence	Server	Tag (optional) IMPORT
					IGNORE	
☐	10.20.1.42 00:1A:48:99:25:92	blr-srv-new	Dell Inc. icmp tcp 80 3389	server 0.8 confidence	Server	Tag (optional) IMPORT


Ignored findings stay out of the way until you ask for them back.

RiZONN • PRIVATE, ON-PREMISE IT OPERATIONS

06

Turn the register into an action list

Every finding explains why it matters and what to do next.



12 RULES Ranked by severity, drilling directly to affected devices.

Randomised MAC addresses are flagged — never trusted as a stable identity.

Risk means a clear next action

Nine checks cover lifecycle, patching, exposure, ownership and identity.

01 End-of-life OS
No security updates

02 Missing patches
Behind comparable peers

03 Insecure ports
Telnet, FTP or VNC exposed

04 Not responding
Absent across scans

05 Unsupported software
Past vendor support

06 Warranty expired
No cover tomorrow

07 Aged hardware
Over five years old

08 No owner
Nobody accountable

09 Duplicate / moved
Checks point to wrong device

Every rule carries the reason it fired and the recommended remediation.

Know what is installed — without agents

See licensable titles, unsupported software and patch position across the estate.

RIZONN

admin · Super Administrator SIGN OUT

OVERVIEW

ASSETS

DISCOVERY

RISK

SOFTWARE

OVERVIEW

INSTALLED

PRODUCTS

MACHINES

PATCHES

UNRECOGNISED

CATALOGUE

COLLECTION HISTORY

SCHEDULES

COLLECT NOW

CONTRACTS

MONITORING

EVENTS

REPORTS

ADMINISTRATION

DOCUMENTATION

Software

What is installed across the estate, collected without an agent and normalised to a catalogue so a count means something.

146
INSTALLATIONS

18
MACHINES REPORTING

10
DISTINCT PRODUCTS

39
LICENSABLE INSTALLS

2
UNRECOGNISED

MOST INSTALLED PRODUCTS					ALL 10 PRODUCTS
PRODUCT	CATEGORY	LICENCE	LICENSABLE	INSTALLS	
Microsoft Office Professional Plus 2016 past end of support 2025-10-14	Productivity	Perpetual	YES	16	
Microsoft Visual Studio Code	Development	Free	no	14	
Google Chrome	Browser	Free	no	13	
Notepad++	Utility	Open source	no	13	
Adobe Acrobat Reader	Productivity	Free	no	12	
Tally Solutions Tally	Business application	Perpetual	YES	12	
Mozilla Firefox	Browser	Open source	no	11	
RARLAB WinRAR	Utility	Perpetual	YES	11	

AGENTLESS COLLECTION

WinRM for Windows

SSH for Linux

Nothing is deployed to inventoried machines.

Software inventory answers five questions

Coverage is honest: evidence from devices, not a fabricated “should have” list.

It tells you

- 01 **Installed** Every title + publisher
- 02 **Licensable** Paid titles separated from components
- 03 **Unsupported** Past vendor support
- 04 **Unrecognised** Presented for human review
- 05 **Removed** Missing since last collection

RiZONN

admin · Super Administrator · SIGN OUT

OVERVIEW

ASSETS

DISCOVERY

RISK

SOFTWARE

OVERVIEW

INSTALLED

PRODUCTS

MACHINES

PATCHES

UNRECOGNISED

CATALOGUE

COLLECTION HISTORY

SCHEDULES

COLLECT NOW

CONTRACTS

MONITORING

EVENTS

Patch compliance

Which machines have fallen behind the rest of the estate.

MEASURED AGAINST PEERS, NOT A VENDOR CATALOGUE

This system knows what your machines reported, not what Microsoft released. A patch on at least 50% of reporting machines is treated as one everybody should have, and its absence elsewhere is a gap. That is a real signal, and it is not the same as checking against the vendor — a patch missing from every machine will never show here.

18

MACHINES REPORTING

91

DISTINCT PATCHES

0

BEHIND THEIR PEERS

18

NO UPDATE IN 60 DAYS

18

LEVEL WITH PEERS

BY MACHINE

ASSET	OPERATING SYSTEM	PATCHES	MISSING	NEWEST UPDATE	STATE
CHN-DSK-1003 Desktop 1003	Windows 11 24H2	8	0	unknown	STALE
CHN-DSK-1009 Desktop 1009	Windows 11 24H2	7	0	unknown	STALE
CHN-DSK-1015 Desktop 1015	Windows 10 22H2	6	0	unknown	STALE


Patch position = peer comparison + newest patch age.

RiZONN • PRIVATE, ON-PREMISE IT OPERATIONS

10

Monitoring people keep listening to

Checks absorb normal packet loss and scale across the fleet.



Trust the alarm

A state changes only after consecutive failures — and clears only after consecutive successes. Both counts are configurable.


Monitor the fleet

Reachability is one estate-wide sweep. Configure individual monitors only where response time, thresholds or history matter.

Health at a glance, grouped by site and ordered by proximity to threshold.


See current state and the history behind it

A live status board for action; distributions and trends for diagnosis.



LIVE STATUS

Down assets demand acknowledgement; the response is recorded.



CHECK HISTORY

Response time, distribution and time-of-week reveal what averages hide.

Percentiles show the experience people actually feel — and expose thresholds that will never fire.

Reduce thousands of events to the fault

Syslog and SNMP traps are classified, deduplicated, storm-suppressed and correlated.

1

CLASSIFY

Name + severity

2

DEDUPLICATE

Repeat → count

3


SUPPRESS

Flood → storm

4

CORRELATE

Consequence → cause



Find the cause, not its consequences

Because the register knows relationships, downstream events are marked as consequences. Filter to causes and the failed device stands alone.

If the failed device is too dead to report, monitoring state supplies the missing evidence.

One failed switch can create 400 events in 10 seconds. Rizonn shows the one thing that broke.

Evidence reaches people before they ask

Thirteen reports span assets, risk, software, availability and compliance.

RiZONN

admin · Super AdministratorSIGN OUT

OVERVIEW

ASSETS

DISCOVERY

RISK

SOFTWARE

CONTRACTS

MONITORING

EVENTS

REPORTS

ALL REPORTS

SCHEDULED

ADMINISTRATION

DOCUMENTATION

Reports

Every report reads the register directly, so a report and the screen it was run from can never disagree. All of them export to CSV, Excel and PDF.

SCHEDULED REPORTS

REPORT	WHAT IT SHOWS	CLAUSE	
Asset register	The full register, filterable. The starting point for most audits.	39	CSVEXCELPDF
Assets by category	Counts and recorded cost per category, assets in service only.	39	CSVEXCELPDF
Assets by department	Counts and recorded cost per department — the basis for cost allocation.	22	CSVEXCELPDF
Assets by location	Counts and recorded cost per site or rack.	39	CSVEXCELPDF
Warranty and support expiry	What is out of cover, and what will be within the window.	23	CSVEXCELPDF
Lifecycle and refresh	Status breakdown plus assets past the refresh age threshold.	19	CSVEXCELPDF
Ownership and accountability	Deployed assets and who is accountable for each.	35	CSVEXCELPDF
Availability by category	How much of the monitored estate is still answering.	33	CSVEXCELPDF
Risk register	Every risk finding with the asset it affects and the recommended action.	34	CSVEXCELPDF
Unsupported software	Products past end of support and how long they have been exposed.	34	CSVEXCELPDF
Discovery activity	Scan history, what was found, and what is still awaiting review.	11	CSVEXCELPDF

Scheduled delivery

Export as CSV, Excel or PDF — then email the report to the people who need it.

Compliance evidence

Map ISO 27001, SOC 2, NIST CSF, PCI DSS and GDPR/DPDP controls to the reports that evidence them.

Exception reports stay silent when nothing is wrong — so the message that matters gets read.

One ticket per problem — never per report

Jira and ServiceNow receive actionable faults without inheriting event noise.

The screenshot shows the RiZONN web interface. On the left is a sidebar with navigation links: OVERVIEW, ASSETS, DISCOVERY, RISK, SOFTWARE, CONTRACTS, MONITORING, EVENTS, REPORTS, ADMINISTRATION (highlighted), and INTEGRATIONS. The main panel is titled 'Integrations' and includes a 'TICKETS' button. Below the title, it states: 'Raise a ticket in Jira or ServiceNow when something needs a person. One ticket per problem, not per report.' There are five summary cards: CONNECTIONS (0), RULES (0), TICKETS OPEN (0), WAITING (0), and FAILED (0). Below these is the 'ADD A CONNECTION' form for Jira. The form fields are: NAME (Service desk), SYSTEM (Jira), URL (https://yourcompany.atlassian), USERNAME (svc@yourcompany.com), API TOKEN OR PASSWORD (empty), AUTHENTICATION (Basic - username and token), PROJECT OR TABLE (ITAM / incident), and ISSUE TYPE OR CATEGORY (Task / Network). Small text provides instructions for each field, such as 'The site root, not a page inside it' for the URL and 'Jira: the account email. ServiceNow: the user.' for the username.

DEDUPLICATE

A week-long critical check remains one ticket; repeat reports increment it.

RESOLVE SAFELY

When the condition clears, Rizonn adds a note and marks it resolved here — never closes someone else's ticket.

RETRY

If the service desk is slow or unavailable, the ticket is delayed, not lost.

Security and control stay on your server

Role-based access, encrypted credentials and an audit trail that cannot be quietly edited.

Five roles

Super admin	Everything
Asset manager	Register, software, reports
Network operator	Discovery, monitoring, events
Auditor	Read all + audit trail
Read only	Register + reports

IMMUTABLE AUDIT

Actions are time-stamped and hash-chained; alteration breaks the chain.

ENCRYPTED CREDENTIALS

SNMP, SSH, WinRM, email and service-desk secrets are encrypted at rest.



Deploy once. Manage from inside.

One Windows or Linux server, PostgreSQL, network access and read-only credentials.

What it needs

Server	Windows or Linux
Database	PostgreSQL
Network	Access to managed ranges
Credentials	Read-only SNMP + service account
Agents	None
Cloud services	None



CURRENT LIMITS

No segmented-site collectors, usage agent or VMware vSphere inventory yet.

NEXT STEP

Pilot one subnet in an afternoon.